RAMP SHOPPING STORE

A PROJECT REPORT

Submitted By:

MANVENDRA PRATAP SINGH

(University Roll No - 2000290140066)

PRAKHAR VARSHNEY

(University Roll No - 2000290140088)

RUDRA GAHLOT

(University Roll No - 2000290140106)

ABHISHEK UPADHYAY

(University Roll No - 2000290140008)

Submitted in partial fulfillment of the Requirements for the Degree of

MASTER OF COMPUTER APPLICATIONS

Under the Supervision of ANKIT VERMA SIR Assistant Professor



Submitted to

DEPARTMENT OF COMPUTER APPLICATIONS KIET Group of Institutions, Ghaziabad Uttar Pradesh-201206

(JAN 2022)

DECLARATION

I hereby declare that the work presented in this report entitled "RAMP SHOPPING STORE", was carried out by me. I have not submitted the matter embodied in this report for the award of any other degree or diploma of any other University or Institute. I have given due credit to the original authors/sources for all the words, ideas, diagrams, graphics, computer programs, experiments, results, that are not my original contribution. I have used quotation marks to identify verbatim sentences and given credit to the original authors/sources. I affirm that no portion of my work is plagiarized, and the experiments and results reported in the report are not manipulated. In the event of a complaint of plagiarism and the manipulation of the experiments and results, I shall be fully responsible and answerable.

Name:
Roll. No.:
Branch:
(Candidate Signature)

CERTIFICATE

Certified that Manvendra Pratap Singh University Roll No - 2000290140066, Prakhar Varshney University Roll No - 2000290140088, Rudra Gahlot University Roll No - 2000290140106, Abhishek Upadhyay University Roll No - 2000290140008 have carried out the project work having "RAMP SHOPPING STORE" for Master of Computer Applications from Dr. A.P.J. Abdul Kalam Technical University (AKTU) (formerly UPTU), Technical University, Lucknow under my supervision. The project report embodies original work, and studies are carried out by the student himself / herself and the contents of the project report do not form the basis for the award of any other degree to the candidate or to anybody else from this or any other University/Institution.

Date:

Manvendra Pratap Singh (2000290140066) Prakhar Varshney (2000290140088) Rudra Gahlot (2000290140106)

Abhishek Upadhyay (2000290140008)

This is to certify that the above statement made by the candidate is correct to the best of my knowledge.

Date:

Ankit Verma
Assistant Professor
Department of Computer Applications
KIET Group of Institutions, Ghaziabad

Signature of Internal Examiner

Signature of External Examiner

Dr. Ajay Shrivastava Head, Department of Computer Applications KIET Group of Institutions, Ghaziabad

ABSTRACT

RAMP Shopping Store is process of doing business through computer networks. A person sitting on his chair in front of a computer can access all the facilities of the Internet to buy or sell the products. Unlike traditional commerce that is carried out physically with effort of a person to go & get products, ecommerce has made it easier for human to reduce physical work and to save time. E-Commerce which was started in early 1990's has taken a great leap in the world of computers, but the fact that has hindered the growth of e-commerce is security. Security is the challenge facing ecommerce today & there is still a lot of advancement made in the field of security. The main advantage of e-commerce over traditional commerce is the user can browse online shops, compare prices and order merchandise sitting at home on their PC. For increasing the use of e-commerce in developing countries the B2B e-commerce is implemented for improving access to global markets for firms in developing countries. For a developing country advancement in the field of ecommerce is essential. The research strategy shows the importance of the e-commerce in developing countries for business applications. The main objective of the E-commerce Website is to manage the details of Products, Customer, Shipping, Payment, Category. It manages all the information about Products, Sales, Category, Products. The project is totally built at administrative end and thus only the administrator is guaranteed the access. The purpose of the project is to build an application program to reduce the manual work for managing the Products Customer, Sales, Shipping. It tracks all the details about the Shipping, Payment, Category

ACKNOWLEDGEMENT

Success in life is never attained single handedly. My deepest gratitude goes to my thesis

supervisor, Ankit Verma Sir for his guidance, help and encouragement throughout my research

work. Their enlightening ideas, comments, and suggestions.

Words are not enough to express my gratitude to Dr. Ajay Kumar Shrivastava, Professor and

Head, Department of Computer Applications, for his insightful comments and administrative help

at various occasions.

Fortunately, I have many understanding friends, who have helped me a lot on many critical

conditions.

Finally, my sincere thanks go to my family members and all those who have directly and

indirectly provided me moral support and other kind of help. Without their support, completion of

this work would not have been possible in time. They keep my life filled with enjoyment and

happiness.

Manvendra Pratap Singh

Prakhar Varshney

Rudra Gahlot

Abhishek Upadhyay

5

TABLE OF CONTENTS

Declaration		2
Certificate		3
Abstract		4
Acknowledgements		5
Table of Content		6-7
List of Tables		8
List of Figures		9
Chapter 1 - Introduction	10-12	
1.1 Project Introduction		
1.2 Aim		
1.3 Existing System		
1.4 Proposed System		
1.5 Hardware & Software Requirements		
Chapter 2 Feasibility Study	13-14	
2.1 Feasibility Study		
2.2 Operational Feasibility		
2.3 Technical Feasibility		
2.4 Economical Feasibility		
Chapter 3 Design & Planning	15-26	
3.1 SDLC Model		
3.2 General Overview		
3.3 Use Case Diagram		
3.4 Sequence Diagram		
3.5 Activity Diagram		

3.6 DFD Chapter 4 Form Design 27-28 4.1 Input / Output Form (Screenshot) Chapter 5 Coding 28-40 Chapter 6 Testing 41-42 6.1 Test Case-1 6.2 Test Case-2 Chapter 7 Conclusion 43

LIST OF TABLES

Table No.	Name of Table	Page	
2.1	Hardware Specification	12	
2.2	Software Specification	12	

LIST OF FIGURES

Figure No.	Page No.
3.1.1	16
3.2	17
3.3	18
3.4.1	19
3.4.2	20
3.4.3	21
3.4.4	22
3.5.1	23
3.5.2	23
3.6.1	24
3.6.2	25
3.6.3	26
4.1.1	27
4.1.2	28

CHAPTER 1

INTRODUCTION

1.1 INTRODUCTION

Customer get many benefits via online shopping this helps e-commerce companies to build long lasting and profitable relationship with their customers. For making strong relationship with these users it is very important to focus on the customer as a whole and making sense of a flood of real time information that goes well beyond demographics or shopping behaviour. There are two entities who will have the access to the system. One is the admin and another one will be the registered user.

Admin can add product details, view all the order details and can also view the sales of the products. User need to register with basic registration details to generate a valid username and password. After the user logins, it can view all the products that are recommended on the homepage compiled by the system based on user's information. From the recommended products, the user can even further view its details and then if interested to buy, the system gives add to cart option for purchasing the product. The system even has an AI bot with the help of which the user can get answers to queries like features, warranty, price etc. details of the products. This AI Bot even converts text to speech. After selecting the product, user can do payment for the particular product online. Users can view their order history of their purchased product.

1.2 AIM

The main aim of RAMP SHOPPING STORE development is to sell products to users. The most successful websites are carefully optimized to achieve a high percentage of purchases. To achieve success ecommerce websites need to integrate all of the latest online closing & upsell techniques available which have been proven to increase chances that a visitor will purchase. There are many important elements that go into building a successful e-commerce website such as removing friction during the purchasing process, making the checkout smooth and easy, making the website fast and attractive, up selling users on related products, incentivizing buyers, reducing cart abandonment, nurturing past buyers to buy again, remarketing to past visitors who haven't yet purchased, using the proper payment options, having a mobile ready design and many more things which are needed to develop and e-commerce website.

1.3 EXISTING SYSTEM

This existing system of buying goods has several disadvantages. It requires lots of time to travel to the particular shop to buy the goods. It is having lots of manual work. Since everyone is leading busy life now a days, time means a lot to everyone. Also there are expenses for travelling from house to shop. It is less user-friendly. In current system user must go to shop and order products. It is difficult to identify the required product. More over the shop from where we would like to buy something may not be open 24*7*365. Hence we have to adjust our time with the shopkeeper's time or vendor's time. In current e-commerce system user have to go shop to view the description of the product. It is unable to generate different kinds of report.

1.4 PROPOSED SYSTEM

The proposed system helps in building a website to buy, sell products or goods online using internet connection. Unlike traditional commerce that is carried out physically with effort of a person to go and get products, eCommerce has made it easier for human to reduce physical work and to save time. The basic concept of the application is to allow the customer to shop virtually using the Internet and allow customers to buy the items and articles of their desire from the store. E-commerce is fast gaining ground as an accepted and used business paradigm.

1.5 HARDWARE & SOFTWARE REQUIREMENTS SPECIFICATION

1.5.1 Hardware Requirements

Number	Description
1	PC with 250 GB or more Hard disk.
2	PC with 2 GB RAM.
3	PC with Pentium 1 and above.

1.5.2 Software Requirements

Number	Description	Туре
1	Operating System	Windows
2	Language	JavaScript , HTML
3	Database	MongoDB
4	IDE	VS Code
5	Browser	Chrome, Firefox, Edge

CHAPTER 2

FEASIBILITY STUDY

2.1 FEASIBILITY STUDY

A feasibility study is a high-level capsule version of the entire System analysis and Design Process. The study begins by classifying the problem definition. Feasibility is to determine if it's worth doing. Once an acceptance problem definition has been generated, the analyst develops a logical model of the system. A search for alternatives is analyzed carefully. There are 3 parts in feasibility study.

- 1. Technical Feasibility
- 2. Economical Feasibility
- 3. Operational Feasibility

2.2 OPERATIONAL FEASIBILITY

Operational feasibility is the measure of how well a proposed system solves the problems, and takes advantage of the opportunities identified during scope definition and how it satisfies the requirements identified in the requirements analysis phase of system development. The operational feasibility assessment focuses on the degree to which the proposed development projects fits in with the existing business environment and objectives with regard to development schedule, delivery date, corporate culture and existing business processes. To ensure success, desired operational outcomes must be imparted during design and development. These include such design-dependent parameters as reliability, maintainability, supportability, usability, producibility, disposability, sustainability, affordability and others. These parameters are required to be considered at the early stages of design if desired operational behaviours are to be realised. A system design and development requires appropriate and timely application of engineering and management efforts to meet the previously mentioned parameters. A system may serve its intended purpose most effectively when its technical and operating characteristics are engineered into the design. Therefore, operational feasibility is a critical aspect of systems engineering that needs to be an integral part of the early design phases.

2.3 TECHNICAL FEASIBILITY

This involves questions such as whether the technology needed for the system exists, how difficult it will be to build, and whether the firm has enough experience using that technology. The assessment is based on outline design of system requirements in terms of input, processes, output, fields, programs and procedures. This can be qualified in terms of volume of data, trends, frequency of updating inorder to give an introduction to the technical system. The application is the fact that it has been developed on windows XP platform and a high configuration of 1GB RAM on Intel Pentium Dual core processor. This is technically feasible .The technical feasibility assessment is focused on gaining an understanding of the present technical resources of the organization and their applicability to the expected needs of the proposed system. It is an evaluation of the hardware and software and how it meets the need of the proposed system.

2.4 ECONOMICAL FEASIBILITY

Establishing the cost-effectiveness of the proposed system i.e. if the benefits do not outweigh the costs then it is not worth going ahead. In the fast paced world today there is a great need of online social networking facilities. Thus the benefits of this project in the current scenario make it economically feasible. The purpose of the economic feasibility assessment is to determine the positive economic benefits to the organization that the proposed system will provide. It includes quantification and identification of all the benefits expected. This assessment typically involves a cost/benefits analysis.


CHAPTER 3

DESIGN & PLANNING


3.1 SOFTWARE DEVELOPMENT LIFE CYCLE MODEL 3.1.1 WATERFALL MODEL

The waterfall model was selected as the SDLC model due to the following reasons:


- Technology was adequately understood.
- Simple and easy to understand and use.
- There were no ambiguous requirements.
- Easy to manage due to the rigidity of the model.
- Each phase has specific deliverables and a review process.
- Clearly defined stages.
- Well understood milestones.
- Easy to arrange tasks.



3.2 GENERAL OVERVIEW




3.3 USE CASE DIAGRAM




3.4 SEQUENCE DIAGRAM


3.4.1 Login




3.4.2 Search



3.4.3 Add New Product




3.4.4 Buy Product




3.5 ACTIVITY DIAGRAM


3.5.1 User Side




3.5.2 For Admin




3.6.1 Zero-Level DFD Diagram



3.6.2 First-Level DFD Diagram



3.6.3 Second-Level DFD Diagram



CHAPTER 4

FORM DESIGN

4.1 INPUT / OUTPUT FORM




Figure :4.1.1




Figure : 4.1.2

CHAPTER 5

CODING

5.1 INDEX.HTML (HTML FILE)

```
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8"/>
  k rel="icon" href="%PUBLIC_URL%/favicon.ico" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <meta name="theme-color" content="#000000" />
  <meta
   name="description"
   content="Web site created using create-react-app"
  />
  k rel="apple-touch-icon" href="%PUBLIC_URL%/logo192.png" />
  k rel="manifest" href="%PUBLIC_URL%/manifest.json" />
  <title>React App</title>
  <style>
   .p-5 my-md-5 text-center{
  background-image: url(https://mdbootstrap.com/img/Photos/Others/background2.jpg);
  background-size: cover;
  background-position: center center"
  </style>
 </head>
 <body>
  <noscript>You need to enable JavaScript to run this app.</noscript>
  <div id="root"></div>
 </body>
</html>
```

5.2 APP.JS (JAVASCRIPT FILE)

```
import './App.css';
import Home from './myComponents/Home';
import Login from './myComponents/Login';
import Contact from './myComponents/Contact';
import Navbar from './myComponents/Navbar';
import Footer from './myComponents/Footer';
import AboutUs from './myComponents/AboutUs';
import {BrowserRouter as Router,Route,Switch} from 'react-router-dom';
import Register from './myComponents/Register';
import { useState } from 'react';
import Product from './myComponents/Product';
function App() {
 const [user,setLoginUser] = useState({})
 return (
  <Router>
  <div className="App">
  <Navbar></Navbar>
  <Switch>
      <Route exact path="/">
        user && user_id ? <Home setLoginUser={setLoginUser} /> : <Login
setLoginUser={setLoginUser}/>
      </Route>
      <Route path="/login">
       <Login setLoginUser={setLoginUser}/>
      </Route>
      <Route path="/register">
       <Register />
     </Route>
   <Route exact path = "/Home" component = {Home}></Route>
   <Route exact path = "/Product" component = {Product}></Route>
   <Route exact path = "/Contact" component = {Contact}></Route>
   <Route exact path = "/AboutUs" component = {AboutUs}></Route>
  </Switch>
  <Footer></Footer>
  </div>
  </Router>
 );
export default App;
```

5.3 LOGIN.JS

```
import React, {useState} from "react"
import "./login.css"
import axios from "axios"
import { useHistory } from "react-router-dom"
const Login = ({ setLoginUser}) => {
  const history = useHistory()
  const [ user, setUser] = useState({
    email:"",
    password:""
  })
  const handleChange = e => {
    const { name, value } = e.target
    setUser({
       ...user,
       [name]: value
    })
  }
  const login = () => {
     axios.post("http://localhost:9002/Login", user)
    .then(res \Rightarrow {
       alert(res.data.message)
       setLoginUser(res.data.user)
       history.push("/")
    })
  }
  return (
     <div className="login">
       <h1>Login</h1>
       <input type="text" name="email" value={user.email} onChange={handleChange}</pre>
placeholder="Enter your Email"></input>
       <input
                   type="password"
                                         name="password"
                                                                 value={user.password}
onChange={handleChange} placeholder="Enter your Password" ></input>
       <div className="button" onClick={login}>Login</div>
       <div>or</div>
       <div
                         className="button"
                                                           onClick={()
                                                                                     =>
history.push("/Register")}>Register</div>
```

```
</div>
)
}
export default Login
```

5.4 REGISTER.JS

```
import React, { useState } from "react"
import "./register.css"
import axios from "axios"
import { useHistory } from "react-router-dom"
const Register = () => {
  const history = useHistory()
  const [ user, setUser] = useState({
     name: "",
     email:"",
     phone:"",
     address:"",
     password:"",
     reEnterPassword: ""
  })
  const handleChange = e => {
     const { name, value } = e.target
     setUser({
       ...user,
       [name]: value
     })
  }
  const register = () => {
     const { name, email, phone, address, password, reEnterPassword } = user
     if( name && email && phone && address && password && (password ===
reEnterPassword)){
       axios.post("http://localhost:9002/Register", user)
       .then( res => {
          alert(res.data.message)
          history.push("/Login")
       })
     } else {
```

```
alert("invalid input")
  }
  return (
    <div className="register">
       {console.log("User", user)}
       <h1>Register</h1>
       <input type="text" name="name" value={user.name} placeholder="Your Name"</pre>
onChange={ handleChange }></input>
       <input type="text" name="email" value={user.email} placeholder="Your Email"</pre>
onChange={ handleChange }></input>
       <input type="text" name="phone" value={user.phone} placeholder="Your Phone</pre>
Number minlength = "10" maxlength = "10" on Change = { handle Change }></input>
                   type="password"
                                          name="address"
       <input
                                                               value={user.address}
placeholder="Your Address" on Change={ handle Change }></input>
                  type="password"
                                       name="password"
                                                              value={user.password}
       <input
placeholder="Your Password" minlength = "6" maxlength = "10" on Change={
handleChange }></input>
       <input type="password" name="reEnterPassword" value={user.reEnterPassword}</pre>
placeholder="Re-enter Password" on Change={ handle Change }></input>
       <div className="button" onClick={register} >Register</div>
       <div>or</div>
       <div className="button" onClick={() => history.push("/Login")}>Login</div>
    </div>
  )
export default Register
```

5.5 HOME.JS

```
import React from 'react'
import b1 from './buy-1.jpg';
import b2 from './buy-2.jpg';
import b3 from './buy-3.jpg';
import b4 from './category-1.jpg';
import b5 from './category-2.jpg';
import b6 from './category-3.jpg';
import b7 from './exclusive.png';
import b8 from './product-4.jpg';
```

```
const mystyle = {
    top: "0.5rem",
  right: "0.5rem"
   };
  return (
    <div>
       <header class="py-4 header-style">
       <div class="container px-4 px-lg-5 my-5">
         <div class="text-center text-white">
           <h1 class="display-4 fw-bolder custom-h1">Shop in Style</h1>
           With us on RAMP Shopping
Store!!
         </div>
       </div>
    </header>
    <section class="py-5">
       <div class="container px-4 px-lg-5 mt-5">
         <div class="row gx-4 gx-lg-5 row-cols-2 row-cols-md-3 row-cols-xl-4 justify-</p>
content-center">
           <div class="col mb-5">
              <div class="card h-100">
                <img class="card-img-top" src={b1} alt="..." />
                <div class="card-body p-4">
                  <div class="text-center">
                     <h5 class="fw-bolder">Fancy Product</h5>
                     $40.00 - $80.00
                  </div>
                </div>
              </div>
           </div>
           <div class="col mb-5">
              <div class="card h-100">
                <div
                         class="badge
                                         bg-dark
                                                     text-white
                                                                   position-absolute"
style={mystyle}>Sale</div>
                <img class="card-img-top" src={b2} alt="..." />
                <div class="card-body p-4">
                  <div class="text-center">
                     <h5 class="fw-bolder">Special Item</h5>
                     <div class="d-flex justify-content-center small text-warning mb-</pre>
2">
                       <div class="bi-star-fill"></div>
                       <div class="bi-star-fill"></div>
                       <div class="bi-star-fill"></div>
                       <div class="bi-star-fill"></div>
                       <div class="bi-star-fill"></div>
                     </div>
```

```
class="text-muted
                                                                   text-decoration-line-
                      <span
through">$20.00</span>
                      $18.00
                   </div>
                 </div>
              </div>
            </div>
            <div class="col mb-5">
              <div class="card h-100">
                 <div
                         class="badge
                                           bg-dark
                                                       text-white
                                                                     position-absolute"
style={mystyle}>Sale</div>
                 <img class="card-img-top" src={b3} alt="..." />
                 <div class="card-body p-4">
                   <div class="text-center">
                      <h5 class="fw-bolder">Sale Item</h5>
                                      class="text-muted
                                                                   text-decoration-line-
                      <span
through">$50.00</span>
                      $25.00
                   </div>
                 </div>
              </div>
            </div>
            <div class="col mb-5">
              <div class="card h-100">
                 <img class="card-img-top" src={b4} alt="..." />
                 <div class="card-body p-4">
                   <div class="text-center">
                      <h5 class="fw-bolder">Popular Item</h5>
                      <div class="d-flex justify-content-center small text-warning mb-</pre>
2">
                        <div class="bi-star-fill"></div>
                        <div class="bi-star-fill"></div>
                        <div class="bi-star-fill"></div>
                        <div class="bi-star-fill"></div>
                        <div class="bi-star-fill"></div>
                      </div>
                      $40.00
                   </div>
                 </div>
              </div>
            </div>
            <div class="col mb-5">
              <div class="card h-100">
                 <div
                         class="badge
                                                                     position-absolute"
                                           bg-dark
                                                       text-white
style={mystyle}>Sale</div>
                 <img class="card-img-top" src={b5} alt="..." />
```

```
<div class="card-body p-4">
                   <div class="text-center">
                      <h5 class="fw-bolder">Sale Item</h5>
                                      class="text-muted
                                                                   text-decoration-line-
through">$50.00</span>
                      $25.00
                   </div>
                 </div>
              </div>
            </div>
            <div class="col mb-5">
              <div class="card h-100">
                 <img class="card-img-top" src={b6} alt="..." />
                 <div class="card-body p-4">
                   <div class="text-center">
                      <h5 class="fw-bolder">Fancy Product</h5>
                      $120.00 - $280.00
                   </div>
                 </div>
              </div>
            </div>
            <div class="col mb-5">
              <div class="card h-100">
                 <div
                         class="badge
                                           bg-dark
                                                       text-white
                                                                     position-absolute"
style={mystyle}>Sale</div>
                 <img class="card-img-top" src={b7} alt="..." />
                 <div class="card-body p-4">
                   <div class="text-center">
                      <h5 class="fw-bolder">Special Item</h5>
                      <div class="d-flex justify-content-center small text-warning mb-</pre>
2">
                        <div class="bi-star-fill"></div>
                        <div class="bi-star-fill"></div>
                        <div class="bi-star-fill"></div>
                        <div class="bi-star-fill"></div>
                        <div class="bi-star-fill"></div>
                      </div>
                                      class="text-muted
                                                                   text-decoration-line-
                      <span
through">$20.00</span>
                      $18.00
                   </div>
                 </div>
              </div>
            </div>
            <div class="col mb-5">
              <div class="card h-100">
```

```
<img class="card-img-top" src={b8} alt="..." />
                 <div class="card-body p-4">
                    <div class="text-center">
                      <h5 class="fw-bolder">Popular Item</h5>
                      <div class="d-flex justify-content-center small text-warning mb-</pre>
2">
                         <div class="bi-star-fill"></div>
                         <div class="bi-star-fill"></div>
                         <div class="bi-star-fill"></div>
                         <div class="bi-star-fill"></div>
                         <div class="bi-star-fill"></div>
                      </div>
                      $40.00
                    </div>
                 </div>
               </div>
            </div>
          </div>
       </div>
     </section>
     </div>
  )
}
export default Home
```

5.6 INDEX.JS (BACKEND FILE)

```
import express from "express"
import cors from "cors"
import mongoose from "mongoose"

const app = express()
app.use(express.json())
app.use(express.urlencoded())
app.use(cors())

mongoose.connect("mongodb://localhost:27017/exampledata", {
    useNewUrlParser: true,
    useUnifiedTopology: true
}, () => {
    console.log("DB connected")
})
```

```
const userSchema = new mongoose.Schema({
  name: String,
  email: String,
  phone: String,
  address: String,
  password: String
})
const User = new mongoose.model("User", userSchema)
//Routes
app.post("/Login", (req, res)=> {
  const { email, password} = req.body
  User.findOne({ email: email}, (err, user) => {
     if(user){
       if(password === user.password ) {
          res.send({message: "Login Successfull", user: user})
       } else {
          res.send({ message: "Password didn't match"})
     } else {
       res.send({message: "User not registered"})
  })
})
app.post("/Register", (req, res)=> {
  const { name, email, phone, address, password} = req.body
  User.findOne({email: email}, (err, user) => {
     if(user){
       res.send({message: "User already registerd"})
     } else {
       const user = new User({
          name,
          email,
          phone,
          address,
          password
       })
       user.save(err => {
          if(err) {
            res.send(err)
          } else {
            res.send( { message: "Successfully Registered, Please login now." })
```

```
})
  })
})
app.listen(9002,() => {
  console.log("BE started at port 9002")
})
5.7 APP.CSS (CSS FILE)
.App {
 text-align: center;
.App-logo {
 height: 40vmin;
 pointer-events: none;
}
@media (prefers-reduced-motion: no-preference) {
 .App-logo {
  animation: App-logo-spin infinite 20s linear;
 }
}
.App-header {
 background-color: #282c34;
 min-height: 100vh;
 display: flex;
 flex-direction: column;
 align-items: center;
 justify-content: center;
 font-size: calc(10px + 2vmin);
 color: white;
.App-link {
 color: #61dafb;
}
@keyframes App-logo-spin {
```

from {

```
transform: rotate(0deg);
}
to {
  transform: rotate(360deg);
}
```

5.8 LOGIN.CSS

```
.login {
  width: 400px;
  background: #fff;
  border: 1px solid #dddfe2;
  box-shadow: 0 2px 4px rgb(0 0 0 / 10%), 0 8px 16px rgb(0 0 0 / 10%);
  border-radius: 8px;
  padding: 1rem;
  align-items: center;
  text-align: center;
  margin-top: 30px;
  margin-left: 550px;
}
.login > input {
  border-radius: 8px;
  border: 2px solid #dddfe2;
  outline: none;
  color: #1d2129;
  margin: 0.5rem 0;
  padding: 0.5rem 0.75rem;
  width: 92%;
  font-size: 1rem;
}
.login > .button {
  background: seagreen;
  border: 1px solid seagreen;
  color: #fff;
  font-size: 1.25rem;
  padding: 0.5rem;
  margin: 0.5rem 0;
  border-radius: 8px;
  outline: none;
  cursor: pointer;
}
```

CHAPTER 6

TESTING

6.1: TESTING

6.1.1 INTRODUCTION

Testing is an investigation conducted to provide stakeholders with information about the quality of the software product or service under test. Software testing can also provide an objective, independent view of the software to allow the business to appreciate and understand the risks of software implementation. Test techniques include the process of executing a program or application with the intent of finding software bugs (errors or other defects), and verifying that the software product is fit for use. Software testing involves the execution of a software component or system component to evaluate one or more properties of interest. In general, these properties indicate the extent to which the component or system under test:

- meets the requirements that guided its design and development,
- responds correctly to all kinds of inputs,
- performs its functions within an acceptable time,
- it is sufficiently usable,
- can be installed and run in its intended environments, and
- Achieves the general result its stakeholder's desire.

6.1.2 TEST CASES

6.1.2.1 Testing shopping cart

Some quantity of products was inserted into the shopping cart, and then we proceeded to check out. When we checked out and tested with Paypal, the cart became empty. This indicates that the cart works appropriately as it should. The "index.js" file is responsible for handling the cart of the shop. When an editor runs the file "index.js" the cart() function is called which insert products into the database. After that, the view cart() function can also be invoked to show the product in the cart. The customer can manipulates his cart such as updating the cart or, adding a product to cart.

6.1.2.2 Customer checking out

The customer can only check out if he has logged in as a customer. Without being a customer, he is unable to checkout successfully.

CHAPTER 7

CONCLUSION

In general, today's businesses must always strive to create the next best thing that consumers will want because consumers continue to desire their products, services etc. to continuously be better, faster, and cheaper. In this world of new technology, businesses need to accommodate to the new types of consumer needs and trends because it will prove to be vital to their business' success and survival. E-commerce is continuously progressing and is becoming more and more important to businesses as technology continues to advance and is something that should be taken advantage of and implemented. From the inception of the Internet and e-commerce, the possibilities have become endless for both businesses and consumers. Creating more opportunities for profit and advancements for businesses, while creating more options for consumers. However, just like anything else, e-commerce has its disadvantages including consumer uncertainties, but nothing that can not be resolved or avoided by good decision-making and business practices.

BIBILIOGRAPHY

- https://www.tutorialspoint.com/index.htm
- https://www.javatpoint.com
- https://www.w3schools.com
- https://html.com