

BKIT2009 Specification

Version 1.1

Principles of Programming Language Subject

April 22, 2020

Contents

1	Introduction	4
2	Program Structure	4
2.1	Global variable declaration part	4
2.2	Function declaration part	4
3	Lexical Structure	5
3.1	Characters Set	5
3.2	Program Comment	5
3.3	Tokens Set	6
3.3.1	Identifiers	6
3.3.2	Keywords	6
3.3.3	Operators	6
3.3.4	Separators	7
3.3.5	Literals	7
4	Type and Value	8
4.1	Boolean type	8
4.2	Integer type	9
4.3	Float type	9
4.4	Array type	9
5	Variables	9
5.1	Global variables	10
5.2	Local variables	10
5.3	Parameters	10
6	Expressions	10
6.1	Arithmetic operators	11
6.2	Boolean operators	11
6.3	Relational operators	11
6.4	Index operators	12
6.5	Function call	12
6.6	Operator precedence and associativity	12
6.7	Type coercions	13
6.8	Evaluation orders	14

7	Statements	14
7.1	Variable Declaration Statement	14
7.2	Assignment Statement	14
7.3	If Statement	15
7.4	For Statement	15
7.5	While Statement	16
7.6	Do-while Statement	16
7.7	Break Statement	16
7.8	Continue Statement	16
7.9	Call Statement	17
7.10	Return statement	17
8	Functions	17
9	Change Log	17

1 Introduction

BKIT is a language in which the developers do not need to associate type for each variable declaration. Like other programming languages, BKIT contains a few primitive types (integer, float, boolean), array type, conditional structures (if-then-else), iteration structures (for, while, do-while) ...

In BKIT, functions can be called recursively.

BKIT restricts the variable declarations to be at the beginning of program (or block).

Other features of BKIT will be discussed in details below.

2 Program Structure

BKIT does not support separate compilation so all declarations (variables and functions) must be resided in one single file.

A BKIT program should begin with an optional global variable declaration part, followed by an function declaration part. The function declaration part must contain a special function call *main*, which is the entry of the program.

2.1 Global variable declaration part

The global variable declaration part consists of several (or zero) variable declarations. Each variable declaration has the form:

```
Var: variable-list;
```

The *variable-list* is a non-empty comma-separated list of variables. Each variable, which can be scalar or composite, may have an initial value by using the form:

```
variable = initial-value;
```

For example:

```
Var: a = 5;  
Var: b[5];  
Var: c, d = 6, e;
```

2.2 Function declaration part

The function declaration part contains several (or zero) function declarations.

A function declaration begins with the keyword ***Function***, followed by a colon (:) and the function name. If that function has parameters, after its name is the keyword ***Parameter*** with a colon, then a parameter list. The parameter list contains one or more parameters separated by commas. The function declaration continues with the body of it.

The body of a function declaration is between **Body:** (keyword **Body** and colon) and **EndBody.** (keyword **EndBody** and dot).

Below is a sample function declarations:

```
Var: x;

Function: fact
  Parameter: n
  Body:
    If (n == 0)
      Return 1;
    Else
      Return n * fact (n - 1);
    EndIf.
  EndBody.

Function: main
  Body:
    x = 10;
    fact (x);
  EndBody.
```

3 Lexical Structure

3.1 Characters Set

A BKIT program is a sequence of characters from the ASCII characters set. Blank (' '), tab ('\t'), form feed (i.e., the ASCII FF - '\f'), carriage return (i.e., the ASCII CR - '\r') and newline (i.e., the ASCII LF - '\n') are white-space characters. The '\n' is used as newline character in BKIT.

This definition of lines can be used to determine the line numbers produced by a BKIT compiler.

3.2 Program Comment

In BKIT programming language, there is only one type of comment: block comment. All characters in a block comment will be ignored. A block com-

ment is delimited by (**) and **) like this:

```
** This is a single-line comment. **
** This is a
   * multi-line
   * comment.
**
```

3.3 Tokens Set

A token is a sequence of one or more characters in source code, that when grouped together, acts as a single atomic unit of the language. In the BKIT programming language, there are five kinds of tokens: identifiers, keywords, operators, separators and literals.

3.3.1 Identifiers

Identifiers must begin with a **lower case** letter (a-z), and may contain letters (A-Z or a-z), underscores ('_') and digits (0-9). BKIT is **case-sensitive**, therefore the following identifiers are distinct: writeLn, writeln and wRITELN. Variable names and function names are examples of identifiers.

3.3.2 Keywords

Keywords must begin with a **upper case** letter (A-Z). The following keywords are allowed in BKIT:

Body	Break	Continue	Do
Else	ElseIf	EndBody	EndIf
EndFor	EndWhile	For	Function
If	Parameter	Return	Then
Var	While	True	False

3.3.3 Operators

The following is a list of valid operators:

+	+. .	-	-.
*	*. .	\	/
%	!	&&	
==	!=	<	>
<=	>=	= / =	< .
> .	<= .	>= .	

The meaning of those operators will be explained in the following sections.

3.3.4 Separators

The following characters are the **separators**:

() [] : . , ;

3.3.5 Literals

A **literal** is a source representation of a value of an integer, float, boolean or string type.

- **Integer**

An **integer literal** is a sequence of one or more digits. By default, integer literals are in decimal (base 10). If the value of a decimal literal is non-zero, it **must not begin with 0**. Otherwise, the literal is 0.

The following prefixes select a different base:

Prefix	Base	Digits
	Decimal (base 10)	0-9
0x, 0X	Hexadecimal (base 16)	0-9, A-F
0o, 0O	Octal (base 8)	0-7

The following numbers are valid integer literals:

0 199 0xFF 0XABC 0o567 0O77

- **Float**

A **float literal** consists of *an integer part*, *a decimal part* and *an exponent part*. The integer part is a sequence of one or more digits. The decimal part is a decimal point followed optionally by some digits. The exponent part starts with the character 'e' or 'E' followed by an optional + or – sign, and then one or more digits. The decimal part or the exponent part can be omitted, but not both to avoid ambiguity with integer literals. The interpretation of float literals that fall outside the range of representable floating-point values is undefined. For example, some following float literals are valid: 12.0e3 12e3 ~~12e5~~ 12.e5 12.0e3 12000. 120000e-1

- **Boolean**

A **boolean literal** is either *True* or *False*, formed from ASCII letters.

- **String**

A **string literal** includes zero or more characters enclosed by double quotes (`"`). Use escape sequences (listed below) to represent special characters within a string. Remember that the quotes are not part of the string. It is a compile-time error for a new line or EOF character to appear after the opening (`"`) and before the closing matching (`"`).

All the supported escape sequences are as follows:

- `\b` backspace
- `\f` form feed
- `\r` carriage return
- `\n` newline
- `\t` horizontal tab
- `\'` single quote
- `\\` backslash

For a double quote (`"`) inside a string, a single quote (`'`) must be written before it: `"" double quote`

For example:

- `"This is a string containing tab \t"`
- `"He asked me: ""Where is John?"""`

4 Type and Value

In BKIT, the programmers don't need to explicitly associate each variable with a particular type. The type of a variable can be known at the compile time by the type inference technique. The ability to infer types automatically makes many programming tasks easier, leaving the programmers free to omit type annotations while maintaining some level of type safety.

There are three primitive (or scalar) data types in BKIT (boolean, integer, float) and one composite type (array).

4.1 Boolean type

Each value of type boolean can be either *True* or *False*.

if, ***while***, ***do-while*** and other control statements work with boolean expressions.

The operands of the following operators are in boolean type:

`!` `&&` `||`

4.2 Integer type

A value of type integer may be positive or negative. Only these operators can act on integer values:

+ - * \ %
== != < > <= >=

4.3 Float type

The operands of the following operators are in float type:

+. -. *. /
= /= <. >. <=. >=.

4.4 Array type

BKIT supports **multi-dimensional arrays**.

- All elements of an array must have the same type which can be **boolean**, **int** or **float**.
- In an array declaration, an integer literals must be used to represent the number (or the length) of one dimension of that array. If the array is multi-dimensional, there will be more than one integer literals. These literals will be separated by the square brackets ([]). For example:

```
Var: a[5];  
Var: b[2][3];
```

- The lower bound of one dimension is always 0.
- The index of one dimension of an array can be any integer expression.

5 Variables

In a BKIT program, all variables must be declared before use. There are three kinds of variables: global variables, local variables and parameters of functions. A variable name cannot be used for any other variable in the same scope. However, it can be reused in other scopes. When a variable is re-declared by another variable in a nested scope, it is hidden in the nested scope.

5.1 Global variables

As discussed above, global variables are those declared in the global variable declaration part (i.e., outside all functions). Global variables are visible from the place where they are declared to the end of the program.

5.2 Local variables

Local variables are those declared inside functions (i.e., inside the body of the functions). They are visible inside the list where they are declared and all nested lists. BKIT requires that all local variables in a list must be declared **at the beginning of the list**.

The following fragment of code is legal:

```
Function: foo
Parameter: a[5], b;
Body:
    Var: i = 0;
    While (i < 5)
        a[i] = b +. 1.0;
        i = i + 1;
    EndWhile.
EndBody.
```

5.3 Parameters

In BKIT, an array variable is always passed by reference while other arguments are passed by value.

In case of passing by value, the callee function is given its value in its parameters. Thus, the callee function cannot alter the arguments in the calling function in any way. When a function is invoked, each of its parameters is initialized with the corresponding argument's value passed from the caller function.

Formal parameters are local variables whose scope is the enclosing function.

6 Expressions

Expressions are constructs which are made up of operators and operands. Expressions work with existing data and return new data.

In BKIT, there exist two types of operations: unary and binary. Unary operations work with one operand and binary operations work with two operands.

The operands may be constants, variables, data returned by another operator, or data returned by a function call. The operators can be grouped according to the types they operate on. There are four groups of operators: arithmetic, boolean, relational and index. The operators are also divided into three groups: boolean operators, integer operators and float operators.

6.1 Arithmetic operators

Standard arithmetic operators are listed below.

Operator	Operation	Operand's Type
—	Integer unary sign negation	integer
—.	Float unary sign negation	float
+	Integer Addition	integer
+.	Float Addition	float
—	Integer Subtraction	integer
—.	Float Subtraction	float
*	Integer Multiplication	integer
*.	Float Multiplication	float
\	Integer Division	integer
/	Float Division	float
%	Integer Remainder	integer

6.2 Boolean operators

Boolean operators include logical **NOT**, logical **AND** and logical **OR**. The operation of each is summarized below:

Operator	Operation	Operand's Type
!	Negation	boolean
&&	Conjunction	boolean
	Disjunction	boolean

6.3 Relational operators

Relational operators perform arithmetic and literal comparisons. All relational operations result in a boolean type. Relational operators include:

Operator	Operation	Operand's Type
==	Equal	integer
!=	Not equal	integer
<	Less than	integer
>	Greater than	integer
<=	Less than or equal	integer
>=	Greater than or equal	integer
= / =	Not equal	float
< .	Less than	float
> .	Greater than	float
<= .	Less than or equal	float
>= .	Greater than or equal	float

6.4 Index operators

An **index operator** is used to reference or extract selected elements of an array. It must take the following form:

```

element_expression -> variable index_operators
index_operators    -> [ expression ]
                   | [ expression ] index_operators

```

The *expression* between '[' and ']' must be of **integer type**. The type of the variable must be an array type. The index operator returns the element of the array variable whose index is the expression. The operator has the highest precedence. For example,

```
a[3 + foo(2)] = a[b[2][3]] + 4;
```

6.5 Function call

The function call starts with an identifier (which is a function's name), then an opening parenthesis ('('), a comma-separated list of arguments (this list could be empty), and a closing parenthesis (')'). The value of a function call is the returned value of the callee function.

6.6 Operator precedence and associativity

The order of precedence for operators is listed from highest to lowest:

Operator Type	Operator
Index Operators	[,]
Unary Sign Operators	-, -.
Unary Logical Operator	!
Multiplying Operators	*, *., \, /, %
Adding Operators	+, +., -, -.
Binary Logical Operator	&&,
Relational Operators	==, !=, <, >, <=, >=, = / =, < ., > ., <= ., >= .

All operators, except index and unary ones, are **left-associative**.

6.7 Type coercions

In BKIT, the **type coercions** must be explicitly used to satisfy the type constraint of operators. The following functions can be used for type conversion:

- `int_of_float`: truncate the given floating-point number to an integer.
- `float_to_int`: convert an integer to floating-point.
- `int_of_string`: convert the given string to an integer.
- `string_of_int`: return the string representation of an integer, in decimal.
- `float_of_string`: convert the given string to a float.
- `string_of_float`: return the string representation of a floating-point number.
- `bool_of_string`: convert the given string to a boolean.
- `string_of_bool`: return the string representation of a boolean.

For example:

```
If (bool_of_string ("True"))
  a = int_of_string (read ());
  b = float_of_int (a) +. 2.0;
EndIf.
```

6.8 Evaluation orders

BKIT requires the left-hand operand of a binary operator must be evaluated first before any part of the right-hand operand is evaluated. Similarly, in a function call, the actual parameters must be evaluated from left to right.

Every operands of an operator must be evaluated before any part of the operation itself is performed. The two exceptions are the logical operators `&&` and `||`, which are still evaluated from left to right, but it is guaranteed that evaluation will stop as soon as the truth or falsehood is known. This is known as the **short-circuit evaluation**. We will discuss this later in detail (code generation step).

7 Statements

A statement indicates the action a program performs. There are many kinds of statements, as described as follows:

7.1 Variable Declaration Statement

A **variable declaration statement** is as a following:

```
Var: variable-list;
```

The *variable-list* has been described in the section 2.1. For example:

Body:

```
Var: r = 10., v;  
v = (4. / 3.) *. 3.14 *. r *. r *. r;
```

EndBody.

In a list of statements, the variable declaration statements always appear before any other kind of statements.

7.2 Assignment Statement

An **assignment statement** assigns a value to a variable (scalar or an element of an array). An assignment takes the following form:

```
variable = expression;
```

where the value returned by the **expression** is stored in the **variable**.

7.3 If Statement

The **if statement** conditionally executes one of some lists of statements based on the value of some boolean expressions. The if statement has the following forms:

```
If expression Then statement-list
(ElseIf expression Then statement-list)*
(Else statement-list)?
EndIf.
```

where the first *expression* evaluates to a **boolean value**. If the *expression* results in true then the *statement-list* following the reserved word **Then** is executed.

If *expression* evaluates to false, the *expression* after **ElseIf**, if any, will be calculated. The *statement-list* after the corresponding **Then** is executed if the value of the *expression* is true.

If all previous expressions return false then the *statement-list* following **Else**, if any, is executed. If no **Else** clause exists and *expression* is false then the if statement is passed over.

The *statement-list* includes one or many statements.

7.4 For Statement

The **for statement** allows repetitive execution of one or more statements. For statement executes a loop for a predetermined number of iterations. For statements take the following form:

```
For (scalar-variable = initExpr, conditionExpr, scalar-variable = updateExpr) Do
    statement-list
EndFor.
```

First, the *initExpr* will be evaluated and assigned to *scalar-variable* whose type is only integer. Then the *conditionExpr* will be evaluated. If the *conditionExpr* is true, the *statement-list*, and then, the *scalar-variable = updateExpr* will be calculated repeatedly. Otherwise, if the *conditionExpr* returns in false, the *for statement* will be terminated (i.e., the statement next to this for loop will be executed). So the for statement will process until the value of *conditionExpr* is false.

Note that the *conditionExpr* must be of **boolean type**.

The following are examples of for statement:

```
For (i = 0, i < 10, i = i + 2) Do
    writeln(i);
EndFor.
```

7.5 While Statement

The **while statement** executes one or more statements in a loop. While statements take the following form:

```
While expression Do statement-list EndWhile.
```

where the *expression* evaluates to a **boolean** value. If the value is true, the while loop executes repeatedly the list of statement until the expression becomes false.

7.6 Do-while Statement

The **do-while statement**, much like the while statement, executes one or more statements in a loop. Unlike the while statement where the loop condition is tested prior to each iteration, the condition of do-while statement is tested after each iteration. Therefore, a do-while loop is executed at least once. A do-while statement has the following form:

```
Do statement-list While expression;
```

where the do-while loop executes repeatedly until the expression evaluates to the **boolean** value of false.

7.7 Break Statement

Using the **break statement**, we can leave a loop even if the condition for its end is not fulfilled. It can be used to end an infinite loop, or to force it to end before its natural end. It must reside in a loop (i.e., in one of the followings: a for loop, a do-while loop, or a while loop). Otherwise, an error will be generated (This will be discussed in Semantic Analysis phase). A break statement has the following form:

```
Break;
```

7.8 Continue Statement

The **continue statement** causes the program to skip the rest of the loop in the current iteration as if the end of the statement block had been reached, causing it to jump to the start of the following iteration. It must reside in a loop (i.e., in one of the followings: a for loop, a do-while loop, or a while loop). Otherwise, an error will be generated (This will be discussed in Semantic Analysis phase). A continue statement has the following form:

```
Continue;
```


7.9 Call Statement

A **call statement** is like a function call except that it does not join to any expression and is always terminated by a semicolon.

For example:

```
foo (2 + x, 4. /. y);  
goo ();
```

7.10 Return statement

A **return statement** aims at transferring control and data to the caller of the function that contains it. The return statement starts with keyword **Return** which is optionally followed by an expression and ends with a semicolon.

A return statement must appear within a function.

In addition, a value returned from a function cannot be an array type.

8 Functions

Functions are a sequence of instructions that are separate from the main code block. A function may return a value or not.

Functions may be called from one or more places throughout your program. Functions make source code more readable and reduce the size of the executable code because repetitive blocks of code are replaced with calls to the corresponding function. The parameters of function allow the calling routine to communicate with the function. As discussed in section 5.3, the parameters are **passed by value**, except the array type parameters.

In BKIT, functions may be called recursively.

For convenience, BKIT provides the following built-in functions:

- `println()`: print a new line to the screen.
- `print(arg)`: print string *arg* to the screen.
- `println(arg)`: print string *arg* and a new line to the screen.
- `read()`: read a string from the input.

9 Change Log

- Changes from Version 1.0

- Clarify Body: and EndBody. in Section 2.2
- Remove a wrong example (.12e5) and add example 12.e5 of float literal in Section 3.3.5
- Fix wrong float operators in Sections 6.3 and 6.6
- Fix example in Section 7.9
- Rewrite the format of return statement in Section 7.10