

KABARAK



UNIVERSITY

UNIVERSITY EXAMINATIONS

SECOND SEMESTER, 2018/2019 ACADEMIC YEAR

EXAMINATION FOR THE DEGREE OF (BSC) IN COMPUTER SCIENCE,

ECONOMICS&MATHEMATICS AND EDUCATION SCIENCE

MATH 211: LINEAR ALGEBRA I

STREAM: Y2S1

TIME: 2.00-4.00 PM

EXAMINATION SESSION: JAN-APRIL

YEAR: 9/04/2019

VENUE:AUDIT

COPIES: 70

INSTRUCTIONS:

Attempt Question ONE and any other TWO Questions

QUESTION ONE (20 MARKS)

- a) Solve the following system.

$$-2x_1 + 3x_2 = 1$$

$$6x_1 - 9x_2 = 2$$

(4Mks)

- b) Evaluate each of the following for the given matrix

$$A = \begin{bmatrix} -7 & 3 \\ 5 & 1 \end{bmatrix}$$

i. A^2 **(2mks)**

ii. A^3 **(2mks)**

iii. $P(A)$ where $p(x) = -6x^3 + 10x - 9$ **(5mks)**

- c) Find the determinant and the inverses of the following matrices

As members of Kabarak University family, we purpose at all times and in all places to set apart in one's heart, Jesus as Lord.

(1 Peter 3:15)



Kabarak University is ISO 9001:2015 Certified

(i) $A = \begin{bmatrix} 3 & 9 & 2 \\ 0 & 0 & 0 \\ -4 & -5 & 1 \end{bmatrix}$ (7mks)

(d) Given the vectors $A=2i+3j+k$ and $B=i+2i+4k$ find

i) $A \cdot B$ (3mks)

ii) $A \times B$ (3mks)

e). Suppose $B = \begin{bmatrix} 4 & x+2 \\ 2x-3 & x+1 \end{bmatrix}$ is symmetric. Find x and B (4mks)

QUESTION TWO (20MARKS)

a) Define an orthogonal matrix. (2marks)

b) Find the diagonal and trace of the following square matrix. (4marks)

$$A = \begin{bmatrix} 2 & -5 & 8 \\ 3 & -6 & -7 \\ 4 & 0 & -1 \end{bmatrix}$$

c) Let $A = \begin{bmatrix} 1 & 2 \\ 4 & -3 \end{bmatrix}$ and let $f(x) = 2x^3 - 4x + 5$ and $g(x) = x^2 + 2x + 11$.

Find, (i) A^2 (ii) A^3 (iii) $f(A)$ (iv) $g(A)$ (9marks)

c) Given that $B = \begin{pmatrix} 5 & 1 \\ 3 & 4 \end{pmatrix}$, find the inverse of matrix B and show that $B^{-1}B = BB^{-1} = I$ (5marks)

QUESTION THREE (20 MARKS)

a) Given the system of linear Equations below solve the system by

(i) Gauss-Jordan elimination method (10 mks)

(ii) Cramer's Rule (10 mks)

$$4x_1 - 8x_2 - 4x_3 = 4$$

$$x_1 + x_2 + 3x_3 = 3$$

$$2x_1 - 2x_2 + 2x_3 = 2$$

As members of Kabarak University family, we purpose at all times and in all places to set apart in one's heart, Jesus as Lord.

(1 Peter 3:15)



Kabarak University is ISO 9001:2015 Certified

Comment briefly on your answer

QUESTION FOUR (20 MARKS)

a) Let $A = \begin{bmatrix} 5 & 2 \\ 0 & k \end{bmatrix}$. Find all numbers k for which A is a root of the polynomial,

$$f(x) = x^2 - 7x + 10 \quad (4\text{marks})$$

a) Given that $A = \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$ and $B = \begin{pmatrix} 1 & 1 \\ 0 & 2 \end{pmatrix}$ determine $C = 2(B + A) - (2A + 2B + B)$ (6marks)

b) Given that $\mathbf{a} = \begin{pmatrix} 3 \\ 2 \\ 7 \end{pmatrix}$ and $\mathbf{b} = \begin{pmatrix} 2 \\ 4 \\ -2 \end{pmatrix}$ find

(i) $\mathbf{a} \cdot \mathbf{b}$ (4marks)

(ii) $\mathbf{a} \times \mathbf{b}$ (6marks)

QUESTION FIVE (20 MARKS)

a) What is a vector space?. State any of its two axioms. (3mks)

b) Given that $V = R^3$ and $w = (a, b, 0)$; a, b are real numbers. Determine if W is a subspace of R^3 (5mks)

c) Given that $V = P_3$ $w = (P(x) = a_1x + a_2x^2 + a_3x^3)$. Determine if W is a subspace of P_3 (5mks)

d). If $A = \begin{bmatrix} 4 & 0 \\ 1 & -2 \end{bmatrix}$ then prove that $A^2 - 2A - 8I = 0$ where zero is a null matrix (5mks)

e). Find k so that vector \mathbf{u} and \mathbf{v} are orthogonal for $\mathbf{u} = (9, 9k, -27)$ and $\mathbf{v} = (18, -45, 36)$ (2mks)

As members of Kabarak University family, we purpose at all times and in all places to set apart in one's heart, Jesus as Lord.

(1 Peter 3:15)



Kabarok University is ISO 9001:2015 Certified

As members of Kabarak University family, we purpose at all times and in all places to set apart in one's heart, Jesus as Lord.

(1 Peter 3:15)



Kabarak University is ISO 9001:2015 Certified