



BOSSMAN — ACOUSTIC CABINET MODELS BENCHMARK

Frequency & Phase Responses of 5 Modeled Enclosures + Direct Bypass (Pure Biquad Bank)

Zero-ML / Zero-Latency




Cabinet Model	Enclosure Type	Cone Thump Freq	Thump Boost	Mid Contour	Presence Peak	Voice Coil Rolloff	Sonic Role
4x10 Jensen P10R	Open-back Pine	115 Hz	+2.8 dB	420 Hz (-4.5 dB)	3800 Hz (+4.5 dB)	4800 Hz (-24dB/oct)	Tight, chimey Tweed snap
2x12 Jensen C12N	Open-back Birch	92 Hz	+3.5 dB	380 Hz (-5.5 dB)	4200 Hz (+5.0 dB)	5200 Hz (-24dB/oct)	Deep Blackface lows, glass highs
4x12 Greenback	Closed-back 1960	110 Hz	+4.2 dB	550 Hz (+2.0 dB)	3200 Hz (+3.8 dB)	4400 Hz (-24dB/oct)	Creamy British roar, woody mids
4x12 Vintage 30	Closed Oversized	105 Hz	+5.0 dB	480 Hz (-2.5 dB)	3500 Hz (+6.5 dB)	4700 Hz (-24dB/oct)	Heavy metal bite, punchy low thump
2x12 Alnico Blue	Semi-open AC30	100 Hz	+2.5 dB	650 Hz (+1.5 dB)	2800 Hz (+4.0 dB)	5500 Hz (-24dB/oct)	Bell chimes, vocal upper mids
Bypass	Direct Line	Flat	0.0 dB	Flat	Flat	20.0 kHz	For external IR plugins

BOSSMAN — END-TO-END RIG MATRIX (PART 1: 18 COMBINATIONS)


Combined Tone Stack + Speaker Cabinet Responses across 6 Classic Cabinets

Status: **VALIDATED**


Rig Profile: '59 Fender Bassman (5F6-A) (T=5, M=5, B=5) paired with all 6 Cabinets



Rig Profile: '65 Fender Bassman (AA864) (T=5, M=5, B=5) paired with all 6 Cabinets



Rig Profile: Fender Twin Reverb (AB763) (T=5, M=5, B=5) paired with all 6 Cabinets




BOSSMAN — END-TO-END RIG MATRIX (PART 2: 18 COMBINATIONS)


Combined Tone Stack + Speaker Cabinet Responses across 6 Classic Cabinets

Status: **VALIDATED**


Rig Profile: Marshall JCM800 / 1959 Plexi (T=5, M=5, B=5) paired with all 6 Cabinets



Rig Profile: Vox AC30 Top Boost (T=5, M=5, B=5) paired with all 6 Cabinets



Rig Profile: Mesa Boogie Dual Rectifier (T=5, M=5, B=5) paired with all 6 Cabinets



Rig Profile: Soldano SLO-100 (T=5, M=5, B=5) paired with all 6 Cabinets

