













## Clustering by fast search and find of density peaks

Alex Rodriguez and Alessandro Laio

*Science* **344** (6191), 1492-1496.  
DOI: 10.1126/science.1242072

### Discerning clusters of data points

Cluster analysis is used in many disciplines to group objects according to a defined measure of distance. Numerous algorithms exist, some based on the analysis of the local density of data points, and others on predefined probability distributions. Rodriguez and Laio devised a method in which the cluster centers are recognized as local density maxima that are far away from any points of higher density. The algorithm depends only on the relative densities rather than their absolute values. The authors tested the method on a series of data sets, and its performance compared favorably to that of established techniques.

*Science*, this issue p. 1492

#### ARTICLE TOOLS

<http://science.sciencemag.org/content/344/6191/1492>

#### SUPPLEMENTARY MATERIALS

<http://science.sciencemag.org/content/suppl/2014/06/25/344.6191.1492.DC1>

#### REFERENCES

This article cites 14 articles, 1 of which you can access for free  
<http://science.sciencemag.org/content/344/6191/1492#BIBL>

#### PERMISSIONS

<http://www.sciencemag.org/help/reprints-and-permissions>

Use of this article is subject to the [Terms of Service](#)

---

*Science* (print ISSN 0036-8075; online ISSN 1095-9203) is published by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. 2017 © The Authors, some rights reserved; exclusive licensee American Association for the Advancement of Science. No claim to original U.S. Government Works. The title *Science* is a registered trademark of AAAS.