netting:

learning log and notes on web development

[18/10/20- 30/11/20]

resources:

18/10/20

HTML Essential Training

https://www.linkedin.com/learning/html-essential-training-4?trk=learning-serp_learning_search-card&upsellOrderOrigin=homepage-learning_learning-search-bar_search-submit



CSS

https://www.linkedin.com/learning/css-essential-training-3/html-and-css?trk=learning-serp_learning_search-card&upsellOrderOrigin=homepage-learning_learning-search-bar_search-submit



Helpful guides on making artist's sites:



https://sfpc.io/participate/

GitHub: collabotative code-sharing and hosting platform- very big, very powerful in term of scripts/reach! Exciting!





Are.na: collaborative research platform, specifically using plugins like 'Scoby.pages' to make sites extracted from info stored there.

Notepad++: great app for writing code! best formatting I have found.



using txti: markdown driven, text only webpages

19/10/20

[found at http://txti.es/kikivdhtest/edit, http://txti.es/how]





Notes:
– very simple, easy to format. Would be a lovely external link for some text that is quickly generated/fast thoughts. Could also build a very rudimental journey through them by daisychains w. embedded links (would be clunky but functional, minimal coding). Would be a nice clean way to let written content breathe more than over-designing...

using markdown language with txti:

21/10/20

input

#hello this is a tentative format I'm thinking about some diffusive structure for these things 1. maybe 2. this 3. works
- Bingo - Bingo - Bingo ##a different size altogether ###and again... could you link **many** of these *externally* from a wordpress site...very lightweight. and channel into a tunnel. no images or style- maybe nice for text works new line?
~~Strikethrough works here?~~> Blockquotes can also be nested...
>> ...by using additional greater-than signs right next to each other...> > > ...or with spaces between arrows. ==I wonder if u can mark text?==++or insert it++[a link to my are.na](https://www.are.na/c-vd-hoven)

output



Notes:

**these blockquotes don't work- same with in-text highlight commands. seems like you might have to stick to v. simple markdown commands which never include colour. (so does that mean absolutely no CSS?) Glad strikethrough does though.

***can only embed images through links (eg. to imgur). wonder if there's another way? through syntax?

some markdown commands to remember:

21/10/20

Headings:

[h1 Heading -biggest
[h2 Heading
[h3 Heading
[h4 Heading
[h5 Heading
[h6 Heading-smallest

h1 Heading

h2 Heading

h3 Heading

h4 Heading

h5 Heading

h6 Heading

[horizontal rules, as page dividers: */-/_ in triple]

__/ ---/ ***

Emphasis:

2 stars for bold text

or 2 underscores

1 star for italics

or 1 underscore

~~2 curls to strikethrough~~

This is bold text

This is bold text

This is italic text

This is italic text

~~Strikethrough~~

Lists:

1. just input as single line
2. with numbers defining list
3. BUT have to do a space after the point.

(bullet-point list with the '- dash' function repeated)

1. maybe
2. this
3. works

- Bingo
- Bingo
- Bingo

Links:

[link text for title](http://pastelinkhere.com) a link to my are.na

22/10/20

Notes:

* I like these text experiments more and more. I think it helps massively to feel less passive in digital environments- even a tiny bit of access into these pages makes them seem less flat- you get a sense of structure and mechanics in the code, which is actually quite pretty + linguistics. Small variations in syntax= big changes.

**Also b/c it's so new, you make lots of mistakes, which kind of ups the excitement of coding- never know what's going to happen to the output, always surprised! Nice way to work...

scobies and extra plugins: CSS

23/10/20



using are.na (research database website)

23/10/20



** nice borders: showing up as a block element instead of an inline one... to span, you have to make a class I think.

CSS:

```
title {
position: fixed;
}

body {
background: #ffffff

}

blocks {
width: 700px;
text-align: center;
margin: 80 auto;
}

blocks div {
padding: 20em;
}

p {
color: slateblue;
font-size: 70v;
font-family: serif;
font-style: italic;
text-align: center;
width: 100vw;
}

img {
width: 500px;
}
```

CSS coding: understanding structure, some basic tests

21/10/20

```
@media only screen and
(min-width: 800px) {
body {
background-color: #000000;
padding: 20px;
margin: auto;
}

.text {
color: yellow;
font-size: 36px;
}

.image {
float: left;
position: relative;
width: 24vw;
}

img {
width: 100%;
}

figure {
margin: 10px;
}
}
```



things to try:

23/10/20







*a note-style chain of images:
If you could make image borders wider, can cover screen.

** to centrally align you have to put a .centre{...} command in the <style>/<head> section, then ref it in your <body> with the <img src>. Otherwise will auto align to the left (see L hand pic!)

Thinking about some website structures

21/10/20







tests for a blog-style, text entry CSS:

22/10/20

```
body {color: #FFEFD5; padding: 10px; margin: 0 !impor-
tant; font-family: Helvetica, Arial, sans-serif;
font-size: 100%;}>400%

p, blockquote, h1, h2, h3 {margin: .5rem; font-family:
Arial, sans-serif;}

p, ul {line-height: 1.5; font-family: Helvetica, Arial,
sans-serif;}

h2{font-family: fantasy; text-decoration-style: wavy;
color: green; text-decoration-line: underline; text-shad-
ow: 5px 10px 5px cyan;}
h2::before{content: "*";}
h2::after{content: "*";}

blockquote {
border: .5px solid #bbb;>6
padding: .4em;
margin: 1em auto;
width: 315px;
min-height: 315px;
max-width: 100%;>200%
font-size: .9em;
color: #666;
}

#blocks {
display: grid;
grid-template-columns: repeat(auto-fill, minmax(30rem,
1fr));
grid-gap: 8px;
}

#blocks div {
padding: 2rem;
margin: 0;
color: #232;

}

#load-more, #loading {
margin-top: 8px;
font-size: initial;
padding: 1em;
border-radius: 0;
background: white;>colourcode
border: 1px solid rgb(219, 219, 219);
}

#load-more:hover {border-radius:0;}
```

[fullscreen boxes, works best with text only and external links] need to look into colour changes- wonder if you can change colours per box? a flash on the #232?



```
title {
position: fixed;
}

body {
background: #ffffff
}

blocks {
width: 800px;
text-align: center;
margin: 0 auto;
}

blocks div {
padding: 5em;
}

p {
font-size: 100%;
font-family: favorit, arial;
line-height: 20px;
}

img {
width: 600px;
}
```



central, scroll down website
>change #ffffff to powderblue or tomatored (becomes #B0E0E6)

> change text colour to #purple, #800080?

> change font size to 300%, image border width to 300%



```
body {color: #000; padding: 0 !important;
margin: 0 !important;}

blocks {
display: grid;
width: 100%;
grid-template-columns: repeat(auto-fit,
minmax(300px, 1fr));
grid-gap: 8px;}

blocks div, img {
padding: 20px;
margin: 0;
display: grid;
color: #3c3cff;}
p, a, #load-more, #loading {font-size:
20px; !important; text-decoration: none;}
a:hover {color: #28286d; text-decoration:
none;}

load-more, #loading {
margin-top: 8px;
font-size: initial;
padding: 1em;
border-radius: 0;
background: white;
border: 1px solid rgb(219, 219, 219);}

load-more:hover {border-radius:0;}
img { max-height: 200px; }
```

should produce this format:



remember– images take ages to load! especially high quality, so make sure image quality is consistent.

CENTRAL ALIGNED: B/W inline, drawstring on links– would be good 4 a lilypad to other ex. sites.
[#ffff value is the background colour, change in css 2nd colour code!]

```
{ box-sizing: border-box; }body {padding:
10px;/* line-height: 30px; */font-family:
Arial, Helvetica, sans-serif;-web-
kit-font-smoothing: antialiased;-web-
kit-text-size-adjust:
none;-moz-osx-font-smoothing: gray-
scale;background: #ffffff;color:
#1f1209;}h1, h2, h3, h4, a, ul, ol, li, p,
figure {font-size: 14px;font-weight: nor-
mal;margin: 0;padding: 0;}h1 {font-weight:
bold; }h1, h2, h3, h4, ul, ol, p {mar-
gin-bottom: 1.3em;}ol li, ul li
{list-style-position: inside;}ul li
{list-style-type: none;}#blocks {display:
flex;flex-direction: column;align-items:
center}#blocks div {margin-bottom: 1em;}#-
blocks div.link {padding: 17vh;width: 700px-
;overflow: hidden;text-align: -web-
kit-center;word-break: break-all;border: 1px
solid #000;margin-bottom: 1em;white-space:
wrap;transition: all 2s ease;}#blocks
div.link:hover {padding-bottom: 19vh;bor-
der-radius: 100%;border: 1px solid #000;fil-
ter: drop-shadow(0px 10px 7px black);mar-
gin-top: -0.4em;margin-bottom: 0.8em;transi-
tion: all 2s ease;}a {color: blue;}#blocks
div img, #blocks div video {max-width:
100%;;}#title {margin-bottom: 2em;}
```

big helvetica text, RAligned images

```
<div align= "center">
title {
position: fixed;
}

body {
background: #B0C4DE
text-align: center;}

blocks {
width: 800px;
;
margin: auto;
}
blocks div {
padding: 8em;
}

p {
font-size: 400%;
font-family: favorit, arial;
line-height: 60px;
margin: auto;
}

img {
width: 300px;
text-align: center;
}
```

rayure nf (ligne) stripe n band n
Je trouve que ce pull ne te va pas parce que les rayures te grossissent.
I don't think that sweater suits you, because the stripes make you look fatter than you are.
rayure nf (éraflure) scratch n
(shoes, boots, furniture) scrape, scuffmark n

colour codesheets- for reference

22/10/20

powderblue #B0E0E6 rgb(176,224,230)
lightblue #ADD8E6 rgb(173,216,230)
lightskyblue #87CEFA rgb(135,206,250)
skyblue #87CEEB rgb(135,206,235)
deepskyblue #00BFFF rgb(0,191,255)
lightsteelblue #B0C4DE rgb(176,196,222)
dodgerblue #1E90FF rgb(30,144,255)
cornflowerblue #6495ED rgb(100,149,237)
steelblue #4682B4 rgb(70,130,180)
royalblue #4169E1 rgb(65,105,225)
blue #0000FF rgb(0,0,255)
mediumblue #0000CD rgb(0,0,205)
darkblue #00008B rgb(0,0,139)
navy #000080 rgb(0,0,128)
midnightblue #191970 rgb(25,25,112)
mediumslateblue #7B68EE rgb(123,104,238)
slateblue #6A5ACD rgb(106,90,205)
darkslateblue #483D8B rgb(72,61,139)

powderblue #B0E0E6 rgb(176,224,230)
lightblue #ADD8E6 rgb(173,216,230)
lightskyblue #87CEFA rgb(135,206,250)
skyblue #87CEEB rgb(135,206,235)
deepskyblue #00BFFF rgb(0,191,255)
lightsteelblue #B0C4DE rgb(176,196,222)
dodgerblue #1E90FF rgb(30,144,255)
cornflowerblue #6495ED rgb(100,149,237)
steelblue #4682B4 rgb(70,130,180)
royalblue #4169E1 rgb(65,105,225)
blue #0000FF rgb(0,0,255)
mediumblue #0000CD rgb(0,0,205)
darkblue #00008B rgb(0,0,139)
navy #000080 rgb(0,0,128)
midnightblue #191970 rgb(25,25,112)
mediumslateblue #7B68EE rgb(123,104,238)
slateblue #6A5ACD rgb(106,90,205)
darkslateblue #483D8B rgb(72,61,139)

22/10/20

lavender #E6E6FA rgb(230,230,250)
thistle #D8BFD8 rgb(216,191,216)
plum #DDA0DD rgb(221,160,221)
violet #EE82EE rgb(238,130,238)
orchid #DA70D6 rgb(218,112,214)
fuchsia #FF00FF rgb(255,0,255)
magenta #FF00FF rgb(255,0,255)
mediumorchid #BA55D3 rgb(186,85,211)
mediumpurple #9370DB rgb(147,112,219)
blueviolet #8A2BE2 rgb(138,43,226)
darkviolet #9400D3 rgb(148,0,211)
darkorchid #9932CC rgb(153,50,204)
darkmagenta #8B008B rgb(139,0,139)
purple #800080 rgb(128,0,128)
indigo #4B0082 rgb(75,0,130)

gray #808080 rgb(128,128,128)
dimgray #696969 rgb(105,105,105)
lightslategray #778899 rgb(119,136,153)
slategray #708090 rgb(112,128,144)
darkslategray #2F4F4F rgb(47,79,79)
black #000000 rgb(0,0,0)

pink #FFC0CB rgb(255,192,203)
lightpink #FFB6C1 rgb(255,182,193)
hotpink #FF69B4 rgb(255,105,180)
deeppink #FF1493 rgb(255,20,147)
palevioletred #DB7093 rgb(219,112,147)
mediumvioletred #C71585 rgb(199,21,133)

white #FFFFFF rgb(255,255,255)
snow #FFFAFA rgb(255,250,250)
honeydew #F0FFF0 rgb(240,255,240)
mintcream #F5FFFA rgb(245,255,250)
azure #F0FFFF rgb(240,255,255)
aliceblue #F0F8FF rgb(240,248,255)
ghostwhite #F8F8FF rgb(248,248,255)
whitesmoke #F5F5F5 rgb(245,245,245)
seashell #FFF5EE rgb(255,245,238)
beige #F5F5DC rgb(245,245,220)
oldlace #FDF5E6 rgb(253,245,230)
floralwhite #FFFAF0 rgb(255,250,240)
ivory #FFFFF0 rgb(255,255,240)
antiquewhite #FAEBD7 rgb(250,235,215)
linen #FAF0E6 rgb(250,240,230)
lavenderblush #FFF0F5 rgb(255,240,245)
mistyrose #FFE4E1 rgb(255,228,225)

cornsilk #FFF8DC rgb(255,248,220)
blanchedalmond #FFEBCD rgb(255,235,205)
bisque #FFE4C4 rgb(255,228,196)
navajowhite #FFDEAD rgb(255,222,173)
wheat #F5DEB3 rgb(245,222,179)
burlywood #DEB887 rgb(222,184,135)
tan #D2B48C rgb(210,180,140)
rosybrown #BC8F8F rgb(188,143,143)
sandybrown #F4A460 rgb(244,164,96)
goldenrod #DAA520 rgb(218,165,32)
peru #CD853F rgb(205,133,63)
chocolate #D2691E rgb(210,105,30)
saddlebrown #8B4513 rgb(139,69,19)
sienna #A0522D rgb(160,82,45)
brown #A52A2A rgb(165,42,42)
maroon #800000 rgb(128,0,0)

23/10/20

chartreuse #7FFF00 rgb(127,255,0)
limegreen #32CD32 rgb(50,205,50)
lime #00FF00 rgb(0.255.0)
forestgreen #228B22 rgb(34,139,34)
green #008000 rgb(0,128,0)
darkgreen #006400 rgb(0,100,0)
greenyellow #ADFF2F rgb(173,255,47)
yellowgreen #9ACD32 rgb(154,205,50)
springgreen #00FF7F rgb(0,255,127)
mediumspringgreen #00FA9A rgb(0,250,154)
lightgreen #90EE90 rgb(144,238,144)
palegreen #98FB98 rgb(152,251,152)
darkseagreen #8FBC8F rgb(143,188,143)
mediumseagreen #3CB371 rgb(60,179,113)
seagreen #2E8B57 rgb(46,139,87)
olive #808000 rgb(128,128,0)
darkolivegreen #556B2F rgb(85,107,47)
olivedrab #6B8E23 rgb(107,142,35)

lightsalmon #FFA07A rgb(255,160,122)
salmon #FA8072 rgb(250,128,114)
darksalmon #E9967A rgb(233,150,122)
lightcoral #F08080 rgb(240,128,128)
indianred #CD5C5C rgb(205,92,92)
crimson #DC143C rgb(220,20,60)
firebrick #B22222 rgb(178,34,34)
red #FF0000 rgb(255,0,0)
darkred #8B0000 rgb(139,0,0)

coral #FF7F50 rgb(255,127,80)
tomato #FF6347 rgb(255,99,71)
orangered #FF4500 rgb(255,69,0)
gold #FFD700 rgb(255,215,0)
orange #FFA500 rgb(255,165,0)
darkorange #FF8C00 rgb(255,140,0)

23/10/20

```
body {
background-color: white;
}

img {
width: 45vw;
}

a {
color: magenta;
font-size: 3v;
font-family: serif;
padding-bottom: 3vw;

}

p {
color: black;
font-size: 3v;
font-family: serif;
font-style: italic;
text-align: center;
width: 40vw;
}

blocks {
display: flex;
flex-direction: column;
```

```
body {
background-color: lightsteelblue;
}

img {
width: 45vw;
}

a {
color: magenta;
font-size: 120vw;
font-family: serif;
padding-bottom: 3vw;

}

p {
color: indigo;
font-size: 10v;
font-family: serif;
font-style: italic;
text-align: center;
width: 100vw;
}

blocks {
display: flex;
flex-direction: column;
align-items: center;
}
```

nice alignment of text



absolutely massive monolithic links.... might be fun



flashing colour change of image filters:

23/10/20

```
body {
background-color: black;
color: red;
}

blocks {
display: grid;
padding: 1rem;
grid-gap: 1rem;
grid-template-columns: repeat(9,1fr);
}
@media(max-width: 1700px) {

blocks {grid-template-columns: repeat(7,1fr);}
}
@media(max-width: 1500px) {

blocks {grid-template-columns: repeat(5,1fr);}
}
@media(max-width: 1100px){

blocks {grid-template-columns: repeat(3,1fr);}
}
@media(max-width: 700px){

blocks {grid-template-columns: repeat(1,1fr);}
}

figure {
background-color: red;
animation: 5s linear opp infinite;
}

@keyframes opp {
0%{background-color: red; filter:saturate(2)}
50%{background-color: black; filter:saturate(1)}
100% {background-color: red; filter:saturate(2)}
}
img { vertical-align: middle; width: 100%; mix-blend-mode: difference}
```



previous stylesheets (for ref. or future use):

23/10/20

LILAC, long peach borders, gd 4 text

```
body {
background-color: #736895;
}

blocks {
display: flex;
flex-wrap: wrap;
}

.image {
display: flex;
margin: 20px;
border: 5px solid peachpuff;
margin: 0 auto;
}
```

RED,L HAND SCROLl, NEAT. can change colour.

```
body {
background-color: red;
}

img {
width: 45vw;
}

a {
color: magenta;
font-size: 3v;
font-family: serif;
padding-bottom: 3vw;

}

p {
color: black;
font-size: 3v;
font-family: serif;
font-style: italic;
text-align: center;
width: 40vw;
}

blocks {
display: flex;
flex-direction: column;
align-items: center;
}
```

round borders, delicate blu and peach

```
body {
background: #F0FFFF;
}
p {
font-size: 20px;
}
p:last-child { margin-bottom: 0; }

blocks {
background: #ff000048;
padding: 2em;
}
.text, img {
border-radius: 10px;
}
.text {
background: antiquewhite;
font-size: 20px;
padding: 1em;
border: 5px solid coral;
}
.image {
margin-left: auto;
margin-right: auto;
width: 200px;
}
img {
width: 200px;
border: 5px solid peachpuff;
margin: 0 auto;
}
```

note:
nice diary style CSS chunk for TEXT formatting

24/10/20

```
p {
color: slateblue;
font-size: 70v;
font-family: serif;
font-style: italic;
text-align: center;
width: 100vw;
}
```



*not sure how to re-align the images! ‘padding’ value maybe?

testing on a mobile device:

25/10/20





*nice translation into this grid, works well on 'Crepuscular' page



**formatting doesn't work for 'Transcripts'

25/10/20

trying to fix the code for this:

```
title {
position: fixed;
}

body {
background: #ffffff
}

blocks {
width: 800px;
text-align: center;
margin: 0 auto;
}

blocks div {
padding: 5em;
}

p {
font-size: 100%;
font-family: favorit, arial;
line-height: 20px;
}

img {
width: 600px;
}
```

scoby.page/faradays-filaments

"It would be more beautiful to live in a symphony of languages, in a world reduced to universal French, Anglo-American sabir, or Esperanto code) is always poetical."

Edouard Glissant, in Poetics of Relation, p.112

anneau nm

circle n

Le symbole des jeux olympiques est constitué par 5 anneaux.

The symbol of the Olympic Games is made up of five rings.

anneau nm

(bague)

ring n

Elle porte un anneau en or à l'annulaire droit.

She wears a gold ring on her right ring finger.

>text formatting doesn't work

>might be to do with line height?

Test:
Dark background/white text, clean text

25/10/20

photo: https://www.instagram.com/58g_soulhead/

by mixtape spojka – http://mixtapespojka.com/ – 14/8/2020

Naprostá přímočarost. Mixtape od jihlavské crew 58G je český release léta. Do ledových drill beats producenta Humly rapují TK27 a Doktor601 a jejich způsob psaní je velmi osvěžující. Dynamické bars, jednoduchost, přesnost, žádná pseudověda. Několik slok má na tapu i Humla, jediným vokálním hostem je Issa me Mario. Zde je výběr těch nejlepších bars, od fotbalových odkazů (TK27 hraje za FK Teplice) po výpovědi o latentním rasismu.

BTW. Můj team, moje city je strašně heavy věc. Jednoznačně nejlepší track z tapu, hymna, dokonalá produkce a odzbrojující 1 řádek Kučery;

video: https://www.youtube.com/watch?v=WjnKRhPFjPU

scoby.page/faradays-filaments

pelle *nf*	*familier* (baiser appuyé)	French kiss *n*
		passionate kiss *n*
	(UK, slang)	snog *n*
	Ils ont échangé une pelle à l'abri des regards.	
	They exchanged a French kiss away from prying eyes.	

rayure nf (ligne) stripe n band n
Je trouve que ce pull ne te va pas parce que les rayures te grossissent.
I don't think that sweater suits you, because the stripes make you look fatter than you are.

rayure nf (éraflure) scratch n
(shoes, boots, furniture) scrape, scuffmark n

"I have nothing to say and

CODE:

```
{ box-sizing: border-box; }
body {padding: 10px;/* line-height: 30px; */font-family:
Arial, Helvetica, sans-serif; -webkit-font-smoothing: an-
tialiased;-webkit-text-size-adjust:
none;-moz-osx-font-smoothing: grayscale;background:
black;color:white;}

h1 {font-size:2em;margin-bottom: 30em;font-weight: bold;}

h2, h3, h4, a, ul, ol, li, p, figure {font-size: 22px;-
font-weight: normal;margin: 0;padding: 0}

h2, h3, h4, ul, ol, p {margin-bottom: 3em}

ol li, ul li {list-style-position: inside;}

ul li {list-style-type: none;}

blocks {display: flex;flex-direction: column;align-items:
center}
blocks div {margin-bottom: 1em;}
blocks div.link {padding: 17vh;width: 700px;overflow: hid-
den;text-align: -webkit-center;word-break: break-all;bor-
der: 1px solid #000;margin-bottom: 1em;white-space:
wrap;transition: all 2s ease;}
blocks div.link:hover {padding-bottom: 19vh;border-radius:
100%;border: 1px solid #000;filter: drop-shadow(0px 10px
7px black);margin-top: -0.4em;margin-bottom: 0.8em;transi-
tion: all 2s ease;}
a {color: #241CFF;}

blocks div img, #blocks div video {max-width: 100%;;}
title {margin-bottom: 2em;}
```

Intergrating CSS into the html index: a good solution via <style> tab

25/10/20

The HTML Style Attribute

Setting the style of an HTML element, can be done with the `style` attribute.

The HTML `style` attribute has the following syntax:

```
<tagname style="property:value;">
```

The ***property*** is a CSS property. The ***value*** is a CSS value.

Using CSS

CSS can be added to HTML documents in 3 ways:

- **Inline** - by using the `style` attribute inside HTML elements
- **Internal** - by using a `<style>` element in the `<head>` section
- **External** - by using a `<link>` element to link to an external CSS file

Solution - The HTML <pre> Element

The HTML `<pre>` element defines preformatted text.

The text inside a `<pre>` element is displayed in a fixed-width font (usually Courier), and it preserves both spaces and line breaks:

Example

```
<pre>
  My Bonnie lies over the ocean.

  My Bonnie lies over the sea.

  My Bonnie lies over the ocean.

  Oh, bring back my Bonnie to me.
</pre>
```

Try it Yourself »

quick and easy

Some notes on graphing – node diagrams:

28/10/20

D3.js is a JavaScript library for manipulating documents based on data. **D3** helps you bring data to life using HTML, SVG, and CSS. D3's emphasis on web standards gives you the full capabilities of modern browsers without tying yourself to a proprietary framework, combining powerful visualization components and a data-driven approach to DOM manipulation.

Download the latest version (6.2.0) here:

- d3.zip

To link directly to the latest release, copy this snippet:

```
<script src="https://d3js.org/d3.v6.min.js"></script>
```

The full source and tests are also available for download on GitHub.

*graph-maker works as a github plugin! very useful, uses some Javascript (hard).

I14

	A	B	C	D	E	F	G
1	SITE	CONDITIO	SIZE	LIGHT			
2	field	razed	o	yes			
3	well	deep	●	no			
4	hole	deep	●	no			
5	cave	deep	●	no			
6	burial	deep	●	no			
7	waterway	long, forev	◌	yes			
8	cloud	not-deep	◌	yes			
9	cave	deep		half			
10							
11							
12							
13							
14							

using excel to configure info...

* have to be very clear w. categories!

1st try– did not work.

28/10/20

notes

sources

kikivdh October 26, 2020 Uncategorized Edit

burialcavecloudfieldholewaterwaywelldeepdeepnot-deeprazeddeeplong, foreverdeep

kikivdh October 26, 2020 Uncategorized Edit

Previous Post

netting, going through veils

Switch to draft

Editing code

Exit code editor

site


```
<svg width="879" height="500" xmlns="http://www.w3.org/2000/svg" version="1.1"><g transform="translate(40,0)"><path class="link" d="M359.5,35.714285714285715C100,35.714285714285715 100,250 0,250" style="fill: none; stroke: rgb(204, 204, 204); stroke-width: 1px;"></path><path class="link" d="M359.5,107.14285714285714C100,107.14285714285714 100,250 0,250" style="fill: none; stroke: rgb(204, 204, 204); stroke-width: 1px;"></path><path class="link" d="M359.5,178.57142857142858C100,178.57142857142858 100,250 0,250" style="fill: none; stroke: rgb(204, 204, 204); stroke-width: 1px;"></path><path class="link" d="M359.5,250C100,250 100,250 0,250" style="fill: none; stroke: rgb(204, 204, 204); stroke-width: 1px;"></path><path class="link" d="M359.5,321.42857142857144C100,321.42857142857144 100,250 0,250" style="fill: none; stroke: rgb(204, 204, 204); stroke-width: 1px;"></path><path class="link" d="M359.5,392.85714285714283C100,392.85714285714283 100,250 0,250" style="fill: none; stroke: rgb(204, 204, 204); stroke-width: 1px;"></path><path class="link" d="M359.5,464.2857142857143C100,464.2857142857143 100,250 0,250" style="fill: none; stroke: rgb(204, 204, 204); stroke-width: 1px;"></path><path class="link" d="M719,35.714285714285715C459.5,35.714285714285715 459.5,35.714285714285715 359.5,35.714285714285715" style="fill: none; stroke: rgb(204, 204, 204); stroke-width: 1px;"></path><path class="link" d="M719,107.14285714285714C459.5,107.14285714285714 459.5,107.14285714285714 359.5,107.14285714285714" style="fill:
```


*bad code?

I think it might be the that the host (wordpress) is made to generate text but not .svg shape graphics? so it will only extract the text info from the code, not the shape+style... try on Git instead? hmm

2nd try: better! dendrograms: outcomes (colour manipulated)

28/10/20





30/10/20

.html

**beginning to get to grips with Notepad++ for writing code: structural Html and separate, global CSS.

CSS

change.log | test for GITPAGE.html

```html
<div class="fullscreen nopadding">
  <div id="header">
    <img src="https://upload.wikimedia.org/wikipedia/commons/0/0e/The_Ancient_Stone_Implements_Fig._413g.%E2%80%94Church_Hole_Cave.png" width="50px" />
    <ul>
      <li>01</li>
      <li>02</li>
    </ul>
  </div>
  <div class="header">
    <h1>view from a burial</h1>
  </div>
</div>

<div class="white nopadding more">
  <a id="more">&#x25BC; More &#x25BC;</a>
</div>

<div class="white">
  <a id="test"></a>
  <h1>I'm testing headings</h1>
  <img class="floatleft" src="http://www.2020site.org/trees/images/PineNeedles.jpg" />
  <p><a href="">Lorem ipsum</a> a lingua franca is always apoetical.</p>
  <img class="floatright" src="https://upload.wikimedia.org/wikipedia/commons/b/bd/Ouster_OS1-64_lidar_point_cloud_of_intersection_of_Folsom_and_Dore_St%2C_San_Francisco.png" />
  <p>Suspendisse lectus leo, consectetur in tempor sit amet, placerat quis neque. Etiam luctus porttitor lorem, sed suscipit est rutrum non. Curabitur lobortis nisl a enim congue sempe
</div>

<div class="semitrans">
  <h1>More Text Here</h1>
  <p>to remember everything at once.</p>
  <h2>Sub est.</h2>
  <p>Nam dictum, odio nec pretium volutpat, arcu ante placerat erat, non tristique elit urna et turpis. Quisque mi metus, ornare sit amet fermentum et, tincidunt et orci. Fusce eget or
  <h2>Sed non.</h2>
  <p>and I think this text should be in the paragraph body. wonder what the limits of this archive are...</p>
</div>

<div class="dark">
  <p> Link externally to Scobies<a href="https://scoby.page/go-weaving">my image streams</a>...</p>
</div>
```

Hyper Text Markup Language file

change.log | test for GITPAGE.html | CSS test for GITHUB PAGE.css

```css
@import url(https://fonts.googleapis.com/css?family=Signika+Negative:400,700);

html, body {
  height:100%;
  font-family: 'Signika Negative', sans-serif;
  font-size: 25px;
}

html {
  background: url('https://upload.wikimedia.org/wikipedia/commons/9/9e/%D0%9D%D0%B5%D1%80%D0%BF%D0%B8%D1%87%D0%B8%D0%B9_%D0%B2%D0%B7%D0%B3%D0%BB%D1%8F%D0%B4.jpg') fixed;
  background-size: 100%;
}

div {
  overflow: hidden;
}

a {
  color: #322bff;
  text-decoration: underline;
  transition: 500ms;
}
a:hover {
  color: #26a1ff;
}

p {
  padding: 0 5%;
}

img {
  box-shadow: 0px 0px 4px #000;
}

#header {
  background: rgba(255, 255, 255, .5);
  padding: 1%;
  overflow: hidden;
  height: 55px;
}
#header img {
  float: left;
  box-shadow: none;
}
```

notes on importing image files from wikimedia commons

30/10/20



to keep the image in the ether:

either upload to your repo/local files and use **<img src...>**

OR

use linking feature **<a.href...>** BUT don't use **<a>** commandds if you want the image to be a thumbnail, b/c it will be torn between the two commands- you're putting a link on top of a link!

bare .html file:

31/10/20

File | E:/Web%20Dev%20and%20Models/index.html

- 01
- 02

view from a burial

▼ More ▼

I'm testing headings

Lorem ipsum a lingua franca is always apoetical.



File | E:/Web%20Dev%20and%20Models/index.html



Suspendisse lectus leo, consectetur in tempor sit amet, placerat quis neque. Etiam luctus porttitor lorem, sed suscipit est rutrum non. Curabitur lobortis nisl a enim congue semper. Aenean commodo ultrices imperdiet. Vestibulum ut justo vel sapien venenatis tincidunt. Phasellus eget dolor sit amet ipsum dapibus condimentum vitae quis lectus. Aliquam ut massa in turpis dapibus convallis. Praesent elit lacus, vestibulum at malesuada et, ornare et est. Ut augue nunc, sodales ut euismod non, adipiscing vitae orci. Mauris ut placerat justo. Mauris in ultricies enim. Quisque nec est eleifend nulla ultrices egestas quis ut quam. Donec sollicitudin lectus a mauris pulvinar id aliquam urna cursus. Cras quis ligula sem, vel elementum mi. Phasellus non ullamcorper urna.

More Text Here

to remember everything at once.

Sub est.

Nam dictum, odio nec pretium volutpat, arcu ante placerat erat, non tristique elit urna et turpis. Quisque mi metus, ornare sit amet fermentum et, tincidunt et orci. Fusce eget orci a orci congue vestibulum. Ut dolor diam, elementum et vestibulum eu, porttitor vel elit. Curabitur venenatis pulvinar tellus gravida ornare.

Sed non.

and I think this text should be in the paragraph body. wonder what the limits of this archive are...

Link externally to Scobiesmy image streams...

https://kikivdh.github.io/: PUBLISHING GITHUB REPOSITORIES

31/10/20



browser



desktop



*make sure you either 'push' to browser or 'fetch origin' to keep the two streams (offline vs. online) up to date.

Publishing through Repository Settings:

31/10/20

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Source
GitHub Pages is currently disabled. Sele

None ▾ Save

Theme Chooser
Select a theme to publish your site with

Choose a theme

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Source
GitHub Pages is currently disabled. Select a source below to enable GitHub Pages for this repository. Learn more.

Branch: main ▾ / (root) ▾ Save

Select branch

Select branch

✓ main

None

heme using the gh-pages branch. Learn more.

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

✓ Your site is published at https://kikivdh.github.io/kikivdh/

Source
Your GitHub Pages site is currently being built from the `main` branch. Learn more.

Branch: main ▾ / (root) ▾ Save

kikivdh.github.io/kikivdh/

- 01
- 02

view from a burial

▼ More ▼

I'm testing headings

no more latin anymore a lingua franca is always apoetical.



1st Published Site!!

31/10/20





31/10/20

Troubleshooting: when ‘pushing’ to Github pages, the CSS stylesheet won’t inter-grate. (titled main.css)

✓ Update index.html

main

Browse files

kikivdh committed 5 minutes ago Verified

1 parent bfc8864 commit 9e8b8c7cf01ebd0c41bc65767a8b4121f90c9585

Showing 1 changed file with 4 additions and 1 deletion.

Unified Split

5 index.html

```
@@ -1,5 +1,8 @@
+ <!DOCTYPE html>
+ <html>
  <div class="fullscreen nopadding">
    <div id="header">
+     <link rel="stylesheet" type="text/css" href="css/main.css">
      <img src="https://upload.wikimedia.org/wikipedia/commons/0/0e/The_Ancient_Stone_Implements_Fig._413g.%E2%80%94Church_Hole_Cave.png" width="50px" />
      <ul>
        <li>01</li>
@@ -35,4 +38,4 @@ <h2>Sed non.</h2>

  <div class="dark">
    <p> Link externally to Scobies<a href="https://scoby.page/go-weaving">my image streams</a>...</p>
- </div>
+ </div>
```

I think it must be to do with branch and file directory/. Fie type is correct I reckon. Something in naming??

Could try to change the stylesheet?? Maybe a bug within the CSS and the way it links to the html...

best forum respnses:

31/10/20

sethclydesdale Oct '18

Hi @noethix,

Looking at your page, it appears the issue is the "/" at the beginning of your stylesheet's source. Change "/css/main.css" to "css/main.css" (on line 5 of index.html 212) and it should fix the issue you're having.

For future reference, if the html file is in the same directory as another folder or file, you don't need to include a slash at the beginning of the src or href attributes. Also, if you need to access files up one, two, or however many directories, you can use two periods as a substitute. (example below)

say our folders are...

root --> resources --> stylesheet.css

root --> lessons --> lesson-1 --> exercise-1 --> index.html

For our html file to access the stylesheet we could provide the following.

```
<link rel="stylesheet" href="../../../resources/stylesheet.min.css">
```

Basically two "..." moves up a directory and since index.html was three directories down, we moved up three times until we were in the root thus able to access the resources folder. You can also reference the current directory with "./".

If any questions, let us know.

1

You need to link your HTML to the github page rendered `style.css` and not the file itself in the repo.

Change this:

```
ext/css" href="https://github.com/legoman8304/legoman8304.github.io/blob/master/style.css">
```

To this:

```
<link rel="stylesheet" type="text/css" href="https://legoman8304.github.io/style.css">
```

And move that stylesheet reference inside your `<head>` tag.



I am very confused– problem of adding stylesheets is quite big! Not sure If I have the directory right in this case.

31/10/20

When a URL is used within a document, such as in an HTML page, things are a bit different. Because the browser already has the document's own URL, it can use this information to fill in the missing parts of any URL available inside that document. We can differentiate between an *absolute URL* and a *relative URL* by looking only at the *path* part of the URL. If the path part of the URL starts with the "`/`" character, the browser will fetch that resource from the top root of the server, without reference to the context given by the current document.

Let's look at some examples to make this clearer.

Examples of absolute URLs

Full URL (the same as the one we used before)

```
https://developer.mozilla.org/en-US/docs/Learn
```

Implicit protocol

```
//developer.mozilla.org/en-US/docs/Learn
```

In this case, the browser will call that URL with the same protocol as the one used to load the document hosting that URL.

Semantic URLs

Despite their very technical flavor, URLs represent a human-readable entry point for a Web site. They can be memorized, and anyone can enter them into a browser's address bar. People are at the core of the Web, and so it is considered best practice to build what is called *semantic URLs*. Semantic URLs use words with inherent meaning that can be understood by anyone, regardless of their technical know-how.

Linguistic semantics are of course irrelevant to computers. You've probably often seen URLs that look like mashups of random characters. But there are many advantages to creating human-readable URLs:

- It is easier for you to manipulate them.
- It clarifies things for users in terms of where they are, what they're doing, what they're reading or interacting with on the Web.
- Some search engines can use those semantics to improve the classification of the associated pages.

within the <head> navigation:

```
<link rel="stylesheet" type="text/css" href="style.css">
```

embedding local images (from computer) in html: problems

01/11/20

- If you are reading this page because you only want to insert an image into your web page, and not do the more esoteric task of making the page self-contained, you should follow the standard method used by everyone, including thesitewizard.com. For example, if you have a picture with the filename of "mypicture.png", place it in the same directory as your web page, and insert the following HTML code into that page:

```
<img src="mypicture.png">
```

<img src= “filename.type”>

(image source needs to be in the same root folder as your index.html files in order to be ‘found’ by the host!)

>Two ways to get around this:

either use Github desktop to write and upload your files, then add ‘push’ to your live page on the browser **NB: HAVE TO ‘commit to main’ in order to work!

OR:

write your code directly into the browser and remember to save as .html (otherwise not recognised as functional!)

The image needs to be in the same folder that your html page is in, then create a href to that folder with the picture name at the end. Example:

```
<img src="C:\users\home\pictures\picture.png"/>
```

share improve this answer follow

answered Apr 1 '14 at 2:53
Provision
265 • 1 • 10

If the HTML and image are in the same folder, then his site wouldn't be remote and he wouldn't need to use the full path. – Anthony Apr 1 '14 at 3:03

01/11/20

kikivdh.github.io/poppies-mohn-/

- get
- strung
- out
- by wool

Epitaph for francois

the gorgeous paul celan poem, stuck there in my head.Read more about my life...

Epitaph for francois

the gorgeous paul celan poem, stuck there in my head.this link bottoms out, leads you into some well

```html
<!DOCTYPE html>
<html>
        <head>
                <title>going through the whole body, mohn und gedachnits</title>
                <link rel="stylesheet" type="text/css" href="main/style.css">
        </head>
        <body>
                <nav>
                <ul>
                        <li><a href="/">get</a></li>
                        <li><a href="/about">strung</a></li>
                        <li><a href="/pics">out</a></li>
                        <li><a href="/blog">by wool</a></li>
                </ul>
                </nav>
                <div class="container">
                <div class="blurb">
                        <h1>Epitaph for francois</h1>
                                <p>the gorgeous paul celan poem, stuck there in my head.<a href="/about">this link bottoms out, leads you into some well</a></p>
                                <img src="C:\Users\Chiara van den Hoven\Documents\Sites\kikivdh\filed.jpg">
                </div><!-- /.blurb -->
                </div><!-- /.container -->
                <footer>
        </body>
</html>
```

**image error message: I think this is because my html index is online-only (not a notepad file), so there is directory source in my system files (C:) to match this image to.

Will try to embed from online source... google photos might work?

Also- upload directly into Gthub REPO!!

kikivdh.github.io/poppies-mohn-/

- get
- strung
- out
- by wool

Epitaph for francois

the gorgeous paul celan poem, stuck there in my head.this link bottoms out, leads you into some well

lh3.googleusercontent.com/6OGvYI5mNvQlnsZ59tlDkqxOU1CSplRCEZYlINL_mr86Zc2zAbHGrgek6h0CkkGMoBYQSKHHZfeIffNv3OgfZP6sn7SUqfeNT2I5XpnG-EmaQcylq-L3xFwanYk...



01/11/20

EXTERNAL LINKS TO GOOGLE IMAGES ACCOUNT:

a bit clunky, but it works!

The image displayed on the page is only an icon.

27 lines (27 sloc) | 1.96 KB

```html
<!DOCTYPE html>
<html>
	<head>
		<title>going through the whole body, mohn und gedachnits</title>
		<link rel="stylesheet" type="text/css" href="main/style.css">
	</head>
	<body>
		<nav>
		<ul>
			<li><a href="/">get</a></li>
			<li><a href="/about">strung</a></li>
			<li><a href="/pics">out</a></li>
			<li><a href="/blog">by wool</a></li>
		</ul>
		</nav>
		<div class="container">
		<div class="blurb">
			<h1>Epitaph for francois</h1>
				<p>the gorgeous paul celan poem, stuck there in my head.<a href="/about">this link bottoms out, leads you into some well</a></p>
				<a href="https://lh3.googleusercontent.com/6OGvYI5mNvQlnsZ59tlDkqxOU1CSplRCEZYlINL_mr86Zc2zAbHGrgek6h0CkkGMoBYQSKHHZfeIffNv3OgfZP6sn7SUqfeNT2I5XpnG-Ema
				<a href="https://lh3.googleusercontent.com/tnnBUWwTXF5WsXbI5Ok7OOYN3yCjzH9Tvi9q0rOL9TOLtK_nyStNltbMY4ZKmvCSjoXk5Ud6wRv14xcN_-zOZbsUDFHkfLDokNXamhalTJ0c
				<a href="https://lh3.googleusercontent.com/KRTZYldgpdog4zEFcAmfjSW5IpJNnaWCR99T7b0_sUf_NK0lleyvvvVC6LISPWYQlzkYXQE4WT7Tvl-8Ara9Ys-ngnXmanSfE7GqOggHo6EW
		</div><!-- /.blurb -->
		</div><!-- /.container -->
		<footer>
	</body>
</html>
```

Embed Google Photos

The embed code for your Google Photos is ready!

Direct Image Link

https://lh3.googleusercontent.com/KRTZYldgpdog4zEFcAmfjSW5IpJNnaWCR99T7b0_sUf_NK0lleyvvvVC6LISPWYQlzkYXQE4WT7

HTML Embed Code

<a href="https://lh3.googleusercontent.com/KRTZYldgpdog4zEFcAmfjSW5IpJNnaWCR99T7b0_sUf_NK0lleyvvvVC6LISPWYQlzkY

lh3.googleusercontent.com/KRTZYldgpdog4zEFcAmfjSW5IpJNnaWCR99T7b0_sUf_NK0lleyvvvVC6LISPWYQlzkYXQE4WT7Tvl-8Ara9Ys-ngnXmanSfE7GqOggHo6EWh2UNEwUsvkbleu...



HTML website only, ultra-simple:

02/11/20

kikivdh.github.io/poppies-mohn-/

- get
- strung
- out
- by wool

Epitaph for francois

the gorgeous paul celan poem, stuck there in my head.this link bottoms out, leads you into some well



Type here to search

Address

ENG 13:47 02/11/2020

02/11/20

some thoughts/notes

>CSS stylesheets are causing lots of problems in Github- need to look into actual directories (or just use scobies). Could simply not use them and work only in raw html, relatively unformatted. This looks calmer, and the strictness of the preset might actually be productive- that idea of constraint pushing you to produce better respnses. It's nice an clear, crisp way of working with online text.

>might need to find a less clunky way of embedding images straight into the page - to do this I'll need to use my own file system (hardware), rather than write straight into Github. (ie. use Notepad++ for code writing then CLONE to desktop app. Then 'href' to image IN that directory folder.) Might take a while to smooth that out!

>I like the idea of small html portraits, linking to epitaphs or little poems. I suppose removing the CSS layer of style makes you more aware of the mechanics of the 'lingua franca' of html. Underlines the computer language, rather than disguising it. Still, I would like some italic text...

> Jekyll plugins might be a dead end- I'm struggling to install Ruby Gems into my system files...and the computer might not be able to cope with Linux fr Windows. Writing 'blog-style' in Markdown would be great though, although just using the preset code on Wordpress might be more time efficient. Explore if there's time then...otherwise could do something more fun on WP. Image processing is definitely easier there.

some changes: a solution to image-embedding problem!

03/11/20

> figured out that in order to upload from offline .jpg in folder, you must upload the file into your Github reposio-ry. This makes it ‘local’ to your index!



01- upload image into repo. (+ file)

02- note img name, select for upload

```
4   <head>
5    <link rel="stylesheet" type="text/css" href="main.css">.
6    <img src="filed.jpg">
7   <head>
8
9  <div class="fullscreen nopadding">
10   <div id="header">
11     <img src="filed.jpg">
```

03- link into code as `<img src="name.jpg">`

=

image resize and formatting:

03/11/20

```
<img src="Screenshot_2020-08-22-23-36-27.jpg" style="width:300px;height:600px;">
```

```
<head>

<body>
  <h1 style="background-color:DodgerBlue;">view from a burial. How to make these sites more beautiful?</h1>

  <p style="background-color:AliceBlue;">
  this paragraph would be alice blue, and the box goes sraight to the edge of the page...
  </p>
  <img src="Screenshot_2020-08-22-23-36-27.jpg" style="width:300px;height:600px;">
  <img src="Screenshot_2020-08-22-23-37-06.jpg">
  <img src="Screenshot_2020-08-22-23-37-24.jpg">
  <img src="Screenshot_2020-08-23-19-22-44.jpg">
  <img src="Screenshot_2020-08-23-19-23-13.jpg">
  <img src="Screenshot_2020-08-23-19-23-39.jpg">
</body>

<head>
```



background image (i/l CSS):

```
<style>
body {
  background-image: url('img_girl.jpg');
}
</style>
```

Adding Gifs- good to try!

```
<body>

<img src="programming.gif" alt="Computer man" style="width:48px-
;height:48px;">

</body>
```

coloured text commands (inline CSS):

03/11/20

Coloured Text

```
<head>
 <style>
     h1 {
     font-family: courier;
     font-size: 300%;
     }

     p  {
     color: red;
     font-family: courier;
     font-size: 160%;
     }

    <body style="background-color:powderblue;">
 </style>

 <head>
```

- 01
- 02

view from a burial

Link externally to Scobies my image streams...

A broad and meduim blue...

some colour testing, red into the sun. This should come up as intergrated CSS.

Background Colour of body

```
<!DOCTYPE html>
<html>

<body style="background-color:powderblue;">

<h1>This is a heading</h1>
<p>This is a paragraph.</p>

</body>

</html>
```

This is a heading

This is a paragraph.

Coloured Bounding Boxes

```
<body>

   <h1 style="background-color:Dodger
Blue;">Hello World</h1>

<p style="background-color:Tomato;">
Paragraph text is inserted here, which should
bounded by the red box.
</p>

</body>
```

Hello World

Lorem ipsum dolor sit amet, consectetuer adi
dolore magna aliquam erat volutpat. Ut wisi e
suscipit lobortis nisl ut aliquip ex ea commod

Font Styles and Colours

```
<head>
<style>
h1 {
  color: blue;
  font-family: verdana;
  font-size: 300%;

}
p  {
  color: red;
  font-family: courier;
  font-size: 160%;
}
</style>
</head>
```

This is a heading

This is a paragraph.

playing with inline CSS:

03/11/20

```html
<!DOCTYPE html>
<html>

 <head>
  <style>
   body {
   background-image: url('filed.jpg');
   }
  </style>

  <body>
     <h1 style="background-color:DodgerBlue;">Hello World</h1>

     <p style="background-color:Tomato;">
     some red area here...
     </p>

   </body>

 <head>

<div class="fullscreen nopadding">
  <div id="header">
    <ul>
      <li>01</li>
      <li>02</li>
    </ul>
  </div>
  <div class="header">
    <h1>view from a burial</h1>
  </div>
</div>

<div class="dark">
  <p> Link externally to Scobies <a href="https://scoby.page/go-weaving">my image streams</a>...</p>
</div>

  <h1 style="color:blue;">A broad and meduim blue...</h1>

<p style="color:red;">some colour testing, red into the sun. This should come up as intergrated CSS.</p>
```



I like this layout– CSS simplified and integrated into the <head> section

04/11/20

kikivdh.github.io/kikivdh/

view from a burial. How to make these sites more beautiful?

this paragraph would be alice blue, and the box goes sraight to the edge of the page...



Type here to search

Address

ENG

15:08
02/11/2020

Code for this page:

```
<!DOCTYPE html>
<html>

 <head>
  <style>
   h1 {
  font-family: courier;
  font-size: 300%;
   }

   p  {
  color: red;
  font-family: courier;
  font-size: 160%;
  }

  <body style="background-color:powderblue;">
  </style>

  <head>

  <body>
     <h1 style="background-color:DodgerBlue;">view from a burial. How to make these sites
more beautiful?</h1>

     <p style="background-color:AliceBlue;">
     this paragraph would be alice blue, and the box goes sraight to the edge of the
page...
     </p>
     <img src="Screenshot_2020-08-22-23-36-27.jpg">
     <img src="Screenshot_2020-08-22-23-37-06.jpg">
     <img src="Screenshot_2020-08-22-23-37-24.jpg">
     <img src="Screenshot_2020-08-23-19-22-44.jpg">
     <img src="Screenshot_2020-08-23-19-23-13.jpg">
     <img src="Screenshot_2020-08-23-19-23-39.jpg">
   </body>

 <head>

<div class="fullscreen nopadding">
  <div id="header">
    <ul>
      <li>01</li>
      <li>02</li>
    </ul>
  </div>
  <div class="header">
    <h1>view from a burial</h1>
```



04/11/20

some more (wilder) CSS tests with this site: global styles in the <head> bar

04/11/20

kikivdh / index.html Cancel

Edit file | Preview changes

```
2   <html>
3
4    <head>
5     <style>
6      p {
7      color: darkgreen;
8      font-size: 100%;
9      font-family: favorit, arial;
10     line-height: 60px;
11     margin: auto;
12     }
13
14     h1 {
15     color: darkgreen;
16     font-size: 500%;
17     font-family: favorit, arial;
18     line-height: 90px;
19     margin: auto;
20     }
21
22    img {
23    width: 300px;
24    text-align: center;
25    }
26
27    </style>
28
29    <head>
30
```





04/11/20

kikivdh.github.io/kikivdh/

view from a burial. How to make these sites more beautiful?

a diary of light, or some transpositions... getting lost in bookworks, getting lost in pages, cycling out in summer and not coming all the way back.



Smoke running Clydeside. Poles and bridges come up lavender.

Type here to search

kikivdh.github.io/kikivdh/

Smoke running Clydeside. Poles and bridges come up lavender.



I wonder about diaries, and about walking in circles, about being interrupted by strange lights.



Type here to search

how to centrally align?

kikivdh.github.io/kikivdh/

interrupted by strange lights.



And I am sure, here, that there will be no last words.

Walking into diaries, and walking offshore, into...

some other blue, some different distance

crossing and stopping on bridges...

Type here to search

nice little inline image...

Note: adding paragraphs with an inline ‘floating’ image:

04/11/20

```
<p>

<img src="filename.gif" style="float:right;width:42px;height:42px;">
then paragraph text goes in here

</p>
```

```
56      <p>
57      <img src="sunset.jpg" style="float:left;width:62px;height:62px;">
58      Walking into diaries, and walking offshore, into...
59      </p>
```

And I am sure, here, that there will be no last words.

Walking into diaries, and walking offshore, into...

some other blue, some different distance

crossing and stopping on bridges...

**could be cool to stack these, nice and long

Note: image as background formatting

```
<head>
<style>

  body {
  background-image: url('humped tree colour.jpg');
  background-repeat: no-repeat;
  background-attachment: fixed;
  background-size: cover;
  }

[...]

</style>
</head>
```

ORDERED LIST (NO.S)

```
<ol>
  <li>Coffee</li>
  <li>Tea</li>
  <li>Milk</li>
</ol>
```

UNORDERED LIST (PT.S)

```
<ul>
  <li>Coffee</li>
  <li>Tea</li>
  <li>Milk</li>
</ul>
```

Note: inserting text breaks

04/11/20

```
<html>

 <body>

<p>This is<br>a paragraph<br>with line breaks.</p>

</body>

</html>
```

A Test:

```
<!DOCTYPE html>
<html>
   <head>
      <title>going through the whole body, mohn und ge-
dachnits</title>
      <style>
         body {
background-image: url('rose house.jpg');
background-repeat: no-repeat;
  background-attachment: fixed;
  background-size: cover;
}

p {
color: white;
font-size: 46pt;
font-family: serif;
font-style: italic;
text-align: center;
width: 200vw;
}

      </style>

   </head>
   <body>
         <p>
       split<br> off<br>from<br> the<br> day,

      </p>

       <p style="background-color:darkslategrey;">
            gone to chase smoke across fields
           </p>

   </body>
</html>
```





* nice side nav...

04/11/20

Note on Blockquote Quotations:

06/11/20

use command to indent a chunk of text:

```
<p>normal paragraph text</p>

<blockquote cite="SOURCE OF QUOTE (WEB OR TEXT)">

Full quotation here...

</blockquote>
```

remember***

Absolute URLs vs. Relative URLs

Both examples above are using an **absolute URL** (a full web address) in the `href` attribute.

A local link (a link to a page within the same website) is specified with a **relative URL** (without the "https://www" part):

Example

```
<h2>Absolute URLs</h2>
<p><a href="https://www.w3.org/">W3C</a></p>
<p><a href="https://www.google.com/">Google</a></p>

<h2>Relative URLs</h2>
<p><a href="html_images.asp">HTML Images</a></p>
<p><a href="/css/default.asp">CSS Tutorial</a></p>
```

online

.pdf, e-book, or other document
(must upload to system files!

09/11/20

a general template for side scrolling sections:

*not sure how to make the box bigger laterally: would be nice to have a full page.

```
<!DOCTYPE html>
<html>
    <head>
        <style>

            p {
                color: lightblue;
            }
            div.scroll {
                margin: 4px, 4px;
                padding: 4px;
                background-color: #08c708;
                width: 300px;
                overflow-x: auto;
                overflow-y: hidden;
                white-space: nowrap;
            }

        </style>

    </head>



        <body>
           <center>

                 <div class="scroll">

                    <img src; INSERT IMAGE>
                  <p>INSERT TEXT</p>

                 </div>
           </center>
        </body>

</html>
```

09/11/20




```
<!DOCTYPE html>
<html>
    <head>
        <title>going through the whole body, mohn und gedachnits</title>
        <style>
            body {
background-image: url('rose house.jpg');
background-repeat: no-repeat;
  background-attachment: fixed;
  background-size: cover;
}

p {
color: white;
font-size: 46pt;
font-family: serif;
font-style: italic;
text-align: center;
width: 200vw;
}

            div.scroll {
               margin: 4px, 4px;
               padding: 4px;
               background-color: #08c708;
               width: 500px;
               overflow-x: auto;
               overflow-y: hidden;
               white-space: nowrap;
            }
        </style>
        </head>
    <body>
            <p>
         split<br> off<br>from<br> the<br> day,

        </p>

        <p style="background-color:darkslategrey;">
            gone to chase smoke across fields
           </p>
         <center>

         <div class="scroll">
           <p> what things weave through this hump? you start following threads through smoke, think about actual poppies, their actual
strands across your face, prosthetic pollen. </p>
           <img src="rose house.jpg" style="width:300px;height:150px;">
           </div>
           </center>
<center>
  <div class="scroll">
           <p> another test of this image bar, to see if there can be a dynamic between two.</p>
           <img src="humped tree colour.jpg" style="width:300px;height:230px;">
           </div>
           </center>
         /body>
</html>
```

breadcrumbs

12/11/20

top-bar hierarchical navigation: confusing and a bit hard!



**basically, folding these pages inside each other, with 01 being the home/origin. So this structure work best with a LINEAR path through a site which follows quite a strict hierarchy.
Also, it's easier to pre-format and then add in at the end, otherwise you end up editing on top and the style can get inconsistent.

**** have to remember to set up the navigation bar <ul li: breadcrumb> in every page, not just your index! and place commands in BOTH the <body> and <style> tags.

```
<ul class="breadcrumb">
            <li><a href="index.html">begin at the chest</a></li>
             <li><a href="01.html">then to the plates</a></li>
              <li><a href="02.html">mri filaments</a></li>
               <li><a href="03.html">and metal traces</a></li>
            </ul>
```

```
ul.breadcrumb {
                                        padding: 16px 32px;
                                        list-style: none;
                                        background-color:#000080;
                                        }

                                       ul.breadcrumb li {display: inline;}
```

Embedding pdfs for display in page:

12/11/20



1st: add file (.pdf) to repo.

Then:

embed within page:

```
<embed src="Sudwall, Marseille.pdf" width="1000px"
height=2000px" type="application/pdf"/>
```

(in <body>)

***have to specify type for web reader !!



OR

link (<a href></a>) through a thumbnail

```
<a href="Sudwall, Marseille.pdf" class="image fit"><img src="Net-
ting-01.jpg" alt="" style= "width:300px;height:150px"></a>
```

(in <body>)



13/11/20

kikivdh.github.io/library-of-sketchbooks/

Aug - Nov 2020

fixing the dimensions on this embed:
has to be 2000x 1000 px

kikivdh.github.io/library-of-sketchbooks/

Sketchbooks

Aug - Nov 2020

CIVIC STUDIO.pdf 1 / 40

Civic Studio

[notes and digital sketchbook]

Type here to search

Address

ENG 16:40 16/11/2020

Horizontal Navigation:

14/11/20

```html
<!DOCTYPE html>
<html>
<head>
<style>
ul {
  list-style-type: none;
  margin: 0;
  padding: 0;
  overflow: hidden;
  background-color: #333;
}

li {
  float: left;  CENTRE
}

li a {
  display: block;
  color: white;
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
}

li a:hover {
  background-color: #111;
}
</style>
</head>
<body>

<ul>
  <li><a class="active" href="#home">Home</a></li>
  <li><a href="#news">News</a></li>
  <li><a href="#contact">Contact</a></li>
  <li><a href="#about">About</a></li>
</ul>

</body>
</html>
```



The difference between Inline and Block Level Elements:

```
<span>Hello World</span>
```

```
<div>Hello World</div>
```

This is an inline span Hello World element inside a paragraph.

Hello World

The DIV element is a block element, and will always start on a new line and take up the full width available (stretches out to the left and right as far as it can).

```
<span style="border: 1px solid black">Hello
World</span>
```

```
<div style="background-color:black;color:white;pad-
ding:20px;">

  <h2>Title</h2>

  <p>Text</p>
  <p>Text</p>

</div>
```

***Span is a really nice way of highlighting text within paragraph bodies.

*also be careful of ‘div’ categories which can warp the page width (is it a way of forcing side nav??)