Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

[Options…]

Check by [text input ⌄]   ☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>

  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
fit=no" />

  <meta name="csrf-token" content="Cx9HdwZQmFiUQbxfu5nf6GLTvLHYJTZELqPSB24n">
  <title>Tech Council</title>


  <link rel="icon" href="/images/favicon.png" type="image/png" sizes="16x16" />
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

Document checking completed. No errors or warnings to show.

Source

1. ↵
2. <!DOCTYPE html>↵
3. <html lang="en">↵
4. ↵
5. <head>↵
6.   ↵
7.   <meta charset="utf-8" />↵
8.   <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />↵
9.   ↵
10.   <meta name="csrf-token" content="Cx9HdwZQmFiUQbxfu5nf6GLTvLHYJTZELqPSB24n">↵
11.   <title>Tech Council</title>↵
12.   ↵
13.   ↵
14.   <link rel="icon" href="/images/favicon.png" type="image/png" sizes="16x16" />↵
15.   ↵

```
16.    ↵
17.    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
       beta2/dist/css/bootstrap.min.css" rel="stylesheet"↵
18.        integrity="sha384-
       BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl"
       crossorigin="anonymous">↵
19.    ↵
20.     ↵
21.    <script
       src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.6.0/dist/umd/popper.min.js"↵
22.        integrity="sha384-
       KsvD1yqQ1/1+IA7gi3P0tyJcT3vR+NdBTt13hSJ2lnve8agRGXTTyNaBYmCR/Nwi"
       crossorigin="anonymous">↵
23.    </script>↵
24.    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
       beta2/dist/js/bootstrap.min.js"↵
25.        integrity="sha384-
       nsg8ua9HAw1y0W1btsyWgBklPnCUAFLuTMS2G72MMONqmOymq585AcH49TLBQObG"
       crossorigin="anonymous">↵
26.    </script>↵
27.    <script src="https://cdn.jsdelivr.net/npm/markdown-element/dist/markdown-
       element.min.js"></script>↵
28.    ↵
29.     ↵
30.    <script src="https://unpkg.com/stackedit-
       js@1.0.7/docs/lib/stackedit.min.js"></script>↵
31.    <script
       src="https://cdnjs.cloudflare.com/ajax/libs/remarkable/1.7.4/remarkable.js"
       integrity="sha512-
       QRrpZjZVcoHxp1kQn6MecUMg7rXIE2p8l6kPdlS786pgmsDzYc+x+tlZzui1Spbl6wzLqlCNzGwb4G
       t0WM2mew==" crossorigin="anonymous"></script>↵
32.    ↵
33.     ↵
34.    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
       icons@1.4.0/font/bootstrap-icons.css">↵
35.    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-
       awesome/4.7.0/css/font-awesome.min.css" rel="stylesheet">↵
36.    <link rel="stylesheet"
       href="https://use.fontawesome.com/releases/v5.15.1/css/all.css">↵
37.    <link rel="stylesheet"
       href="https://use.fontawesome.com/releases/v5.15.1/css/v4-shims.css">↵
38.    <script src="https://kit.fontawesome.com/47a2607dc4.js"
       crossorigin="anonymous"></script>↵
39.    <script src="https://kit.fontawesome.com/a076d05399.js"></script>↵
40.    ↵
41.     ↵
42.    <link rel="stylesheet" href=/css/fonts.css />↵
43.    <link rel="stylesheet" href=/css/colors.css />↵
44.    <link rel="stylesheet" href=/css/style.css />↵
45.    <link rel="stylesheet" href=/css/footer.css />↵
46.    <link rel="stylesheet" href=/css/generic.css />↵
47.    <link rel="stylesheet" href=/css/question.css />↵
48.    <link rel="stylesheet" href=/css/bootstrap.css />↵
49.    <link rel="stylesheet" href=/css/login.css />↵
50.    <link rel="stylesheet" href=/css/about.css />↵
51.    <link rel="stylesheet" href=/css/moderator.css />↵
52.    <link rel="stylesheet" href=/css/aside.css />↵
53.    <link rel="stylesheet" href=/css/search.css />↵
54.    <link rel="stylesheet" href=/css/question-page.css />↵
55.    <link rel="stylesheet" href=/css/ask.css />↵
56.    <link rel="stylesheet" href=/css/profile.css />↵
57.    ↵
58.    ↵
59.    <link rel="stylesheet" href=/css/prism.css />↵
60.    <script
       src="https://cdnjs.cloudflare.com/ajax/libs/prism/1.23.0/prism.min.js"
       integrity="sha512-
       YBk7HhgDZvBxmtOfUdvX0z8IH2d10Hp3aEygaMNhtF8fSOvBZ16D/1bXZTJV6ndk/L/DlXxYStP8jr
       F77v2MIg==" crossorigin="anonymous" referrerpolicy="no-referrer" defer>
       </script> ↵
```

```
61.   ↵
62.     ↵
63.              <script src=http://localhost:8000/js/input.js defer></script>↵
64.            <script src=http://localhost:8000/js/components.js defer></script>↵
65.            <script src=http://localhost:8000/js/question.js defer></script>↵
66.            <script src=http://localhost:8000/js/comment.js defer></script>↵
67.            <script src=http://localhost:8000/js/app.js defer></script>↵
68.            <script src=http://localhost:8000/js/vote.js defer></script>↵
69.            <script src=http://localhost:8000/js/report.js defer></script>↵
70.            <script src=http://localhost:8000/js/follow.js defer></script>↵
71.            <script src=http://localhost:8000/js/save.js defer></script>↵
72.            <script src=http://localhost:8000/js/edit-profile.js defer>
      </script>↵
73.            <script src="https://unpkg.com/turndown/dist/turndown.js"></script>↵
74.        <script
      src="https://cdnjs.cloudflare.com/ajax/libs/remarkable/1.7.4/remarkable.js"
      integrity="sha512-
      QRrpZjZVcoHxp1kQn6MecUMg7rXIE2p8l6kPdlS786pgmsDzYc+x+tlZzui1Spbl6wzLqlCNzGwb4G
      t0WM2mew==" crossorigin="anonymous"></script>↵
75.     </head>↵
76.   ↵
77.   <body>↵
78.     <header>↵
79.     <nav class="bg-animated navbar navbar-expand-lg navbar-dark bg-dark p-2">↵
80.        <div class="container-fluid justify-content-left px-3">↵
81.          <a class="navbar-brand me-5" href="http://localhost:8000"> <svg
      version="1.1" width="50" height="50" viewBox="0 0 320 320" fill="#a6e9d5"
      stroke="#a6e9d5" stroke-linecap="round"↵
82.     xmlns="http://www.w3.org/2000/svg"
      xmlns:xlink="http://www.w3.org/1999/xlink">↵
83.     <defs>↵
84.       <path id="r1" d="M 0, 0">↵
85.         <animate id="p1" attributeName="d"↵
86.           values="m160,160l0,0 0,0;m130,110l30,-17 30,17;m130,60l30,-17
      30,17;m160,20l0,0 0,0" dur="6s"↵
87.           repeatCount="indefinite" />↵
88.         <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
      repeatCount="indefinite" begin="p1.begin" />↵
89.       </path>↵
90.       <path id="r2" d="M 0, 0">↵
91.         <animate attributeName="d" values="m160,160l0,0 0,0;m130,110l30,-17
      30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↵
92.           dur="6s" repeatCount="indefinite" begin="p1.begin+1s" />↵
93.         <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
      repeatCount="indefinite" begin="p1.begin+1s" />↵
94.       </path>↵
95.       <path id="r3" d="M 0, 0">↵
96.         <animate attributeName="d" values="m160,160l0,0 0,0;m130,110l30,-17
      30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↵
97.           dur="6s" repeatCount="indefinite" begin="p1.begin+2s" />↵
98.         <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
      repeatCount="indefinite" begin="p1.begin+2s" />↵
99.       </path>↵
100.      <path id="r4" d="M 0, 0">↵
101.        <animate id="p2" attributeName="d"↵
102.          values="m160,160l0,0 0,0;m130,110l30,-17 30,17;m130,60l30,-17
      30,17;m160,20l0,0 0,0" dur="6s"↵
103.          repeatCount="indefinite" begin="p1.begin+3s" />↵
104.        <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
      repeatCount="indefinite" begin="p1.begin+3s" />↵
105.      </path>↵
106.      <path id="r5" d="M 0, 0">↵
107.        <animate attributeName="d" values="m160,160l0,0 0,0;m130,110l30,-17
      30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↵
108.          dur="6s" repeatCount="indefinite" begin="p1.begin+4s" />↵
109.        <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
      repeatCount="indefinite" begin="p1.begin+4s" />↵
110.      </path>↵
111.      <path id="r6" d="M 0, 0">↵
```

```
112.        <animate attributeName="d" values="m160,160l0,0 0,0;m130,110l30,-17
     30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↵
113.          dur="6s" repeatCount="indefinite" begin="p1.begin+5s" />↵
114.        <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
     repeatCount="indefinite" begin="p1.begin+5s" />↵
115.      </path>↵
116.    </defs>↵
117.    <use xlink:href="#r1" />↵
118.    <use xlink:href="#r1" transform="rotate(60 160 160)" />↵
119.    <use xlink:href="#r1" transform="rotate(120 160 160)" />↵
120.    <use xlink:href="#r1" transform="rotate(180 160 160)" />↵
121.    <use xlink:href="#r1" transform="rotate(240 160 160)" />↵
122.    <use xlink:href="#r1" transform="rotate(300 160 160)" />↵
123.    <use xlink:href="#r2" transform="rotate(30 160 160)" />↵
124.    <use xlink:href="#r2" transform="rotate(90 160 160)" />↵
125.    <use xlink:href="#r2" transform="rotate(150 160 160)" />↵
126.    <use xlink:href="#r2" transform="rotate(210 160 160)" />↵
127.    <use xlink:href="#r2" transform="rotate(270 160 160)" />↵
128.    <use xlink:href="#r2" transform="rotate(330 160 160)" />↵
129.    <use xlink:href="#r3" />↵
130.    <use xlink:href="#r3" transform="rotate(60 160 160)" />↵
131.    <use xlink:href="#r3" transform="rotate(120 160 160)" />↵
132.    <use xlink:href="#r3" transform="rotate(180 160 160)" />↵
133.    <use xlink:href="#r3" transform="rotate(240 160 160)" />↵
134.    <use xlink:href="#r3" transform="rotate(300 160 160)" />↵
135.    <use xlink:href="#r4" transform="rotate(30 160 160)" />↵
136.    <use xlink:href="#r4" transform="rotate(90 160 160)" />↵
137.    <use xlink:href="#r4" transform="rotate(150 160 160)" />↵
138.    <use xlink:href="#r4" transform="rotate(210 160 160)" />↵
139.    <use xlink:href="#r4" transform="rotate(270 160 160)" />↵
140.    <use xlink:href="#r4" transform="rotate(330 160 160)" />↵
141.    <use xlink:href="#r5" />↵
142.    <use xlink:href="#r5" transform="rotate(60 160 160)" />↵
143.    <use xlink:href="#r5" transform="rotate(120 160 160)" />↵
144.    <use xlink:href="#r5" transform="rotate(180 160 160)" />↵
145.    <use xlink:href="#r5" transform="rotate(240 160 160)" />↵
146.    <use xlink:href="#r5" transform="rotate(300 160 160)" />↵
147.    <use xlink:href="#r6" transform="rotate(30 160 160)" />↵
148.    <use xlink:href="#r6" transform="rotate(90 160 160)" />↵
149.    <use xlink:href="#r6" transform="rotate(150 160 160)" />↵
150.    <use xlink:href="#r6" transform="rotate(210 160 160)" />↵
151.    <use xlink:href="#r6" transform="rotate(270 160 160)" />↵
152.    <use xlink:href="#r6" transform="rotate(330 160 160)" />↵
153. </svg>↵
154. <script>↵
155.   let variable = document.querySelectorAll('*[id^="r"]');↵
156.   for(let i=0; i<variable.length; i++)↵
157.   variable[i].setAttribute('d', "");↵
158. </script>Tech Council</a>↵
159.      <button class="navbar-toggler ms-5" type="button" data-bs-
     toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
     expanded="false" aria-label="Toggle navigation">↵
160.        <span class="navbar-toggler-icon"></span>↵
161.      </button>↵
162. ↵
163.      <div class="collapse navbar-collapse border-left-0" id="navbarNav">↵
164.        <form class="btn-group d-flex my-2"
     action="http://localhost:8000/search">↵
165.          <input class="search-focus rounded-end must form-control bg-light
     border-0" type="search" placeholder="Search" aria-label="Search" name="q"
     value="">↵
166.          <button class="btn btn-outline-light blue" type="submit" id="button-
     addon2"><i class="fas fa-search fa-sm"></i></button>↵
167.        </form>↵
168. ↵
169.        <ul class="navbar-nav ms-auto mb-2 mb-lg-0 text-black">↵
170.              <li id="user-dropdown" class="nav-item dropdown
     dropstart">↵
171.              <a class="nav-link dropdown-toggle btn btn-outline-light nohover
     btn-sm border-0" data-bs-toggle="dropdown" role="button" aria-
```

```
           expanded="false">↵
172.                                      <img src="/storage/assets/photos/user2.png"
       class="rounded" alt="profile-image-2" width="20" height="20"> ↵
173.                    </a>↵
174.                <ul class="dropdown-menu profile">↵
175.                    <li><a class="dropdown-item"
       href="http://localhost:8000/user/2">Profile <i class="fas fa-address-
       card"></i></a></li>↵
176.                    <li><a class="dropdown-item"
       href="http://localhost:8000/user/2/settings">Settings <i class="fas fa-
       cog fa-sm"></i></a></li>↵
177.                    <li><a class="dropdown-item"
       href="http://localhost:8000/logout">Logout  <i class="fas fa-sign-
       out-alt fa-sm"></i></a> </li>↵
178.                    <li><hr class="dropdown-divider"></li>↵
179.                    <li><a class="dropdown-item"
       href="http://localhost:8000/user/2">Ask Question <i class="fas fa-plus-
       square fa-sm"></i></a></li>↵
180.                    <li><a class="dropdown-item" href="#">Saved Items <i
       class="fa fa-bookmark fa-sm"></i></a></li>↵
181.                    <li><hr class="dropdown-divider"></li>↵
182.                    <li><a class="dropdown-item"
       href="http://localhost:8000/faq">FAQ <i class="fas fa-question-circle fa-
       sm"></i></a></li>↵
183.                    <li><a class="dropdown-item"
       href="http://localhost:8000/about">About <i class="fas fa-info-circle fa-
       sm"></i></a></li>↵
184.                </ul>↵
185.            </li>↵
186.                        <li class="nav-item"> <a class="nav-link hover-cute
       btn btn-outline-light btn-sm border-0" href="http://localhost:8000/moderator">
       <i class="fas fa-briefcase fa-sm"></i> Moderator Area</a> </li>↵
187.                        <li class="nav-item"> <a class="nav-link hover-cute
       btn btn-outline-light btn-sm border-0" href="http://localhost:8000/user/2"><i
       class="fas fa-address-card"></i> Profile</a></li>↵
188.                    </ul>↵
189.        </div>↵
190.        </div>↵
191.    </nav>↵
192.    <script>↵
193.      var dropdownElementList =
       [].slice.call(document.querySelectorAll('.dropdown-toggle'));↵
194.      var dropdownList = dropdownElementList.map(function (dropdownToggleEl) {↵
195.        return new bootstrap.Dropdown(dropdownToggleEl);↵
196.      });↵
197.    </script>↵
198. </header>↵
199.    <main class="container">↵
200.      <div class="row">↵
201.        <article class="col-lg-9">↵
202.            <div class="card mb-3">↵
203.      <div class="card-header text-white bg-petrol font-source-sans-pro
       rounded-top"> User Settings </div>↵
204.        <div class="row g-0">↵
205.          <div class="col-lg-4">↵
206.                    <img src="/storage/assets/photos/user2.png" class="card-
       img-top rounded-extra p-3" alt="user-image-2">↵
207.          </div>↵
208.          <div class="col-lg-8">↵
209.            <div class="card m-3 ms-0">↵
210.              <div class="card-header">Status</div>↵
211.              <div class="card-body">↵
212.                <h5 class="card-title">↵
213.                  <a id="user-name" class="signature"
       href="http://localhost:8000/user/2">kikogoncalves </a>↵
214.                </h5>↵
215.                <p id="user-email" class="card-text pb-2 border-bottom">
       <strong>Email</strong>: francisco.jpg@fe.up.pt</p>↵
216.                <h5 class="card-title mt-1"><strong>Biography</strong></h5>↵
```

```
217.          <p id="user-biography" class="card-text">My name is Francisco
      Gonçalves, I am 21 years old and I live in Porto, Portugal. I&#039;m
      interested in Android, Keras, Data and JavaScript</p>↵
218.              ↵
219.            </div>↵
220.          </div>↵
221.        </div>↵
222.        ↵
223.        <div class="card-body bg-light">↵
224.          <form id="profile-settings-form" class="row g-3">↵
225.            <div class="col-12">↵
226.              <label class="mt-0 mb-1" for="inputImage">Change Photo</label>↵
227.              <input id="inputImage" type="file" class="form-control"
      accept="image/png" aria-label="profile picture" >↵
228.              <div class="invalid-feedback">Example invalid form file
      feedback</div>↵
229.            </div>↵
230. ↵
231.            <div class="col-lg-6">↵
232.              <label for="inputEmail" class="form-label mb-1">Email</label>↵
233.              <input id="inputEmail" type="email" class="form-control"
      value="francisco.jpg@fe.up.pt">↵
234.            </div>↵
235. ↵
236.            <div class="col-lg-6 form-group">↵
237.              <label for="inputUsername" class="form-label mb-
      1">Username</label>↵
238.              <input id="inputUsername" type="text" class="form-control"
      value="kikogoncalves">↵
239.            </div>↵
240.            ↵
241. ↵
242.            <div class="col-12">↵
243.              <label for="inputBio" class="form-label mb-
      1">Biography</label>↵
244.              <textarea class="form-control" id="inputBio" rows="4">My name is
      Francisco Gonçalves, I am 21 years old and I live in Porto, Portugal. I&#039;m
      interested in Android, Keras, Data and JavaScript</textarea>↵
245.            </div>↵
246.          </form>↵
247.          <div class="col-12 text-end mt-3">↵
248.            <button id="save-edit-2" onclick="submitEditProfile()"
      type="submit" class="btn teal">Save changes</button>↵
249.          </div>↵
250.        </div>↵
251.      </div>↵
252.    </div>↵
253.        </article>↵
254.      <aside class="col-lg-3">↵
255.        <div class="card mb-3">↵
256.  <div class="card-header text-white bg-petrol font-source-sans-pro bg-
      animated rounded-top"> Support </div>↵
257.  <div class="card-body">↵
258.    <h5 class="card-title">Need help?</h5>↵
259.    <p class="card-text">Don't hesitate hitting us up.</p>↵
260.    <a href="http://localhost:8000/faq" class="btn blue">FAQ</a>↵
261.    <a href="http://localhost:8000/about" class="btn blue">Contact us</a>↵
262.  </div>↵
263. </div>↵
264.    <div class="card mb-3">↵
265.      <div class="card-header text-white bg-petrol font-source-sans-pro bg-
      animated rounded-top"> Other options</div>↵
266.      <div class="card-body">↵
267.        <a href="http://localhost:8000/logout" class="btn blue"><i class="fas
      fa-sign-out-alt"></i> Logout</a>↵
268.      </div>↵
269.    </div>↵
270.        </aside>↵
271.    </div>↵
272.  </main>↵
```

```
273.    <footer class="footer">↩
274.    <div class="container-fluid condensed rounded-circle">↩
275.      <div class="row p-0">↩
276.        ↩
277.        <div class="footer-section rounded-left col-lg-4 col-lg col-12 col p-
     4">↩
278.          <h5 class="footer-section-header">Find us</h5>↩
279.          <ul class="footer-ul">↩
280.            <li><i class="fa fa-location-arrow"></i>  FEUP</li>↩
281.            <li><i class="fa fa-phone"></i>  +91 999 99 99</li>↩
282.            <li><i class="fa fa fa-envelope"></i> 
     lbaw2132@gmail.com</li>↩
283.            <li class="border-top-medium text-end pt-1"> Designed using
     Bootstrap5 by <strong>LBAW 2132</strong> &copy;</li>↩
284.          </ul>↩
285.        </div>↩
286.  ↩
287.        ↩
288.        <div class="footer-section col-lg-4 col-lg col-12 col p-4">↩
289.          <h5 class="footer-section-header">Quick links</h5>↩
290.          <ul class="footer-ul">↩
291.            <li><i class="fas fa-home"></i>  <a
     href="http://localhost:8000">Home</a> </li>↩
292.            <li><i class="fas fa-info-circle"></i>  <a
     href="http://localhost:8000/about">About</a></li>↩
293.            <li><i class="fas fa-question-circle"></i>  <a
     href="http://localhost:8000/faq">FAQ</a></li>↩
294.          </ul>↩
295.        </div>↩
296.  ↩
297.        ↩
298.        <div class="footer-section rounded-right col-lg-4 col-lg col-12 col p-
     4">↩
299.          <h5 class="footer-section-header">Follow us</h5>↩
300.          <ul class="footer-ul">↩
301.            <li><i class="fa fa-github"></i>  <a target="_blank"
     href="https://github.com/ffriande">Francisco Friande </a></li>↩
302.            <li><i class="fa fa-github"></i>  <a target="_blank"
     href="https://github.com/kiko-g">Francisco Gonçalves </a></li>↩
303.            <li><i class="fa fa-github"></i>  <a target="_blank"
     href="https://github.com/TsarkFC">João Romão </a></li>↩
304.            <li><i class="fa fa-github"></i>  <a target="_blank"
     href="https://github.com/migueldelpinto">Miguel Pinto </a></li>↩
305.          </ul>↩
306.        </div>↩
307.      </div>↩
308.    </div>↩
309.  </footer>↩
310.  </body>↩
311.  ↩
312.  </html>
```

Used the HTML parser.

Total execution time 67 milliseconds.