Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Press the Message Filtering button to collapse the filtering options and error/warning/info counts.

Message Filtering 1 message hidden by filtering

```
    Warnings (1) · Hide all warnings · Show all warnings
    1 □ Article lacks heading. Consider using [h2] [h6] elements to add identifying headings to all articles.
```

Document checking completed. No errors or warnings to show.

Source

```
1. ↔
2. <!DOCTYPE html>↔
3. <html lang="en">↔
4. ↔
5. <head>←
6. ↔
7. <meta charset="utf-8" />↔
8. <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />↔
9. ↔
```

```
10.
      <meta name="csrf-token"</pre>
    content="Cx9HdwZQmFiUQbxfu5nf6GLTvLHYJTZELqPSB24n">↔
11.
      <title>Tech Council</title>↔
12. ←
13.
      <link rel="icon" href="/images/favicon.png" type="image/png" sizes="16x16"</pre>
14.
    />↩
15. ←
16.
17.
      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
    beta2/dist/css/bootstrap.min.css" rel="stylesheet"↔
        integrity="sha384-
18.
    BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolf1f1"
    crossorigin="anonymous">↔
19. ←
20.
21.
      <script
    src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.6.0/dist/umd/popper.min.js"

        integrity="sha384-
22.
    KsvD1yqQ1/1+IA7gi3P0tyJcT3vR+NdBTt13hSJ2lnve8agRGXTTyNaBYmCR/Nwi"
    crossorigin="anonymous">↔
23.
      </script>↩
24.
      <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
    beta2/dist/js/bootstrap.min.js"↔
25.
        integrity="sha384-
    nsg8ua9HAw1y0W1btsyWgBklPnCUAFLuTMS2G72MMONqmOymq585AcH49TLBQ0bG"
    crossorigin="anonymous">↔
26.
      </script>←
27.
      <script src="https://cdn.jsdelivr.net/npm/markdown-element/dist/markdown-</pre>
    element.min.js"></script>↔
28. ←
29.
30.
      <script src="https://unpkg.com/stackedit-</pre>
    js@1.0.7/docs/lib/stackedit.min.js"></script>↔
31.
      <script
    src="https://cdnjs.cloudflare.com/ajax/libs/remarkable/1.7.4/remarkable.js"
    integrity="sha512-
    QRrpZjZVcoHxp1kQn6MecUMg7rXIE2p816kPdlS786pgmsDzYc+x+tlZzui1Spb16wzLqlCNzGwb4G
    t0WM2mew==" crossorigin="anonymous"></script>↔
32. ←
33.
      <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
34.
    icons@1.4.0/font/bootstrap-icons.css">←
35.
      <link href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
    awesome/4.7.0/css/font-awesome.min.css" rel="stylesheet">↔
36.
      <link rel="stylesheet"</pre>
    href="https://use.fontawesome.com/releases/v5.15.1/css/all.css">↔
      <link rel="stylesheet"</pre>
37.
    href="https://use.fontawesome.com/releases/v5.15.1/css/v4-shims.css">↔
38.
      <script src="https://kit.fontawesome.com/47a2607dc4.js"</pre>
    crossorigin="anonymous"></script>↔
39.
      <script src="https://kit.fontawesome.com/a076d05399.js"></script>↔
40. ←
41.
42.
      <link rel="stylesheet" href=/css/fonts.css />↩
      <link rel="stylesheet" href=/css/colors.css />←
43.
      <link rel="stylesheet" href=/css/style.css />←
44.
      <link rel="stylesheet" href=/css/footer.css />←
45.
      <link rel="stylesheet" href=/css/generic.css />←
46.
      k rel="stylesheet" href=/css/question.css />←
47.
      <link rel="stylesheet" href=/css/bootstrap.css />←
48.
      <link rel="stylesheet" href=/css/login.css />↩
49.
      <link rel="stylesheet" href=/css/about.css />↩
50.
      <link rel="stylesheet" href=/css/moderator.css />←
51.
      <link rel="stylesheet" href=/css/aside.css />↩
52.
      <link rel="stylesheet" href=/css/search.css />←
53.
      <link rel="stylesheet" href=/css/question-page.css />←
54.
      <link rel="stylesheet" href=/css/ask.css />↩
55.
      <link rel="stylesheet" href=/css/profile.css />←
56.
57.
```

```
58
 59.
       <link rel="stylesheet" href=/css/prism.css />←
60.
       <script
     src="https://cdnjs.cloudflare.com/ajax/libs/prism/1.23.0/prism.min.js"
     integrity="sha512-
     YBk7HhgDZvBxmtOfUdvX0z8IH2d10Hp3aEygaMNhtF8fSOvBZ16D/1bXZTJV6ndk/L/DlXxYStP8jr
     F77v2MIg==" crossorigin="anonymous" referrerpolicy="no-referrer" defer>
     </script> ←
61. ←
62.
63.
                 <script src=http://localhost:8000/js/input.js defer></script>←
64.
               <script src=http://localhost:8000/js/components.js defer></script>←
               <script src=http://localhost:8000/js/question.js defer></script>←
65.
               <script src=http://localhost:8000/js/comment.js defer></script>←
66.
               <script src=http://localhost:8000/js/app.js defer></script>←
67.
68.
               <script src=http://localhost:8000/js/vote.js defer></script>↩
               <script src=http://localhost:8000/js/follow.js defer></script>↩
69.
70.
               <script src=http://localhost:8000/js/save.js defer></script>←
71.
               <script src=http://localhost:8000/js/tag-search.js defer></script>↔
72.
             <script src="https://unpkg.com/turndown/dist/turndown.js"></script>←
73.
         <script
     src="https://cdnjs.cloudflare.com/ajax/libs/remarkable/1.7.4/remarkable.js"
     integrity="sha512-
     QRrpZjZVcoHxp1kQn6MecUMg7rXIE2p816kPdlS786pgmsDzYc+x+tlZzui1Spb16wzLqlCNzGwb4G
     t0WM2mew==" crossorigin="anonymous"></script>↔
74.
       </head>←
 75. ←
 76. <body>←
77.
       <header>←
78.
       <nav class="bg-animated navbar navbar-expand-lg navbar-dark bg-dark p-2">←
79.
         <div class="container-fluid justify-content-left px-3">←
           <a class="navbar-brand me-5" href="http://localhost:8000"> <svg</pre>
80.
     version="1.1" width="50" height="50" viewBox="0 0 320 320" fill="#a6e9d5"
     stroke="#a6e9d5" stroke-linecap="round"↔
81.
       xmlns="http://www.w3.org/2000/svg"
    xmlns:xlink="http://www.w3.org/1999/xlink">↔
82.
       <defs>←
83.
         <path id="r1" d="M 0, 0">←
84.
           <animate id="p1" attributeName="d"←</pre>
85.
             values="m160,16010,0 0,0;m130,110130,-17 30,17;m130,60130,-17
     30,17;m160,2010,0 0,0" dur="6s"↔
86.
             repeatCount="indefinite" />↔
87.
           <animate attributeName="stroke-width" values="0;4;4;0" dur="6s"</pre>
     repeatCount="indefinite" begin="p1.begin" />↔
88.
         </path>←
         <path id="r2" d="M 0, 0">↔
89.
           <animate attributeName="d" values="m160,160l0,0 0,0;m130,110l30,-17</pre>
90.
     30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↔
             dur="6s" repeatCount="indefinite" begin="p1.begin+1s" />↔
91.
           <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"</pre>
92.
     repeatCount="indefinite" begin="p1.begin+1s" />↩
93.
         </path>←
         <path id="r3" d="M 0, 0">←
94.
           <animate attributeName="d" values="m160,160l0,0 0,0;m130,110l30,-17</pre>
95.
     30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↔
96.
             dur="6s" repeatCount="indefinite" begin="p1.begin+2s" />←
           <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"</pre>
97.
     repeatCount="indefinite" begin="p1.begin+2s" />↔
98.
         </path>←
         <path id="r4" d="M 0, 0">↔
99.
           <animate id="p2" attributeName="d"↔
100.
101.
             values="m160,160l0,0 0,0;m130,110l30,-17 30,17;m130,60l30,-17
     30,17;m160,2010,0 0,0" dur="6s"↔
102.
             repeatCount="indefinite" begin="p1.begin+3s" />↔
103.
           <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"</pre>
     repeatCount="indefinite" begin="p1.begin+3s" />↔
104.
         </path>←
         <path id="r5" d="M 0, 0">←
105.
           <animate attributeName="d" values="m160,16010,0 0,0;m130,110130,-17</pre>
106.
     30,17;m130,60130,-17 30,17;m160,2010,0 0,0" \leftarrow
```

```
107.
              dur="6s" repeatCount="indefinite" begin="p1.begin+4s" />↔
            <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"</pre>
108.
     repeatCount="indefinite" begin="p1.begin+4s" />↔
109.
          </path>←
110.
          <path id="r6" d="M 0, 0">↔
111.
            <animate attributeName="d" values="m160,160l0,0 0,0;m130,110l30,-17</pre>
     30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↔
112.
              dur="6s" repeatCount="indefinite" begin="p1.begin+5s" />↔
113.
            <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"</pre>
     repeatCount="indefinite" begin="p1.begin+5s" />↔
114.
          </path>←
115.
       </defs>←
       <use xlink:href="#r1" />←
116.
       <use xlink:href="#r1" transform="rotate(60 160 160)" />

117.
       <use xlink:href="#r1" transform="rotate(120 160 160)" />
<use xlink:href="#r1" transform="rotate(180 160 160)" />

118.
119.
       <use xlink:href="#r1" transform="rotate(240 160 160)" />\leftrightarrow
<use xlink:href="#r1" transform="rotate(300 160 160)" />\leftrightarrow
120.
121.
       <use xlink:href="#r2" transform="rotate(30 160 160)" />

122.
       <use xlink:href="#r2" transform="rotate(90 160 160)" />

123.
       <use xlink:href="#r2" transform="rotate(150 160 160)" />

124.
       <use xlink:href="#r2" transform="rotate(210 160 160)" />←
125.
       <use xlink:href="#r2" transform="rotate(270 160 160)" />←
126.
       <use xlink:href="#r2" transform="rotate(330 160 160)" />←
127.
       <use xlink:href="#r3" />↩
128.
       <use xlink:href="#r3" transform="rotate(60 160 160)" />

129.
       <use xlink:href="#r3" transform="rotate(120 160 160)" />←
130.
       <use xlink:href="#r3" transform="rotate(180 160 160)" />←
131.
       <use xlink:href="#r3" transform="rotate(240 160 160)" />←
132.
       <use xlink:href="#r3" transform="rotate(300 160 160)" />

133.
       <use xlink:href="#r4" transform="rotate(30 160 160)" />

134.
       <use xlink:href="#r4" transform="rotate(90 160 160)" />

135.
       <use xlink:href="#r4" transform="rotate(150 160 160)" />

136.
       <use xlink:href="#r4" transform="rotate(210 160 160)" />

137.
       <use xlink:href="#r4" transform="rotate(270 160 160)" />←
138.
       <use xlink:href="#r4" transform="rotate(330 160 160)" />←
139.
140.
       <use xlink:href="#r5" />←
141.
       <use xlink:href="#r5" transform="rotate(60 160 160)" />

       <use xlink:href="#r5" transform="rotate(120 160 160)" />←
142.
       <use xlink:href="#r5" transform="rotate(180 160 160)"</pre>
                                                                   />↩
143.
       <use xlink:href="#r5" transform="rotate(240 160 160)" />
<use xlink:href="#r5" transform="rotate(300 160 160)" />

144.
145.
       <use xlink:href="#r6" transform="rotate(30 160 160)" />\leftrightarrow
<use xlink:href="#r6" transform="rotate(90 160 160)" />\leftrightarrow
146.
147.
       148.
149.
150.
151.
152. </svg>←
153. <script>↔
154.
       let variable = document.querySelectorAll('*[id^="r"]'); ↔
155.
       for(let i=0; i<variable.length; i++)↔
156.
       variable[i].setAttribute('d',
157. </script>Tech Council</a>↔
            <button class="navbar-toggler ms-5" type="button" data-bs-</pre>
158.
     toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
     expanded="false" aria-label="Toggle navigation">↔
159.
              <span class="navbar-toggler-icon"></span>↔
160.
            </button>←
161. ←
162.
            <div class="collapse navbar-collapse border-left-0" id="navbarNav">←
              <form class="btn-group d-flex my-2"</pre>
163.
     action="http://localhost:8000/search">↔
164.
                <input class="search-focus rounded-end must form-control bg-light</pre>
     border-0" type="search" placeholder="Search" aria-label="Search" name="q
                <button class="btn btn-outline-light blue" type="submit" id="button-</pre>
165.
     addon2"><i class="fas fa-search fa-sm"></i></button>↔
166.
              </form>←
167. ←
```

```
<textarea id="input-body" class="form-control border border-2 bg-
213.
     light mb-2" rows="8"↔
214.
                  placeholder="Question body" required></textarea>↔
               <button id="toggle-stackedit" class="btn btn blue toggle-stackedit</pre>
215.
     off" type="button"↔
216.
                  data-bs-original-title="Switch to stackedit">StackEdit</button>↔
217.
             </div>←
218. ←
219.
             <script src="/js/stackedit.js" defer> </script>←
220.
             <div class="row row-cols-2 mb-3">←
221.
                <div id="add-tags" class="col-lg-9">↔
222.
                  <div id="tag-select" class="btn-group mt-1" data-bs-</pre>
     toggle="collapse" data-bs-target="#addTag" role="banner"↔
223.
                    aria-expanded="false">↔
224.
                    <a class="btn blue-alt extra border-0 my-btn-pad2"><i class="fas</pre>
     fa-plus-square"></i>&nbsp;add tag</a>↔
225.
                  </div>↩
226.
                  <div class="btn-group mt-1" data-bs-toggle="collapse" data-bs-</pre>
     target="#addTag" aria-expanded="false"↔
227.
                    role="banner" id="tag-close">↔
228.
                    <a class="btn btn-danger wine border-0 my-btn-pad2"><i</pre>
     class="fas fa-window-close"></i>&nbsp;close</a>↔
229.
                  </div>←
230.
231.
                  <div class="card collapse mt-2" id="addTag" style="width:</pre>
     18rem;">↔
232.
                    <div class="card-body">←
233.
                      <input id="ask-search-tag" type="text" class="form-control</pre>
     border border-2 bg-light mb-2"↔
234.
                        placeholder="Search tag" />↩
235.
                      <div id="ask-tag-search-results" class="col-lg-auto">←
236.
                      </div>←
237.
                    </div>↩
238.
                  </div>←
239.
                  <div id="ask-selected-tags">←
240.
                  </div>↩
241.
               </div>↩
242.
                <div class="col-lg-3">←
243.
                  <input id="ask-question" class="btn btn-success teal text-white</pre>
     float-end ms-auto me-3 mt-1" type="submit"↔
                    value="Submit" />↔
244.
245.
                </div>←
246.
              </div>←
247.
           </form>←
248.
         </div>←
249.
       </div>←
250. ←
       <script src="/js/toasts.js" defer></script>←
251.
       <div class="toast-container pb-4" id="toastPlacement" data-original-</pre>
252.
     class="toast-container position-absolute p-3">↔
253.
         <div id="toast-tip-1" class="toast fade show" role="alert" aria-</pre>
     live="assertive" aria-atomic="true">↔
254.
           <div class="toast-header">↔
255.
              <svg class="bd-placeholder-img rounded me-2" width="20" height="20"</pre>
     xmlns="http://www.w3.org/2000/svg"↔
256.
               aria-hidden="true" preserveAspectRatio="xMidYMid slice"
     focusable="false">←
257.
                <rect width="100%" height="100%" fill="#007aff"></rect>←
258.
              </svg>←
259.
             <strong class="me-auto">Friendly Tip</strong>↔
              <button type="button" class="btn-close" onclick="hideToast()" data-bs-
260.
     dismiss="toast" aria-label="Close"></button>↔
261.
           </div>←
262.
           <div class="toast-body">↔
263.
             We recommend trying the↔
              <a id="toggle-stackedit-tip" class="" role="button" data-bs-original-</pre>
264.
     title="Switch to stackedit">StackEdit↔
265.
               editor</a>↔
266.
             to edit your question!↔
267.
           </div>↩
```

```
268.
        </div>↔
269.
      </div>←
270.
          </article>←
271.
          <aside class="col-lg-3">↔
272.
              <div class="card mb-3">←
273.
      <div class="card-header text-white bg-petrol font-source-sans-pro bg-</pre>
    animated rounded-top"> Posting rules on Tech Council </div>↔
274.
      <div class="card-body">↔
275.
        <div class="card">↔
276.
          ↔
277.
            human←
278.
            <strong>2. </strong>Behave like you would
    in real life↔
            <strong>3. </strong>Look for the original
279.
    source of content
280.
            before posting↔
281.
            <strong>5. </strong>Read the community's
    rules↔
282.
          ↔
283.
        </div>←
284.
      </div>←
285. </div>←
      <div class="card mb-3">←
286.
287.
      <div class="card-header text-white bg-petrol font-source-sans-pro bg-</pre>
    animated rounded-top"> Information </div>←
288.
      <div class="card-body d-flex align-items-start p-3">←
289.
        <div class="nav flex-column nav-pills me-3" id="v-pills-tab"</pre>
    role="tablist" aria-orientation="vertical">↔
290.
          <button class="nav-link blue active h6 text-start" id="v-pills-home-tab"</pre>
    data-bs-toggle="pill"↔
            data-bs-target="#v-pills-home" type="button" role="tab" aria-
291.
    controls="v-pills-home" aria-selected="true">↔
292.
           About←
293.
          </button>↩
294.
295.
          <button class="nav-link blue h6 text-start" id="v-pills-settings-tab"</pre>
    data-bs-toggle="pill"↔
296.
            data-bs-target="#v-pills-settings" type="button" role="tab" aria-
    controls="v-pills-settings"↔
297.
            aria-selected="false">↔
298.
           Devs↩
299.
          </button>←
300.
        </div>↔
        <div class="tab-content" id="v-pills-tabContent">←
301.
302.
          <div class="tab-pane fade show active" id="v-pills-home"</pre>
    role="tabpanel">↔
303.
            TechCouncil is a platform where users can post questions and share
    answers for any tech-related topics, whether↔
304.
            it is about building a custom PC, programming languages, what new
    smartphones are the best, how to install a VPN... you name it!↔
305.
          </div>↩
306.
          <div class="tab-pane fade" id="v-pills-profile" role="tabpanel">↔
307.
            Terms of service text↔
308.
          </div>↩
          <div class="tab-pane fade" id="v-pills-messages" role="tabpanel">↔
309.
310.
            Privacy Policy text↔
311
          </div>←
312.
          <div class="tab-pane fade" id="v-pills-settings" role="tabpanel">←
            ↔
313.
              <a class="different" target="_blank"</li>
314.
    href="https://github.com/ffriande">Francisco Friande </a>↔
              <a class="different" target=" blank"
315.
    href="https://github.com/kiko-g">Francisco Gonçalves </a>↔
316.
              <a class="different" target="_blank"</li>
    href="https://github.com/TsarkFC">João Romão </a>↔
              <a class="different" target=" blank"</li>
317.
    href="https://github.com/migueldelpinto">Miguel Pinto </a>↔
318.
            ←
```

```
319.
          </div>←
320.
        </div>←
321.
      </div>←
322. ←
323.
324.
      <div class="p-2 text-end text-muted">←
325.
326.
        © 2021 Tech Council, Inc.↔
327.
      </div>←
328. </div>↩
329.
          </aside>↩
330.
        </div>←
331.
      </main>↩
332.
      <footer class="footer">←
333.
      <div class="container-fluid condensed rounded-circle">←
        <div class="row p-0">↔
334.
335.
336.
          <div class="footer-section rounded-left col-lg-4 col-lg col-12 col p-</pre>
    4">←
337.
            <h5 class="footer-section-header">Find us</h5>↔
338.
            ←
339.
              <i class="fa fa-location-arrow"></i>&nbsp; FEUP↔
340.
              <i class="fa fa-phone"></i>&nbsp; +91 999 99 99
              <i class="fa fa fa-envelope"></i>&nbsp;
341.
    lbaw2132@gmail.com↔
342.
               Designed using
    Bootstrap5 by <strong>LBAW 2132</strong>&nbsp;&copy;
343.
            ↔
344.
          </div>←
345. ←
346.
          \hookrightarrow
347.
          <div class="footer-section col-lg-4 col-lg col-12 col p-4">←
348.
            <h5 class="footer-section-header">Quick links</h5>↔
349.
            ←
              <i class="fas fa-home"></i>&nbsp; <a</pre>
350.
    href="http://localhost:8000">Home</a> 
351.
              <i class="fas fa-info-circle"></i>&nbsp; <a
    href="http://localhost:8000/about">About</a>
352.
              <i class="fas fa-question-circle"></i>&nbsp; <a</pre>
    href="http://localhost:8000/faq">FAQ</a>↔
353.
            ←
354.
          </div>←
355.
356.
357.
          <div class="footer-section rounded-right col-lg-4 col-lg col-12 col p-</pre>
    4">↩
358.
            <h5 class="footer-section-header">Follow us</h5>↔
            class="footer-ul">↔
359.
              <i class="fa fa-github"></i>&nbsp; <a target=" blank"</p>
360.
    href="https://github.com/ffriande">Francisco Friande </a>↔
361.
              <i class="fa fa-github"></i>&nbsp; <a target=" blank"</p>
    href="https://github.com/kiko-g">Francisco Gonçalves </a>↔
              <i class="fa fa-github"></i>&nbsp; <a target="_blank"</pre>
362.
    href="https://github.com/TsarkFC">João Romão </a>↔
              <i class="fa fa-github"></i>&nbsp; <a target="_blank"
363.
    href="https://github.com/migueldelpinto">Miguel Pinto </a>↔
364.
            ←
365.
          </div>←
366.
        </div>←
367.
      </div>←
368. </footer>←
369. </body>←
370. ←
371. </html>
```

Used the HTML parser.

Total execution time 33 milliseconds.

About this checker • Report an issue • Version: 21.5.28