Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>←
2. <html lang="en">↔
3. ←
4. <head>←
5.
      <meta charset="utf-8" />↔
6.
7.
      <meta name="viewport" content="width=device-width, initial-scale=1, shrink-</pre>
   to-fit=no" />↩
8.
      <meta name="csrf-token"</pre>
   content="mtzGVyCoyBYx7UkwI2Hni54GjbUfHL1ofr9QIc5U">↔
10.
      <title>Tech Council</title>↔
11. ←
12.
13.
      <link rel="icon" href="/images/favicon.png" type="image/png" sizes="16x16"</pre>
   />↩
14.
15.
```

```
16.
      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
    beta2/dist/css/bootstrap.min.css" rel="stylesheet"↔
17.
        integrity="sha384-
    BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolf1f1"
    crossorigin="anonymous">↔
18. ←
19.
20.
      <script
    src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.6.0/dist/umd/popper.min.js"
←
21.
        integrity="sha384-
    KsvD1yqQ1/1+IA7gi3P0tyJcT3vR+NdBTt13hSJ2lnve8agRGXTTyNaBYmCR/Nwi"
    crossorigin="anonymous">↔
22.
      </script>↩
23.
      <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
    beta2/dist/js/bootstrap.min.js"↔
24.
        integrity="sha384-
    nsg8ua9HAw1y0W1btsyWgBklPnCUAFLuTMS2G72MMONqmOymq585AcH49TLBQ0bG"
    crossorigin="anonymous">↔
25.
      </script>↔
      <script src="https://cdn.jsdelivr.net/npm/markdown-element/dist/markdown-</pre>
26.
   element.min.js"></script>\leftrightarrow
27. ←
28.
29.
      <script src="https://unpkg.com/stackedit-</pre>
    js@1.0.7/docs/lib/stackedit.min.js"></script>↔
30.
     <script
    src="https://cdnjs.cloudflare.com/ajax/libs/remarkable/1.7.4/remarkable.js"
    integrity="sha512-
    QRrpZjZVcoHxp1kQn6MecUMg7rXIE2p816kPdlS786pgmsDzYc+x+tlZzui1Spb16wzLqlCNzGwb4G
    t0WM2mew==" crossorigin="anonymous"></script>↔
31. ←
32.
      <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
33.
    icons@1.4.0/font/bootstrap-icons.css">↔
34.
      <link href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
    awesome/4.7.0/css/font-awesome.min.css" rel="stylesheet">↔
      <link rel="stylesheet"</pre>
35.
    href="https://use.fontawesome.com/releases/v5.15.1/css/all.css">↔
36.
      <link rel="stylesheet"</pre>
    href="https://use.fontawesome.com/releases/v5.15.1/css/v4-shims.css">↔
37.
      <script src="https://kit.fontawesome.com/47a2607dc4.js"</pre>
    crossorigin="anonymous"></script>↔
38.
      <script src="https://kit.fontawesome.com/a076d05399.js"></script>↔
39. ←
40.
41.
      <link rel="stylesheet" href=/css/fonts.css />←
      k rel="stylesheet" href=/css/colors.css />←
42.
      k rel="stylesheet" href=/css/style.css />←
43.
      k rel="stylesheet" href=/css/footer.css />←
44.
      k rel="stylesheet" href=/css/generic.css />←
45.
      k rel="stylesheet" href=/css/question.css />←
46.
      k rel="stylesheet" href=/css/bootstrap.css />←
47.
      <link rel="stylesheet" href=/css/login.css />←
48.
      <link rel="stylesheet" href=/css/about.css />←
49.
      <link rel="stylesheet" href=/css/moderator.css />←
50.
      k rel="stylesheet" href=/css/aside.css />←
51.
      52.
      <link rel="stylesheet" href=/css/question-page.css />←
53.
      < link rel="stylesheet" href=/css/ask.css />←
54.
      <link rel="stylesheet" href=/css/profile.css />←
55.
56.
      \leftarrow
57.
58.
      <link rel="stylesheet" href=/css/prism.css />←
      <script
    src="https://cdnjs.cloudflare.com/ajax/libs/prism/1.23.0/prism.min.js"
    integrity="sha512-
    YBk7HhgDZvBxmt0fUdvX0z8IH2d10Hp3aEygaMNhtF8fS0vBZ16D/1bXZTJV6ndk/L/D1XxYStP8jr
    F77v2MIg==" crossorigin="anonymous" referrerpolicy="no-referrer" defer>
    </script> ←
60.
```

```
61
 62.
       </head>↩
63. ←
64. <body>←
       <header>↩
65.
66.
       <nav class="bg-animated navbar navbar-expand-lg navbar-dark bg-dark p-2">←
         <div class="container-fluid justify-content-left px-3">←
67.
68.
           <a class="navbar-brand me-5" href="http://lbaw2132.lbaw-prod.fe.up.pt">
     <svg version="1.1" width="50" height="50" viewBox="0 0 320 320" fill="#a6e9d5"</pre>
     stroke="#a6e9d5" stroke-linecap="round"↔
69.
       xmlns="http://www.w3.org/2000/svg"
     xmlns:xlink="http://www.w3.org/1999/xlink">↔
70.
       <defs>←
         <path id="r1" d="M 0, 0">↔
71.
           <animate id="p1" attributeName="d"↔</pre>
72.
73.
             values="m160,16010,0 0,0;m130,110130,-17 30,17;m130,60130,-17
     30,17;m160,2010,0 0,0" dur="6s"↔
74.
             repeatCount="indefinite" />↩
75.
           <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"</pre>
     repeatCount="indefinite" begin="p1.begin" />↔
76.
         </path>←
         <path id="r2" d="M 0, 0">←
77.
           <animate attributeName="d" values="m160,16010,0 0,0;m130,110130,-17</pre>
 78.
     30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↔
 79.
             dur="6s" repeatCount="indefinite" begin="p1.begin+1s" />↔
           <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"</pre>
80.
     repeatCount="indefinite" begin="p1.begin+1s" />←
81.
         </path>←
         <path id="r3" d="M 0, 0">←
82.
           <animate attributeName="d" values="m160,16010,0 0,0;m130,110130,-17</pre>
83.
     30,17;m130,60130,-17 30,17;m160,2010,0 0,0 \leftrightarrow
84.
             dur="6s" repeatCount="indefinite" begin="p1.begin+2s" />↔
           <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"</pre>
85.
     repeatCount="indefinite" begin="p1.begin+2s" />←
86.
         </path>←
87.
         <path id="r4" d="M 0, 0">↔
           <animate id="p2" attributeName="d"←</pre>
88.
89.
             values="m160,16010,0 0,0;m130,110130,-17 30,17;m130,60130,-17
     30,17;m160,2010,0 0,0" dur="6s"↔
             repeatCount="indefinite" begin="p1.begin+3s" />←
90.
91.
           <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"</pre>
     repeatCount="indefinite" begin="p1.begin+3s" />↔
92.
         </path>←
93.
         <path id="r5" d="M 0, 0">←
           <animate attributeName="d" values="m160,16010,0 0,0;m130,110130,-17</pre>
94.
     30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↔
95.
             dur="6s" repeatCount="indefinite" begin="p1.begin+4s" />↔
           <animate attributeName="stroke-width" values="0;4;4;0" dur="6s"</pre>
96.
     repeatCount="indefinite" begin="p1.begin+4s" />↔
97.
         <path id="r6" d="M 0, 0">↔
98.
           <animate attributeName="d" values="m160,160l0,0 0,0;m130,110l30,-17</pre>
99.
     30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↔
             dur="6s" repeatCount="indefinite" begin="p1.begin+5s" />↔
100.
           <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"</pre>
101.
     repeatCount="indefinite" begin="p1.begin+5s" /> \leftarrow
102.
         </path>←
103.
       </defs>←
104.
       <use xlink:href="#r1" />←
       <use xlink:href="#r1" transform="rotate(60 160 160)" />

105.
       <use xlink:href="#r1" transform="rotate(120 160 160)" />←
106.
       <use xlink:href="#r1" transform="rotate(180 160 160)" />←
107.
       <use xlink:href="#r1" transform="rotate(240 160 160)" />←
108.
       <use xlink:href="#r1" transform="rotate(300 160 160)" />←
109.
       <use xlink:href="#r2" transform="rotate(30 160 160)" />

110.
       <use xlink:href="#r2" transform="rotate(90 160 160)" />

111.
       <use xlink:href="#r2" transform="rotate(150 160 160)" />←
112.
       <use xlink:href="#r2" transform="rotate(210 160 160)" />

113.
       <use xlink:href="#r2" transform="rotate(270 160 160)" />←
114.
       <use xlink:href="#r2" transform="rotate(330 160 160)" />←
115.
```

```
116.
                <use xlink:href="#r3" />←
                <use xlink:href="#r3" transform="rotate(60 160 160)" />\leftarrow
117.

<use xlink:href="#r3" transform="rotate(120 160 160)" />
<use xlink:href="#r3" transform="rotate(180 160 160)" />
<use xlink:href="#r3" transform="rotate(180 160 160)" />
<use xlink:href="#r3" transform="rotate(240 160 160)" />
<use xlink:href="#r3" transform="rotate(300 
118.
119.
120.
121.
                <use xlink:href="#r4" transform="rotate(30 160 160)" />
<use xlink:href="#r4" transform="rotate(90 160 160)" />
<use xlink:href="#r4" transform="rotate(90 160 160)" />

122.
123.
                124.
125.
126.
                <use xlink:href="#r4" transform="rotate(330 160 160)" />←
127.
                <use xlink:href="#r5" />↔
128.
                <use xlink:href="#r5" transform="rotate(60 160 160)" />

129.

<use xlink:href="#r5" transform="rotate(00 100 100)" />
<use xlink:href="#r5" transform="rotate(120 160 160)" />
<use xlink:href="#r5" transform="rotate(180 160 160)" />
<use xlink:href="#r5" transform="rotate(240 160 160)" />
<use xlink:href="#r5" transform="rotate(300 160 160)" />
<use xlink:href="#r5" transform="rotate(300 160 160)" />
</use xlink:href="#r5" transform="rotate(300 160 160)" />
<use xlink:href="#r5" transform="rotate(3
130.
131.
132.
133.
                <use xlink:href="#r6" transform="rotate(30 160 160)" />

134.
                <use xlink:href="#r6" transform="rotate(90 160 160)" />

135.
                <use xlink:href="#r6" transform="rotate(150 160 160)" />

136.
                <use xlink:href="#r6" transform="rotate(210 160 160)" />\leftrightarrow
<use xlink:href="#r6" transform="rotate(270 160 160)" />\leftrightarrow
137.
138.
                <use xlink:href="#r6" transform="rotate(330 160 160)" />←
139.
140. </svg>↔
141. <script>↔
142.
                let variable = document.querySelectorAll('*[id^="r"]'); ←
143.
                for(let i=0; i<variable.length; i++)↔
                variable[i].setAttribute('d',
144.
145. </script>Tech Council</a>↔
                          .
<button class="navbar-toggler ms-5" type="button" data-bs-
146.
           toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
            expanded="false" aria-label="Toggle navigation">↔
147.
                               <span class="navbar-toggler-icon"></span>↔
148.
                          </button>←
149. ←
150.
                          <div class="collapse navbar-collapse border-left-0" id="navbarNav">↔
151.
                               <form class="btn-group d-flex my-2" action="http://lbaw2132.lbaw-</pre>
            prod.fe.up.pt/search">↔
152.
                                    <input class="search-focus rounded-end must form-control bg-light</pre>
           border-0" type="search" placeholder="Search" aria-label="Search" name="q
           value="">↩
153.
                                    <button class="btn btn-outline-light blue" type="submit" id="button-</pre>
            addon2"><i class="fas fa-search fa-sm"></i></button>↔
154.
                               </form>←
155.
156.
                               ←
157.
                                                                 dropstart">↔
158.
                                              <a class="nav-link dropdown-toggle btn btn-outline-light nohover
            btn-sm border-0" data-bs-toggle="dropdown" role="button" aria-
            expanded="false">↔
159.
                                                                                         <img src="/storage/assets/photos/user2.png"</pre>
            class="rounded" alt="profile-image-2" width="20" height="20"> ↔
160.
                                              </a>←
161.
                                              ←
162.
                                                  <a class="dropdown-item" href="http://lbaw2132.lbaw-
           prod.fe.up.pt/user/2">Profile <i class="fas fa-address-card"></i></a>
            ↩
                                                  <a class="dropdown-item" href="http://lbaw2132.lbaw-
163.
            prod.fe.up.pt/user/2/settings">Settings <i class="fas fa-cog fa-sm"></i></i>
            </a>←
164.
                                                  <a class="dropdown-item" href="http://lbaw2132.lbaw-
           prod.fe.up.pt/logout">Logout  <i class="fas fa-sign-out-alt fa-sm">
            </i></a> ↔
165.
                                                  <hr class="dropdown-divider">↔
166.
                                                  <a class="dropdown-item" href="http://lbaw2132.lbaw-
           prod.fe.up.pt/user/2">Ask Question <i class="fas fa-plus-square fa-sm">
            </i></a>↔
```

```
167.
                    <a class="dropdown-item" href="#">Saved Items&nbsp;<i
     class="fa fa-bookmark fa-sm"></i></a>↔
                     <hr class="dropdown-divider">↔
168.
                     <a class="dropdown-item" href="http://lbaw2132.lbaw-
169.
     prod.fe.up.pt/faq">FAQ <i class="fas fa-question-circle fa-sm"></i></a>
     ↩
170.
                     <a class="dropdown-item" href="http://lbaw2132.lbaw-
     prod.fe.up.pt/about">About <i class="fas fa-info-circle fa-sm"></i></a>
     ↩
171.
                   ←
172.
                 ↔
173.
                               <a class="nav-link hover-cute</pre>
     btn btn-outline-light btn-sm border-0" href="http://lbaw2132.lbaw-
     prod.fe.up.pt/moderator"> <i class="fas fa-briefcase fa-sm">
     </i>&nbsp;Moderator Area</a> ↔
174.
                              <a class="nav-link hover-cute"</pre>
     btn btn-outline-light btn-sm border-0" href="http://lbaw2132.lbaw-
    prod.fe.up.pt/user/2"><i class="fas fa-address-card"></i>&nbsp;Profile</a>
     ←
175.
                         ↩
176.
           </div>←
177.
         </div>←
178.
       </nav>↩
179.
       <script>↩
180.
         var dropdownElementList =
     [].slice.call(document.querySelectorAll('.dropdown-toggle')); ←
181.
         var dropdownList = dropdownElementList.map(function (dropdownToggleEl) {↔
182.
           return new bootstrap.Dropdown(dropdownToggleEl); ↔
183.
         });←
184.
       </script>↔
185. </header>↔
186.
       <div class="d-flex container-fluid entry-form flex-column border-top-bg">←
187.
           <header class="text-light mb-5 mt-2">↔
188.
         <h1>Tech Council</h1>←
      </header>↩
189.
190. ←
191.
      <div class="accordion accordion-flush" id="accordionFAQ">←
192.
         <header class="text-start text-light mb-4 ms-4">←
193.
           <h3>FAQ</h3>↔
194.
         </header>↔
195. ←
196.
                     <div class="accordion-item btn-light mb-2 border border-5</pre>
     rounded-3">←
197.
             <h2 class="accordion-header" id="heading1">↔
198.
               <button class="accordion-button collapsed" type="button" data-bs-
     toggle="collapse"↔
199.
                 data-bs-target="#collapse1" aria-expanded="false"←
200.
                 aria-controls="collapse1">↔
201.
                 How do I ask a question?←
202.
               </button>↔
203.
             </h2>←
204.
             <div id="collapse1" class="accordion-collapse collapse"
</pre>
               aria-labelledby="heading1" data-bs-parent="#accordionFAQ">←
205.
               <div class="accordion-body text-start">←
206.
                  There is a ' Pose a Question ' button on the top of the
207.
     home page, once clicked you will↔
208.
    be redirected to the question creation page. ←
209.
               </div>←
210.
             </div>←
211.
           </div>↩
212.
                    <div class="accordion-item btn-light mb-2 border border-5</pre>
     rounded-3">←
213.
             <h2 class="accordion-header" id="heading2">↔
214.
               <button class="accordion-button collapsed" type="button" data-bs-</pre>
     toggle="collapse"↔
215.
                 data-bs-target="#collapse2" aria-expanded="false"↔
216.
                 aria-controls="collapse2">←
217.
                 Can my account be unbanned?←
218.
               </button>←
219.
             </h2>←
```

<i class="fa fa-github"></i> <a target=" blank"

<i class="fa fa-github"></i> <a target="_blank"</p>

href="https://github.com/ffriande">Francisco Friande ↔

href="https://github.com/kiko-g">Francisco Gonçalves ↔

274.

275.

```
276.
           <i class="fa fa-github"></i>&nbsp; <a target="_blank"</pre>
   277.
   href="https://github.com/migueldelpinto">Miguel Pinto </a>↔
278.
         ↔
279.
        </div>←
280.
       </div>←
281.
     </div>↩
282. </footer>↔
283. </body>←
284. ←
285. </html>
```

Used the HTML parser.

Total execution time 51 milliseconds.

About this checker • Report an issue • Version: 21.6.2