

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show source outline image report

[Options...](#)

Check by [text input](#) [css](#)

```
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />

    <meta name="csrf-token" content="Cx9HdwZQmFiUQbx fu5nf6GLTvLHYJTZELqPSB24n">
    <title>Tech Council</title>
```

[Check](#)

Press the Message Filtering button to collapse the filtering options and error/warning/info counts.

[Message Filtering](#) 2 messages hidden by filtering

Warnings (2) · [Hide all warnings](#) · [Show all warnings](#)

- 1 Section lacks heading. Consider using `[h2-h6]` elements to add identifying headings to all sections.
- 2 Article lacks heading. Consider using `[h2-h6]` elements to add identifying headings to all articles.

Document checking completed. No errors or warnings to show.

Source

1. ↵
2. <!DOCTYPE html>↵
3. <html lang="en">↵
4. ↵
5. <head>↵
6. ↵

```
7.    <meta charset="utf-8" />↔
8.    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
9.      to-fit=no" />↔
10.     ↵
11.     <meta name="csrf-token"
12.       content="Cx9HdwZQmFiUQbx fu5nf6GLTvLHYJTZE lqPSB24n">↔
13.     ↵
14.     <link rel="icon" href="/images/favicon.png" type="image/png" sizes="16x16"
15.   />↔
16.   ↵
17.   ↵
18.   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/css/bootstrap.min.css" rel="stylesheet">↔
19.     integrity="sha384-
20.     BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflf1"
21.     crossorigin="anonymous">↔
22.   ↵
23.   ↵
24.   <script
25.     src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.6.0/dist/umd/popper.min.js">↔
26.     integrity="sha384-
27.     KsvD1yqQ1/1+IA7gi3P0tyJcT3vR+NdB Tt13hSJ2lnve8agRGXTTyNaBYmCR/Nwi"
28.     crossorigin="anonymous">↔
29.   </script>↔
30.   <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/js/bootstrap.min.js">↔
31.     integrity="sha384-
32.     nsg8ua9HAw1y0W1btsyWgBk1PnCUAFLuTMS2G72MMONqmOymq585AcH49TLBQ0bG"
33.     crossorigin="anonymous">↔
34.   </script>↔
35.   <script src="https://unpkg.com/stackedit-
36.     js@1.0.7/docs/lib/stackedit.min.js"></script>↔
37.   <script
38.     src="https://cdnjs.cloudflare.com/ajax/libs/remarkable/1.7.4/remarkable.js"
39.     integrity="sha512-
40.     QRrpZjZVcoHxp1kQn6MecUMg7rXIE2p8l6kPd1S786pgmsDzYc+x+tlZzui1Spbl6wzLqlCNzGwb4G
41.     t0WM2mew==" crossorigin="anonymous"></script>↔
42.   ↵
43.   ↵
44.   <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
45.     icons@1.4.0/font/bootstrap-icons.css">↔
46.   <link href="https://cdnjs.cloudflare.com/ajax/libs/font-
47.     awesome/4.7.0/css/font-awesome.min.css" rel="stylesheet">↔
48.   <link rel="stylesheet"
49.     href="https://use.fontawesome.com/releases/v5.15.1/css/all.css">↔
50.   <link rel="stylesheet"
51.     href="https://use.fontawesome.com/releases/v5.15.1/css/v4-shims.css">↔
52.   <script src="https://kit.fontawesome.com/47a2607dc4.js"
53.     crossorigin="anonymous"></script>↔
54.   <script src="https://kit.fontawesome.com/a076d05399.js"></script>↔
55.   ↵
56.   ↵
57.   <link rel="stylesheet" href=/css/fonts.css />↔
58.   <link rel="stylesheet" href=/css/colors.css />↔
59.   <link rel="stylesheet" href=/css/style.css />↔
60.   <link rel="stylesheet" href=/css/footer.css />↔
61.   <link rel="stylesheet" href=/css/generic.css />↔
62.   <link rel="stylesheet" href=/css/question.css />↔
63.   <link rel="stylesheet" href=/css/bootstrap.css />↔
64.   <link rel="stylesheet" href=/css/login.css />↔
65.   <link rel="stylesheet" href=/css/about.css />↔
66.   <link rel="stylesheet" href=/css/moderator.css />↔
67.   <link rel="stylesheet" href=/css/aside.css />↔
68.   <link rel="stylesheet" href=/css/search.css />↔
```

```
54. <link rel="stylesheet" href="/css/question-page.css" />↵
55. <link rel="stylesheet" href="/css/ask.css" />↵
56. <link rel="stylesheet" href="/css/profile.css" />↵
57. ↵
58. ↵
59. <link rel="stylesheet" href="/css/prism.css" />↵
60. <script
src="https://cdnjs.cloudflare.com/ajax/libs/prism/1.23.0/prism.min.js"
integrity="sha512-
YBk7HhgDZvBxmtOfUdvX0z8IH2d10Hp3aEygaMNhtF8fSOvBZ16D/1bXZTJV6ndk/L/DlXxYSTP8jr
F77v2MIg==" crossorigin="anonymous" referrerPolicy="no-referrer" defer>
</script> ↵
61. ↵
62. ↵
63. <script src="http://localhost:8000/js/input.js defer"></script>↵
64. <script src="http://localhost:8000/js/components.js defer"></script>↵
65. <script src="http://localhost:8000/js/question.js defer"></script>↵
66. <script src="http://localhost:8000/js/comment.js defer"></script>↵
67. <script src="http://localhost:8000/js/app.js defer"></script>↵
68. <script src="http://localhost:8000/js/vote.js defer"></script>↵
69. <script src="http://localhost:8000/js/report.js defer"></script>↵
70. <script src="http://localhost:8000/js/follow.js defer"></script>↵
71. <script src="http://localhost:8000/js/save.js defer"></script>↵
72. <script src="http://localhost:8000/js/tag-moderate.js defer">
</script>↵
73. <script src="http://localhost:8000/js/tag-filters.js defer">
</script>↵
74. <script src="https://unpkg.com/turndown/dist/turndown.js"></script>↵
75. <script
src="https://cdnjs.cloudflare.com/ajax/libs/remarkable/1.7.4/remarkable.js"
integrity="sha512-
QRrpZjZVcoHxp1kQn6MecUMg7rXIE2p8l6kPdls786pgmsDzYc+x+tlZzui1Spbl6wzLqlCNzGwb4G
t0WM2mew==" crossorigin="anonymous"></script>↵
76. </head>↵
77. ↵
78. <body>↵
79. <header>↵
80. <nav class="bg-animated navbar navbar-expand-lg navbar-dark bg-dark p-2">↵
81. <div class="container-fluid justify-content-left px-3">↵
82. <a class="navbar-brand me-5" href="http://localhost:8000"> <svg
version="1.1" width="50" height="50" viewBox="0 0 320 320" fill="#a6e9d5"
stroke="#a6e9d5" stroke-linecap="round">
83. xmlns="http://www.w3.org/2000/svg"
xmlns:xlink="http://www.w3.org/1999/xlink">↵
84. <defs>↵
85. <path id="r1" d="M 0, 0">↵
86. <animate id="p1" attributeName="d"↵
87. values="m160,160l0,0 0,0;m130,110l30,-17 30,17;m130,60l30,-17
30,17;m160,20l0,0 0,0" dur="6s"↵
88. repeatCount="indefinite" />↵
89. <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
repeatCount="indefinite" begin="p1.begin" />↵
90. </path>↵
91. <path id="r2" d="M 0, 0">↵
92. <animate attributeName="d" values="m160,160l0,0 0,0;m130,110l30,-17
30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↵
93. dur="6s" repeatCount="indefinite" begin="p1.begin+1s" />↵
94. <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
repeatCount="indefinite" begin="p1.begin+1s" />↵
95. </path>↵
96. <path id="r3" d="M 0, 0">↵
97. <animate attributeName="d" values="m160,160l0,0 0,0;m130,110l30,-17
30,17;m130,60l30,-17 30,17;m160,20l0,0 0,0"↵
98. dur="6s" repeatCount="indefinite" begin="p1.begin+2s" />↵
99. <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
repeatCount="indefinite" begin="p1.begin+2s" />↵
100. </path>↵
101. <path id="r4" d="M 0, 0">↵
102. <animate id="p2" attributeName="d"↵
```

```

103.      values="m160,16010,0 0,0;m130,110130,-17 30,17;m130,60130,-17
104.      30,17;m160,2010,0 0,0" dur="6s"↪
105.      repeatCount="indefinite" begin="p1.begin+3s" />↪
106.      <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
107.      repeatCount="indefinite" begin="p1.begin+3s" />↪
108.      </path>↪
109.      <path id="r5" d="M 0, 0">↪
110.      <animate attributeName="d" values="m160,16010,0 0,0;m130,110130,-17
111.      30,17;m130,60130,-17 30,17;m160,2010,0 0,0" dur="6s" repeatCount="indefinite" begin="p1.begin+4s" />↪
112.      <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
113.      repeatCount="indefinite" begin="p1.begin+4s" />↪
114.      </path>↪
115.      <path id="r6" d="M 0, 0">↪
116.      <animate attributeName="d" values="m160,16010,0 0,0;m130,110130,-17
117.      30,17;m130,60130,-17 30,17;m160,2010,0 0,0" dur="6s" repeatCount="indefinite" begin="p1.begin+5s" />↪
118.      <animate attributeName="stroke-width" values="0;4;4;4;0" dur="6s"
119.      repeatCount="indefinite" begin="p1.begin+5s" />↪
120.      </path>↪
121.      <use xlink:href="#r1" />↪
122.      <use xlink:href="#r1" transform="rotate(60 160 160)" />↪
123.      <use xlink:href="#r1" transform="rotate(120 160 160)" />↪
124.      <use xlink:href="#r1" transform="rotate(180 160 160)" />↪
125.      <use xlink:href="#r1" transform="rotate(240 160 160)" />↪
126.      <use xlink:href="#r1" transform="rotate(300 160 160)" />↪
127.      <use xlink:href="#r2" transform="rotate(30 160 160)" />↪
128.      <use xlink:href="#r2" transform="rotate(90 160 160)" />↪
129.      <use xlink:href="#r2" transform="rotate(150 160 160)" />↪
130.      <use xlink:href="#r2" transform="rotate(210 160 160)" />↪
131.      <use xlink:href="#r2" transform="rotate(270 160 160)" />↪
132.      <use xlink:href="#r2" transform="rotate(330 160 160)" />↪
133.      <use xlink:href="#r3" />↪
134.      <use xlink:href="#r3" transform="rotate(60 160 160)" />↪
135.      <use xlink:href="#r3" transform="rotate(120 160 160)" />↪
136.      <use xlink:href="#r3" transform="rotate(180 160 160)" />↪
137.      <use xlink:href="#r3" transform="rotate(240 160 160)" />↪
138.      <use xlink:href="#r3" transform="rotate(300 160 160)" />↪
139.      <use xlink:href="#r4" transform="rotate(30 160 160)" />↪
140.      <use xlink:href="#r4" transform="rotate(90 160 160)" />↪
141.      <use xlink:href="#r4" transform="rotate(150 160 160)" />↪
142.      <use xlink:href="#r4" transform="rotate(210 160 160)" />↪
143.      <use xlink:href="#r4" transform="rotate(270 160 160)" />↪
144.      <use xlink:href="#r4" transform="rotate(330 160 160)" />↪
145.      <use xlink:href="#r5" />↪
146.      <use xlink:href="#r5" transform="rotate(60 160 160)" />↪
147.      <use xlink:href="#r5" transform="rotate(120 160 160)" />↪
148.      <use xlink:href="#r5" transform="rotate(180 160 160)" />↪
149.      <use xlink:href="#r5" transform="rotate(240 160 160)" />↪
150.      <use xlink:href="#r5" transform="rotate(300 160 160)" />↪
151.      <use xlink:href="#r6" transform="rotate(30 160 160)" />↪
152.      <use xlink:href="#r6" transform="rotate(90 160 160)" />↪
153.      <use xlink:href="#r6" transform="rotate(150 160 160)" />↪
154.      <use xlink:href="#r6" transform="rotate(210 160 160)" />↪
155.      <use xlink:href="#r6" transform="rotate(270 160 160)" />↪
156.      <use xlink:href="#r6" transform="rotate(330 160 160)" />↪
157.      </svg>↪
158.      <script>
159.      let variable = document.querySelectorAll('*[id^="r"]');↪
160.      for(let i=0; i<variable.length; i++)↪
161.      variable[i].setAttribute('d', "");↪
162.      </script>Tech Council</a>↪
163.      <button class="navbar-toggler ms-5" type="button" data-bs-
164.      toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
165.      expanded="false" aria-label="Toggle navigation">↪
166.          <span class="navbar-toggler-icon"></span>↪
167.      </button>↪
168.      </div>↪
169.      <div class="collapse navbar-collapse border-left-0" id="navbarNav">↪

```

```
165.      <form class="btn-group d-flex my-2"  
166.          action="http://localhost:8000/search">↔  
167.              <input class="search-focus rounded-end must form-control bg-light  
border-0" type="search" placeholder="Search" aria-label="Search" name="q"  
value="">↔  
168.              <button class="btn btn-outline-light blue" type="submit" id="button-  
addon2"><i class="fas fa-search fa-sm"></i></button>↔  
169.          </form>↔  
170.          <ul class="navbar-nav ms-auto mb-2 mb-lg-0 text-black">↔  
171.              <li id="user-dropdown" class="nav-item dropdown  
dropstart">↔  
172.                  <a class="nav-link dropdown-toggle btn btn-outline-light nohover  
btn-sm border-0" data-bs-toggle="dropdown" role="button" aria-  
expanded="false">↔  
173.                       ↔  
174.                  </a>↔  
175.                  <ul class="dropdown-menu profile">↔  
176.                      <li><a class="dropdown-item"  
href="http://localhost:8000/user/2">Profile&ampnbsp<i class="fas fa-address-  
card"></i></a></li>↔  
177.                      <li><a class="dropdown-item"  
href="http://localhost:8000/user/2/settings">Settings&ampnbsp<i class="fas fa-  
cog fa-sm"></i></a></li>↔  
178.                      <li><a class="dropdown-item"  
href="http://localhost:8000/logout">Logout&ampnbsp<i class="fas fa-sign-  
out-alt fa-sm"></i></a> </li>↔  
179.                      <li><hr class="dropdown-divider"></li>↔  
180.                      <li><a class="dropdown-item"  
href="http://localhost:8000/user/2">Ask Question&ampnbsp<i class="fas fa-plus-  
square fa-sm"></i></a></li>↔  
181.                      <li><a class="dropdown-item" href="#">Saved Items&ampnbsp<i  
class="fa fa-bookmark fa-sm"></i></a></li>↔  
182.                      <li><hr class="dropdown-divider"></li>↔  
183.                      <li><a class="dropdown-item"  
href="http://localhost:8000/faq">FAQ&ampnbsp<i class="fas fa-question-circle fa-  
sm"></i></a></li>↔  
184.                      <li><a class="dropdown-item"  
href="http://localhost:8000/about">About&ampnbsp<i class="fas fa-info-circle fa-  
sm"></i></a></li>↔  
185.                      </ul>↔  
186.                  </li>↔  
187.          <li class="nav-item"> <a class="nav-link hover-cute  
btn btn-outline-light btn-sm border-0" href="http://localhost:8000/moderator">  
<i class="fas fa-briefcase fa-sm"></i>&ampnbspModerator Area</a> </li>↔  
188.          <li class="nav-item"> <a class="nav-link hover-cute  
btn btn-outline-light btn-sm border-0" href="http://localhost:8000/user/2"><i  
class="fas fa-address-card"></i>&ampnbspProfile</a></li>↔  
189.          </ul>↔  
190.      </div>↔  
191.      </div>↔  
192.  </nav>↔  
193.  <script>↔  
194.      var dropdownElementList =  
[ ].slice.call(document.querySelectorAll('.dropdown-toggle'));↔  
195.      var dropdownList = dropdownElementList.map(function (dropdownToggleEl) {↔  
196.          return new bootstrap.Dropdown(dropdownToggleEl);↔  
197.      });↔  
198.  </script>↔  
199. </header>↔  
200.  <main class="container">↔  
201.      <div class="row">↔  
202.          <article class="col-lg-9">↔  
203.              ↔  
204.              <div class="card mb-4 p-2-0 border-0 rounded">↔  
205.                  <div class="card-header bg-animated longer text-white font-source-sans-pro  
rounded-top">↔  
206.                      <a href="http://localhost:8000/tag/8" class="light"># node.js<i class="fas  
fa-link fa-xs text-blue-200 mt-1dot5 ms-2"></i>&ampnbsp&ampnbsp</a>↔
```

```
207.    </div>↵
208.    <div class="card-body">↵
209.      <p class="mb-3">↵
210.        Tag for questions related to Node.js, a JavaScript runtime ↵
211.      </p>↵
212.      <div class="row row-cols-3 mb-1">↵
213.        <div id="interact" class="col-lg flex-wrap">↵
214.          <div class="btn-group mt-1 rounded">↵
215.            <a class="upvote-button my-btn-pad2 btn btn-outline-success" ↵
follow"↵
216.              id="follow-8" onclick="toggleFollow(this)" >↵
217.              <i class="far fa-star"></i>&nbsp;Follow↵
218.            </a>↵
219.          </div>↵
220.          ↵
221.          ↵
222.        </div>↵
223.      ↵
224.      <div id="facts" class="col-lg-auto">↵
225.        <div class="btn-group mt-1 rounded">↵
226.          <span class="btn blue-alt static my-btn-pad2 nohover">↵
227.            <i class="fas fa-fire"></i>&nbsp;2 followers ↵
228.          </span>↵
229.        </div>↵
230.        <div class="btn-group mt-1 rounded">↵
231.          <span class="blue-alt static my-btn-pad2 nohover">↵
232.            <i class="fas fa-question"></i>&nbsp;1 questions ↵
233.          </span>↵
234.        </div>↵
235.      </div>↵
236.    </div>↵
237.  </div>↵
238. </div>↵
239. ↵
240.   <div class="division bg-teal-300"> </div>↵
241. ↵
242.   <nav id="question-filters" class="navbar-dark bg-petrol mb-3 rounded p-2">↵
243.     <div class="btn-toolbar justify-content-between px-1">↵
244.       <div class="btn-group btn-group-vertical-when-responsive" role="group" aria-label="Basic radio toggle button group">↵
245.         <input type="radio" class="btn-check" name="question_search_btnradio" id="filterRadio1_best" checked>↵
246.         <label class="btn blue-alt rounded-when-responsive mb-responsive text-start-responsive" for="filterRadio1_best">↵
247.           <i class="fas fa-at fa-xs text-red-400"></i>&nbsp;Best↵
248.         </label>↵
249.       ↵
250.       <input type="radio" class="btn-check" name="question_search_btnradio" id="filterRadio2_new">↵
251.       <label class="btn blue-alt rounded-when-responsive mb-responsive text-start-responsive" for="filterRadio2_new">↵
252.         <i class="fas fa-concierge-bell fa-xs text-teal-300"></i>&nbsp;New↵
253.       </label>↵
254.     ↵
255.     <input type="radio" class="btn-check" name="question_search_btnradio" id="filterRadio3_trending">↵
256.     <label class="btn blue-alt rounded-when-responsive mb-responsive text-start-responsive" for="filterRadio3_trending">↵
257.       <i class="fas fa-fire fa-xs text-orange-300"></i>&nbsp;Trending↵
258.     </label>↵
259.   ↵
260.   </div>↵
261. ↵
262.   <div class="btn-group btn-group-vertical-when-responsive" role="group" aria-label="Basic radio toggle button group">↵
263.     <form action=">↵
264.       ↵
265.       http://localhost:8000/create/question<br/>
266.     </form>↵
267.     <input type="submit" class="btn-check" id="ask-question-questions">↵
```

```
268.         <label class="btn blue" for="ask-question-questions">←
269.             Ask Question &nbsp;<i class="fas fa-plus-square fa-xs"></i>←
270.         </label>←
271.     </form>←
272.   </div>←
273. </nav>←
274. <section id="search-question-results">←
275.     <div class="card mb-4 p-2-0 border-0 rounded" id="question-1">←
276.     <div class="card-header bg-petrol text-white font-source-sans-pro rounded-
277. top">←
278.     <div class="row">←
279.         <div class="col-auto me-auto">←
280.             <a class="a header" href="http://localhost:8000/question/1">←
281.                 Using async/await with a forEach loop<i class="fas fa-link fa-xs
282. text-blue-200 mt-1dot5 ms-2"></i>&nbsp;&nbsp;&nbsp;←
283.             </a>←
284.         </div>←
285.         <div class="col-auto btn-group">←
286.             <button type="button" id="confirm-edit-1" class="btn p-0 collapse
287. moderator-edit" data-bs-toggle="collapse">←
288.                 data-bs-target=".moderator-edit" aria-expanded="false">←
289.                     <i class="fas fa-check text-teal-400 hover mt-1 ms-2"></i>←
290.                 </button>←
291.                 <button type="button" id="cancel-edit-1" class="btn p-0 collapse
292. moderator-edit" data-bs-toggle="collapse">←
293.                     data-bs-target=".moderator-edit" aria-expanded="false">←
294.                         <i class="fas fa-close text-red-400 hover mt-1 ms-2"></i>←
295.                     </button>←
296.             <button type="button" class="btn p-0 delete-question-modal-trigger
297. collapse show moderator-edit">←
298.                 data-bs-toggle="modal" data-bs-target="#delete-question-modal-
299. 1">←
300.                 <i class="far fa-trash-alt text-red-400 hover mt-1 ms-2"></i>←
301.             </button>←
302.         <div class="modal fade" id="delete-question-modal-1" tabindex="-1"←
303.         aria-labelledby="delete-question-modal-1-label" aria-hidden="true">←
304.         <div class="modal-dialog">←
305.             <div class="modal-content">←
306.                 <div class="modal-header">←
307.                     <h5 class="modal-title text-danger" id="delete-question-modal-1-
308. label">Delete<←
309.                     question</h5>←
310.                     <button type="button" class="btn-close" data-bs-dismiss="modal" aria-
311. label="Close"></button>←
312.                 </div>←
313.                 <div class="modal-body text-dark">←
314.                     Deleting question with title: Using async/await with a forEach loop<←
315.                     <div class="alert alert-warning mt-2" role="alert">←
316.                         Warning! This action is not reversible. The question and associated
317. answers and comments will be permanently deleted.<←
318.                     </div>←
319.                 </div>←
320.             <div class="modal-footer">←
321.                 <form class="question-delete" id="question-delete-1" method="post">←
322.                     action="http://localhost:8000/question/1/delete">←
323.                     <input type="hidden" name="_method" value="DELETE">           <input
324.                     type="hidden" name="_token" value="Cx9HdwZQmFiUQbxfu5nf6GLTvlHYJTZELqPSB24n">
325.                     <button class="btn btn-success teal delete-modal" id="delete-question-1"
326.                     data-bs-dismiss="modal" type="submit">←
327.                         Delete<←
328.                     </button>←
329.                 </form>←
330.                 <button type="button" class="btn btn-danger wine" data-bs-
331. dismiss="modal">Cancel</button>←
```

```
325.      </div>↵
326.    </div>↵
327.  </div>↵
328. </div>↵
329.          </div>↵
330.    </div>↵
331.  ↵
332.  <div class="card-body" data-content-id="1">↵
333.    <article class="row row-cols-2 mb-1 pe-1">↵
334.      <div class="col-auto flex-wrap">↵
335.        <div id="votes-1" class="votes btn-group-vertical mt-1 flex-wrap">↵
336.          <a id="upvote-button-1"↵
337.            class="upvote-button-question my-btn-pad up btn btn-outline-success teal"↵
338.              data-content-id="1">↵
339.                <i class="fas fa-chevron-up"></i>↵
340.              </a>↵
341.            <a id="vote-ratio-1"↵
342.              class="0 vote-ratio-question btn my-btn-pad fake disabled"›↵
343.                5↵
344.              </a>↵
345.            <a id="downvote-button-1"↵
346.              class="downvote-button-question my-btn-pad down btn btn-outline-danger pink"›↵
347.                data-content-id="1">↵
348.                  <i class="fas fa-chevron-down"></i>↵
349.                  </a>↵
350.                </div>↵
351.              </div>↵
352.  ↵
353.    <div class="col-9 col-sm-10 col-md-11 col-lg-11 flex-wrap pe-0">↵
354.      <div id="question-content-1" class="mb-1"› Are there any issues with
using <code>async</code>/<code>await</code> in a <code>forEach</code> loop?
I'm trying to loop through an array of files and <code>await</code> on the
contents of each file.‹
355. <pre><code class="lang-js"><span class="hljs-keyword">import</span> fs <span
class="hljs-keyword">from</span> <span class="hljs-string">"fs-promise"
</span>;<span class="hljs-keyword">async</span> <span class="hljs-function"><span
class="hljs-keyword">function</span> <span class="hljs-title">printFiles</span>(<span
class="hljs-params"></span>) </span>{<span class="hljs-keyword">const</span> files = <span
class="hljs-keyword">await</span> getFilePaths(); <span class="hljs-comment">// Assume
this works fine</span>↵
359. <span class="hljs-keyword">files.forEach(<span class="hljs-keyword">async</span> (file) =&gt; {<span
class="hljs-keyword">const</span> contents = <span class="hljs-keyword">await</span> fs.readFile(file, <span
class="hljs-string">"utf8</span>);<span class="hljs-built_in">console</span>.log(contents);<span
class="hljs-keyword">});<span class="hljs-keyword">printFiles();<span class="hljs-keyword">}</pre>↵
368. This code does work, but could something go wrong with this? I had someone
tell me that you're not supposed to use
<code>async</code>/<code>await</code> in a higher-order function like this, so
I just wanted to ask if there was any issue with this. </div>↵
369.    <div class="row row-cols-2 mb-1">↵
370.      <div id="interact-1" class="col-md flex-wrap">↵
371.        <div class="btn-group mt-1 rounded">↵
372.          <a class="star-button my-btn-pad2 btn btn-outline-success bookmark"›
373.            id="save-1" <span class="far fa-bookmark" onclick="toggleSave(this)"></span> Save
374.          </a>↵
375.        </div>↵
376.      </div>↵
377.    </div>↵
```

```
378.      <div class="btn-group mt-1 rounded">↵
379.          <a class="report-button my-btn-pad2 btn btn-outline-success
  report " ↵
380.              id="report-button-1"↵
381.                  ↵
382.                      data-bs-toggle="modal" data-bs-target="#report-modal-1" >↵
383.                          <i class="far fa-flag"></i>&nbsp;Report↵
384.                  </a>↵
385.          </div>↵
386.          <div class="btn-group mt-1 rounded">↵
387.              <a class="comment-number-button btn teal my-btn-pad2" ↵
388.                  id="comment-number-button-1"↵
389.                  href="http://localhost:8000/question/1#answers" >↵
390.                      <i class="far fa-comment-dots"></i>&nbsp;12↵
391.                  </a>↵
392.          </div>↵
393.          ↵
394.          <div class="modal fade report-modal" id="report-modal-1"
  tabindex="-1">↵
395.              <div class="modal-dialog">↵
396.                  <div class="modal-content border-1">↵
397.                      <div class="modal-header bg-wine">↵
398.                          <h5 class="modal-title" id="report-modal-label-1"><i class="fas fa-
flag text-white"></i>&nbsp;Report question<
399.                      </h5>↵
400.                      <button type="button" class="btn-close" id="btn-close-content-1" data-
bs-dismiss="modal">↵
401.                          aria-label="Close"></button>↵
402.                  </div>↵
403.                  <div class="modal-body">↵
404.                      <form id="report-form-1" class="" action="
405.                          http://localhost:8000/api/content/1/report
  " >Help us
understand the problem. What is going on with this<
406.                      question?↵
407.                      <section class="container px-3 py-2">↵
408.                          <div class="col">↵
409.                              <div class="form-check col">↵
410.                                  <input class="form-check-input report" type="radio"
  name="report-radio-1">↵
411.                                  id="radio-1-1">↵
412.                                  <label class="form-check-label" for="radio-1-1">↵
413.                                      It's suspicious or spam<
414.                                  </label>↵
415.                              </div>↵
416.                              <div class="form-check col">↵
417.                                  <input class="form-check-input report" type="radio"
  name="report-radio-1">↵
418.                                  id="radio-1-2">↵
419.                                  <label class="form-check-label" for="radio-1-2">↵
420.                                      It displays sensitive content<
421.                                  </label>↵
422.                              </div>↵
423.                              <div class="form-check col">↵
424.                                  <input class="form-check-input report" type="radio"
  name="report-radio-1">↵
425.                                  id="radio-1-3">↵
426.                                  <label class="form-check-label" for="radio-1-3">↵
427.                                      It shows incorrect information<
428.                                  </label>↵
429.                              </div>↵
430.                              <div class="form-check col">↵
431.                                  <input class="form-check-input report" type="radio"
  name="report-radio-1">↵
432.                                  id="radio-1-4">↵
433.                                  <label class="form-check-label" for="radio-1-4">↵
434.                                      It's abusive or harmful<
435.                                  </label>↵
436.                              </div>↵
437.          </div>↵
438.      </div>↵
```

```
439.          <p class="d-none text-red-400 mt-2" id="report-1-radio-invalid-
feebback">←
440.              Please select a reason for reporting this content←
441.          </p>←
442.      </section>←
443.      <textarea class="form-control border border-2 bg-light mt-3"
id="report-description-1"←
444.          rows="3" placeholder="Talk us through the situation in more
detail."></textarea>←
445.          <div class="invalid-feedback"> Please enter a description with &gt;
10 and &lt; 1000 characters. </div>←
446.      </form>←
447.  </div>←
448.  <div class="modal-footer">←
449.      <button id="submit-report-button-1"
onclick="submitContentReport(this.id)" type="button"←
450.          class="submit-report-button btn blue">Submit</button>←
451.      </div>←
452.  </div>←
453. </div>←
454. </div>          </div>←
455. ←
456.      <div id="tags-q1" class="col-md-auto flex-wrap">←
457.          <div class="collapse show moderator-edit" id="tag-original-view-
q1">←
458.              <div class="btn-group mt-1" id="question-tag-8-
q1">←
459.                  <a class="btn blue-alt border-0 my-btn-pad2"←
460.                      href="http://localhost:8000/tag/8">node.js</a>←
461.                  </div>←
462.                  <div class="btn-group mt-1" id="question-tag-19-
q1">←
463.                      <a class="btn blue-alt border-0 my-btn-pad2"←
464.                          href="http://localhost:8000/tag/19">javascript</a>←
465.                      </div>←
466.                  </div>←
467.          <div class="collapse moderator-edit" id="tag-moderator-view-q1">←
468.              <div class="tag-edit btn-group mt-1"
id="question-tag-edit-8-q1">←
469.                  data-tag-id="8" data-question-id="1">←
470.                  <a class="btn blue-alt border-0 my-btn-pad2"><i←
471.                      class="fas fa-minus-square"></i>&nbsp;node.js</a>←
472.                  </div>←
473.                  <div class="tag-edit btn-group mt-1"
id="question-tag-edit-19-q1">←
474.                      data-tag-id="19" data-question-id="1">←
475.                      <a class="btn blue-alt border-0 my-btn-pad2"><i←
476.                          class="fas fa-minus-square"></i>&nbsp;javascript</a>←
477.                      </div>←
478.                  </div>←
479.              </div>←
480.          </div>←
481.      </div>←
482.  </article>←
483. </div>←
484. ←
485. <footer class="card-footer text-muted text-end p-0">←
486.     <blockquote class="blockquote mb-0">←
487.         <p class="card-text px-1 h6">←
488.             <small class="text-muted">asked on 01/02/2021&nbsp;=&#8226;</small>←
489.             <small>←
490.                 <a class="signature"←
491.                     href="http://localhost:8000/user/5">jlo4ever←
492.                     </a>←
493.                 </small>←
494.             </p>←
495.         </blockquote>←
496.     </footer>←
497. </div>←
498. ←
```

```
499.      <nav id="search-question-pagination">↵
500.        <ul class="pagination justify-content-center">↵
501.          <li class="page-item">↵
502.            <a id="search-question-previous" class="page-link blue" href="#" aria-
label="Previous">↵
503.              <span aria-hidden="true">&laquo;</span>↵
504.              <span class="sr-only">Previous</span>↵
505.            </a>↵
506.          </li>↵
507.        ↵
508.        <li class="page-item">↵
509.          <a id="search-question-current" class="page-link blue active" data-
page="1" data-pages="1" data-rpp="6" href="#">↵
510.            1 / 1↵
511.          </a>↵
512.        </li>↵
513.      ↵
514.      <li class="page-item">↵
515.        <a id="search-question-next" class="page-link blue" href="#" aria-
label="Next">↵
516.          <span aria-hidden="true">&raquo;</span>↵
517.          <span class="sr-only">Next</span>↵
518.        </a>↵
519.      </li>↵
520.    </ul>↵
521.  </nav>↵
522.  </section>↵
523.  </article>↵
524.  <aside class="col-lg-3">↵
525.    <div class="card mb-3">↵
526.      <div class="card-header text-white bg-petrol font-source-sans-pro bg-
animated rounded-top"> Trending Tags </div>↵
527.      <div class="card-body lh-lg" id="trending-tags">↵
528.        </div>↵
529.      </div>↵
530.    ↵
531.    <div class="card mb-3">↵
532.      <div class="card-header text-white bg-petrol font-source-sans-pro bg-
animated"> Followed Tags </div>↵
533.      <div class="card-body lh-lg" id="followed-tags">↵
534.        </div>↵
535.      </div>↵
536.    <div class="card mb-3">↵
537.      <div class="card-header text-white bg-petrol font-source-sans-pro bg-
animated rounded-top"> Support </div>↵
538.      <div class="card-body">↵
539.        <h5 class="card-title">Need help?</h5>↵
540.        <p class="card-text">Don't hesitate hitting us up.</p>↵
541.        <a href="http://localhost:8000/faq" class="btn blue">FAQ</a>↵
542.        <a href="http://localhost:8000/about" class="btn blue">Contact us</a>↵
543.      </div>↵
544.    </div>↵
545.    <div class="card mb-3">↵
546.      <div class="card-header text-white bg-petrol font-source-sans-pro bg-
animated rounded-top"> Information </div>↵
547.      <div class="card-body d-flex align-items-start p-3">↵
548.        <div class="nav flex-column nav-pills me-3" id="v-pills-tab"
role="tablist" aria-orientation="vertical">↵
549.          <button class="nav-link blue active h6 text-start" id="v-pills-home-tab"
data-bs-toggle="pill">↵
550.            data-bs-target="#v-pills-home" type="button" role="tab" aria-
controls="v-pills-home" aria-selected="true">↵
551.            About↵
552.          </button>↵
553.          ↵
554.          <button class="nav-link blue h6 text-start" id="v-pills-settings-tab"
data-bs-toggle="pill">↵
555.            data-bs-target="#v-pills-settings" type="button" role="tab" aria-
controls="v-pills-settings">↵
556.            aria-selected="false">↵
```

```
557.      Devs↵
558.      </button>↵
559.      </div>↵
560.      <div class="tab-content" id="v-pills-tabContent">↵
561.          <div class="tab-pane fade show active" id="v-pills-home" role="tabpanel">↵
562.              TechCouncil is a platform where users can post questions and share answers for any tech-related topics, whether↵
563.                  it is about building a custom PC, programming languages, what new smartphones are the best, how to install a VPN... you name it!↵
564.          </div>↵
565.          <div class="tab-pane fade" id="v-pills-profile" role="tabpanel">↵
566.              Terms of service text↵
567.          </div>↵
568.          <div class="tab-pane fade" id="v-pills-messages" role="tabpanel">↵
569.              Privacy Policy text↵
570.          </div>↵
571.          <div class="tab-pane fade" id="v-pills-settings" role="tabpanel">↵
572.              <ul class="aside">↵
573.                  <li><a class="different" target="_blank" href="https://github.com/ffriande">Francisco Friande </a></li>↵
574.                  <li><a class="different" target="_blank" href="https://github.com/kiko-g">Francisco Gonçalves </a></li>↵
575.                  <li><a class="different" target="_blank" href="https://github.com/TsarkFC">João Romão </a></li>↵
576.                  <li><a class="different" target="_blank" href="https://github.com/miguelelpinto">Miguel Pinto </a></li>↵
577.              </ul>↵
578.          </div>↵
579.      </div>↵
580.  </div>↵
581. ↵
582. ↵
583. ↵
584.  <div class="p-2 text-end text-muted">↵
585.      © 2021 Tech Council, Inc.↵
586.  </div>↵
587. </div>↵
588.     </aside>↵
589. </div>↵
590. </main>↵
591. <footer class="footer">↵
592. <div class="container-fluid condensed rounded-circle">↵
593.     <div class="row p-0">↵
594.         ↵
595.         <div class="footer-section rounded-left col-lg-4 col-lg col-12 col p-4">↵
596.             <h5 class="footer-section-header">Find us</h5>↵
597.             <ul class="footer-ul">↵
598.                 <li><i class="fa fa-location-arrow"></i>&nbsp; FEUP</li>↵
599.                 <li><i class="fa fa-phone"></i>&nbsp; +91 999 99 99</li>↵
600.                 <li><i class="fa fa-envelope"></i>&nbsp;
1baw2132@gmail.com</li>↵
601.             <li class="border-top-medium text-end pt-1"> Designed using
Bootstrap5 by <strong>LBAW 2132</strong>&nbsp;&copy;</li>↵
602.         </ul>↵
603.     </div>↵
604. ↵
605. ↵
606.     <div class="footer-section col-lg-4 col-lg col-12 col p-4">↵
607.         <h5 class="footer-section-header">Quick links</h5>↵
608.         <ul class="footer-ul">↵
609.             <li><i class="fas fa-home"></i>&nbsp; <a href="http://localhost:8000">Home</a> </li>↵
610.             <li><i class="fas fa-info-circle"></i>&nbsp; <a href="http://localhost:8000/about">About</a></li>↵
611.             <li><i class="fas fa-question-circle"></i>&nbsp; <a href="http://localhost:8000/faq">FAQ</a></li>↵
612.         </ul>↵
613.     </div>↵
```

```
614.  ↵
615.      ↵
616.      <div class="footer-section rounded-right col-lg-4 col-lg col-12 col p-
4">↵
617.          <h5 class="footer-section-header">Follow us</h5>↵
618.          <ul class="footer-ul">↵
619.              <li><i class="fa fa-github"></i>&nbsp; <a target="_blank"
href="https://github.com/ffriande">Francisco Friande </a></li>↵
620.              <li><i class="fa fa-github"></i>&nbsp; <a target="_blank"
href="https://github.com/kiko-g">Francisco Gonçalves </a></li>↵
621.              <li><i class="fa fa-github"></i>&nbsp; <a target="_blank"
href="https://github.com/TsarkFC">João Romão </a></li>↵
622.              <li><i class="fa fa-github"></i>&nbsp; <a target="_blank"
href="https://github.com/migueldelpinto">Miguel Pinto </a></li>↵
623.          </ul>↵
624.      </div>↵
625.  </div>↵
626.  </div>↵
627. </footer>↵
628. </body>↵
629. ↵
630. </html>
```

Used the HTML parser.

Total execution time 41 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.5.28