

# **Отчёт по лабораторной работе №4**

**Продвинутое использование git**

Кылыш Гоктюрк

# **Содержание**

<b>1 Цель работы</b>	<b>5</b>
<b>2 Теоретические сведения</b>	<b>6</b>
<b>3 Выполнение лабораторной работы</b>	<b>8</b>
3.1 Работа с тестовым репозиторием . . . . .	8
3.2 Подготовка рабочего репозитория . . . . .	19
<b>4 Вывод</b>	<b>21</b>

# Список иллюстраций

3.1 Node.js . . . . .	9
3.2 установка commitizen . . . . .	10
3.3 установка standard-changelog . . . . .	11
3.4 package.json . . . . .	12
3.5 Отправка . . . . .	13
3.6 Инициализация и загрузка изменений . . . . .	14
3.7 Завершение релиза . . . . .	15
3.8 Отправка . . . . .	16
3.9 Объединение веток . . . . .	17
3.10 Завершение релиза . . . . .	18
3.11 package.json и коммит . . . . .	19
3.12 Завершение релиза . . . . .	20

# **Список таблиц**

# **1 Цель работы**

Получение навыков правильной работы с репозиториями git.

## 2 Теоретические сведения

- Gitflow Workflow опубликована и популяризована Винсентом Дриссеном.
- Gitflow Workflow предполагает выстраивание строгой модели ветвления с учётом выпуска проекта.
- Данная модель отлично подходит для организации рабочего процесса на основе релизов.
- Работа по модели Gitflow включает создание отдельной ветки для исправлений ошибок в рабочей среде.
- Последовательность действий при работе по модели Gitflow:
  - Из ветки master создаётся ветка develop.
  - Из ветки develop создаётся ветка release.
  - Из ветки develop создаются ветки feature.
  - Когда работа над веткой feature завершена, она слиивается с веткой develop.
  - Когда работа над веткой релиза release завершена, она слиивается в ветки develop и master.
  - Если в master обнаружена проблема, из master создаётся ветка hotfix.

- Когда работа над веткой исправления hotfix завершена, она сливаются в ветки develop и master.

# **3 Выполнение лабораторной работы**

## **3.1 Работа с тестовым репозиторием**

Для работы с Node.js добавим каталог с исполняемыми файлами, устанавливаемыми yarn, в переменную PATH.

```
kilicgokturk@kilicgokturk:~$  
kilicgokturk@kilicgokturk:~$ pnpm setup  
Appended new lines to /home/kilicgokturk/.bashrc  
  
Next configuration changes were made:  
export PNPM_HOME="/home/kilicgokturk/.local/share/pnpm"  
case ":$PATH:" in  
  *":$PNPM_HOME:") ;;  
  *) export PATH="$PNPM_HOME:$PATH" ;;  
esac  
  
To start using pnpm, run:  
source /home/kilicgokturk/.bashrc  
kilicgokturk@kilicgokturk:~$ source ~/.bashrc  
kilicgokturk@kilicgokturk:~$
```

Рисунок 3.1: Node.js

Программа commitizen используется для помощи в форматировании коммитов. При этом устанавливается скрипт git-cz, который мы и будем использовать для коммитов.

```
kilicgokturk@kilicgokturk:~$ pnpm add -g commitizen

Update available! 10.27.0 → 10.30.3.
Changelog: https://pnpm.io/v/10.30.3
To update, run: pnpm self-update

WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +149
+-----+
Progress: resolved 149, reused 0, downloaded 149, added 149, done

/home/kilicgokturk/.local/share/pnpm/global/5:
+ commitizen 4.3.1

Done in 3.8s using pnpm v10.27.0
kilicgokturk@kilicgokturk:~$
```

Рисунок 3.2: установка commitizen

Программа standard-changelog используется для помощи в создании логов.

```
kilicgokturk@kilicgokturk:~$ pnpm add -g standard-changelog
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +32
+-----+
Progress: resolved 181, reused 149, downloaded 32, added 32, done

/home/kilicgokturk/.local/share/pnpm/global/5:
+ standard-changelog 7.0.1


Done in 3.3s using pnpm v10.27.0
kilicgokturk@kilicgokturk:~$
```

Рисунок 3.3: установка standard-changelog

Делаем первый коммит и выкладываем на github.

Необходимо заполнить несколько параметров пакета.

Таким образом, файл package.json приобретает вид:



The screenshot shows a code editor window with the title bar "package.json" and the path "~/git-extended". The editor displays a JSON configuration file with the following content:

```
1
2 [
3   "name": "git-extended",
4   "version": "1.0.0",
5   "description": "Git repo for educational purposes",
6   "main": "index.js",
7   "repository": "git@github.com:kilic992/git-extended.git",
8   "author": "kilic992",
9   "license": "CC-BY-4.0",
10  "config": {
11    "commitizen": {
12      "path": "cz-conventional-changelog"
13    }
14  }
15 ]
```

Рисунок 3.4: package.json

Добавим новые файлы.

Выполним коммит.

Отправим на github.

```
kilicgokturk@kilicgokturk:~/git-extended$ git add .
kilicgokturk@kilicgokturk:~/git-extended$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore: Other changes that don't modify src or
test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
(4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 149373d] chore: test
 1 file changed, 15 insertions(+)
 create mode 100644 package.json
kilicgokturk@kilicgokturk:~/git-extended$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.11 KiB | 1.11 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:kilic992/git-extended.git
 5ac5a5c..149373d master -> master
kilicgokturk@kilicgokturk:~/git-extended$
```

Рисунок 3.5: Отправка

Инициализируем git-flow

Проверьте, что Вы на ветке develop

Загрузите весь репозиторий в хранилище

```
kilicgokturk@kilicgokturk:~/git-extended$ git flow init

Which branch should be used for bringing forth production releases?
  - master

Branch name for production releases: [master]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? [] v
Hooks and filters directory? [/home/kilicgokturk/git-extended/.git/hooks]
kilicgokturk@kilicgokturk:~/git-extended$ git branch
* develop
  master
kilicgokturk@kilicgokturk:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:     https://github.com/kilic992/git-extended/pull/new/develop
remote:
To github.com:kilic992/git-extended.git
 * [new branch]      develop -> develop
kilicgokturk@kilicgokturk:~/git-extended$
```

Рисунок 3.6: Инициализация и загрузка изменений

Установите внешнюю ветку как вышестоящую для этой ветки

Создадим релиз с версией 1.0.0

Создадим журнал изменений

Добавим журнал изменений в индекс

Зальём релизную ветку в основную ветку

```
kilicgokturk@kilicgokturk:~/git-extended$ git branch --set-upstream-to=origin/develop develop
branch 'develop' set up to track 'origin/develop'.
kilicgokturk@kilicgokturk:~/git-extended$ git flow release start 1.0.0
Switched to a new branch 'release/1.0.0'

Summary of actions:
- A new branch 'release/1.0.0' was created, based on 'develop'
- You are now on branch 'release/1.0.0'

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

kilicgokturk@kilicgokturk:~/git-extended$ standard-changelog --first-release
kilicgokturk@kilicgokturk:~/git-extended$ git add CHANGELOG.md
kilicgokturk@kilicgokturk:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 4b12ac8] chore(site): add changelog
 1 file changed, 4 insertions(+)
  create mode 100644 CHANGELOG.md
kilicgokturk@kilicgokturk:~/git-extended$ git flow release finish 1.0.0
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
Merge made by the 'ort' strategy.
  CHANGELOG.md | 4 +++
  1 file changed, 4 insertions(+)
  create mode 100644 CHANGELOG.md
Already on 'master'
Your branch is ahead of 'origin/master' by 2 commits.
  (use "git push" to publish your local commits)
Switched to branch 'develop'
```

Рисунок 3.7: Завершение релиза

Отправим данные на github

```
kilicgokturk@kilicgokturk:~/git-extended$  
kilicgokturk@kilicgokturk:~/git-extended$ git push --all  
Enumerating objects: 6, done.  
Counting objects: 100% (6/6), done.  
Delta compression using up to 8 threads  
Compressing objects: 100% (4/4), done. ■  
Writing objects: 100% (5/5), 2.66 KiB | 2.66 MiB/s, done.  
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
To github.com:kilic992/git-extended.git  
 149373d..2ee8627 develop -> develop  
 149373d..cf334f0 master -> master  
kilicgokturk@kilicgokturk:~/git-extended$ git push --tags  
Enumerating objects: 1, done.  
Counting objects: 100% (1/1), done.  
Writing objects: 100% (1/1), 154 bytes | 154.00 KiB/s, done.  
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
To github.com:kilic992/git-extended.git  
 * [new tag]      v1.0.0 -> v1.0.0  
kilicgokturk@kilicgokturk:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md  
https://github.com/kilic992/git-extended/releases/tag/v1.0.0  
kilicgokturk@kilicgokturk:~/git-extended$
```

Рисунок 3.8: Отправка

Создадим ветку для новой функциональности По окончании разработки новой функциональности следующим шагом следует объединить ветку feature\_branch с develop:

```
kilicgokturk@kilicgokturk:~/git-extended$ git flow feature start feature_branch
Switched to a new branch 'feature/feature_branch'

Summary of actions:
- A new branch 'feature/feature_branch' was created, based on 'develop'
- You are now on branch 'feature/feature_branch'

Now, start committing on your feature. When done, use:

    git flow feature finish feature_branch

kilicgokturk@kilicgokturk:~/git-extended$ touch test2
kilicgokturk@kilicgokturk:~/git-extended$ git flow feature finish feature_branch
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
Already up to date.
Deleted branch feature/feature_branch (was 2ee8627).

Summary of actions:
- The feature branch 'feature/feature_branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted
- You are now on branch 'develop'
```

Рисунок 3.9: Объединение веток

Создадим релиз с версией 1.2.3

Обновите номер версии в файле package.json. Установите её в 1.2.3

Создадим журнал изменений

Добавим журнал изменений в индекс

Зальём релизную ветку в основную ветку

```
Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged 'v1.2.3'
- Release tag 'v1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

kilicgokturk@kilicgokturk:~/git-extended$ git push --all
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 2.77 KiB | 2.77 MiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object
To github.com:kilic992/git-extended.git
  2ee8627..e731f65  develop -> develop
  cf334f0..f674145  master -> master
kilicgokturk@kilicgokturk:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 154 bytes | 154.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:kilic992/git-extended.git
 * [new tag]      v1.2.3 -> v1.2.3
kilicgokturk@kilicgokturk:~/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/kilic992/git-extended/releases/tag/v1.2.3
kilicgokturk@kilicgokturk:~/git-extended$
```

Рисунок 3.10: Завершение релиза

## 3.2 Подготовка рабочего репозитория

```
kilicgokturk@kilicgokturk:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git c
z
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore: Other changes that don't modify src or
test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
(4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 6694626] chore: test
 1 file changed, 11 insertions(+), 11 deletions(-)
kilicgokturk@kilicgokturk:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git p
ush
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.11 KiB | 1.11 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:kilic932/2026-1--study--os-intro.git
 d99f58a..6694626  master -> master
kilicgokturk@kilicgokturk:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
```

Рисунок 3.11: package.json и коммит

```
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged 'v1.0.0'
- Release tag 'v1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

kilicgokturk@kilicgokturk:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push --all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.                                            █
Writing objects: 100% (5/5), 2.74 KiB | 2.74 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:kilic992/2026-1--study--os-intro.git
  6694626..e55114b  develop -> develop
  6694626..8805bd5  master -> master
kilicgokturk@kilicgokturk:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 154 bytes | 154.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:kilic992/2026-1--study--os-intro.git
 * [new tag]      v1.0.0 -> v1.0.0
kilicgokturk@kilicgokturk:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ █
```

Рисунок 3.12: Завершение релиза

## **4 Вывод**

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.