

Protocol Template

Kilicali Isildayancan

Last updated on: 20 August 2023

Notes

- Update something about document. Has to be removed before finished!

Abstract

This is a template. Here, the reason for conducting this particular protocol is outlined.

Notice

The procedures here can be modified based on empirical and practical results. Of note, some of these steps can be omitted and skipped (*e.g.* no need to thaw if sample is not frozen). When moving liquids from one container to another, do so under the fumehood to avoid possible contamination from air. Please document each completed step (and skipped step) with appropriate data written down synchronously so as to collect information on procedures. Please take the time to do these things while performing the procedures, and do not eyeball numbers/values long after they are done. This is the most scientific and robust practice in a laboratory.

Contents

Required Materials	3
Procedure	4
0. Preparation of required materials	4
Remove later - formatting templates	4

Required Materials

Equipment	Reagents	Bio. Ent.	Containers
Dumminator2000	A	PCR reverse-transcriptase, 500 µL	Eppendorf Tube
iso-Mikropipet	B		
Thermomac Autoclave	C		

Procedure

0. Preparation of required materials

This section describes methods on how to prepare required media and solutions that are mentioned in this protocol.

Remove later - formatting templates

Note: some note that will be inside a box.
--

Critical: Some important stuff.
--

color Ref protocols, section N. Dancing highlighted text

Negative Control and Positive Control: text

list of colors available: black, blue, brown, cyan, darkgray, gray, green, lightgray, lime, magenta, olive, orange, pink, purple, red, teal, violet, white, yellow.

For mathematical formulas, use this template:

$$F(x) = (OD_{260} - OD_{320}) \div (OD_x - OD_{320}), x \in [230, 320]$$