AWS Systems Manager

Review node insights
Explore nodes
Diagnose and remediate
Just-in-time node access New
Settings

Node Tools
Compliance
Distributor
Fleet Manager
Hybrid Activations
Inventory
Patch Manager
Run Command
Session Manager
State Manager

Change Management Tools
Automation
Change Calendar
Change Manager
Documents
Maintenance Windows
Quick Setup

Application Tools
AppConfig
Application Manager
Parameter Store

Output on i-055ea1f01c0764bbc

Step 1 - Command description and status

Status	Detailed status	Response code	Step name	Start time	Finish time
Success	Success	0	createUpdateFolder	Fri, 16 Jan 2026 05:33:52 GMT	Fri, 16 Jan 2026 05:33:52 GMT

▶ Output

▶ Error

Step 2 - Command description and status

Status	Detailed status	Response code	Step name	Start time	Finish time
Success	Success	0	awsupdateSsmAgent	Fri, 16 Jan 2026 05:33:52 GMT	Fri, 16 Jan 2026 05:34:28 GMT

▼ Output

The command output displays a maximum of 24,000 characters. You can view the complete command output in either Amazon S3 or CloudWatch Logs, if you specify an S3 bucket or a logs group when you run the command.

```
Successfully downloaded manifest

Successfully downloaded updater version 3.3.3598.0

Updating amazon-ssm-agent from 3.3.3572.0 to 3.3.3598.0

Successfully downloaded https://s3.us-west-2.amazonaws.com/amazon-ssm-us-west-2/amazon-ssm-
agent/3.3.3572.0/amazon-ssm-agent-linux-amd64.tar.gz

Successfully downloaded https://s3.us-west-2.amazonaws.com/amazon-ssm-us-west-2/amazon-ssm-
```

Copy Download

▶ Error

Step 1 - Command description and status

Status	Detailed status	Response code	Step name	Start time	Finish time
Success	Success	0	createUpdateFolder	Fri, 16 Jan 2026 05:33:52 GMT	Fri, 16 Jan

Output

The command output displays a maximum of 24,000 characters. You can view the complete command output in either Amazon S3 or CloudWatch Logs, if you specify an S3 bucket or a logs group when you run the com

```
Step execution skipped due to unsatisfied preconditions: '"StringEquals": [platformType, Windows]'. Step name:
createUpdateFolder
```

Copy Download

Error

Step 2 - Command description and status

Status	Detailed status	Response code	Step name	Start time	Finish time
Success	Success	0	awsupdateSsmAgent	Fri, 16 Jan 2026 05:33:52 GMT	Fri, 16 Jan

Output

The command output displays a maximum of 24,000 characters. You can view the complete command output in either Amazon S3 or CloudWatch Logs, if you specify an S3 bucket or a logs group when you run the com

```
Successfully downloaded manifest

Successfully downloaded updater version 3.3.3598.0

Updating amazon-ssm-agent from 3.3.3572.0 to 3.3.3598.0

Successfully downloaded https://s3.us-west-2.amazonaws.com/amazon-ssm-us-west-2/amazon-ssm-
agent/3.3.3572.0/amazon-ssm-agent-linux-amd64.tar.gz

Successfully downloaded https://s3.us-west-2.amazonaws.com/amazon-ssm-us-west-2/amazon-ssm-
```

Copy Download

AWS Systems Manager

Review node insights
Explore nodes
Diagnose and remediate
Just-in-time node access New
Settings

Node Tools
Compliance
Distributor
Fleet Manager
Hybrid Activations
Inventory
Patch Manager
Run Command
Session Manager
State Manager

Change Management Tools
Automation
Change Calendar
Change Manager
Documents
Maintenance Windows

Output on i-0891580f6c79ee103

Step 1 - Command description and status

Status	Detailed status	Response code	Step name	Start time
Success	Success	0	aws:runPowerShellScript	Sun, 18 Jan 2026 22:11:

Output

The command output displays a maximum of 24,000 characters. You can view the complete command output in either Amazon S3 or CloudWatch Logs, if you specify an S3 bucket or a logs

```
EC2AMAZ-57NIM5I
```

Copy D

Error

```
~ $ aws ec2 describe-instances \
>   --instance-ids i-0891580f6c79ee103 \
>   --query "Reservations[].Instances[].PublicIpAddress"
[]
~ $
~ $
```

Null

```
[]
~ $
~ $ aws ec2 describe-vpc-endpoints \
>   --filters "Name=vpc-id,Values=vpc-0b8869d887c2c2c27" \
>   --query "VpcEndpoints[].ServiceName"
[]
~ $ aws ec2 describe-vpc-endpoints \
>   --filters "Name=vpc-id,Values=vpc-0b8869d887c2c2c27" \
>   --query "VpcEndpoints[].ServiceName"
[]
~ $ aws ec2 describe-instances \
>   --instance-ids i-0891580f6c79ee103 \
>   --query "Reservations[].Instances[].VpcId" \
>   --output text
vpc-0b8869d887c22c27e
~ $
```

Having trouble confirming my endpoints exists

```
[]
~ $ aws ec2 describe-vpc-endpoints \
>   --vpc-endpoint-ids vpce-008f5ed0ff8595d93 \
>   --query "VpcEndpoints[].ServiceName"
[
    "com.amazonaws.us-west-2.ssmmessages"
]
~ $
```

Ok this endpoint works. I am going to try and see if the rest work individually

```
]
~ $ aws ec2 describe-vpc-endpoints \
>   --vpc-endpoint-ids vpce-047a45deefb5f26f6 \
>   --query "VpcEndpoints[].ServiceName"
[
    "com.amazonaws.us-west-2.ssm"
]
~ $
```

```
]
~ $ aws ec2 describe-vpc-endpoints \
>   --vpc-endpoint-ids vpce-008f5ed0ff8595d93 \
>   --query "VpcEndpoints[].ServiceName"
[
    "com.amazonaws.us-west-2.ssmmessages"
]
~ $
```

```
~ $ aws ec2 describe-vpc-endpoints \
>   --vpc-endpoint-ids vpce-08e3052f39473eaed \
>   --query "VpcEndpoints[].ServiceName"
[
    "com.amazonaws.us-west-2.s3"
]
~ $
```

```
]
~ $ aws ec2 describe-vpc-endpoints \
>   --vpc-endpoint-ids vpce-0f542c3ace2de7148 \
>   --query "VpcEndpoints[].ServiceName"
[
    "com.amazonaws.us-west-2.ec2messages"
]
~ $
```

So they all work individually

```
    "com.amazonaws.us-west-2.ec2messages"
]
~ $ aws ec2 describe-vpc-endpoints \
>   --vpc-endpoint-ids vpce-047a45deefb5f26f6 vpce-008f5ed0ff8595d93 vpce-08e3052f39473eaed vpce-0f542c3ace2de7148 \
>   --query "VpcEndpoints[].ServiceName"
[
    "com.amazonaws.us-west-2.s3",
    "com.amazonaws.us-west-2.ssm",
    "com.amazonaws.us-west-2.ec2messages",
    "com.amazonaws.us-west-2.ssmmessages"
]
~ $
```

After some trouble shooting, I found out i had to pass them as a list to get them to work

```
]
~ $ aws ec2 describe-vpc-endpoints \
>   --filters "Name=vpc-id,Values=vpc-0b8869d887c22c27e" \
>   --query "VpcEndpoints[].{ID:VpcEndpointId,Service:ServiceName}"
[
    {
        "ID": "vpce-08e3052f39473eaed",
        "Service": "com.amazonaws.us-west-2.s3"
    },
    {
        "ID": "vpce-047a45deefb5f26f6",
        "Service": "com.amazonaws.us-west-2.ssm"
    },
    {
        "ID": "vpce-0f542c3ace2de7148",
        "Service": "com.amazonaws.us-west-2.ec2messages"
    },
    {
        "ID": "vpce-008f5ed0ff8595d93",
        "Service": "com.amazonaws.us-west-2.ssmmessages"
    }
:...skipping...
[
```

This prints every endpoint in my vpc with endpoint and service name

```
~ $ aws ec2 describe-subnets \
>   --filters "Name=vpc-id,Values=vpc-0b8869d887c22c27e" \
>   --query "Subnets[].SubnetId"
[
    "subnet-0ea614ac9c9edc50d",
    "subnet-06894d8fa681dab3d"
]
~ $ aws ec2 describe-security-groups \
>   --filters "Name=vpc-id,Values=vpc-0b8869d887c22c27e" \
>   --query "SecurityGroups[].{ID:GroupId,Name:GroupName}"
[
    {
        "ID": "sg-0d3df0470416955fd",
        "Name": "security group for vpc endpoint armageddon 2026_1C-BONUSA"
    },
    {
        "ID": "sg-039e85c2905b2f3ad",
        "Name": "launch-wizard-1"
    },
    {
        "ID": "sg-0b002a2bcf6e944c0",
        "Name": "default"
    }
]
~ $
```

```
~ $ aws ec2 describe-vpc-endpoints \
>   --filters "Name=vpc-id,Values=vpc-0b8869d887c22c27e" \
>   --query "VpcEndpoints[].{ID:VpcEndpointId,Service:ServiceName}"
[
    {
        "ID": "vpce-07ebce481cb7c63ae",
        "Service": "com.amazonaws.us-west-2.secretsmanager"
    },
    {
        "ID": "vpce-08e3052f39473eaed",
        "Service": "com.amazonaws.us-west-2.s3"
    },
    {
        "ID": "vpce-047a45deefb5f26f6",
        "Service": "com.amazonaws.us-west-2.ssm"
    },
    {
        "ID": "vpce-0f542c3ace2de7148",
        "Service": "com.amazonaws.us-west-2.ec2messages"
    },
    {
        "ID": "vpce-008f5ed0ff8595d93",
        "Service": "com.amazonaws.us-west-2.ssmmessages"
    },
    {
        "ID": "vpce-05d7a0dad419c0da5",
        "Service": "com.amazonaws.us-west-2.logs"
    }
]
~ $
```

Checking for logs endpoint

```
~ $ aws ec2 describe-vpc-endpoints \
>   --filters "Name=vpc-id,Values=vpc-0b8869d887c22c27e" \
>   --query "VpcEndpoints[].ServiceName"
[
    "com.amazonaws.us-west-2.s3",
    "com.amazonaws.us-west-2.ssm",
    "com.amazonaws.us-west-2.ec2messages",
    "com.amazonaws.us-west-2.ssmmessages",
    "com.amazonaws.us-west-2.logs",
    "com.amazonaws.us-west-2.secretsmanager"
]
~ $
```

Check for secretsmanager endpoint

```
~ $ aws ec2 describe-vpc-endpoints \
>   --filters "Name=vpc-id,Values=vpc-0b8869d887c22c27e" \
>   --query "VpcEndpoints[].{ID:VpcEndpointId,Service:ServiceName}"
[
    {
        "ID": "vpce-08e3052f39473eaed",
        "Service": "com.amazonaws.us-west-2.s3"
    },
    {
        "ID": "vpce-047a45deefb5f26f6",
        "Service": "com.amazonaws.us-west-2.ssm"
    },
    {
        "ID": "vpce-0f542c3ace2de7148",
        "Service": "com.amazonaws.us-west-2.ec2messages"
    },
    {
        "ID": "vpce-008f5ed0ff8595d93",
        "Service": "com.amazonaws.us-west-2.ssmmessages"
    },
    {
        "ID": "vpce-05d7a0dad419c0da5",
        "Service": "com.amazonaws.us-west-2.logs"
    },
    {
        "ID": "vpce-07ebce481cb7c63ae",
        "Service": "com.amazonaws.us-west-2.secretsmanager"
    }
]
~ $ aws ssm describe-instance-information \
>   --query "InstanceInformationList[].InstanceId"
[
    "i-0891580f6c79ee103"
]
~ $
```

Session Manager path works (no SSH)

```
~ $ aws ec2 describe-vpc-endpoints \
>   --filters "Name=vpc-id,Values=vpc-0b8869d887c22c27e" \
>   --query "VpcEndpoints[].ServiceName"
[
    "com.amazonaws.us-west-2.s3",
    "com.amazonaws.us-west-2.ssm",
    "com.amazonaws.us-west-2.ec2messages",
    "com.amazonaws.us-west-2.ssmmessages",
    "com.amazonaws.us-west-2.logs",
    "com.amazonaws.us-west-2.secretsmanager"
]
~ $
```

Session manager works

```
]
~ $ aws ssm describe-instance-information \
>   --query "InstanceInformationList[].InstanceId"
[
    "i-0891580f6c79ee103"
]
~ $
```

Prove the instance can read both config stores

Run from SSM session:

aws ssm get-parameter --name /lab/db/endpoint

aws secretsmanager get-secret-value --secret-id

```
~ $ aws ssm get-parameter --name /lab/db/endpoint
{
    "Parameter": {
        "Name": "/lab/db/endpoint",
        "Type": "String",
        "Value": "lab-mysql.cn8sqw08svwd.us-west-2.rds.amazonaws.com",
        "Version": 1,
        "LastModifiedDate": "2026-01-16T05:28:26.302000+00:00",
        "ARN": "arn:aws:ssm:us-west-2:129762072419:parameter/lab/db/endpoint",
        "DataType": "text"
    }
}
~ $
```

```
An error occurred (ResourceNotFoundException) w
~ $ aws secretsmanager list-secrets \
>   --query "SecretList[].Name"
[
    "armageddon/db/master",
    "lab/rds/mysql"
]
~ $
```

```
    "lab/rds/mysql"
]
~ $ aws secretsmanager get-secret-value --secret-id armageddon/db/master
{
    "ARN": "arn:aws:secretsmanager:us-west-2:129762072419:secret:armageddon/db/master-skCtZJ",
    "Name": "armageddon/db/master",
    "VersionId": "cdc72c1d-1db6-4cef-9bd2-0bae2e209c96",
    "SecretString": "{\"username\":\"admin\",\"password\":\"muhadib23467892\"}",
    "VersionStages": [
        "AWSCURRENT"
    ],
    "CreatedDate": "2026-01-07T04:23:11.245000+00:00"
}
~ $
```

This proves that your EC2 instance running in a private subnet with no public IP can successfully retrieve configuration data from **AWS Systems Manager Parameter Store** using the **SSM VPC endpoint**.

```
~ $ aws ssm get-parameter --name /lab/db/endpoint
{
    "Parameter": {
        "Name": "/lab/db/endpoint",
        "Type": "String",
        "Value": "lab-mysql.cn8sqw08svwd.us-west-2.rds.amazonaws.com",
        "Version": 1,
        "LastModifiedDate": "2026-01-16T05:28:26.302000+00:00",
        "ARN": "arn:aws:ssm:us-west-2:129762072419:parameter/lab/db/endpoint",
        "DataType": "text"
    }
}
~ $
```

```
~ $ aws secretsmanager get-secret-value --secret-id lab/rds/mysql
{
    "ARN": "arn:aws:secretsmanager:us-west-2:129762072419:secret:lab/rds/mysql-iUhDlT",
    "Name": "lab/rds/mysql",
    "VersionId": "b25e8496-1165-4810-a4cb-f00d90131410",
    "SecretString":
"{\"username\":\"admin\",\"password\":\"dhLB392SBU9nUhV\",\"engine\":\"mysql\",\"host\":\"lab-mysql.cn8sqw08svw
d.us-west-2.rds.amazonaws.com\",\"port\":3306,\"dbInstanceIdentifier\":\"lab-mysql\"}",
    "VersionStages": [
        "AWSCURRENT"
    ],
    "CreatedDate": "2026-01-16T02:43:28.101000+00:00"
```

```
]
~ $ aws logs describe-log-streams \
>   --log-group-name log_group_armageddon2026_lab1b \
>   --query "logStreams[].logStreamName"
[
    "i-055ea1f01c0764bbc"
]
~ $ aws logs describe-log-streams \
>   --log-group-name log_group_armageddon2026_lab1b \
>   --query "logStreams[].logStreamName"
[
    "i-055ea1f01c0764bbc"
]
~ $
```

Cloud watch… this dang this is done now.

```
 $ aws secretsmanager get-secret-value --secret-id lab/rds/mysql
{
    "ARN":
"arn:aws:secretsmanager:us-west-2:129762072419:secret:lab/rds/mysql-iUhDlT",
    "Name": "lab/rds/mysql",
    "VersionId": "b25e8496-1165-4810-a4cb-f00d90131410",
    "SecretString":
"{\"username\":\"admin\",\"password\":\"dhLB392SBU9nUhV\",\"engine\":\"mysql\",\"
host\":\"lab-mysql.cn8sqw08svwd.us-west-2.rds.amazonaws.com\",\"port\":3306,\"d
bInstanceIdentifier\":\"lab-mysql\"}",
    "VersionStages": [
        "AWSCURRENT"
    ],
    "CreatedDate": "2026-01-16T02:43:28.101000+00:00"
}
```