```
Apply complete! Resources: 39 added, 0 changed, 0 destroyed.

Outputs:

alb_sg_id = "sg-0747b62d9f7229a20"
app_alb_dns_name = "tetsuzai-alb01-1412725912.us-west-2.elb.amazonaws.com"
app_dashboard_name = "tetsuzai-alb-dashboard"
app_url = "https://app.tetsuzai-kube.com"
app_url_https = "https://app.tetsuzai-kube.com"
app_waf_arn = "arn:aws:wafv2:us-west-2:129762072419:regional/webacl/tetsuzai-waf01/357d2cef-324a-4de8-b2b3-4243d7384b60"
public_subnet_ids = [
  "subnet-0b042ad335f852ea7",
  "subnet-0a86f9134cf07d44a",
]
route53_zone_id = "Z0706221214QE8EFTLZCU"
tetsuzai_alb_logs_bucket_name = "tetsuzai-alb-logs-129762072419"
tetsuzai_apex_url_https = "https://tetsuzai-kube.com"
tetsuzai_waf_cw_log_group_name = "aws-waf-logs-tetsuzai-webacl01"
tetsuzai_waf_log_destination = "cloudwatch"
```

curl -I -k https://tetsuzai-alb01-1412725912.us-west-2.elb.amazonaws.com

skip certificate validation

Expecting to see 403 forbidden

This is a target health / connectivity issue

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ curl -I -k https://tetsuzai-alb01-1412725912.us-west-2.elb.amazonaws.com
HTTP/1.1 504 Gateway Time-out
Server: awselb/2.0
Date: Sat, 07 Feb 2026 12:29:30 GMT
Content-Type: text/html
Content-Length: 132
Connection: keep-alive
```

Finding my target arn

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ aws elbv2 describe-target-groups --region us-west-2 \
  --query "TargetGroups[*].TargetGroupArn" --output text
arn:aws:elasticloadbalancing:us-west-2:129762072419:targetgroup/TG0-ASG01/64c9193fe48a7585      arn:aws:elasticloadbalancing:us-west-2:129762072419:targetgroup/tets
uzai-tg01/d792dceb6dc61f0d
```

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ aws elbv2 describe-target-health --target-group-arn arn:aws:elasticloadbalancing:us-west-2:129762072419:targetgroup/tetsuzai-tg01/d792dceb6dc61f0d
{
    "TargetHealthDescriptions": [
        {
            "Target": {
                "Id": "i-0c224aada8ff17ffd",
                "Port": 80
            },
            "HealthCheckPort": "80",
            "TargetHealth": {
                "State": "unhealthy",
                "Reason": "Target.Timeout",
                "Description": "Request timed out"
            },
            "AdministrativeOverride": {
                "State": "no_override",
                "Reason": "AdministrativeOverride.NoOverride",
                "Description": "No override is currently active on target"
            }
        }
    ]
```

EC2 > Instances > i-0c224aada8ff17ffd > Connect to instance

Connect Info

Connect to an instance using the browser-based client.

Instance ID	VPC ID	Security groups	IAM role
i-0c224aada8ff17ffd (tetsuzai-app-instance)	vpc-01ed1e5d17730684f	sg-082b507fe9460222c (tetsuzai-ec2-sg)	AWSCloud9SSMAccessRole

SSM Session Manager | RDP client | EC2 serial console

SSM agent status

Introducing Systems Manager just-in-time node access
Move towards zero standing privileges by requiring operators to request access before remotely connecting to instances. Learn more

Try for free

Ping status	Last ping time	Session Manager connection status	Agent version
Offline	–	Not connected	–

Latest error messages

```
2026/02/07 12:18:02Z: SSM Agent unable to acquire credentials: <error>unexpected error getting instance profile role credentials or calling UpdateInstanceInformation. Skipping default host management fallback: retrieved credentials failed to report to ssm. Error: RequestError: send request failed</error>
```

Session Manager usage:

- Connect to your instance without SSH keys, a bastion host, or opening any inbound ports.
- Sessions are secured using an AWS Key Management Service key.

I checked my policy on the instance and I manually put a policy there and still no connection. This is strange.

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ TG_ARN="arn:aws:elasticloadbalancing:us-west-2:129762072419:targetgroup/tetsuzai-tg01/d792dceb6dc61f0d"

aws elbv2 describe-target-health --region us-west-2 \
  --target-group-arn "$TG_ARN" \
  --query "TargetHealthDescriptions[*].[Target.Id,Target.Port,TargetHealth.State,TargetHealth.Reason]" \
  --output table
-------------------------------------------------
|              DescribeTargetHealth             |
+----------------------+-----+----------+-------+
|  i-0cbbc1d74277113f9 |  80 |  healthy |  None |
+----------------------+-----+----------+-------+


marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ aws elbv2 describe-load-balancers --region us-west-2 \
  --query "LoadBalancers[?contains(LoadBalancerName,'tetsuzai')].[LoadBalancerName,DNSName]" \
  --output table
-----------------------------------------------------------------------------
|                           DescribeLoadBalancers                           |
+----------------+----------------------------------------------------------+
|  tetsuzai-alb01|  tetsuzai-alb01-1412725912.us-west-2.elb.amazonaws.com   |
+----------------+----------------------------------------------------------+
```

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ aws route53 list-hosted-zones --output table
aws route53 list-resource-record-sets --hosted-zone-id <ZONE_ID> --output table
-------------------------------------------------------------------------------
|                              ListHostedZones                                |
+-----------------------------------------------------------------------------+
||                                HostedZones                                  ||
|+-------------------------+---------------------------------------------------+|
||  CallerReference        |  RISWorkflow-RD:f20927ad-98e0-4a37-a248-ca7ec34bab3a  ||
||  Id                     |  /hostedzone/Z0706221214QE8EFTLZCU                ||
||  Name                   |  tetsuzai-kube.com.                               ||
||  ResourceRecordSetCount |  6                                                ||
|+-------------------------+---------------------------------------------------+|
|||                                 Config                                    |||
||+-------------------+-----------------------------------------------------+||
|||  Comment          |  HostedZone created by Route53 Registrar            |||
|||  PrivateZone      |  False                                              |||
||+-------------------+-----------------------------------------------------+||

bash: ZONE_ID: No such file or directory
```

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ ~curl -I https://tetsuzai-kube.com
curl -I https://app.tetsuzai-kube.com
bash: ~curl: command not found
HTTP/1.1 504 Gateway Time-out
Content-Type: text/html
Content-Length: 941
Connection: keep-alive
Date: Sat, 07 Feb 2026 23:57:15 GMT
X-Cache: Error from cloudfront
Via: 1.1 2fe8910dc731a97942d6c3f04b51feee.cloudfront.net (CloudFront)
X-Amz-Cf-Pop: ORD56-P14
X-Amz-Cf-Id: SjeAON8LBN8ni9VTXBiKxiurGyjJPUftGqg9_Q9lCIg6CW8K2PnbxQ==
```

Still got an issue with cloudfront

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ curl -I tetsuzai-alb01-1412725912.us-west-2.elb.amazonaws.com
HTTP/1.1 301 Moved Permanently
Server: awselb/2.0
Date: Sat, 07 Feb 2026 23:58:48 GMT
Content-Type: text/html
Content-Length: 134
Connection: keep-alive
Location: https://tetsuzai-alb01-1412725912.us-west-2.elb.amazonaws.com:443/
```

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ curl -Ik https://tetsuzai-alb01-1412725912.us-west-2.elb.amazonaws.com
HTTP/1.1 200 OK
Date: Sun, 08 Feb 2026 00:00:32 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sat, 07 Feb 2026 22:17:32 GMT
Accept-Ranges: bytes
ETag: "772dc18d7f98dc1:0"
Server: Microsoft-IIS/10.0
```

But it works with this…
curl -Ik https://tetsuzai-alb01-1412725912.us-west-2.elb.amazonaws.com

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ curl -Iv https://app.tetsuzai-kube.com
* Host app.tetsuzai-kube.com:443 was resolved.
* IPv6: (none)
* IPv4: 13.249.141.110, 13.249.141.98, 13.249.141.62, 13.249.141.65
*   Trying 13.249.141.110:443...
* schannel: disabled automatic use of client certificate
* Connected to app.tetsuzai-kube.com (13.249.141.110) port 443
* using HTTP/1.x
> HEAD / HTTP/1.1
> Host: app.tetsuzai-kube.com
> User-Agent: curl/8.10.1
> Accept: */*
>
* Request completely sent off
* schannel: remote party requests renegotiation
* schannel: renegotiating SSL/TLS connection
* schannel: SSL/TLS connection renegotiated
```

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ aws cloudfront list-distributions \
  --query "DistributionList.Items[].{Id:Id,DomainName:DomainName,Origins:Origins.Items[*].DomainName}" \
  --output table
-------------------------------------------------------------
|                    ListDistributions                      |
+-------------------------------------+---------------------+
|            DomainName               |         Id          |
+-------------------------------------+---------------------+
|  d2snm9a7q6zyg9.cloudfront.net      |  E3N1SQ4XYDIQ62     |
+-------------------------------------+---------------------+
||                       Origins                           ||
|+-----------------------------------------------------------+|
||  tetsuzai-alb01-1412725912.us-west-2.elb.amazonaws.com  ||
|+-----------------------------------------------------------+|
```

Confirm CloudFront distribution + get the Distribution ID

```
  --output table

marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ aws cloudfront list-distributions \
  --query "DistributionList.Items[].{Id:Id,Domain:DomainName,Aliases:Aliases.Items}" \
  --output table
-----------------------------------------------------
|                ListDistributions                 |
+-------------------------------+------------------+
|             Domain            |       Id         |
+-------------------------------+------------------+
|  d2snm9a7q6zyg9.cloudfront.net |  E3N1SQ4XYDIQ62  |
+-------------------------------+------------------+
||                    Aliases                      ||
|+-------------------------------------------------+|
||  app.tetsuzai-kube.com                          ||
|+-------------------------------------------------+|
```

Confirm the distribution has a WebACL attached (WAF on CloudFront)

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/1c_bonus_b (main)
$ DISTRIBUTION_ID="E3N1SQ4XYDIQ62"

aws cloudfront get-distribution \
  --id "$DISTRIBUTION_ID" \
  --query "Distribution.DistributionConfig.WebACLId" \
  --output text
arn:aws:wafv2:us-east-1:129762072419:global/webacl/tetsuzai-cloudfront-waf/8ac92144-3a28-4436-ac7f-42b240dae0dc
```

List CloudFront-scope WAF ACLs (to find the Web ACL ID/ARN)

```
$ aws wafv2 list-web-acls \
  --scope CLOUDFRONT \
  --region us-east-1 \
  --query "WebACLs[].{Name:Name,Id:Id,ARN:ARN}" \
  --output table
-------------------------------------------------------------------------------------------------------------------------------
|                                                                ListWebACLs                                                  |
+------+-----------------------------------------------------------------------------------------------------------------------+
|  ARN |  arn:aws:wafv2:us-east-1:129762072419:global/webacl/tetsuzai-cloudfront-waf/8ac92144-3a28-4436-ac7f-42b240dae0dc      |
|  Id  |  8ac92144-3a28-4436-ac7f-42b240dae0dc                                                                                 |
|  Name|  tetsuzai-cloudfront-waf                                                                                              |
+------+-----------------------------------------------------------------------------------------------------------------------+
```

Confirm your domain points to CloudFront

nslookup tetsuzai-kube.com
nslookup app.tetsuzai-kube.com

```
marvi@megamachine MINGW64 ~/Desktop/Armageddon_2026/
$ nslookup tetsuzai-kube.com
nslookup app.tetsuzai-kube.com
Server:  dsldevice6.attlocal.net
Address:  2600:1702:2970:6210::1

Non-authoritative answer:
Name:    tetsuzai-kube.com
Addresses:  52.32.180.252
          44.238.115.114

Server:  dsldevice6.attlocal.net
Address:  2600:1702:2970:6210::1

Non-authoritative answer:
Name:    app.tetsuzai-kube.com
Addresses:  13.249.141.62
          13.249.141.110
          13.249.141.65
          13.249.141.98
```

```
Outputs:

alb_sg_id = "sg-0747b62d9f7229a20"
app_alb_dns_name = "tetsuzai-alb01-1412725912.us-west-2.elb.amazonaws.com"
app_dashboard_name = "tetsuzai-alb-dashboard"
app_url = "https://app.tetsuzai-kube.com"
app_url_https = "https://app.tetsuzai-kube.com"
app_waf_arn = "arn:aws:wafv2:us-west-2:129762072419:regional/webacl/tetsuzai-waf01/357d2cef-324a-4de8-b2b3-4243d7384b60"
public_subnet_ids = [
  "subnet-0b042ad335f852ea7",
  "subnet-0a86f9134cf07d44a",
]
route53_zone_id = "Z0706221214QE8EFTLZCU"
tetsuzai_alb_logs_bucket_name = "tetsuzai-alb-logs-129762072419"
tetsuzai_apex_url_https = "https://tetsuzai-kube.com"
tetsuzai_waf_cw_log_group_name = "aws-waf-logs-tetsuzai-webacl01"
tetsuzai_waf_log_destination = "cloudwatch"
```

Added caching and origin files

Static caching proof:

Damn forgot to screenshot this but
I did it.. Gotta find it again

API safety proof: