

# Executive Summary

This audit report was prepared by Quantstamp, the leader in blockchain security.

Type	Infra	Documentation quality	Undetermined
Timeline	2025-10-20 through 2025-10-20	Test quality	Undetermined
Language	Typescript	Total Findings	11 <div><div></div></div> <div>Fixed: 7 Acknowledged: 4</div>
Methods	Architecture Review, Unit Testing, Functional Testing, Computer-Aided Verification, Manual Review	High severity findings ⓘ	5 <div><div></div></div> <div>Fixed: 4 Acknowledged: 1</div>
Specification	None	Medium severity findings ⓘ	5 <div><div></div></div> <div>Fixed: 3 Acknowledged: 2</div>
Source Code	<div><div>• kilnfi/minitel ↗</div><div>#64f3ff1 ↗</div></div>	Low severity findings ⓘ	1 <div><div></div></div> <div>Acknowledged: 1</div>
Auditors	<div><div>• Albert Heinle Auditing Engineer</div></div>	Undetermined severity findings ⓘ	0
		Informational findings ⓘ	0

# Summary of Findings

The reviewed application is an open-source, browser-based tool designed to validate blockchain transaction hashes and alert users to potential issues. While the application fulfills an important function in supporting user awareness and transaction verification, several areas require attention to strengthen its security posture and reliability.

Given its client-side nature and interaction with untrusted input, robust protection against cross-site scripting (XSS), tampering, and phishing attacks is essential. At present, user input received through URL parameters is rendered directly without validation, creating potential vectors for exploitation. Implementing early input validation, such as checks for character validity and input length, would allow the application to detect and reject malformed or malicious input at the earliest stage.

Furthermore, the absence of unit tests within the codebase represents a significant gap, especially considering the application's reliance on custom parsers and low-level logic. Comprehensive unit testing would help ensure functional correctness, mitigate regression risks, and enhance confidence in the system's resilience against malformed inputs.

Dependency management is another critical area. The build process should include automated monitoring of third-party libraries for known vulnerabilities (CVEs) through continuous integration pipelines, enabling timely updates when security issues are disclosed.

Finally, the ability to share results via URL introduces additional risk. Malicious actors could craft modified URLs that mislead users into trusting fraudulent transactions. If URL sharing remains a desired feature, it should be implemented with mechanisms, such as integrity verification or signing, to prevent tampering and preserve trust in shared results.

Overall, while the application demonstrates sound intent and usability, implementing stronger input validation, automated testing, dependency monitoring, and secure sharing mechanisms will significantly improve its robustness and security assurance.

ID	DESCRIPTION	SEVERITY	STATUS
KIL-1	Validate input	<div><div></div></div> <div>High ⓘ</div>	<div>Fixed</div>
KIL-2	Outdated Third-Party Dependency with high CVE score	<div><div></div></div> <div>High ⓘ</div>	<div>Fixed</div>
KIL-3	Sharing Results via Url Needs to Be Protected	<div><div></div></div> <div>High ⓘ</div>	<div>Acknowledged</div>

ID	DESCRIPTION	SEVERITY	STATUS
KIL-4	OWASP recommended security headers not present	• High ⓘ	Fixed
KIL-5	Unrestricted Input Size in Text Fields and Url Parameters	• High ⓘ	Fixed
KIL-6	Insufficient Testing of Parsers	• Medium ⓘ	Acknowledged
KIL-7	Do Not Use Caret in package.json	• Medium ⓘ	Acknowledged
KIL-8	Error Messages forward information about underlying libraries	• Medium ⓘ	Fixed
KIL-9	Pin Third Party Github Actions to Shasum	• Medium ⓘ	Fixed
KIL-10	Timeout and permissions in workflows not set	• Medium ⓘ	Fixed
KIL-11	Lack of <code>Object.freeze()</code> Usage for Immutable Data	• Low ⓘ	Acknowledged

# Assessment Breakdown

Quantstamp's objective was to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices.

*i* **Disclaimer**

Only features that are contained within the repositories at the commit hashes specified on the front page of the report are within the scope of the audit and fix review. All features added in future revisions of the code are excluded from consideration in this report.

Possible issues we looked for included (but are not limited to):

- Creation of a software bill of materials (SBOM), and highlighting libraries with security risks.
- Review of considerations of redundancy and disaster recovery. An SLA can be estimated based on the findings.
- Review of API endpoints and their secure handling of caller-data.
- Overflow attack investigation.
- Detection of insecure handling of secret data such as passwords, API keys or encrypted private keys.
- Ensuring the correct use of third party libraries (preventing supply chain attacks).
- Enforcing zero trust principles.
- Analysis that secrets do not appear in the logs.
- Authentication mechanism audit, including OICD, direct auth, or api key generation/disposal.
- Authorization mechanism review, including privilege escalation possibilities.
- Best coding practices for the specific language.
- Interaction with the container/OS environment.
- Ensuring any network call is encrypted.
- Scalability considerations, such as how many items of the 12-factor-app principle are the developers using.
- Correct storage in databases and schema evolution considerations
- Out-of-bounds Write
- Improper Neutralization of Input During Web Page Generation
- Improper Neutralization of Special Elements used in an SQL Command
- Improper Input Validation
- Out-of-bounds Read
- Improper Neutralization of Special Elements used in an OS Command
- Use After Free
- Improper Limitation of a Pathname to a Restricted Directory
- Cross-Site Request Forgery (CSRF)
- Unrestricted Upload of File with Dangerous Type
- NULL Pointer Dereference
- Deserialization of Untrusted Data
- Integer Overflow or Wraparound
- Improper Authentication
- Use of Hard-coded Credentials
- Missing Authorization
- Improper Neutralization of Special Elements used in a Command
- Missing Authentication for Critical Function
- Improper Restriction of Operations within the Bounds of a Memory Buffer
- Incorrect Default Permissions

- Server-Side Request Forgery (SSRF)
- Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')
- Uncontrolled Resource Consumption
- Improper Restriction of XML External Entity Reference
- Improper Control of Generation of Code ('Code Injection')
- Broken Access Control
- Cryptographic Failures
- Injection
- Security Misconfiguration
- Vulnerable and Outdated Components
- Identification and Authentication Failures
- Software and Data Integrity Failures
- Security Logging and Monitoring Failures
- Server-Side Request Forgery

Methodology

1. Code review that includes the following
  1. Review of the specifications, sources, and instructions provided to Quantstamp to make sure we understand the size, scope, and functionality of the code.
  2. Manual review of code, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
  3. Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to Quantstamp describe.
2. Testing and automated analysis that includes the following:
  1. Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
  2. Symbolic execution, which is analyzing a program to determine what inputs cause each part of a program to execute.
3. Best practices review, which is a review of the code to improve efficiency, effectiveness, clarity, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
4. Specific, itemized, and actionable recommendations to help you take steps to secure your code.

Scope

Files Included

Repo: [https://github.com/kilnfi/minitelv2\(0c7211e484398c90f3a65b269d4cbe05849c50ec\)](https://github.com/kilnfi/minitelv2(0c7211e484398c90f3a65b269d4cbe05849c50ec)) Files: apps/ packages/  
Repo: <https://github.com/kilnfi/minitel>

Repo: <https://github.com/kilnfi/minitel>

Repo: <https://github.com/kilnfi/minitel>

Repo: <https://github.com/kilnfi/minitelv2>

Files Excluded

Repo: [https://github.com/kilnfi/minitelv2\(0c7211e484398c90f3a65b269d4cbe05849c50ec\)](https://github.com/kilnfi/minitelv2(0c7211e484398c90f3a65b269d4cbe05849c50ec)) Files: -

Findings

KIL-1 Validate input

High

Fixed

**Description:** Multiple components in the codebase lack proper input validation and sanitization. In several files, including handlers that process data from URL parameters, request bodies, and query strings, input is directly consumed without sufficient checks or normalization. This increases the risk of injection attacks and other input-based vulnerabilities, especially when user-controlled data is passed into database queries, file operations, or external services.

Additionally, currently the URL accepts without an issue `tx=!@%23$%^*( )%27"` and renders it into the text field. There is a limited set of characters used in transaction hashes, and the input should be sanitized against that before being used to display on a text field. This will limit the ability to craft XSS type attack for an attacker.

**Recommendation:** Implement a centralized input validation strategy across all application layers. In TypeScript, this should include using schema validation libraries such as Zod, Yup, or io-ts to enforce strong runtime validation of all incoming data. Define explicit types for request and response structures, and combine static type checking with runtime validation to ensure that no untrusted data bypasses validation logic. Additionally, use parameterized queries, output encoding, and linting rules (e.g., via ESLint plugins) to guard against injection and cross-site scripting risks. Finally, integrate automated testing and CI/CD validation pipelines to detect missing input checks early in development.

## KIL-2 Outdated Third-Party Dependency with high CVE score

• High ⓘ Fixed

### ✓ Update

The team has fixed the current vulnerable library with the updates.  
We further recommend making CVE checking part of the automated PR process.

**Description:** A vulnerable third-party dependency, Axios, was identified in `bun.lock`, associated with CVE-2025-58754, which is marked as high severity. The currently included version is 1.11.0, which contains a known security vulnerability.

**Recommendation:** Upgrade the affected package to a patched version, 1.12.0 or above, to remediate the issue. It is also recommended to implement automated dependency scanning (e.g., Dependabot, Trivy, Renovate, or similar) to detect and address such vulnerabilities proactively in the future.

## KIL-3 Sharing Results via Url Needs to Be Protected

• High ⓘ Acknowledged

### i Update

Acknowledged by the team with the following remark:  
"Client side architecture with no backend. Tool is read only (no transaction signing)"

**Description:** Allowing users to share data via URL parameters without server-side validation or signing introduces a significant security risk. URLs that contain raw or unvalidated data can be manipulated by attackers to inject malicious content, perform phishing attacks, or bypass client-side checks. Relying solely on client-side validation is insufficient, as it can potentially be bypassed and tricking users into executing unintended actions.

**Recommendation:** Do not allow URLs to carry raw, unvalidated data for sharing. If URL-based sharing is required, implement server-side signing of the data using a secret key or asymmetric cryptography. Each URL should include a signature (and optionally an expiry timestamp), which is verified server-side before rendering the data. This ensures that only trusted, untampered content is displayed, mitigating phishing and injection risks.

## KIL-4 OWASP recommended security headers not present

• High ⓘ Fixed

**Description:** The application does not enforce key HTTP security headers (e.g., Content-Security-Policy, X-Frame-Options, X-Content-Type-Options, Referrer-Policy) at the lowest level. These headers are critical to mitigating cross-site scripting (XSS), clickjacking, content sniffing, and other client-side attacks. Given the application's design, which allows rendering user-supplied or URL-driven content, the absence of these headers leaves users exposed to potential exploitation through malicious content injection or UI manipulation.

**Recommendation:** Implement OWASP-recommended security headers at the server or reverse-proxy level for all responses, including static and dynamic content. Recommended headers include: `Content-Security-Policy` (CSP). Restrict scripts, styles, and resources to trusted origins and disable inline execution. `X-Frame-Options` / `frame-ancestors` : Prevent clickjacking by restricting framing of pages. `X-Content-Type-Options: nosniff` : Prevent MIME type sniffing attacks. `Referrer-Policy` : Control referrer information shared with third-party sites. `Strict-Transport-Security` (HSTS) : Enforce HTTPS connections. Ensure these headers are consistently applied at the lowest level in the application stack (web server, reverse proxy, or application server) to protect all endpoints, including any future content rendered from user-supplied data.

## KIL-5 Unrestricted Input Size in Text Fields and Url Parameters

• High ⓘ Fixed

**Description:** The application does not enforce limits on the size of text field inputs or URL parameters. This lack of restriction allows excessively large payloads to be submitted, which could lead to denial-of-service (DoS) conditions, memory exhaustion, or unexpected application behavior.

**Recommendation:** Enforce Input Size Limits: Impose reasonable maximum lengths for all text inputs.

Restrict the total URL length and individual query parameter sizes to prevent abuse.

Validate and Reject Early: Validate input size on both the client side (for user experience) and server side (for security enforcement).

## KIL-6 Insufficient Testing of Parsers

• Medium ⓘ Acknowledged

### i Update

Comment by the team: "Added to backlog".

**Description:** Especially for this project, where there is a mix of official and custom created parsers for Transaction hashes, it is crucial to employ diligent unit-tests to ensure correct operation, security, and results.

Hence, the lack of unit tests and coverage is of high concern.

**Recommendation:** Ensure that there are sufficient unit-tests performed. Specifically for code inside the `app` directory, ensure that the coverage is above 80%.

## KIL-7 Do Not Use Caret in package.json

• Medium ⓘ Acknowledged

### Update

Comment by the team: "Intentional for security patches. Lockfile ensures reproducibility"

Further comment by QS: Reproducibility is indeed ensured. But update processes have a higher potential chance of introducing unexpected overall changes, which why general best practice is to control the supply chain dependencies on the developer setting level.

**Description:** The package.json file uses caret ( `^` ) version specifiers for dependencies (e.g., `"^1.2.3"` ). This allows npm or yarn to automatically install newer minor or patch versions of a dependency without an explicit code review or CI verification. While convenient during development, this introduces supply chain and reproducibility risks, as upstream libraries can introduce breaking changes, regressions, or malicious code in a supposedly compatible release, leading to unexpected behavior or compromise in production builds.

**Recommendation:** Pin exact versions of all dependencies in package.json (e.g., `"1.2.3"` instead of `"^1.2.3"`) to ensure deterministic, reproducible builds, in addition to committing lock-files to your code-base. For security and stability, periodically perform controlled dependency updates (e.g., using Dependabot or Renovate) rather than allowing automatic version drift. For internal packages, consider setting up a vetted private registry to further control dependency integrity. Enable CI checks to detect and fail builds if package.json contains unpinned or semver-ranged dependencies.

## KIL-8 Error Messages forward information about underlying libraries

• Medium ⓘ Fixed

**Description:** The application returns error messages that disclose internal implementation details, including library names and versions (e.g., `Position 1 is out of bounds. Version: viem@2.37.12` ). Even for open-source projects, exposing precise package names and versions in user-facing errors provides actionable intelligence to attackers. It makes fingerprinting, targeted exploitation of known CVEs, and supply-chain reconnaissance far easier. In production delivery, internal diagnostics and dependency metadata should not be exposed to end users or untrusted channels.

**Recommendation:** Replace user-facing error text with generic, non-sensitive messages only displaying what went wrong, but no information about implementation details.

## KIL-9 Pin Third Party Github Actions to Shasum

• Medium ⓘ Fixed

**Description:** When using external actions in your workflow, it is important to ensure that the version remains the same to avoid run-failures or supply chain attacks.

**Recommendation:** For every `uses` instruction in your GitHub actions, ensure that it is referenced by its SHA hash, and not just the version tag.

## KIL-10 Timeout and permissions in workflows not set

• Medium ⓘ Fixed

**Description:** The GitHub Actions workflows do not specify job timeouts or explicit permissions in their configuration. By default, workflows may run indefinitely and execute with overly broad access to repository resources (e.g., write permissions to code, issues, or packages). This lack of restriction increases the impact of potential supply-chain attacks, compromised runners, or malicious pull requests that could abuse inherited permissions or hang indefinitely, consuming CI resources.

**Recommendation:** Set explicit timeouts: Define timeout-minutes for each job to limit the maximum execution time and prevent indefinite runs. Use the principle of least privilege by setting permissions: at the workflow or job level to only what is required. Avoid relying on the default write permissions applied to workflows unless explicitly required for a release or deployment process.

## KIL-11 Lack of `Object.freeze()` Usage for Immutable Data

• Low ⓘ Acknowledged

### Update

Acknowledged with the comment: "TypeScript provides compile time immutability. adds overhead without security benefit in client side context"



Comment by Quantstamp: The freezing of objects is not for compile-time protection, but for protection against potential tampering if an attacker manages to perform a cross-site-scripting attack or similar.

**Description:** The codebase does not currently use `Object.freeze()` for critical objects, including sanitized inputs and outputs. Without freezing, objects remain mutable after validation, allowing accidental or malicious modifications at runtime. This increases the risk of cross-site scripting (XSS), state manipulation bugs, and other attacks where attacker-controlled code could alter previously validated data before it is used or returned.

**Recommendation:** Apply `Object.freeze()` to Outputs. Freeze all sanitized output objects before returning them to clients or passing them to downstream functions. Consider Freezing Critical Inputs where appropriate, freeze validated input objects to prevent modification during processing. Combine with existing Validation using schema validation libraries (e.g., Zod, Yup, io-ts) to enforce correctness, then freeze objects to maintain integrity.

## Auditor Suggestions

## S1 Ensure Proper Exception Handling Early Across the Code-Base

Unresolved

**Description:** Different parsers throw exceptions for a multitude of reasons. It is important to catch and handle them early, and do so consistently when user-supplied data and third party parsers are involved.

As an example: `JSON.parse`, as implemented as part of JS, should always be surrounded by a `try...catch`. An example where this was not followed in the provided code-base was e.g. in `apps/ethereum/src/parser.ts`, line 84.

**Recommendation:** Examine the code-base for missed early exception handling. A consistent unit-test strategy usually helps with these efforts, as edge-case examinations surface exceptions at the function level.

## S2 Potential Bug for Notice Rendering

Unresolved

**Description:** We have tried different transaction hexes on the input, and noticed a potential bug, which should be looked into.

### Hex for Ethereum:

[illegible]

This renders the following

Important notice  
This operation includes 1 alert. Please review details **below before** continuing.  
—

As one can see, the suggestions are empty.

**Recommendation:** Figure out the root cause why an alert is made, and why there is no reason displayed, as this appears to be a bug.

## Definitions

- **High severity** – High-severity issues usually put a large number of users' sensitive information at risk, or are reasonably likely to lead to catastrophic impact for client's reputation or serious financial implications for client and users.
- **Medium severity** – Medium-severity issues tend to put a subset of users' sensitive information at risk, would be detrimental for the client's reputation if exploited, or are reasonably likely to lead to moderate financial impact.
- **Low severity** – The risk is relatively small and could not be exploited on a recurring basis, or is a risk that the client has indicated is low impact in view of the client's business circumstances.
- **Informational** – The issue does not pose an immediate risk, but is relevant to security best practices or Defence in Depth.
- **Undetermined** – The impact of the issue is uncertain.
- **Fixed** – Adjusted program implementation, requirements or constraints to eliminate the risk.
- **Mitigated** – Implemented actions to minimize the impact or likelihood of the risk.
- **Acknowledged** – The issue remains in the code but is a result of an intentional business or design decision. As such, it is supposed to be addressed outside the programmatic means, such as: 1) comments, documentation, README, FAQ; 2) business processes; 3) analyses showing that the issue shall have no negative consequences in practice (e.g., gas analysis, deployment settings).

# Appendix

## File Signatures

The following are the SHA-256 hashes of the reviewed files. A file with a different SHA-256 hash has been modified, intentionally or otherwise, after the security review. You are cautioned that a different SHA-256 hash could be (but is not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of the review.

## Files

- Repo: `https://github.com/kilnfi/minitel`
- `314...6ea ./github/workflows/deploy.yml`
  - `b7b...7ec ./gitignore`
  - `933...eb8 ./LICENCE`
  - `326...c29 ./README.md`
  - `565...d52 ./apps/ada/.gitignore`
  - `51e...c60 ./apps/ada/index.html`
  - `384...e28 ./apps/ada/package.json`
  - `1f2...ba6 ./apps/ada/public/favicon.svg`
  - `2cf...1f5 ./apps/ada/src/App.tsx`
  - `ed0...fce ./apps/ada/src/ada-adapter.ts`
  - `478...b81 ./apps/ada/src/index.css`
  - `179...65b ./apps/ada/src/main.tsx`
  - `9f4...039 ./apps/ada/src/parser.ts`
  - `659...db5 ./apps/ada/src/vite-env.d.ts`
  - `d83...bdd ./apps/ada/tsconfig.json`
  - `3e5...9a9 ./apps/ada/tsconfig.node.json`
  - `d28...0f6 ./apps/ada/vercel.json`
  - `110...808 ./apps/ada/vite.config.ts`
  - `565...d52 ./apps/atom/.gitignore`
  - `854...650 ./apps/atom/index.html`
  - `229...dfe ./apps/atom/package.json`
  - `1f2...ba6 ./apps/atom/public/favicon.svg`
  - `539...30a ./apps/atom/src/App.tsx`
  - `478...b81 ./apps/atom/src/index.css`
  - `179...65b ./apps/atom/src/main.tsx`
  - `659...db5 ./apps/atom/src/vite-env.d.ts`
  - `d83...bdd ./apps/atom/tsconfig.json`
  - `3e5...9a9 ./apps/atom/tsconfig.node.json`
  - `7b0...182 ./apps/atom/vercel.json`
  - `0d1...4c1 ./apps/atom/vite.config.ts`
  - `565...d52 ./apps/cronos/.gitignore`
  - `282...3ce ./apps/cronos/index.html`
  - `4d0...2ea ./apps/cronos/package.json`
  - `1f2...ba6 ./apps/cronos/public/favicon.svg`
  - `a64...955 ./apps/cronos/src/App.tsx`
  - `478...b81 ./apps/cronos/src/index.css`
  - `179...65b ./apps/cronos/src/main.tsx`
  - `659...db5 ./apps/cronos/src/vite-env.d.ts`
  - `d83...bdd ./apps/cronos/tsconfig.json`
  - `3e5...9a9 ./apps/cronos/tsconfig.node.json`
  - `30c...00b ./apps/cronos/vercel.json`
  - `0d1...4c1 ./apps/cronos/vite.config.ts`
  - `565...d52 ./apps/dot/.gitignore`
  - `1af...53c ./apps/dot/index.html`
  - `828...d96 ./apps/dot/package.json`
  - `1f2...ba6 ./apps/dot/public/favicon.svg`

- 4c1...9ff ./apps/dot/src/App.tsx
- c4e...127 ./apps/dot/src/dot-adapter.tsx
- 478...b81 ./apps/dot/src/index.css
- 179...65b ./apps/dot/src/main.tsx
- 659...db5 ./apps/dot/src/vite-env.d.ts
- 8a6...953 ./apps/dot/tsconfig.json
- 3e5...9a9 ./apps/dot/tsconfig.node.json
- 383...d75 ./apps/dot/vercel.json
- 68e...fb1 ./apps/dot/vite.config.ts
- 565...d52 ./apps/dydx/.gitignore
- fab...fb7 ./apps/dydx/index.html
- 8ac...734 ./apps/dydx/package.json
- 1f2...ba6 ./apps/dydx/public/favicon.svg
- fd7...6f5 ./apps/dydx/src/App.tsx
- 478...b81 ./apps/dydx/src/index.css
- 179...65b ./apps/dydx/src/main.tsx
- 659...db5 ./apps/dydx/src/vite-env.d.ts
- d83...bdd ./apps/dydx/tsconfig.json
- 3e5...9a9 ./apps/dydx/tsconfig.node.json
- 684...472 ./apps/dydx/vercel.json
- 0d1...4c1 ./apps/dydx/vite.config.ts
- 565...d52 ./apps/ethereum/.gitignore
- 995...5b6 ./apps/ethereum/index.html
- 1c7...56f ./apps/ethereum/package.json
- 1f2...ba6 ./apps/ethereum/public/favicon.svg
- fbb...554 ./apps/ethereum/script.ts
- 855...eb1 ./apps/ethereum/src/App.tsx
- 290...b22 ./apps/ethereum/src/abi/CCTP\_MESSAGE\_TRANSMITTER\_ABI.ts
- 88a...5e1 ./apps/ethereum/src/abi/ETH\_BEACON\_DEPOSIT\_ABI.ts
- 73e...88f ./apps/ethereum/src/abi/ETH\_DEPOSIT\_CONTRACT\_ABI.ts
- ad6...894 ./apps/ethereum/src/abi/ETH\_EXIT\_CONTRACT\_ABI.ts
- ed9...c8d ./apps/ethereum/src/abi/MATIC\_STAKE\_MANAGER\_CONTRACT\_ABI.ts
- fc3...1de ./apps/ethereum/src/abi/POL\_CONTRACT\_ABI.ts
- 369...4d5 ./apps/ethereum/src/abi/POL\_STAKE\_MANAGER\_ABI.ts
- 75f...c83 ./apps/ethereum/src/abi/POL\_VALIDATOR\_SHARES\_CONTRACT\_ABI.ts
- c03...edd ./apps/ethereum/src/components/TransactionSummary.tsx
- a6a...e72 ./apps/ethereum/src/config/playbook-operations.ts
- f02...813 ./apps/ethereum/src/constant.ts
- 87d...884 ./apps/ethereum/src/ethereum-adapter.tsx
- 478...b81 ./apps/ethereum/src/index.css
- 179...65b ./apps/ethereum/src/main.tsx
- 5ff...e7d ./apps/ethereum/src/parser.ts
- 22b...ffb ./apps/ethereum/src/types.ts
- 84c...84b ./apps/ethereum/src/utils.tsx
- 659...db5 ./apps/ethereum/src/vite-env.d.ts
- 8a6...953 ./apps/ethereum/tsconfig.json
- 3e5...9a9 ./apps/ethereum/tsconfig.node.json
- 076...4f0 ./apps/ethereum/vercel.json
- 12f...4b7 ./apps/ethereum/vite.config.ts
- 565...d52 ./apps/fetch/.gitignore
- 560...646 ./apps/fetch/index.html
- 45f...91d ./apps/fetch/package.json
- 1f2...ba6 ./apps/fetch/public/favicon.svg
- 276...876 ./apps/fetch/src/App.tsx
- 478...b81 ./apps/fetch/src/index.css



- 179...65b ./apps/fetch/src/main.tsx
- 659...db5 ./apps/fetch/src/vite-env.d.ts
- d83...bdd ./apps/fetch/tsconfig.json
- 3e5...9a9 ./apps/fetch/tsconfig.node.json
- 8a2...67a ./apps/fetch/vercel.json
- 0d1...4c1 ./apps/fetch/vite.config.ts
- 565...d52 ./apps/injective/.gitignore
- cd1...340 ./apps/injective/index.html
- 5a0...1d3 ./apps/injective/package.json
- 1f2...ba6 ./apps/injective/public/favicon.svg
- d3a...746 ./apps/injective/src/App.tsx
- 478...b81 ./apps/injective/src/index.css
- 179...65b ./apps/injective/src/main.tsx
- 659...db5 ./apps/injective/src/vite-env.d.ts
- d83...bdd ./apps/injective/tsconfig.json
- 3e5...9a9 ./apps/injective/tsconfig.node.json
- 3cf...0bf ./apps/injective/vercel.json
- 0d1...4c1 ./apps/injective/vite.config.ts
- 565...d52 ./apps/kava/.gitignore
- e1b...d9e ./apps/kava/index.html
- e33...53e ./apps/kava/package.json
- 1f2...ba6 ./apps/kava/public/favicon.svg
- eaa...893 ./apps/kava/src/App.tsx
- 478...b81 ./apps/kava/src/index.css
- 179...65b ./apps/kava/src/main.tsx
- 659...db5 ./apps/kava/src/vite-env.d.ts
- d83...bdd ./apps/kava/tsconfig.json
- 3e5...9a9 ./apps/kava/tsconfig.node.json
- 283...260 ./apps/kava/vercel.json
- 0d1...4c1 ./apps/kava/vite.config.ts
- 565...d52 ./apps/ksm/.gitignore
- 900...b6d ./apps/ksm/index.html
- 3c3...4a6 ./apps/ksm/package.json
- 1f2...ba6 ./apps/ksm/public/favicon.svg
- 98d...576 ./apps/ksm/src/App.tsx
- 478...b81 ./apps/ksm/src/index.css
- 179...65b ./apps/ksm/src/main.tsx
- 659...db5 ./apps/ksm/src/vite-env.d.ts
- d83...bdd ./apps/ksm/tsconfig.json
- 3e5...9a9 ./apps/ksm/tsconfig.node.json
- 4fe...ef4 ./apps/ksm/vercel.json
- 0d1...4c1 ./apps/ksm/vite.config.ts
- 565...d52 ./apps/mantra/.gitignore
- 175...cbe ./apps/mantra/index.html
- 09e...fb8 ./apps/mantra/package.json
- 1f2...ba6 ./apps/mantra/public/favicon.svg
- 418...ffa ./apps/mantra/src/App.tsx
- 478...b81 ./apps/mantra/src/index.css
- 179...65b ./apps/mantra/src/main.tsx
- 659...db5 ./apps/mantra/src/vite-env.d.ts
- d83...bdd ./apps/mantra/tsconfig.json
- 3e5...9a9 ./apps/mantra/tsconfig.node.json
- a67...6f1 ./apps/mantra/vercel.json
- 0d1...4c1 ./apps/mantra/vite.config.ts
- 565...d52 ./apps/near/.gitignore

- bd9...93b ./apps/near/create-malicious-tx.ts
- a32...920 ./apps/near/index.html
- 3f7...f2d ./apps/near/package.json
- 1f2...ba6 ./apps/near/public/favicon.svg
- c2c...be0 ./apps/near/src/App.tsx
- 752...789 ./apps/near/src/components/TransactionSummary.tsx
- 0dd...1fe ./apps/near/src/config/playbook-operations.ts
- 478...b81 ./apps/near/src/index.css
- 179...65b ./apps/near/src/main.tsx
- ad3...159 ./apps/near/src/near-adapter.tsx
- 5d9...97a ./apps/near/src/parser.ts
- 360...41c ./apps/near/src/utils.ts
- 659...db5 ./apps/near/src/vite-env.d.ts
- 8a6...953 ./apps/near/tsconfig.json
- 3e5...9a9 ./apps/near/tsconfig.node.json
- 7bf...6ba ./apps/near/vercel.json
- 68e...fb1 ./apps/near/vite.config.ts
- 565...d52 ./apps/osmosis/.gitignore
- 44a...228 ./apps/osmosis/index.html
- 707...d04 ./apps/osmosis/package.json
- 1f2...ba6 ./apps/osmosis/public/favicon.svg
- 2dd...db3 ./apps/osmosis/src/App.tsx
- 478...b81 ./apps/osmosis/src/index.css
- 179...65b ./apps/osmosis/src/main.tsx
- 659...db5 ./apps/osmosis/src/vite-env.d.ts
- d83...bdd ./apps/osmosis/tsconfig.json
- 3e5...9a9 ./apps/osmosis/tsconfig.node.json
- 733...3f5 ./apps/osmosis/vercel.json
- 0d1...4c1 ./apps/osmosis/vite.config.ts
- 565...d52 ./apps/sei/.gitignore
- 180...52d ./apps/sei/index.html
- a8e...392 ./apps/sei/package.json
- 1f2...ba6 ./apps/sei/public/favicon.svg
- 230...020 ./apps/sei/src/App.tsx
- 478...b81 ./apps/sei/src/index.css
- 179...65b ./apps/sei/src/main.tsx
- 659...db5 ./apps/sei/src/vite-env.d.ts
- d83...bdd ./apps/sei/tsconfig.json
- 3e5...9a9 ./apps/sei/tsconfig.node.json
- fa9...da4 ./apps/sei/vercel.json
- 0d1...4c1 ./apps/sei/vite.config.ts
- 565...d52 ./apps/solana/.gitignore
- ff4...61f ./apps/solana/index.html
- 413...4e9 ./apps/solana/package.json
- 1f2...ba6 ./apps/solana/public/favicon.svg
- 3e1...40e ./apps/solana/src/App.tsx
- c11...1a1 ./apps/solana/src/components/Summary.tsx
- c95...60f ./apps/solana/src/components/instructions/InstructionIcon.tsx
- 001...881 ./apps/solana/src/components/instructions/InstructionSummary.tsx
- 528...3df ./apps/solana/src/config/playbook-operations.ts
- 478...b81 ./apps/solana/src/index.css
- 179...65b ./apps/solana/src/main.tsx
- 40c...896 ./apps/solana/src/parser.ts
- ca3...5b4 ./apps/solana/src/solana-adapter.tsx
- 047...a6f ./apps/solana/src/types.ts

- cc1...896 ./apps/solana/src/utils.ts
- 659...db5 ./apps/solana/src/vite-env.d.ts
- 8a6...953 ./apps/solana/tsconfig.json
- 3e5...9a9 ./apps/solana/tsconfig.node.json
- 850...8ca ./apps/solana/vercel.json
- 68e...fb1 ./apps/solana/vite.config.ts
- 565...d52 ./apps/sui/.gitignore
- 2d9...6b4 ./apps/sui/index.html
- 3ed...3e6 ./apps/sui/package.json
- 1f2...ba6 ./apps/sui/public/favicon.svg
- 8c5...02f ./apps/sui/src/App.tsx
- 478...b81 ./apps/sui/src/index.css
- 179...65b ./apps/sui/src/main.tsx
- 8ef...01b ./apps/sui/src/parser.ts
- 535...0be ./apps/sui/src/sui-adapter.ts
- 659...db5 ./apps/sui/src/vite-env.d.ts
- d83...bdd ./apps/sui/tsconfig.json
- 3e5...9a9 ./apps/sui/tsconfig.node.json
- 4a8...d28 ./apps/sui/vercel.json
- 0d1...4c1 ./apps/sui/vite.config.ts
- 565...d52 ./apps/tia/.gitignore
- ba3...470 ./apps/tia/index.html
- 15a...afa ./apps/tia/package.json
- 1f2...ba6 ./apps/tia/public/favicon.svg
- 295...eb2 ./apps/tia/src/App.tsx
- 478...b81 ./apps/tia/src/index.css
- 179...65b ./apps/tia/src/main.tsx
- 659...db5 ./apps/tia/src/vite-env.d.ts
- d83...bdd ./apps/tia/tsconfig.json
- 3e5...9a9 ./apps/tia/tsconfig.node.json
- f85...427 ./apps/tia/vercel.json
- 0d1...4c1 ./apps/tia/vite.config.ts
- 565...d52 ./apps/ton/.gitignore
- fa9...90b ./apps/ton/index.html
- eef...264 ./apps/ton/package.json
- 1f2...ba6 ./apps/ton/public/favicon.svg
- 3f7...ed1 ./apps/ton/src/App.tsx
- 3e6...3f6 ./apps/ton/src/constants.ts
- 478...b81 ./apps/ton/src/index.css
- 179...65b ./apps/ton/src/main.tsx
- 389...2a4 ./apps/ton/src/parser.ts
- 283...27a ./apps/ton/src/ton-adapter.ts
- 659...db5 ./apps/ton/src/vite-env.d.ts
- d83...bdd ./apps/ton/tsconfig.json
- 3e5...9a9 ./apps/ton/tsconfig.node.json
- 561...64c ./apps/ton/vercel.json
- 0d1...4c1 ./apps/ton/vite.config.ts
- 565...d52 ./apps/trx/.gitignore
- 7d7...d5c ./apps/trx/index.html
- 077...7ca ./apps/trx/package.json
- 1f2...ba6 ./apps/trx/public/favicon.svg
- 0ea...5ed ./apps/trx/src/App.tsx
- 478...b81 ./apps/trx/src/index.css
- 179...65b ./apps/trx/src/main.tsx
- f3e...fc4 ./apps/trx/src/parser.ts

- cef...4ba ./apps/trx/src/protos.ts
- 069...2f1 ./apps/trx/src/trx-adapter.ts
- 659...db5 ./apps/trx/src/vite-env.d.ts
- d83...bdd ./apps/trx/tsconfig.json
- 3e5...9a9 ./apps/trx/tsconfig.node.json
- 4b3...770 ./apps/trx/vercel.json
- 0d1...4c1 ./apps/trx/vite.config.ts
- 565...d52 ./apps/xtz/.gitignore
- 2b2...a00 ./apps/xtz/index.html
- 473...d78 ./apps/xtz/package.json
- 1f2...ba6 ./apps/xtz/public/favicon.svg
- ebf...712 ./apps/xtz/src/App.tsx
- 478...b81 ./apps/xtz/src/index.css
- 179...65b ./apps/xtz/src/main.tsx
- efd...959 ./apps/xtz/src/parser.ts
- 659...db5 ./apps/xtz/src/vite-env.d.ts
- f92...7f6 ./apps/xtz/src/xtz-adapter.ts
- d83...bdd ./apps/xtz/tsconfig.json
- 3e5...9a9 ./apps/xtz/tsconfig.node.json
- 771...f70 ./apps/xtz/vercel.json
- 0d1...4c1 ./apps/xtz/vite.config.ts
- 565...d52 ./apps/zeta/.gitignore
- 741...555 ./apps/zeta/index.html
- e0a...ab1 ./apps/zeta/package.json
- 1f2...ba6 ./apps/zeta/public/favicon.svg
- 265...076 ./apps/zeta/src/App.tsx
- 478...b81 ./apps/zeta/src/index.css
- 179...65b ./apps/zeta/src/main.tsx
- 659...db5 ./apps/zeta/src/vite-env.d.ts
- d83...bdd ./apps/zeta/tsconfig.json
- 3e5...9a9 ./apps/zeta/tsconfig.node.json
- fce...401 ./apps/zeta/vercel.json
- 0d1...4c1 ./apps/zeta/vite.config.ts
- 4c3...500 ./biome.json
- ca0...b62 ./bun.lock
- 24d...034 ./bunfig.toml
- 7ab...e97 ./package.json
- 695...e04 ./packages/cosmos-shared/package.json
- 9ef...684 ./packages/cosmos-shared/src/cosmos-adapter.tsx
- b90...bf3 ./packages/cosmos-shared/src/index.ts
- 25d...480 ./packages/cosmos-shared/src/parser.ts
- b53...143 ./packages/cosmos-shared/tsconfig.json
- 37a...dea ./packages/shared/package.json
- 063...cd6 ./packages/shared/src/config/protocols.tsx
- a9b...8a5 ./packages/shared/src/index.ts
- 0c8...4af ./packages/shared/src/types/playbook.ts
- 9d3...05f ./packages/shared/src/types/protocol-adapter.ts
- c1a...3f0 ./packages/shared/src/utils.ts
- ab9...c0d ./packages/shared/tsconfig.json
- 272...d91 ./packages/substrate-shared/package.json
- e64...baa ./packages/substrate-shared/src/index.ts
- f5c...8ad ./packages/substrate-shared/src/parser.ts
- d66...211 ./packages/substrate-shared/src/substrate-adapter.tsx
- e23...0dc ./packages/substrate-shared/src/substrate/substrateWsClient.ts
- c22...7bd ./packages/substrate-shared/tsconfig.json

- 71e...356 ./packages/ui/components.json
- 962...f2c ./packages/ui/package.json
- a8a...e45 ./packages/ui/src/components/address.tsx
- 317...7fe ./packages/ui/src/components/background.tsx
- b42...580 ./packages/ui/src/components/copy-button.tsx
- 2d0...acb ./packages/ui/src/components/footer.tsx
- d8b...de3 ./packages/ui/src/components/header.tsx
- efa...44a ./packages/ui/src/components/icons.tsx
- b01...a8a ./packages/ui/src/components/protocol-transaction-decoder.tsx
- ed4...8fe ./packages/ui/src/components/transaction-decoder.tsx
- b8f...099 ./packages/ui/src/components/transaction-playbook.tsx
- 32b...f93 ./packages/ui/src/components/ui/accordion.tsx
- 0f3...fd5 ./packages/ui/src/components/ui/alert.tsx
- adc...e2c ./packages/ui/src/components/ui/badge.tsx
- 99e...2c9 ./packages/ui/src/components/ui/button.tsx
- 8e0...f90 ./packages/ui/src/components/ui/card.tsx
- 18d...55b ./packages/ui/src/components/ui/command.tsx
- f7c...1ed ./packages/ui/src/components/ui/dialog.tsx
- 262...2b5 ./packages/ui/src/components/ui/dropdown-menu.tsx
- 0b9...ba6 ./packages/ui/src/components/ui/input.tsx
- bce...8f1 ./packages/ui/src/components/ui/label.tsx
- 0f0...fda ./packages/ui/src/components/ui/popover.tsx
- 0cd...624 ./packages/ui/src/components/ui/select.tsx
- d24...9bf ./packages/ui/src/components/ui/table.tsx
- 58f...b1d ./packages/ui/src/components/ui/tabs.tsx
- 343...e07 ./packages/ui/src/components/ui/textarea.tsx
- b61...75c ./packages/ui/src/components/ui/toggle.tsx
- 9e4...53b ./packages/ui/src/components/ui/tooltip.tsx
- a06...780 ./packages/ui/src/hooks/useIsDarkMode.ts
- 5c6...fac ./packages/ui/src/hooks/useTransactionDecoder.ts
- 726...a4b ./packages/ui/src/hooks/useUrlParam.ts
- d87...54e ./packages/ui/src/index.ts
- 9a6...e0b ./packages/ui/src/lib/utils.ts
- 042...3ff ./packages/ui/src/styles/globals.css
- b53...143 ./packages/ui/tsconfig.json
- 22a...fe1 ./tsconfig.json

Repo: <https://github.com/kilnfi/minitel>

- 227...113 ./github/workflows/deploy.yml
- b7b...7ec ./gitignore
- 933...eb8 ./LICENCE
- 326...c29 ./README.md
- 565...d52 ./apps/ada/.gitignore
- 51e...c60 ./apps/ada/index.html
- 384...e28 ./apps/ada/package.json
- 1f2...ba6 ./apps/ada/public/favicon.svg
- 2cf...1f5 ./apps/ada/src/App.tsx
- d1c...3f9 ./apps/ada/src/ada-adapter.ts
- 478...b81 ./apps/ada/src/index.css
- 179...65b ./apps/ada/src/main.tsx
- 9f4...039 ./apps/ada/src/parser.ts
- 659...db5 ./apps/ada/src/vite-env.d.ts
- d83...bdd ./apps/ada/tsconfig.json
- 3e5...9a9 ./apps/ada/tsconfig.node.json



- 8c9...05c ./apps/ada/vercel.json
- 110...808 ./apps/ada/vite.config.ts
- 565...d52 ./apps/atom/.gitignore
- 854...650 ./apps/atom/index.html
- 229...dfe ./apps/atom/package.json
- 1f2...ba6 ./apps/atom/public/favicon.svg
- 539...30a ./apps/atom/src/App.tsx
- 478...b81 ./apps/atom/src/index.css
- 179...65b ./apps/atom/src/main.tsx
- 659...db5 ./apps/atom/src/vite-env.d.ts
- d83...bdd ./apps/atom/tsconfig.json
- 3e5...9a9 ./apps/atom/tsconfig.node.json
- f5c...e26 ./apps/atom/vercel.json
- 0d1...4c1 ./apps/atom/vite.config.ts
- 565...d52 ./apps/cronos/.gitignore
- 282...3ce ./apps/cronos/index.html
- 4d0...2ea ./apps/cronos/package.json
- 1f2...ba6 ./apps/cronos/public/favicon.svg
- a64...955 ./apps/cronos/src/App.tsx
- 478...b81 ./apps/cronos/src/index.css
- 179...65b ./apps/cronos/src/main.tsx
- 659...db5 ./apps/cronos/src/vite-env.d.ts
- d83...bdd ./apps/cronos/tsconfig.json
- 3e5...9a9 ./apps/cronos/tsconfig.node.json
- def...d83 ./apps/cronos/vercel.json
- 0d1...4c1 ./apps/cronos/vite.config.ts
- 565...d52 ./apps/dot/.gitignore
- 1af...53c ./apps/dot/index.html
- 828...d96 ./apps/dot/package.json
- 1f2...ba6 ./apps/dot/public/favicon.svg
- 4c1...9ff ./apps/dot/src/App.tsx
- c4e...127 ./apps/dot/src/dot-adapter.tsx
- 478...b81 ./apps/dot/src/index.css
- 179...65b ./apps/dot/src/main.tsx
- 659...db5 ./apps/dot/src/vite-env.d.ts
- 8a6...953 ./apps/dot/tsconfig.json
- 3e5...9a9 ./apps/dot/tsconfig.node.json
- 11e...764 ./apps/dot/vercel.json
- 68e...fb1 ./apps/dot/vite.config.ts
- 565...d52 ./apps/dydx/.gitignore
- fab...fb7 ./apps/dydx/index.html
- 8ac...734 ./apps/dydx/package.json
- 1f2...ba6 ./apps/dydx/public/favicon.svg
- fd7...6f5 ./apps/dydx/src/App.tsx
- 478...b81 ./apps/dydx/src/index.css
- 179...65b ./apps/dydx/src/main.tsx
- 659...db5 ./apps/dydx/src/vite-env.d.ts
- d83...bdd ./apps/dydx/tsconfig.json
- 3e5...9a9 ./apps/dydx/tsconfig.node.json
- 3f7...154 ./apps/dydx/vercel.json
- 0d1...4c1 ./apps/dydx/vite.config.ts
- 565...d52 ./apps/ethereum/.gitignore
- 995...5b6 ./apps/ethereum/index.html
- 1c7...56f ./apps/ethereum/package.json
- 1f2...ba6 ./apps/ethereum/public/favicon.svg

- fbb...554 ./apps/ethereum/script.ts
- 855...eb1 ./apps/ethereum/src/App.tsx
- 290...b22 ./apps/ethereum/src/abi/CCTP\_MESSAGE\_TRANSMITTER\_ABI.ts
- 88a...5e1 ./apps/ethereum/src/abi/ETH\_BEACON\_DEPOSIT\_ABI.ts
- 73e...88f ./apps/ethereum/src/abi/ETH\_DEPOSIT\_CONTRACT\_ABI.ts
- ad6...894 ./apps/ethereum/src/abi/ETH\_EXIT\_CONTRACT\_ABI.ts
- ed9...c8d ./apps/ethereum/src/abi/MATIC\_STAKE\_MANAGER\_CONTRACT\_ABI.ts
- fc3...1de ./apps/ethereum/src/abi/POL\_CONTRACT\_ABI.ts
- 369...4d5 ./apps/ethereum/src/abi/POL\_STAKE\_MANAGER\_ABI.ts
- 75f...c83 ./apps/ethereum/src/abi/POL\_VALIDATOR\_SHARES\_CONTRACT\_ABI.ts
- c03...edd ./apps/ethereum/src/components/TransactionSummary.tsx
- a6a...e72 ./apps/ethereum/src/config/playbook-operations.ts
- f02...813 ./apps/ethereum/src/constant.ts
- 34d...7db ./apps/ethereum/src/ethereum-adapter.tsx
- 478...b81 ./apps/ethereum/src/index.css
- 179...65b ./apps/ethereum/src/main.tsx
- 5ff...e7d ./apps/ethereum/src/parser.ts
- 22b...ffb ./apps/ethereum/src/types.ts
- 84c...84b ./apps/ethereum/src/utils.tsx
- 659...db5 ./apps/ethereum/src/vite-env.d.ts
- 8a6...953 ./apps/ethereum/tsconfig.json
- 3e5...9a9 ./apps/ethereum/tsconfig.node.json
- fe4...936 ./apps/ethereum/vercel.json
- 12f...4b7 ./apps/ethereum/vite.config.ts
- 565...d52 ./apps/fetch/.gitignore
- 560...646 ./apps/fetch/index.html
- 45f...91d ./apps/fetch/package.json
- 1f2...ba6 ./apps/fetch/public/favicon.svg
- 276...876 ./apps/fetch/src/App.tsx
- 478...b81 ./apps/fetch/src/index.css
- 179...65b ./apps/fetch/src/main.tsx
- 659...db5 ./apps/fetch/src/vite-env.d.ts
- d83...bdd ./apps/fetch/tsconfig.json
- 3e5...9a9 ./apps/fetch/tsconfig.node.json
- a74...205 ./apps/fetch/vercel.json
- 0d1...4c1 ./apps/fetch/vite.config.ts
- 565...d52 ./apps/injective/.gitignore
- cd1...340 ./apps/injective/index.html
- 5a0...1d3 ./apps/injective/package.json
- 1f2...ba6 ./apps/injective/public/favicon.svg
- d3a...746 ./apps/injective/src/App.tsx
- 478...b81 ./apps/injective/src/index.css
- 179...65b ./apps/injective/src/main.tsx
- 659...db5 ./apps/injective/src/vite-env.d.ts
- d83...bdd ./apps/injective/tsconfig.json
- 3e5...9a9 ./apps/injective/tsconfig.node.json
- d86...035 ./apps/injective/vercel.json
- 0d1...4c1 ./apps/injective/vite.config.ts
- 565...d52 ./apps/kava/.gitignore
- e1b...d9e ./apps/kava/index.html
- e33...53e ./apps/kava/package.json
- 1f2...ba6 ./apps/kava/public/favicon.svg
- eaa...893 ./apps/kava/src/App.tsx
- 478...b81 ./apps/kava/src/index.css
- 179...65b ./apps/kava/src/main.tsx

- 659...db5 ./apps/kava/src/vite-env.d.ts
- d83...bdd ./apps/kava/tsconfig.json
- 3e5...9a9 ./apps/kava/tsconfig.node.json
- 11e...625 ./apps/kava/vercel.json
- 0d1...4c1 ./apps/kava/vite.config.ts
- 565...d52 ./apps/ksm/.gitignore
- 900...b6d ./apps/ksm/index.html
- 3c3...4a6 ./apps/ksm/package.json
- 1f2...ba6 ./apps/ksm/public/favicon.svg
- 98d...576 ./apps/ksm/src/App.tsx
- 478...b81 ./apps/ksm/src/index.css
- 179...65b ./apps/ksm/src/main.tsx
- 659...db5 ./apps/ksm/src/vite-env.d.ts
- d83...bdd ./apps/ksm/tsconfig.json
- 3e5...9a9 ./apps/ksm/tsconfig.node.json
- 078...e45 ./apps/ksm/vercel.json
- 0d1...4c1 ./apps/ksm/vite.config.ts
- 565...d52 ./apps/mantra/.gitignore
- 175...cbe ./apps/mantra/index.html
- 09e...fb8 ./apps/mantra/package.json
- 1f2...ba6 ./apps/mantra/public/favicon.svg
- 418...ffa ./apps/mantra/src/App.tsx
- 478...b81 ./apps/mantra/src/index.css
- 179...65b ./apps/mantra/src/main.tsx
- 659...db5 ./apps/mantra/src/vite-env.d.ts
- d83...bdd ./apps/mantra/tsconfig.json
- 3e5...9a9 ./apps/mantra/tsconfig.node.json
- b2d...f95 ./apps/mantra/vercel.json
- 0d1...4c1 ./apps/mantra/vite.config.ts
- 565...d52 ./apps/near/.gitignore
- bd9...93b ./apps/near/create-malicious-tx.ts
- a32...920 ./apps/near/index.html
- 3f7...f2d ./apps/near/package.json
- 1f2...ba6 ./apps/near/public/favicon.svg
- c2c...be0 ./apps/near/src/App.tsx
- 752...789 ./apps/near/src/components/TransactionSummary.tsx
- 0dd...1fe ./apps/near/src/config/playbook-operations.ts
- 478...b81 ./apps/near/src/index.css
- 179...65b ./apps/near/src/main.tsx
- 307...118 ./apps/near/src/near-adapter.tsx
- 5d9...97a ./apps/near/src/parser.ts
- 360...41c ./apps/near/src/utils.ts
- 659...db5 ./apps/near/src/vite-env.d.ts
- 8a6...953 ./apps/near/tsconfig.json
- 3e5...9a9 ./apps/near/tsconfig.node.json
- 3d5...d17 ./apps/near/vercel.json
- 68e...fb1 ./apps/near/vite.config.ts
- 565...d52 ./apps/osmosis/.gitignore
- 44a...228 ./apps/osmosis/index.html
- 707...d04 ./apps/osmosis/package.json
- 1f2...ba6 ./apps/osmosis/public/favicon.svg
- 2dd...db3 ./apps/osmosis/src/App.tsx
- 478...b81 ./apps/osmosis/src/index.css
- 179...65b ./apps/osmosis/src/main.tsx
- 659...db5 ./apps/osmosis/src/vite-env.d.ts

- d83...bdd ./apps/osmosis/tsconfig.json
- 3e5...9a9 ./apps/osmosis/tsconfig.node.json
- 250...ac5 ./apps/osmosis/vercel.json
- 0d1...4c1 ./apps/osmosis/vite.config.ts
- 565...d52 ./apps/sei/.gitignore
- 180...52d ./apps/sei/index.html
- a8e...392 ./apps/sei/package.json
- 1f2...ba6 ./apps/sei/public/favicon.svg
- 230...020 ./apps/sei/src/App.tsx
- 478...b81 ./apps/sei/src/index.css
- 179...65b ./apps/sei/src/main.tsx
- 659...db5 ./apps/sei/src/vite-env.d.ts
- d83...bdd ./apps/sei/tsconfig.json
- 3e5...9a9 ./apps/sei/tsconfig.node.json
- abf...75e ./apps/sei/vercel.json
- 0d1...4c1 ./apps/sei/vite.config.ts
- 565...d52 ./apps/solana/.gitignore
- ff4...61f ./apps/solana/index.html
- 413...4e9 ./apps/solana/package.json
- 1f2...ba6 ./apps/solana/public/favicon.svg
- 3e1...40e ./apps/solana/src/App.tsx
- c11...1a1 ./apps/solana/src/components/Summary.tsx
- c95...60f ./apps/solana/src/components/instructions/InstructionIcon.tsx
- 001...881 ./apps/solana/src/components/instructions/InstructionSummary.tsx
- 528...3df ./apps/solana/src/config/playbook-operations.ts
- 478...b81 ./apps/solana/src/index.css
- 179...65b ./apps/solana/src/main.tsx
- 40c...896 ./apps/solana/src/parser.ts
- a7c...89c ./apps/solana/src/solana-adapter.tsx
- 047...a6f ./apps/solana/src/types.ts
- cc1...896 ./apps/solana/src/utils.ts
- 659...db5 ./apps/solana/src/vite-env.d.ts
- 8a6...953 ./apps/solana/tsconfig.json
- 3e5...9a9 ./apps/solana/tsconfig.node.json
- 303...6ab ./apps/solana/vercel.json
- 68e...fb1 ./apps/solana/vite.config.ts
- 565...d52 ./apps/sui/.gitignore
- 2d9...6b4 ./apps/sui/index.html
- 3ed...3e6 ./apps/sui/package.json
- 1f2...ba6 ./apps/sui/public/favicon.svg
- 8c5...02f ./apps/sui/src/App.tsx
- 478...b81 ./apps/sui/src/index.css
- 179...65b ./apps/sui/src/main.tsx
- 8ef...01b ./apps/sui/src/parser.ts
- aad...03b ./apps/sui/src/sui-adapter.ts
- 659...db5 ./apps/sui/src/vite-env.d.ts
- d83...bdd ./apps/sui/tsconfig.json
- 3e5...9a9 ./apps/sui/tsconfig.node.json
- 6a0...abb ./apps/sui/vercel.json
- 0d1...4c1 ./apps/sui/vite.config.ts
- 565...d52 ./apps/tia/.gitignore
- ba3...470 ./apps/tia/index.html
- 15a...afa ./apps/tia/package.json
- 1f2...ba6 ./apps/tia/public/favicon.svg
- 295...eb2 ./apps/tia/src/App.tsx

- 478...b81 ./apps/tia/src/index.css
- 179...65b ./apps/tia/src/main.tsx
- 659...db5 ./apps/tia/src/vite-env.d.ts
- d83...bdd ./apps/tia/tsconfig.json
- 3e5...9a9 ./apps/tia/tsconfig.node.json
- 27f...4ab ./apps/tia/vercel.json
- 0d1...4c1 ./apps/tia/vite.config.ts
- 565...d52 ./apps/ton/.gitignore
- fa9...90b ./apps/ton/index.html
- eef...264 ./apps/ton/package.json
- 1f2...ba6 ./apps/ton/public/favicon.svg
- 3f7...ed1 ./apps/ton/src/App.tsx
- 3e6...3f6 ./apps/ton/src/constants.ts
- 478...b81 ./apps/ton/src/index.css
- 179...65b ./apps/ton/src/main.tsx
- 389...2a4 ./apps/ton/src/parser.ts
- 5f9...233 ./apps/ton/src/ton-adapter.ts
- 659...db5 ./apps/ton/src/vite-env.d.ts
- d83...bdd ./apps/ton/tsconfig.json
- 3e5...9a9 ./apps/ton/tsconfig.node.json
- 5f7...8f6 ./apps/ton/vercel.json
- 0d1...4c1 ./apps/ton/vite.config.ts
- 565...d52 ./apps/trx/.gitignore
- 7d7...d5c ./apps/trx/index.html
- 88c...1f9 ./apps/trx/package.json
- 1f2...ba6 ./apps/trx/public/favicon.svg
- 0ea...5ed ./apps/trx/src/App.tsx
- 478...b81 ./apps/trx/src/index.css
- 179...65b ./apps/trx/src/main.tsx
- f3e...fc4 ./apps/trx/src/parser.ts
- cef...4ba ./apps/trx/src/protos.ts
- 7e9...8c8 ./apps/trx/src/trx-adapter.ts
- 659...db5 ./apps/trx/src/vite-env.d.ts
- d83...bdd ./apps/trx/tsconfig.json
- 3e5...9a9 ./apps/trx/tsconfig.node.json
- c52...6f5 ./apps/trx/vercel.json
- 0d1...4c1 ./apps/trx/vite.config.ts
- 565...d52 ./apps/xtz/.gitignore
- 2b2...a00 ./apps/xtz/index.html
- 473...d78 ./apps/xtz/package.json
- 1f2...ba6 ./apps/xtz/public/favicon.svg
- ebf...712 ./apps/xtz/src/App.tsx
- 478...b81 ./apps/xtz/src/index.css
- 179...65b ./apps/xtz/src/main.tsx
- efd...959 ./apps/xtz/src/parser.ts
- 659...db5 ./apps/xtz/src/vite-env.d.ts
- c46...82c ./apps/xtz/src/xtz-adapter.ts
- d83...bdd ./apps/xtz/tsconfig.json
- 3e5...9a9 ./apps/xtz/tsconfig.node.json
- 1ba...e7b ./apps/xtz/vercel.json
- 0d1...4c1 ./apps/xtz/vite.config.ts
- 565...d52 ./apps/zeta/.gitignore
- 741...555 ./apps/zeta/index.html
- e0a...ab1 ./apps/zeta/package.json
- 1f2...ba6 ./apps/zeta/public/favicon.svg



- 265...076 ./apps/zeta/src/App.tsx
- 478...b81 ./apps/zeta/src/index.css
- 179...65b ./apps/zeta/src/main.tsx
- 659...db5 ./apps/zeta/src/vite-env.d.ts
- d83...bdd ./apps/zeta/tsconfig.json
- 3e5...9a9 ./apps/zeta/tsconfig.node.json
- fe0...191 ./apps/zeta/vercel.json
- 0d1...4c1 ./apps/zeta/vite.config.ts
- 4c3...500 ./biome.json
- 355...bf7 ./bun.lock
- 24d...034 ./bunfig.toml
- 7ab...e97 ./package.json
- 695...e04 ./packages/cosmos-shared/package.json
- fce...de5 ./packages/cosmos-shared/src/cosmos-adapter.tsx
- b90...bf3 ./packages/cosmos-shared/src/index.ts
- 25d...480 ./packages/cosmos-shared/src/parser.ts
- b53...143 ./packages/cosmos-shared/tsconfig.json
- 37a...dea ./packages/shared/package.json
- 063...cd6 ./packages/shared/src/config/protocols.tsx
- a9b...8a5 ./packages/shared/src/index.ts
- 0c8...4af ./packages/shared/src/types/playbook.ts
- a4b...c7f ./packages/shared/src/types/protocol-adapter.ts
- c1a...3f0 ./packages/shared/src/utils.ts
- ab9...c0d ./packages/shared/tsconfig.json
- 272...d91 ./packages/substrate-shared/package.json
- e64...baa ./packages/substrate-shared/src/index.ts
- f5c...8ad ./packages/substrate-shared/src/parser.ts
- 8fa...747 ./packages/substrate-shared/src/substrate-adapter.tsx
- e23...0dc ./packages/substrate-shared/src/substrate/substrateWsClient.ts
- c22...7bd ./packages/substrate-shared/tsconfig.json
- 71e...356 ./packages/ui/components.json
- 962...f2c ./packages/ui/package.json
- a8a...e45 ./packages/ui/src/components/address.tsx
- 317...7fe ./packages/ui/src/components/background.tsx
- b42...580 ./packages/ui/src/components/copy-button.tsx
- 2d0...acb ./packages/ui/src/components/footer.tsx
- d8b...de3 ./packages/ui/src/components/header.tsx
- efa...44a ./packages/ui/src/components/icons.tsx
- ec9...a1f ./packages/ui/src/components/protocol-transaction-decoder.tsx
- 947...6d9 ./packages/ui/src/components/transaction-decoder.tsx
- b8f...099 ./packages/ui/src/components/transaction-playbook.tsx
- 32b...f93 ./packages/ui/src/components/ui/accordion.tsx
- 0f3...fd5 ./packages/ui/src/components/ui/alert.tsx
- adc...e2c ./packages/ui/src/components/ui/badge.tsx
- 99e...2c9 ./packages/ui/src/components/ui/button.tsx
- 8e0...f90 ./packages/ui/src/components/ui/card.tsx
- 18d...55b ./packages/ui/src/components/ui/command.tsx
- f7c...1ed ./packages/ui/src/components/ui/dialog.tsx
- 262...2b5 ./packages/ui/src/components/ui/dropdown-menu.tsx
- 0b9...ba6 ./packages/ui/src/components/ui/input.tsx
- bce...8f1 ./packages/ui/src/components/ui/label.tsx
- 0f0...fda ./packages/ui/src/components/ui/popover.tsx
- 0cd...624 ./packages/ui/src/components/ui/select.tsx
- d24...9bf ./packages/ui/src/components/ui/table.tsx
- 58f...b1d ./packages/ui/src/components/ui/tabs.tsx

- 343...e07 ./packages/ui/src/components/ui/textarea.tsx
- b61...75c ./packages/ui/src/components/ui/toggle.tsx
- 9e4...53b ./packages/ui/src/components/ui/tooltip.tsx
- a06...780 ./packages/ui/src/hooks/useIsDarkMode.ts
- 503...6bb ./packages/ui/src/hooks/useTransactionDecoder.ts
- 334...035 ./packages/ui/src/hooks/useUrlParam.ts
- d87...54e ./packages/ui/src/index.ts
- 9a6...e0b ./packages/ui/src/lib/utils.ts
- 042...3ff ./packages/ui/src/styles/globals.css
- b53...143 ./packages/ui/tsconfig.json
- 22a...fe1 ./tsconfig.json

Repo: <https://github.com/kilnfi/minitel>

- 399...18c ./github/workflows/deploy.yml
- b7b...7ec ./gitignore
- 933...eb8 ./LICENCE
- 326...c29 ./README.md
- 565...d52 ./apps/ada/.gitignore
- 569...a65 ./apps/ada/index.html
- 384...e28 ./apps/ada/package.json
- 1f2...ba6 ./apps/ada/public/favicon.svg
- 2cf...1f5 ./apps/ada/src/App.tsx
- 4d5...168 ./apps/ada/src/ada-adapter.ts
- 478...b81 ./apps/ada/src/index.css
- 179...65b ./apps/ada/src/main.tsx
- 9f4...039 ./apps/ada/src/parser.ts
- 659...db5 ./apps/ada/src/vite-env.d.ts
- d83...bdd ./apps/ada/tsconfig.json
- 3e5...9a9 ./apps/ada/tsconfig.node.json
- d28...0f6 ./apps/ada/vercel.json
- 110...808 ./apps/ada/vite.config.ts
- 565...d52 ./apps/atom/.gitignore
- 8fa...45c ./apps/atom/index.html
- 229...dfe ./apps/atom/package.json
- 1f2...ba6 ./apps/atom/public/favicon.svg
- 3fa...fab ./apps/atom/src/App.tsx
- 478...b81 ./apps/atom/src/index.css
- 179...65b ./apps/atom/src/main.tsx
- 659...db5 ./apps/atom/src/vite-env.d.ts
- d83...bdd ./apps/atom/tsconfig.json
- 3e5...9a9 ./apps/atom/tsconfig.node.json
- 7b0...182 ./apps/atom/vercel.json
- 0d1...4c1 ./apps/atom/vite.config.ts
- 565...d52 ./apps/cronos/.gitignore
- 282...3ce ./apps/cronos/index.html
- 4d0...2ea ./apps/cronos/package.json
- 1f2...ba6 ./apps/cronos/public/favicon.svg
- a64...955 ./apps/cronos/src/App.tsx
- 478...b81 ./apps/cronos/src/index.css
- 179...65b ./apps/cronos/src/main.tsx
- 659...db5 ./apps/cronos/src/vite-env.d.ts
- d83...bdd ./apps/cronos/tsconfig.json
- 3e5...9a9 ./apps/cronos/tsconfig.node.json
- 30c...00b ./apps/cronos/vercel.json

- 0d1...4c1 ./apps/cronos/vite.config.ts
- 565...d52 ./apps/dydx/.gitignore
- d15...aba ./apps/dydx/index.html
- 8ac...734 ./apps/dydx/package.json
- 1f2...ba6 ./apps/dydx/public/favicon.svg
- 934...31e ./apps/dydx/src/App.tsx
- 478...b81 ./apps/dydx/src/index.css
- 179...65b ./apps/dydx/src/main.tsx
- 659...db5 ./apps/dydx/src/vite-env.d.ts
- d83...bdd ./apps/dydx/tsconfig.json
- 3e5...9a9 ./apps/dydx/tsconfig.node.json
- 684...472 ./apps/dydx/vercel.json
- 0d1...4c1 ./apps/dydx/vite.config.ts
- 565...d52 ./apps/ethereum/.gitignore
- 995...5b6 ./apps/ethereum/index.html
- 1c7...56f ./apps/ethereum/package.json
- 1f2...ba6 ./apps/ethereum/public/favicon.svg
- fbb...554 ./apps/ethereum/script.ts
- 855...eb1 ./apps/ethereum/src/App.tsx
- 290...b22 ./apps/ethereum/src/abi/CCTP\_MESSAGE\_TRANSMITTER\_ABI.ts
- 88a...5e1 ./apps/ethereum/src/abi/ETH\_BEACON\_DEPOSIT\_ABI.ts
- 73e...88f ./apps/ethereum/src/abi/ETH\_DEPOSIT\_CONTRACT\_ABI.ts
- ad6...894 ./apps/ethereum/src/abi/ETH\_EXIT\_CONTRACT\_ABI.ts
- ed9...c8d ./apps/ethereum/src/abi/MATIC\_STAKE\_MANAGER\_CONTRACT\_ABI.ts
- fc3...1de ./apps/ethereum/src/abi/POL\_CONTRACT\_ABI.ts
- 369...4d5 ./apps/ethereum/src/abi/POL\_STAKE\_MANAGER\_ABI.ts
- 75f...c83 ./apps/ethereum/src/abi/POL\_VALIDATOR\_SHARES\_CONTRACT\_ABI.ts
- c03...edd ./apps/ethereum/src/components/TransactionSummary.tsx
- a6a...e72 ./apps/ethereum/src/config/playbook-operations.ts
- f02...813 ./apps/ethereum/src/constant.ts
- 87d...884 ./apps/ethereum/src/ethereum-adapter.tsx
- 478...b81 ./apps/ethereum/src/index.css
- 179...65b ./apps/ethereum/src/main.tsx
- 5ff...e7d ./apps/ethereum/src/parser.ts
- 22b...ffb ./apps/ethereum/src/types.ts
- 84c...84b ./apps/ethereum/src/utils.tsx
- 659...db5 ./apps/ethereum/src/vite-env.d.ts
- 8a6...953 ./apps/ethereum/tsconfig.json
- 3e5...9a9 ./apps/ethereum/tsconfig.node.json
- 076...4f0 ./apps/ethereum/vercel.json
- 12f...4b7 ./apps/ethereum/vite.config.ts
- 565...d52 ./apps/fetch/.gitignore
- 560...646 ./apps/fetch/index.html
- 45f...91d ./apps/fetch/package.json
- 1f2...ba6 ./apps/fetch/public/favicon.svg
- 276...876 ./apps/fetch/src/App.tsx
- 478...b81 ./apps/fetch/src/index.css
- 179...65b ./apps/fetch/src/main.tsx
- 659...db5 ./apps/fetch/src/vite-env.d.ts
- d83...bdd ./apps/fetch/tsconfig.json
- 3e5...9a9 ./apps/fetch/tsconfig.node.json
- 8a2...67a ./apps/fetch/vercel.json
- 0d1...4c1 ./apps/fetch/vite.config.ts
- 565...d52 ./apps/injective/.gitignore
- cd1...340 ./apps/injective/index.html

- 5a0...1d3 ./apps/injective/package.json
- 1f2...ba6 ./apps/injective/public/favicon.svg
- d3a...746 ./apps/injective/src/App.tsx
- 478...b81 ./apps/injective/src/index.css
- 179...65b ./apps/injective/src/main.tsx
- 659...db5 ./apps/injective/src/vite-env.d.ts
- d83...bdd ./apps/injective/tsconfig.json
- 3e5...9a9 ./apps/injective/tsconfig.node.json
- 3cf...0bf ./apps/injective/vercel.json
- 0d1...4c1 ./apps/injective/vite.config.ts
- 565...d52 ./apps/kava/.gitignore
- e1b...d9e ./apps/kava/index.html
- e33...53e ./apps/kava/package.json
- 1f2...ba6 ./apps/kava/public/favicon.svg
- eaa...893 ./apps/kava/src/App.tsx
- 478...b81 ./apps/kava/src/index.css
- 179...65b ./apps/kava/src/main.tsx
- 659...db5 ./apps/kava/src/vite-env.d.ts
- d83...bdd ./apps/kava/tsconfig.json
- 3e5...9a9 ./apps/kava/tsconfig.node.json
- 283...260 ./apps/kava/vercel.json
- 0d1...4c1 ./apps/kava/vite.config.ts
- 565...d52 ./apps/mantra/.gitignore
- 175...cbe ./apps/mantra/index.html
- 09e...fb8 ./apps/mantra/package.json
- 1f2...ba6 ./apps/mantra/public/favicon.svg
- 418...ffa ./apps/mantra/src/App.tsx
- 478...b81 ./apps/mantra/src/index.css
- 179...65b ./apps/mantra/src/main.tsx
- 659...db5 ./apps/mantra/src/vite-env.d.ts
- d83...bdd ./apps/mantra/tsconfig.json
- 3e5...9a9 ./apps/mantra/tsconfig.node.json
- a67...6f1 ./apps/mantra/vercel.json
- 0d1...4c1 ./apps/mantra/vite.config.ts
- 565...d52 ./apps/near/.gitignore
- bd9...93b ./apps/near/create-malicious-tx.ts
- a32...920 ./apps/near/index.html
- 3f7...f2d ./apps/near/package.json
- 1f2...ba6 ./apps/near/public/favicon.svg
- c2c...be0 ./apps/near/src/App.tsx
- 752...789 ./apps/near/src/components/TransactionSummary.tsx
- 0dd...1fe ./apps/near/src/config/playbook-operations.ts
- 478...b81 ./apps/near/src/index.css
- 179...65b ./apps/near/src/main.tsx
- ad3...159 ./apps/near/src/near-adapter.tsx
- 5d9...97a ./apps/near/src/parser.ts
- 360...41c ./apps/near/src/utils.ts
- 659...db5 ./apps/near/src/vite-env.d.ts
- 8a6...953 ./apps/near/tsconfig.json
- 3e5...9a9 ./apps/near/tsconfig.node.json
- 7bf...6ba ./apps/near/vercel.json
- 68e...fb1 ./apps/near/vite.config.ts
- 565...d52 ./apps/osmosis/.gitignore
- 44a...228 ./apps/osmosis/index.html
- 707...d04 ./apps/osmosis/package.json

- 1f2...ba6 ./apps/osmosis/public/favicon.svg
- 2dd...db3 ./apps/osmosis/src/App.tsx
- 478...b81 ./apps/osmosis/src/index.css
- 179...65b ./apps/osmosis/src/main.tsx
- 659...db5 ./apps/osmosis/src/vite-env.d.ts
- d83...bdd ./apps/osmosis/tsconfig.json
- 3e5...9a9 ./apps/osmosis/tsconfig.node.json
- 733...3f5 ./apps/osmosis/vercel.json
- 0d1...4c1 ./apps/osmosis/vite.config.ts
- 565...d52 ./apps/sei/.gitignore
- 180...52d ./apps/sei/index.html
- a8e...392 ./apps/sei/package.json
- 1f2...ba6 ./apps/sei/public/favicon.svg
- 230...020 ./apps/sei/src/App.tsx
- 478...b81 ./apps/sei/src/index.css
- 179...65b ./apps/sei/src/main.tsx
- 659...db5 ./apps/sei/src/vite-env.d.ts
- d83...bdd ./apps/sei/tsconfig.json
- 3e5...9a9 ./apps/sei/tsconfig.node.json
- fa9...da4 ./apps/sei/vercel.json
- 0d1...4c1 ./apps/sei/vite.config.ts
- 565...d52 ./apps/solana/.gitignore
- ff4...61f ./apps/solana/index.html
- 413...4e9 ./apps/solana/package.json
- 1f2...ba6 ./apps/solana/public/favicon.svg
- 3e1...40e ./apps/solana/src/App.tsx
- c11...1a1 ./apps/solana/src/components/Summary.tsx
- c95...60f ./apps/solana/src/components/instructions/InstructionIcon.tsx
- 001...881 ./apps/solana/src/components/instructions/InstructionSummary.tsx
- 528...3df ./apps/solana/src/config/playbook-operations.ts
- 478...b81 ./apps/solana/src/index.css
- 179...65b ./apps/solana/src/main.tsx
- 40c...896 ./apps/solana/src/parser.ts
- ca3...5b4 ./apps/solana/src/solana-adapter.tsx
- 047...a6f ./apps/solana/src/types.ts
- cc1...896 ./apps/solana/src/utils.ts
- 659...db5 ./apps/solana/src/vite-env.d.ts
- 8a6...953 ./apps/solana/tsconfig.json
- 3e5...9a9 ./apps/solana/tsconfig.node.json
- 850...8ca ./apps/solana/vercel.json
- 68e...fb1 ./apps/solana/vite.config.ts
- 565...d52 ./apps/sui/.gitignore
- 2d9...6b4 ./apps/sui/index.html
- 3ed...3e6 ./apps/sui/package.json
- 1f2...ba6 ./apps/sui/public/favicon.svg
- 8c5...02f ./apps/sui/src/App.tsx
- 478...b81 ./apps/sui/src/index.css
- 179...65b ./apps/sui/src/main.tsx
- 8ef...01b ./apps/sui/src/parser.ts
- 535...0be ./apps/sui/src/sui-adapter.ts
- 659...db5 ./apps/sui/src/vite-env.d.ts
- d83...bdd ./apps/sui/tsconfig.json
- 3e5...9a9 ./apps/sui/tsconfig.node.json
- 4a8...d28 ./apps/sui/vercel.json
- 0d1...4c1 ./apps/sui/vite.config.ts



- 565...d52 ./apps/tia/.gitignore
- 3a4...4ec ./apps/tia/index.html
- 15a...afa ./apps/tia/package.json
- 1f2...ba6 ./apps/tia/public/favicon.svg
- 378...3d4 ./apps/tia/src/App.tsx
- 478...b81 ./apps/tia/src/index.css
- 179...65b ./apps/tia/src/main.tsx
- 659...db5 ./apps/tia/src/vite-env.d.ts
- d83...bdd ./apps/tia/tsconfig.json
- 3e5...9a9 ./apps/tia/tsconfig.node.json
- f85...427 ./apps/tia/vercel.json
- 0d1...4c1 ./apps/tia/vite.config.ts
- 565...d52 ./apps/ton/.gitignore
- fa9...90b ./apps/ton/index.html
- eef...264 ./apps/ton/package.json
- 1f2...ba6 ./apps/ton/public/favicon.svg
- 3f7...ed1 ./apps/ton/src/App.tsx
- 3e6...3f6 ./apps/ton/src/constants.ts
- 478...b81 ./apps/ton/src/index.css
- 179...65b ./apps/ton/src/main.tsx
- 389...2a4 ./apps/ton/src/parser.ts
- 71a...e65 ./apps/ton/src/ton-adapter.ts
- 659...db5 ./apps/ton/src/vite-env.d.ts
- d83...bdd ./apps/ton/tsconfig.json
- 3e5...9a9 ./apps/ton/tsconfig.node.json
- 561...64c ./apps/ton/vercel.json
- 0d1...4c1 ./apps/ton/vite.config.ts
- 565...d52 ./apps/trx/.gitignore
- d59...133 ./apps/trx/index.html
- 077...7ca ./apps/trx/package.json
- 1f2...ba6 ./apps/trx/public/favicon.svg
- 0ea...5ed ./apps/trx/src/App.tsx
- 478...b81 ./apps/trx/src/index.css
- 179...65b ./apps/trx/src/main.tsx
- 6d1...318 ./apps/trx/src/parser.ts
- cef...4ba ./apps/trx/src/protos.ts
- 37a...b14 ./apps/trx/src/trx-adapter.ts
- 659...db5 ./apps/trx/src/vite-env.d.ts
- d83...bdd ./apps/trx/tsconfig.json
- 3e5...9a9 ./apps/trx/tsconfig.node.json
- 4b3...770 ./apps/trx/vercel.json
- 0d1...4c1 ./apps/trx/vite.config.ts
- 565...d52 ./apps/xtz/.gitignore
- df8...4bd ./apps/xtz/index.html
- c27...84b ./apps/xtz/package.json
- 1f2...ba6 ./apps/xtz/public/favicon.svg
- ebf...712 ./apps/xtz/src/App.tsx
- 478...b81 ./apps/xtz/src/index.css
- 179...65b ./apps/xtz/src/main.tsx
- efd...959 ./apps/xtz/src/parser.ts
- 659...db5 ./apps/xtz/src/vite-env.d.ts
- 4a9...a05 ./apps/xtz/src/xtz-adapter.ts
- d83...bdd ./apps/xtz/tsconfig.json
- 3e5...9a9 ./apps/xtz/tsconfig.node.json
- 771...f70 ./apps/xtz/vercel.json

- 0d1...4c1 ./apps/xtz/vite.config.ts
- 565...d52 ./apps/zeta/.gitignore
- 741...555 ./apps/zeta/index.html
- e0a...ab1 ./apps/zeta/package.json
- 1f2...ba6 ./apps/zeta/public/favicon.svg
- 265...076 ./apps/zeta/src/App.tsx
- 478...b81 ./apps/zeta/src/index.css
- 179...65b ./apps/zeta/src/main.tsx
- 659...db5 ./apps/zeta/src/vite-env.d.ts
- d83...bdd ./apps/zeta/tsconfig.json
- 3e5...9a9 ./apps/zeta/tsconfig.node.json
- fce...401 ./apps/zeta/vercel.json
- 0d1...4c1 ./apps/zeta/vite.config.ts
- 4c3...500 ./biome.json
- cb5...553 ./bun.lock
- 24d...034 ./bunfig.toml
- 7ab...e97 ./package.json
- 3f0...8e2 ./packages/cosmos-shared/package.json
- 9ef...684 ./packages/cosmos-shared/src/cosmos-adapter.tsx
- b90...bf3 ./packages/cosmos-shared/src/index.ts
- 25d...480 ./packages/cosmos-shared/src/parser.ts
- b53...143 ./packages/cosmos-shared/tsconfig.json
- 447...515 ./packages/shared/package.json
- 9ad...203 ./packages/shared/src/config/protocols.tsx
- a9b...8a5 ./packages/shared/src/index.ts
- 0c8...4af ./packages/shared/src/types/playbook.ts
- 9d3...05f ./packages/shared/src/types/protocol-adapter.ts
- c1a...3f0 ./packages/shared/src/utils.ts
- ab9...c0d ./packages/shared/tsconfig.json
- 71e...356 ./packages/ui/components.json
- 962...f2c ./packages/ui/package.json
- a8a...e45 ./packages/ui/src/components/address.tsx
- 317...7fe ./packages/ui/src/components/background.tsx
- b42...580 ./packages/ui/src/components/copy-button.tsx
- 2d0...acb ./packages/ui/src/components/footer.tsx
- 672...40e ./packages/ui/src/components/header.tsx
- 8a1...ac4 ./packages/ui/src/components/icons.tsx
- b01...a8a ./packages/ui/src/components/protocol-transaction-decoder.tsx
- ed4...8fe ./packages/ui/src/components/transaction-decoder.tsx
- b8f...099 ./packages/ui/src/components/transaction-playbook.tsx
- 32b...f93 ./packages/ui/src/components/ui/accordion.tsx
- 0f3...fd5 ./packages/ui/src/components/ui/alert.tsx
- adc...e2c ./packages/ui/src/components/ui/badge.tsx
- 99e...2c9 ./packages/ui/src/components/ui/button.tsx
- 8e0...f90 ./packages/ui/src/components/ui/card.tsx
- 18d...55b ./packages/ui/src/components/ui/command.tsx
- f7c...1ed ./packages/ui/src/components/ui/dialog.tsx
- 262...2b5 ./packages/ui/src/components/ui/dropdown-menu.tsx
- 0b9...ba6 ./packages/ui/src/components/ui/input.tsx
- bce...8f1 ./packages/ui/src/components/ui/label.tsx
- 0f0...fda ./packages/ui/src/components/ui/popover.tsx
- 0cd...624 ./packages/ui/src/components/ui/select.tsx
- d24...9bf ./packages/ui/src/components/ui/table.tsx
- 58f...b1d ./packages/ui/src/components/ui/tabs.tsx
- 343...e07 ./packages/ui/src/components/ui/textarea.tsx

- b61...75c ./packages/ui/src/components/ui/toggle.tsx
- 9e4...53b ./packages/ui/src/components/ui/tooltip.tsx
- a06...780 ./packages/ui/src/hooks/useIsDarkMode.ts
- 5c6...fac ./packages/ui/src/hooks/useTransactionDecoder.ts
- 726...a4b ./packages/ui/src/hooks/useUrlParam.ts
- d87...54e ./packages/ui/src/index.ts
- 9a6...e0b ./packages/ui/src/lib/utils.ts
- 042...3ff ./packages/ui/src/styles/globals.css
- b53...143 ./packages/ui/tsconfig.json
- 22a...fe1 ./tsconfig.json

Repo: <https://github.com/kilnfi/minitelv2>

- 90e...c31 ./github/workflows/deploy.yml
- b7b...7ec ./gitignore
- 933...eb8 ./LICENCE
- 07b...f21 ./README.md
- 565...d52 ./apps/ethereum/.gitignore
- 995...5b6 ./apps/ethereum/index.html
- 1c7...56f ./apps/ethereum/package.json
- 1f2...ba6 ./apps/ethereum/public/favicon.svg
- fbb...554 ./apps/ethereum/script.ts
- 59d...3ef ./apps/ethereum/src/App.tsx
- 290...b22 ./apps/ethereum/src/abi/CCTP\_MESSAGE\_TRANSMITTER\_ABI.ts
- 88a...5e1 ./apps/ethereum/src/abi/ETH\_BEACON\_DEPOSIT\_ABI.ts
- 73e...88f ./apps/ethereum/src/abi/ETH\_DEPOSIT\_CONTRACT\_ABI.ts
- ad6...894 ./apps/ethereum/src/abi/ETH\_EXIT\_CONTRACT\_ABI.ts
- ed9...c8d ./apps/ethereum/src/abi/MATIC\_STAKE\_MANAGER\_CONTRACT\_ABI.ts
- fc3...1de ./apps/ethereum/src/abi/POL\_CONTRACT\_ABI.ts
- 369...4d5 ./apps/ethereum/src/abi/POL\_STAKE\_MANAGER\_ABI.ts
- 75f...c83 ./apps/ethereum/src/abi/POL\_VALIDATOR\_SHARES\_CONTRACT\_ABI.ts
- 196...ceb ./apps/ethereum/src/components/TransactionSummary.tsx
- a6a...e72 ./apps/ethereum/src/config/playbook-operations.ts
- f02...813 ./apps/ethereum/src/constant.ts
- db1...788 ./apps/ethereum/src/ethereum-adapter.tsx
- 478...b81 ./apps/ethereum/src/index.css
- 179...65b ./apps/ethereum/src/main.tsx
- b90...24c ./apps/ethereum/src/parser.ts
- 22b...ffb ./apps/ethereum/src/types.ts
- 484...2c7 ./apps/ethereum/src/utils.tsx
- 659...db5 ./apps/ethereum/src/vite-env.d.ts
- eca...e9f ./apps/ethereum/tsconfig.json
- 3e5...9a9 ./apps/ethereum/tsconfig.node.json
- 076...4f0 ./apps/ethereum/vercel.json
- 18a...347 ./apps/ethereum/vite.config.ts
- 565...d52 ./apps/solana/.gitignore
- ff4...61f ./apps/solana/index.html
- 413...4e9 ./apps/solana/package.json
- 1f2...ba6 ./apps/solana/public/favicon.svg
- d87...a8b ./apps/solana/src/App.tsx
- c11...1a1 ./apps/solana/src/components/Summary.tsx
- c95...60f ./apps/solana/src/components/instructions/InstructionIcon.tsx
- 001...881 ./apps/solana/src/components/instructions/InstructionSummary.tsx
- 528...3df ./apps/solana/src/config/playbook-operations.ts
- 478...b81 ./apps/solana/src/index.css

- 179...65b ./apps/solana/src/main.tsx
- 40c...896 ./apps/solana/src/parser.ts
- 5dd...d62 ./apps/solana/src/solana-adapter.tsx
- 047...a6f ./apps/solana/src/types.ts
- cc1...896 ./apps/solana/src/utils.ts
- 659...db5 ./apps/solana/src/vite-env.d.ts
- eca...e9f ./apps/solana/tsconfig.json
- 3e5...9a9 ./apps/solana/tsconfig.node.json
- 850...8ca ./apps/solana/vercel.json
- 13b...acb ./apps/solana/vite.config.ts
- 4c3...500 ./biome.json
- fcb...3ca ./bun.lock
- 24d...034 ./bunfig.toml
- 7ab...e97 ./package.json
- 5cc...b82 ./packages/shared/package.json
- 8dd...dae ./packages/shared/src/config/protocols.tsx
- edc...78e ./packages/shared/src/index.ts
- 962...300 ./packages/shared/src/types/playbook.ts
- 5d4...04b ./packages/shared/src/types/protocol-adapter.ts
- aa4...052 ./packages/shared/tsconfig.json
- 71e...356 ./packages/ui/components.json
- 672...d6d ./packages/ui/package.json
- 5ef...a80 ./packages/ui/src/components/address.tsx
- de7...5f2 ./packages/ui/src/components/background.tsx
- 371...cf9 ./packages/ui/src/components/copy-button.tsx
- e0e...c14 ./packages/ui/src/components/footer.tsx
- edb...a23 ./packages/ui/src/components/header.tsx
- 345...105 ./packages/ui/src/components/icons.tsx
- 376...5ea ./packages/ui/src/components/protocol-transaction-decoder.tsx
- 2e0...13b ./packages/ui/src/components/transaction-decoder.tsx
- d15...567 ./packages/ui/src/components/transaction-playbook.tsx
- 36e...c47 ./packages/ui/src/components/ui/accordion.tsx
- 8e9...d62 ./packages/ui/src/components/ui/alert.tsx
- b91...f55 ./packages/ui/src/components/ui/badge.tsx
- b17...e94 ./packages/ui/src/components/ui/button.tsx
- 91b...14b ./packages/ui/src/components/ui/card.tsx
- 1fc...55f ./packages/ui/src/components/ui/dialog.tsx
- 9cf...7d6 ./packages/ui/src/components/ui/dropdown-menu.tsx
- edd...cb4 ./packages/ui/src/components/ui/input.tsx
- 252...8c7 ./packages/ui/src/components/ui/label.tsx
- 9eb...362 ./packages/ui/src/components/ui/select.tsx
- 524...29b ./packages/ui/src/components/ui/table.tsx
- 549...4e1 ./packages/ui/src/components/ui/tabs.tsx
- dcd...64d ./packages/ui/src/components/ui/textarea.tsx
- b16...65c ./packages/ui/src/components/ui/toggle.tsx
- 7c8...e32 ./packages/ui/src/components/ui/tooltip.tsx
- a06...780 ./packages/ui/src/hooks/useIsDarkMode.ts
- c7f...78d ./packages/ui/src/hooks/useTransactionDecoder.ts
- c68...2ae ./packages/ui/src/hooks/useUrlParam.ts
- b74...0c3 ./packages/ui/src/index.ts
- 9a6...e0b ./packages/ui/src/lib/utils.ts
- 042...3ff ./packages/ui/src/styles/globals.css
- dab...f90 ./packages/ui/tsconfig.json
- 22a...fe1 ./tsconfig.json

# Changelog

- 2025-10-20 - Initial report

## About Quantstamp

Quantstamp is a global leader in blockchain security. Founded in 2017, Quantstamp's mission is to securely onboard the next billion users to Web3 through its best-in-class Web3 security products and services.

Quantstamp's team consists of cybersecurity experts hailing from globally recognized organizations including Microsoft, AWS, BMW, Meta, and the Ethereum Foundation. Quantstamp engineers hold PhDs or advanced computer science degrees, with decades of combined experience in formal verification, static analysis, blockchain audits, penetration testing, and original leading-edge research.

To date, Quantstamp has performed more than 500 audits and secured over \$200 billion in digital asset risk from hackers. Quantstamp has worked with a diverse range of customers, including startups, category leaders and financial institutions. Brands that Quantstamp has worked with include Ethereum 2.0, Binance, Visa, PayPal, Polygon, Avalanche, Curve, Solana, Compound, Lido, MakerDAO, Arbitrum, OpenSea and the World Economic Forum.

Quantstamp's collaborations and partnerships showcase our commitment to world-class research, development and security. We're honored to work with some of the top names in the industry and proud to secure the future of web3.

Notable Collaborations & Customers:

- Blockchains: Ethereum 2.0, Near, Flow, Avalanche, Solana, Cardano, Binance Smart Chain, Hedera Hashgraph, Tezos
- DeFi: Curve, Compound, Maker, Lido, Polygon, Arbitrum, SushiSwap
- NFT: OpenSea, Parallel, Dapper Labs, Decentraland, Sandbox, Axie Infinity, Illuvium, NBA Top Shot, Zora
- Academic institutions: National University of Singapore, MIT

### Timeliness of content

The content contained in the report is current as of the date appearing on the report and is subject to change without notice, unless indicated otherwise by Quantstamp; however, Quantstamp does not guarantee or warrant the accuracy, timeliness, or completeness of any report you access using the internet or other means, and assumes no obligation to update any information following publication or other making available of the report to you by Quantstamp.

### Notice of confidentiality

This report, including the content, data, and underlying methodologies, are subject to the confidentiality and feedback provisions in your agreement with Quantstamp. These materials are not to be disclosed, extracted, copied, or distributed except to the extent expressly authorized by Quantstamp.

### Links to other websites

You may, through hypertext or other computer links, gain access to web sites operated by persons other than Quantstamp. Such hyperlinks are provided for your reference and convenience only, and are the exclusive responsibility of such web sites' owners. You agree that Quantstamp are not responsible for the content or operation of such web sites, and that Quantstamp shall have no liability to you or any other person or entity for the use of third-party web sites. Except as described below, a hyperlink from this web site to another web site does not imply or mean that Quantstamp endorses the content on that web site or the operator or operations of that site. You are solely responsible for determining the extent to which you may use any content at any other web sites to which you link from the report. Quantstamp assumes no responsibility for the use of third-party software on any website and shall have no liability whatsoever to any person or entity for the accuracy or completeness of any output generated by such software.

### Disclaimer

The review and this report are provided on an as-is, where-is, and as-available basis. To the fullest extent permitted by law, Quantstamp disclaims all warranties, expressed implied, in connection with this report, its content, and the related services and products and your use thereof, including, without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement. You agree that access and/or use of the report and other results of the review, including but not limited to any associated services, products, protocols, platforms, content, and materials, will be at your sole risk. FOR AVOIDANCE OF DOUBT, THE REPORT, ITS CONTENT, ACCESS, AND/OR USAGE THEREOF, INCLUDING ANY ASSOCIATED SERVICES OR MATERIALS, SHALL NOT BE CONSIDERED OR RELIED UPON AS ANY FORM OF FINANCIAL, INVESTMENT, TAX, LEGAL, REGULATORY, OR OTHER ADVICE. This report is based on the scope of materials and documentation provided for a limited review at the time provided. You acknowledge that Blockchain technology remains under development and is subject to unknown risks and flaws and, as such, the report may not be complete or inclusive of all vulnerabilities. The review is limited to the materials identified in the report and does not extend to the compiler layer, or any other areas beyond the programming language, or programming aspects that could present security risks. The report does not indicate the endorsement by Quantstamp of any particular project or team, nor guarantee its security, and may not be represented as such. No third party is entitled to rely on the report in any way, including for the purpose of making any decisions to buy or sell a product, service or any other asset. Quantstamp does not warrant, endorse, guarantee, or assume responsibility for any product or service advertised or offered by a third party, or any open source or third-party software, code, libraries, materials, or information to, called by, referenced by or accessible through the report, its content, or any related services and products, any hyperlinked websites, or any



other websites or mobile applications, and we will not be a party to or in any way be responsible for monitoring any transaction between you and any third party. As with the purchase or use of a product or service through any medium or in any environment, you should use your best judgment and exercise caution where appropriate.

