GOOD MORNING!
早上好!
안녕하세요!

DAY 2

DAY 1 RECAP

2 PROJECTS

- Mini Project (Individual Team)
  - For learning techniques

차시	구분	세부사항
1	프로젝트 계획 및 환경 구축	시스템 개발 프로세스의 이해, 개발 환경 구축
2	기술 탐색 및 검증	AI VISION 기술 탐색 및 검증
3	기술 탐색 및 검증	AMR 제어 기술 탐색 및 검증
4	기술 탐색 및 검증	Mini project 완성 및 발표

2 PROJECTS

- Final Project (2 Teams in One)

차시	구분	세부사항
5	프로젝트 설계	외부 시스템 모니터 기술 탐색 및 검증 파이널 프로젝트 시스템 요구사항 설계 및 프로세스 정립
6	개발	기능 구현 및 Unit Test
7	개발	기능 구현 및 Unit Test
8	개발	통합 시스템 구축 및 테스트
9	개발	통합 시스템 구축 및 테스트
10	최종 프레젠테이션 및 시연	프로젝트 발표 및 시연, 산출물 정리, 기술 컨퍼런스

평가 항목 기준

② **평가 항목 기준**

평가 항목	평가 내용	평가 방법	
행동 역량	교육과정 운영기간 동안 성실도/적극성 등 행동적인 요소 중심 평가	· 출결 현황 평가 · 과제 수행 현황 평가** · 수강 태도	정량 평가
개인 역량	교육 이수 결과로 지식, 기술 등을 얼마나 향상시키고 변화시켰는지 평가	· 교과목 정기 평가	
조직 역량	팀별 실습(훈련) 및 실무 프로젝트를 진행하는 동안 조직간 의사소통/협업 역량 등 평가	· 협업 능력 평가	
기술 역량	실무 프로젝트 및 자율 과제 프로젝트 결과물 평가	· 프로젝트 산출물 평가	

*** 연습문항/과제문항은 제출 결과를 기반으로 P/F 평가만 이루어집니다.*

평가 비율

③ **평가 비율**

평가 항목	평가 반영 비율
행동 역량A (출석)	25%
행동 역량B (과제)	15%
행동 역량C* (태도)	(10% 감점)
개인 역량	30%
조직 역량	5%
기술 역량	25%

** 부정 출석, 교육생 간 정치활동, 교육운영 방해, 윤리/도덕적 문제 발생 등 적발시 감점*

교육생 조직 역량 평가

4. [ROKEY-7기] 교육생 조직 역량 평가

1. 팀 운영 및 의사결정(5점)
- 역할 분담과 일정 관리가 체계적으로 이루어졌는가

2. 의사소통 및 협업 태도(5점)
- 팀 내 소통이 원활하고 협업 분위기가 잘 형성되었는가
- 적극적으로 참여하며 맡은 역할을 책임감 있게 수행했는가

3. 문제 해결 및 개선 노력(5점)
- 문제 상황에 적절히 대응하고 해결했는가
- 피드백을 반영하여 지속적으로 개선하려는 노력이 있었는가

5점: 매우 우수
- 체계적이고 일관되게 잘 수행했고 모범 사례로 볼 수 있음

4점: 우수
- 전반적으로 잘 이루어졌고 개선 여지

3점: 보통
- 기본 기대 수준으로 큰 문제 없이 무난하게 수행됨

2점: 미흡
- 일부 부족한 부분이 있으며 개선이 필요함

1점: 매우 미흡
- 전반적으로 부족하며 기준에 크게 미달함

기술 평가

▶ 평가 항목

평가 항목	평가기준
기능 구현 완전성	* 교육에서 요구하는 기능이 모두 구현되어 있는지 여부를 평가한다.
기능 구현 정확성	* 구현된 모든 기능들이 정상적으로 동작하는지 여부를 평가한다.
동작 및 운용 안정성	* 산출물 운용시 안정적으로 동작하는지 여부를 평가한다.
입출력 데이터 이해도	* 데이터 입출력 방법 및 절차가 편리하고 기능 요구 내용에 적합한 지 여부를 평가한다.
기능 동작 지속성	* 장애/오류 발생 시에도 지속적인 동작/운영이 가능한지 여부를 평가한다.

PROJECT 평가

🔑평가 지표

항목	하위 항목	점수
1. 비즈니스 요구 사항 작성		10
2. Detection Alert Module의 코딩 및 테스트 수행		10
3. AMR Controller Module의 코딩 및 테스트 수행		10
4. System Monitor Module 코딩 및 테스트 수행		10
5. Process Flow Diagram을 사용하여 시스템 설계를 생성		30
6. System Design Doc 완성도		10
7. 모든 모듈의 시스템 통합 및 테스트 수행		
	Map 상 장애물 회피, Dock Undock init 자동화 goal arrival	10
	Detection: Object detection, depth 변환, 이동	10
	Realtime 장애/오류 Handling Function	10
	Quality of System Monitor Completed	10
	Level of System Integrated	20
8. 최종 프로젝트 발표		10
TOTAL		**150**

평가 비교표

④ 평가 비교표(종합 환산표)

종합 평가	환산 등급
95점 이상 ~ 100점 이하	A+
90점 이상 ~ 95점 미만	A0
80점 이상 ~ 90점 미만	B+
70점 이상 ~ 80점 미만	B0
60점 이상 ~ 70점 미만	C+
50점 이상 ~ 60점 미만	C0
35점 이상 ~ 50점 미만	D+
20점 이상 ~ 35점 미만	D0
0점 이상 ~ 20점 미만	D-

[참고]
* 교육생 전체 종합 평가 기준은 정량 평가로 이루어지며, 종합 점수에 따라 취업 특전이 제공됩니다.
* 향후, 추천서에는 정량 평가 점수는 기재되지 않으며, 등급만 표기됩니다.

DAY 1

- Welcome
- Project Introduction
- Introduction to Project Development Process
- Business Requirement Development
- System Requirement Development
- System and Development environment Setup

DAY 2 (MINI PROJECT)

- Yolo객체 인식 모델 활용과 성능 평가 방법 이해
  - Custom Dataset과 Fine Tuning으로 자체 객체 인식 모델 구현 및 평가
  - (Optional)경량화 모델 등 개별 요구사항에 적합한 모델 탐색 및 성능 검증

DAY 2 (MINI PROJECT)

WEB-CAM 기반 객체 인식

- YOLOv8 기반 데이터 수집/학습/deploy (Detection Alert)
  - 감시용 데이터 수집(rc_car, dummy, 등)
  - 감시용 데이터 라벨링
  - YOLOv8 기반 학습
  - YOLOv8 Object Detection

AMR-CAM 기반 객체 인식

- AMR(Autonomous Mobile Robot) Turtlebot4 개발 환경 구축
- 로봇 개발 환경에 완성 모델 서빙 및 테스트 / 로봇 H/W, 제반 환경의 한계점 도출
  - Tracking 데이터 수집((rc_car, dummy, 등)
  - Tracking 데이터 라벨링
  - YOLOv8 기반 학습
  - YOLOv8 Object Tracking

DAY 3 (MINI PROJECT)

- Auto. Driving 시스템 학습
  - Digital Mapping of environment
  - Operate AMR (Sim. & Real)
  - Tutorial 실행
  - Detection, Depth and AMR 주행
  - 로봇 개발 환경에 적용 및 테스트 / 로봇 H/W, 제반 환경의 한계점 도출

TURTLEBOT4 시뮬레이션 DEMO

- SLAM과 AutoSLAM으로 맵 생성
- Sim. Tutorial 실행
- Detection, Depth and AMR 주행 example

DAY 3 (MINI PROJECT)

REAL ROBOT

- Manually operating the AMR (Teleops)
- autonomous driving 시스템 with obstacle avoidance
  - Digital Mapping of environment
  - Launching Localization, Nav2, and using Rviz to operate a robot
  - Goal Setting and Obstacle Avoidance using Navigation

TUTORIAL

- Turtlebot4 API를 활용한 Initial Pose Navigate_to Pose 구현
- Turtlebot4 API를 활용한 Navigate_Through_pose, Follow Waypoints 구현

HOW TO WORK TOGETHER

- Participate, Participate, Participate!!!
- No long emails or Kakaotalk, prefer face to face
- Be open to suggestions and idea
- Be proactive (적극적), take initiative (주도적)
- HOW is as important as WHAT
- Ask the right questions? (to **YOU, team** and me)
- Investigate/Research/Analyze

프로젝트 RULE

80/20 → 20/80

TEAMWORK AND PROJECT MANAGEMENT



PROJECT DEVELOPMENT IS A PROCESS

SW DEVELOPMENT PROCESS

Why and What



SDLC - V Model - notepub.io

ADVANCED TECHNIQUES THAT WE HAVE

- AI Object Detection



- AMR
  - Navigation with obstruction avoidance
  - Sensors

- ROS2



BRAINSTORM A SITUATION THAT WILL BENEFIT FROM YOUR SOLUTION

Must have measurable benefits. Search for them online

BRAINSTORMING RULES

- Every input is good input
- Do not critique inputs only seek to understand
- Organize inputs into logical groupings
- Sequence or show relationships as needed
- Use Posted Notes on Flip Chart

SW DEVELOPMENT PROCESS

With What
And
How Much



SDLC - V Model - notepub.io

MINI PROJECT DESCRIPTION



DETECTION ALERT

START



NAVIGATE TO A POSITION



TRACK & APPROACH



VISUALIZATION – SCENARIO PROCESS DIAGRAMS

- As-Is Functional Process Diagram
  - Current states
- To-Be Functional Process Diagram
  - Future states
- Untitled Diagram - draw.io
- https://app.diagrams.net/



DEVELOP MINI PROJECT SCENARIO (USE-CASE) PROCESS DIAGRAM

Using the posted notes and flipchart as needed

WITH WHAT

YOUR PROJECT ENVIRONMENT



BASE HW/OS

- PC
  - Ubuntu 22.04
  - USB Camera



- AMR
  - TurttleBot4
  - Ubuntu 22.04

- Network
  - Wifi

YOLO OBJ. DET. VS. YOLO TRACKING



- Track - Ultralytics YOLO Docs
  - (469) YOLO people detection + SORT tracking – YouTube
  - Bing Videos



KEY SUBSYSTEM (MODULES) TO DEVELOP

- Detection Alert
  - Camera Capture
  - Object Detection
  - Send messages to other subsystems
- AMR Controller
  - Receive messages and act accordingly
  - Move using (SLAM) with Obstruction avoidance
  - Target Acquisition (Obj. Det.) and Tracking
  - Follow target using camera and motor control

TEAM EXERCISE 2-2

Brainstorm mini-project System Requirement for the project and document

Using the posted notes and flipchart as needed

Include where, when, what will be used

SYSTEM AND DEVELOPMENT ENVIRONMENT SETUP

PC 환경 구성	시작 전
Turtlebot4 SW 구성	시작 전
User PC Single Robot Network Setup	시작 전
PC .bashrc 구성 Example	시작 전
Move Robot CLI	시작 전
Turtlebot4 SSH Access	시작 전
YOLO Setup	시작 전
ROS Workspace Example	시작 전

HOMEWORK CHECK

REVIEW AMR (TURTLEBOT4) E-MANUAL

- Features · User Manual
- https://turtlebot.github.io/turtlebot4-user-manual/overview/features.html

PLEASE REVIEW YOU WORK FROM EARLIER ONLINE CLASS

- Yolo obj. Det. Vs. Yolo Tracking
  - Object Detection - Ultralytics YOLO Docs
  - Track - Ultralytics YOLO Docs
  - Model Training with Ultralytics YOLO - Ultralytics YOLO Docs
- Yolo
  - Data Labelling (ex: LabelImg/roboflow)
  - Data pre-processing for YoloV8 Training
  - YoloV8 training to create .pt file
  - Using .pt file to predict/inference
- ROS
  - colcon build
  - Node, Topic, Service, Action, Interface, etc. coding

ROS EXERCISE 1

Create a ROS2 Package with these publisher and subscribers

- 2_0_a_image_publisher.py
- 2_0_b_image_subscriber.py
- 2_0_c_data_publisher.py
- 2_0_d_data_subscriber.py

Try these CLI

$ ros2 run rqt_graph rqt_graph

$ ros2 node list

$ ros2 node info <node_name>

$ ros2 topic list

$ ros2 topic info <topic_name>

$ ros2 topic echo <topic_name>

$ ros2 interface list

$ ros2 interface show <package_name>/msg/<MessageName>

ROS EXERCISE 2

DAY 2 - AI VISION (YOLO)

Aa 이름	status
Homework_삐뽀삐뽀 소리내기 노드 만들기	완료

프로젝트 RULE NUMBER ONE!!!

Are we having Fun???

DAY 2

KEY SUBSYSTEM (MODULES) TO DEVELOP

- Detection Alert
  - Camera Capture
  - Object Detection
  - Send messages to other subsystems

- AMR Controller
  - Receive messages and act accordingly
  - Move using (SLAM) with Obstruction avoidance
  - Target Acquisition (Obj. Det.) and Tracking
  - Approach target using camera and motor control

PERFORM DATA COLLECTION FOR DETECTION ALERT

AIM OF THE GOOD OBJ. DET. TRAINING SET

- Training images matches the real inference images as much as possible
  - Lighting
  - Dimensions
  - FOV
  - Backgrounds
  - Objects
  - …
- For RGB and Depth and …

COLLECTION IMAGES FROM WEBCAM

- Image Capture (WEBCAM)

2_1_a_capture_wc_image.py
2_1_b_cont_capture_wc_image.py
2_1_c_capture_wc_thread.py

- Resolution vs Dimension

COLLECTION IMAGES FROM AMR CAMERA

- Undock to see camera topics
- Are all camera topics available?
- Which image topic to use?
- Which dimensions and resolution?
- Are Depth and RGB pixel aligned?
- …

NEED TO UNDOCK AMR TO ACTIVATE IMAGE TOPICS TO PUBLISH

UNDOCK

$ ros2 topic list

Check the list

$ ros2 action send_goal /robot<n>/undock irobot_create_msgs/action/Undock "{}"

$ ros2 topic list

Check the list and compare

DOCK

$ ros2 action send_goal /robot<n>/dock irobot_create_msgs/action/Dock "{}"

RGB CAMERA

DAY 2 - AI VISION (YOLO)

Aa 이름	status
Homework_삐뽀삐뽀 소리내기 노드 만들기	완료
RGB Camera	완료
Depth Camera	완료
Robot_Depth	완료

DIMENSIONS AND RESOLUTION AND FPS

Supported `i_resolution` values (RGB):

Resolution Keyword	Width × Height	Notes
`1080P`	1920 × 1080	Default, high-res
`720P`	1280 × 720	Medium-res
`800P`	1280 × 800	Slightly taller
`480P`	640 × 480	✅ Ideal for alignment with stereo
`400P`	640 × 400	Wide, cropped top/bottom
`320P`	640 × 360	Lower-res
`240P`	320 × 240	Very low-res, fast

```
    i_usb_speed: SUPER_PLUS
  rgb:
    i_board_socket_id: 0
    i_fps: 30.0
    i_height: 720
    i_interleaved: false
    i_max_q_size: 10
    i_preview_size: 320
```

Use rqt to check and compare the different image topics

CODING HINTS

- Image Capture
- Image Capture (AMR)

2_1_a_capture_wc_image.py
2_1_b_cont_capture_wc_image.py
2_1_c_capture_wc_thread.py
2_1_d_capture_image.py
2_1_e_cont_capture_image.py

USING DEPTH

DAY 2 - AI VISION (YOLO)

Aa 이름	status
Homework_삐뽀삐뽀 소리내기 노드 만들기	완료
RGB Camera	완료
Depth Camera	완료
Robot_Depth	완료

DEPTH INTRO


Left
x
y
Right
Disparity
Stereo camera pair
Left
x
y
Right
Disparity
Stereo camera pair

UPDATING THE OAKD CONFIG (ROBOT)

ON TURTLEBOT4:

$ cd /opt/ros/humble/share/turtlebot4_bringup/config

$ sudo cp oakd_pro.yaml oakd_pro_orig.yaml

$ sudo cp oakd_pro_new.yaml oakd_pro.yaml

$ turtlebot4-service-restart

Or

$ sudo reboot

```yaml
/oakd:
  ros__parameters:
    use_sim_time: false

    camera:
      i_enable_imu: false
      i_enable_ir: false
      i_floodlight_brightness: 0
      i_laser_dot_brightness: 100
      i_nn_type: none
      i_pipeline_type: RGBD          # RGB + Depth
      i_usb_speed: SUPER_PLUS

    rgb:
      i_board_socket_id: 0
      i_width: 640
      i_height: 480
      i_fps: 30.0
      i_enable_preview: true
      i_interleaved: false
      i_low_bandwidth: true
      i_publish_topic: true
      i_resolution: 480P          # sets 640x480 internally


    stereo:  # ✅ Required to enable depth
      i_board_socket_id: 1
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

WHICH IMAGE TOPIC TO USE?

- /oakd/rgb/preview/image_raw
- /oakd/rgb/image_raw
- /oakd/rgb/image_raw/compressed
- /oakd/stereo/image_raw
- …

- ***** not all of the topics are visible, initially**

- EXERCISE
  - **Use rqt to view different image topics**
  - **Are all the topics viewable?**

EXERCISE: ACHIEVE ALIGNED **FOV AND DIMENSION** FOR BOTH DEPTH AND RGB

Follow instruction on the notion to update the oakd config file.

Find config settings that will give same FOV for both Depth and RBG

Use rqt to view the topics


Default - rqt
File
Plugins
Running
Perspectives
Help
Image View
/robot5/oakd/rgb/
0
10.00m
use_left
Smooth scaling
0°
Image View (2)
/robot5/oakd/ster
0
10.00m
use_left
Smooth scaling
0°

GETTING DISTANCE VALUE FROM DEPTH IMAGE

DAY 2 - AI VISION (YOLO)

Aa 이름	status
Homework_삐뽀삐뽀 소리내기 노드 만들기	완료
RGB Camera	완료
Depth Camera	완료
Robot_Depth	완료

DATA LABELLING

- Image Capture

- Data Labelling
  - Goto the /labelImg/data/ directory
  - Rename the predefined_classes.txt



DATA LABELLING

- Data Labelling : LabelImg

라벨링 순서

1. 이미지파일 불러오기 (Open Dir)
2. 저장형식 변경 (PascalVOC, YOLO)
3. 이미지 선택
4. 바운딩 박스 그리기(create rectbox)
5. Class 지정
6. 저장경로 생성 및 변경(Change Save Dir)
7. 저장(Save)

단축키

Ctrl + u	Load all of the images from a directory
Ctrl + r	Change the default annotation target dir
Ctrl + s	Save
Ctrl + d	Copy the current label and rect box
Ctrl + Shift + d	Delete the current image
Space	Flag the current image as verified
w	Create a rect box
d	Next image
a	Previous image
del	Delete the selected rect box
Ctrl++	Zoom in
Ctrl--	Zoom out
↑→↓←	Keyboard arrows to move selected rect box

PRE-PROCESSING

- Image Capture
- Data Labelling
- Data Preprocessing

2_1_a_capture_wc_image.py
2_1_b_cont_capture_wc_image.py
2_1_c_capture_wc_thread.py
2_1_d_capture_image.py
2_1_e_cont_capture_image.py
2_3_a_create_data_dirs.py
2_3_b_move_image.py
2_3_c_move_labels.py

ZIP TRAIN DATA SET





PERFORM YOLO TRAINING & INFERENCE

CODING HINTS

- Image Capture
- Data Labelling
- Preprocessing

- Yolo8 Object Det (Training)



USING GOOGLE COLLAB. TO CREATE CUSTOM MODEL

- Move the files to google drive
  - my_data.zip
  - yolov8.obj.det.ak.ipynb



USING GOOGLE COLLAB. TO CREATE CUSTOM MODEL

- Move the training script to google collab. and execute line by line

- [Model Training with Ultralytics YOLO - Ultralytics YOLO Docs]



CODING HINTS

- Image Capture
- Data Labelling
- Preprocessing

- Yolo8 Object Det (Analyze)



REQUIRED RESEARCH

1. **왜 yolov8n.pt 모델을 선정하였습니까?**
   - yolo 다른 버전과 비교 분석
   - mAP VS Inference speed
2. **객체 탐지 속도를 높이기 위한 최선의 전략은?**
   - 데이터 사이즈
   - processing 방식
   - 노드 구조
3. **다른 Pre-trained model(Huggingface)을 사용한다면?**
4. **object detection이 아닌 segmentation, pose, obb 등을 활용할 수 없을까?**

CLASSIFICATION VS. DETECTION

CLASSIFICATION

- Every sample has one ground-truth label
- Every sample gets one prediction
- TN (true negatives) are well-defined
- Example:
  - 100 images → 100 predictions → clean denominator
- Accuracy

$$Accuracy = \frac{TP + TN}{TP + TN + FP + FN}$$

DETECTION

- Does not include background (TN)
- what the model predicted (TP + FP)
- what the model missed (FN)
- Precision/Recall

PRECISION AND RECALL

Definitions

$$Precision = \frac{TP}{TP+FP}$$

$$Recall = \frac{TP}{TP+FN}$$

Plain meaning

- **Precision** → *"When I detect something, am I right?"*
- **Recall** → *"Did I find all the real objects?"*

PRECISION VS RECALL EXAMPLE

- Ground truth: 5 objects
- Model A (aggressive)
  - predicts 10 boxes
    - 5 correct, 5 wrong
  - precision = 5 / 10 = 0.50
  - recall = 5 / 5 = 1.00
  - Finds everything, but messy.
- Model B (conservative)
  - predicts 2 boxes
    - 2 correct
  - precision = 2 / 2 = 1.00
  - recall = 2 / 5 = 0.40
  - Very clean, but misses most objects.

mAP



$$AP = \int_0^1 P(R)\, dR$$

- **PR curve** = shape
- **AP** = area under that shape

- **mAP** = average(AP across classes and IoU thresholds)

EXAMPLE OUTPUT



F1 CONFIDENCE



Plain meaning

- **F1** = balance between precision and recall

$$F1 = \frac{2PR}{P+R}$$

KEY METRICS

- Training
  - Training Hyper Parameters
  - # Epochs
  - Total Training Time
- Validation
  - mAP50
  - Precision/Recall
  - F1 Confidence
- Test Inference
  - % Correct Predictions
  - Inference speed
  - Average Confidence

INFERENCE(WEBCAM)

- Image Capture
- Data Labelling
- Preprocessing

- Yolo8 Object Det (WEBCAM)



YOLO OBJ. DET. VS. YOLO TRACKING



- Track - Ultralytics YOLO Docs
  - (469) YOLO people detection + SORT tracking – YouTube
  - Bing Videos



INFERENCE(AMR)

- Image Capture
- Data Labelling
- Preprocessing

- Yolo8 Object Det (AMR)



OBJECT DETECTION EXERCISE

Create a version of real time yolo inference code that **publish a ROS topic with annotated image of detection results and view it with rqt or rviz**

HOMEWORK

- **Achieve aligned RGB & Depth FOV**
- Object Detection
  - Collect various datasets (i.e. different topics/images sizes)
  - Create various models (i.e. v5, v8, v11, etc; arg: Epoch, Batch, Imgsz, augmentation, etc)
  - Analyze the results
  - Determine using key metrics which model best fit your solution
  - Using .pt file to predict/inference on pc
  - **Successfully publish the annotated image topic**
- Depth
  - **Find and display the distance to the center of the detected objects**
- Update System Requirement

TASK TO BE PERFORMED



TASK TO BE PERFORMED



BEFORE GOING HOME (VERY IMPORTANT)!!!

Remember to:

- Dock your robot
- Perform soft shutdown by
  - PC Terminal

  $ ssh ubuntu@<AMR IP>
  - AMR Terminal

  $ sudo shutdown now

Or

- Perform soft shutdown by
  - PC Terminal

  $ ssh ubuntu@<AMR IP>
  - AMR Terminal

  $ sudo shutdown now
- Undock your robot
- Power off Create 3

프로젝트 RULE NUMBER ONE!!!

Are we still having FUN!