

GOOD MORNING!

早上好!

안녕하세요!

DAY 1



WELCOME TO:

[지능 - 1] Computer Vision and Automoous Driving 을 활용한 협동 로봇 구현		
차시	내용	목표
1	로봇 AI 시스템 개발 프로세스 이해	시스템 개발 프로세스의 이해 개발 환경 구축
2	프로젝트에 필요 기술 검증	AI VISION 기술 탐색 및 검증
3	프로젝트에 필요 기술 검증	로봇 AMR 제어 기술 탐색 및 검증
4	MINI 프로젝트	통합 시스템 설계 및 개발
5	파이널 프로젝트 와 프로젝트에 필요 기술 검증	웹 시스템 모니터 기술 탐색 및 검증
6-7	파이널 프로젝트	부분 시스템 설계 및 개발
8-9	파이널 프로젝트	통합 시스템 설계 및 개발
10	최종 프레젠테이션 및 시연	시스템 발표 및 시연

Who Am I?

Andreas (Andy) A. Kim

Born in Korea; Immigrated to US in 1976

Education:

BS Math, CS,; MS CSE; MSM(MBA);

Work Experience: 35+ yrs.

Recent Positions: VP/MD Asia, CTO, CSO, 고문

Worked For:



Mentored/Mentoring:




Instructor:


Doosan KG KAIROS 17; Rokey Boot Camp 1~7



EXAMPLE LARGE PROJECT EXPERIENCE (SW DEVELOPMENT)



EXAMPLE SOLUTION PROJECT EXPERIENCE (APPLICATION)



WHAT KIND OF LEADER I WANT TO BE “DEAD POET SOCIETY”

Andy
Or
“Captain”



NOW, TELL US:

Who You are.

당신이 누구인지 말해 주세요

What is your objective of joining this program?

이 프로그램에 참여하는 목적이 무엇인가요?

What and how much Project and Programming experiences do you have?

어떤 프로젝트와 프로그래밍 경험을 가지고 있으며, 그 양은 어느 정도입니까?

HOW TO WORK TOGETHER

- Participate, Participate, Participate!!!
- No long emails or Kakaotalk, prefer face to face
- Be open to suggestions and idea
- Be proactive (적극적), take initiative (주도적)
- HOW is as important as WHAT
- Ask the right questions? (to **YOU, team** and me)
- Investigate/Research/Analyze

일정 및 진행 내용

- 운영기간 : 10일간 진행
- 운영시간 : 9:30~18:30 (점심 13:00 ~14:00)
- 세부운영내용
 - 기본 개념부터 step by step으로 기능을 구현하여 쉽게 따라하면서 원리를 습득할 수 있도록 구성
 - 실습을 통해 직접 구현해보며 기술을 습득 - 모듈 단위로 완성된 코드 제공
 - 각 단계별 학습 내용을 통합하여 최종 프로젝트 완성

일정 및 진행 내용

구분	시간	내용	담당	교육방법
정규 교육	09:30 ~ 09:40	오전 출석 확인	각 담임조교	대면 교육
	09:40 ~ 11:00	프로젝트 - 1교시	교과강사 / 기술조교	
	11:10 ~ 12:30	프로젝트 - 2교시		
	12:30 ~ 13:30	점심시간		
	13:30 ~ 13:40	오후 출석 확인	각 담임조교	대면 교육
	13:40 ~ 15:00	프로젝트 - 3교시	기술조교	
	15:10 ~ 16:30	프로젝트 - 4교시		
	16:40 ~ 18:20	프로젝트 - 5교시		
	18:20 ~ 18:30	마무리 및 안내사항	각 담임조교	
비정규 교육*	18:30 ~ 19:30	저녁시간		
	19:30 ~ 21:00	자율 훈련		

MATERIAL & ITEMS CHECK



프로젝트 주제, 계획, 및 평가



2 PROJECTS

- Mini Project (Individual Team)
 - For learning techniques

차시	구분	세부사항
1	프로젝트 계획 및 환경 구축	시스템 개발 프로세스의 이해, 개발 환경 구축
2	기술 탐색 및 검증	AI VISION 기술 탐색 및 검증
3	기술 탐색 및 검증	AMR 제어 기술 탐색 및 검증
4	기술 탐색 및 검증	Mini project 완성 및 발표

2 PROJECTS

- Final Project (2 Teams in One)

차시	구분	세부사항
5	프로젝트 설계	외부 시스템 모니터 기술 탐색 및 검증 파이널 프로젝트 시스템 요구사항 설계 및 프로세스 정립
6	개발	기능 구현 및 Unit Test
7	개발	기능 구현 및 Unit Test
8	개발	통합 시스템 구축 및 테스트
9	개발	통합 시스템 구축 및 테스트
10	최종 프레젠테이션 및 시연	프로젝트 발표 및 시연, 산출물 정리, 기술 컨퍼런스

ASSUMPTION ABOUT YOUR KNOWLEDGE

- OS
 - Linux
- Language
 - Python3
- Packages
 - ROS2
 - OpenCV
 - Yolo8
 - Flask*
 - SQLite3*
- Tools
 - Labellmg*
 - VSCode
 - Git/Github

* could be new

DAY I

- Welcome
- Project Introduction
- Introduction to Project Development Process
- Business Requirement Development
- System Requirement Development
- System and Development environment Setup

DAY 2 (MINI PROJECT)

- Yolo객체 인식 모델 활용과 성능 평가 방법 이해
 - Custom Dataset과 Fine Tuning으로 자체 객체 인식 모델 구현 및 평가
 - (Optional)경량화 모델 등 개별 요구사항에 적합한 모델 탐색 및 성능 검증

DAY 2 (MINI PROJECT)

WEB-CAM 기반 객체 인식

- YOLOv8 기반 데이터 수집/학습/deploy (Detection Alert)
 - 감시용 데이터 수집(rc_car, dummy, 등)
 - 감시용 데이터 라벨링
 - YOLOv8 기반 학습
 - YOLOv8 Object Detection

AMR-CAM 기반 객체 인식

- AMR(Autonomous Mobile Robot) Turtlebot4 개발 환경 구축
- 로봇 개발 환경에 완성 모델 서빙 및 테스트 / 로봇 H/W, 제반 환경의 한계점 도출
 - Tracking 데이터 수집((rc_car, dummy, 등)
 - Tracking 데이터 라벨링
 - YOLOv8 기반 학습
 - YOLOv8 Object **Tracking**

DAY 3 (MINI PROJECT)

- Auto. Driving 시스템 학습
 - Digital Mapping of environment
 - Operate AMR (Sim. & Real)
 - Tutorial 실행
 - Detection, Depth and AMR 주행
 - 로봇 개발 환경에 적용 및 테스트 / 로봇 H/W, 제반 환경의 한계점 도출

TURTLEBOT4 시뮬레이션 DEMO

- SLAM과 AutoSLAM으로 맵 생성
- Sim.Tutorial 실행
- Detection, Depth and AMR 주행 example

DAY 3 (MINI PROJECT)

REAL ROBOT

- Manually operating the AMR (Teleops)
- autonomous driving 시스템 with obstacle avoidance
 - Digital Mapping of environment
 - Launching Localization, Nav2, and using Rviz to operate a robot
 - Goal Setting and Obstacle Avoidance using Navigation

TUTORIAL

- Turtlebot4 API를 활용한 Initial Pose Navigate_to Pose 구현
- Turtlebot4 API를 활용한 Navigate_Through_pose, Follow Waypoints 구현

DAY 4 (MINI PROJECT)

- System(High Level) Design (Mini Project)
 - System Architectural Diagram
- Detail Design to Acceptance - Agile Development (SPRINTs)
 - Detection
 - AMR Control

DAY 4 (MINI PROJECT)

CODING, TEST & INTEGRATION

- Coding and Test all modules
- Porting to ROS
- And finally, Integration and Test of Detection Alert & AMR Controller

MINI PROJECT DEMO

- Prepare and demo completed project

DAY 5 (FINAL PROJECT)

- 비즈니스/System 요구 사항 업데이트
- 시스템 설계 및 프로세스 정립
 - System(High Level) Design
 - Schedule/Time Management
- 역할 분담 및 일정 조율
- 개발 환경 구축(맵 디자인, SW 개발, 문서 통합 관리)
- 멀티 로봇 환경 구축 및 네비게이션
- 멀티 로봇 개별 업무 수행
- 멀티 로봇 협동 업무 수행
- (Optional) Turtlebot4 각종 센서 데이터의 이해와 적용

DAY 5 (FINAL PROJECT)

- Flask 를 이용한 웹 서버 구축 (System Monitor)
 - Flask/HTML Intro
 - Deploy YOLOv8 Obj. Det results to web
 - Log in 기능 구현
 - Sysmon 웹기능 구현
- SQLite3를 이용한 데이터베이스 구축 및 연동 (System Monitor)
 - SQLite3 기본 기능 구현
 - DB 기능 구축
 - 저장된 내용 검색하는 기능 구현

DAY 6 (FINAL PROJECT)

- 시스템 설계에 기반한 객체 감지 모델 구현
 - 로봇 환경에 적용 및 Unit Test
 - 모듈로 제작하고 launch파일로 구현
 - code 정리 및 버전관리, 문서 작성 및 영상 촬영, 팀 내 기술 브리핑
- 시스템 설계에 기반한 SysMon 설계 구현
 - 로봇 환경에 적용 및 Unit Test
 - 모듈로 제작하고 launch파일로 구현
 - code 정리 및 버전관리, 문서 작성 및 영상 촬영, 팀 내 기술 브리핑

DAY 7 (FINAL PROJECT)

- 시스템 설계에 기반한 **AMR 제어** 구현
- 로봇 환경에 적용 및 Unit Test
- 모듈로 제작하고 launch 파일로 구현
- code 정리 및 버전관리, 문서 작성 및 영상 촬영, 팀 내 기술 브리핑

DAY 8-9 (FINAL PROJECT)

- 개별 기능 통합 구현 및 Integration 테스트
- 통합 Launch 파일로 구현
- Robust한 시스템 구축을 위한 예외 처리 및 Code Refactoring
- code 정리 및 버전관리, 문서 작성 및 영상 촬영, 팀 내 기술 브리핑

DAY 10 (FINAL PROJECT)

- 프로젝트 발표 및 시연
- 최종 산출문 정리(소스코드, 발표 PPT, 동작 영상)
- 팀 간 기술 컨퍼런스를 통한 기술 극복 경험담, 노하우 교류(채점 대상X)

평가 항목 기준

② 평가 항목 기준

평가 항목	평가 내용	평가 방법	
행동 역량	교육과정 운영기간 동안 성실도/적극성 등 행동적인 요소 중심 평가	· 출결 현황 평가 · 과제 수행 현황 평가** · 수강 태도	정량 평가
개인 역량	교육 이수 결과로 지식, 기술 등을 얼마나 향상시키고 변화시켰는지 평가	· 교과목 정기 평가	
조직 역량	팀별 실습(훈련) 및 실무 프로젝트를 진행하는 동안 조직간 의사소통/협업 역량 등 평가	· 협업 능력 평가	
기술 역량	실무 프로젝트 및 자율 과제 프로젝트 결과물 평가	· 프로젝트 산출물 평가	

** 연습문항/과제문항은 제출 결과를 기반으로 P/F 평가만 이루어집니다.

평가 비율

③ 평가 비율

평가 항목	평가 반영 비율
행동 역량A (출석)	25%
행동 역량B (과제)	15%
행동 역량C* (태도)	(10% 감점)
개인 역량	30%
조직 역량	5%
기술 역량	25%

* 부정 출석, 교육생 간 정치활동, 교육운영 방해, 윤리/도덕적 문제 발생 등 적발시 감점

교육생 조직 역량 평가

4. [ROKEY-7기] 교육생 조직 역량 평가

1. 팀 운영 및 의사결정(5점)

- 역할 분담과 일정 관리가 체계적으로 이루어졌는가

2. 의사소통 및 협업 태도(5점)

- 팀 내 소통이 원활하고 협업 분위기가 잘 형성되었는가
- 적극적으로 참여하며 맡은 역할을 책임감 있게 수행했는가

3. 문제 해결 및 개선 노력(5점)

- 문제 상황에 적절히 대응하고 해결했는가
- 피드백을 반영하여 지속적으로 개선하려는 노력이 있었는가

5점: 매우 우수

- 체계적이고 일관되게 잘 수행했고 모범 사례로 볼 수 있음

4점: 우수

- 전반적으로 잘 이루어졌고 개선 여지

3점: 보통

- 기본 기대 수준으로 큰 문제 없이 무난하게 수행됨

2점: 미흡

- 일부 부족한 부분이 있으며 개선이 필요함

1점: 매우 미흡

- 전반적으로 부족하며 기준에 크게 미달함

기술 평가

▶ 평가 항목

평가 항목	평가기준
기능 구현 완전성	* 교육에서 요구하는 기능이 모두 구현되어 있는지 여부를 평가한다.
기능 구현 정확성	* 구현된 모든 기능들이 정상적으로 동작하는지 여부를 평가한다.
동작 및 운용 안정성	* 산출물 운용시 안정적으로 동작하는지 여부를 평가한다.
입출력 데이터 이해도	* 데이터 입출력 방법 및 절차가 편리하고 기능 요구 내용에 적합한 지 여부를 평가한다.
기능 동작 지속성	* 장애/오류 발생 시에도 지속적인 동작/운영이 가능한지 여부를 평가한다.

PROJECT 평가

🔑 평가 지표

항목	하위 항목	점수
1. 비즈니스 요구 사항 작성		10
2. Detection Alert Module의 코딩 및 테스트 수행		10
3. AMR Controller Module의 코딩 및 테스트 수행		10
4. System Monitor Module 코딩 및 테스트 수행		10
5. Process Flow Diagram을 사용하여 시스템 설계를 생성		30
6. System Design Doc 완성도		10
7. 모든 모듈의 시스템 통합 및 테스트 수행		
	Map 상 장애물 회피, Dock Undock init 자동화 goal arrival	10
	Detection: Object detection, depth 변환, 이동	10
	Realtime 장애/오류 Handling Function	10
	Quality of System Monitor Completed	10
	Level of System Integrated	20
8. 최종 프로젝트 발표		10
TOTAL		150

평가 비교표

④ 평가 비교표(종합 환산표)

종합 평가	환산 등급
95점 이상 ~ 100점 이하	A+
90점 이상 ~ 95점 미만	A0
80점 이상 ~ 90점 미만	B+
70점 이상 ~ 80점 미만	B0
60점 이상 ~ 70점 미만	C+
50점 이상 ~ 60점 미만	C0
35점 이상 ~ 50점 미만	D+
20점 이상 ~ 35점 미만	D0
0점 이상 ~ 20점 미만	D-

[참고]

- * 교육생 전체 종합 평가 기준은 정량 평가로 이루어지며, 종합 점수에 따라 취업 특전이 제공됩니다.
- * 향후, 추천서에는 정량 평가 점수는 기재되지 않으며, 등급만 표기됩니다.

프로젝트 RULE

80/20 → 20/80

TEAMWORK AND PROJECT MANAGEMENT



프로젝트 RULE NUMBER ONE!!!

Have Fun Fun Fun!



Let's Get Started!!!!

NOTION FOR STUDENTS



Doosan Rokey 9

강의 장소	오프라인
강의 시간	9:30 ~ 18:30 (8시간)
점심 시간	13:00~14:00
대상	두산로보틱스 9기
사전 학습	Linux, Python, ROS2, YOLO, OpenCV
강사	Andy Kim

깃허브:

 [GitHub - kimandreas/to_students](#)

구글미트:

 [Meet](#)


산출물 구글 드라이브:

 [3~4주차 - Google Drive](#)

PROJECT DEVELOPMENT IS A PROCESS




SW DEVELOPMENT PROCESS




SDLC - V Model - notepub.io

HW DEVELOPMENT PROCESS



SDLC - V Model - notepub.io


EXAMPLE TIMELINE



PROJECT DEVELOPMENT PROCESS




SW DEVELOPMENT PROCESS



SDLC - V Model - notepub.io

LET'S ASSUME YOU HAVE THESE ADVANCED TECHNIQUES

- AI Object Detection




- AMR

- Navigation with obstruction avoidance
- Sensors



- ROS2



BUSINESS/PROJECT JUSTIFICATION (WHY)

- Situation Analysis (Problem to Solve)
 - evaluates both external and internal factors to determine the necessity and feasibility of a project. It helps justify resource allocation by outlining how the project aligns with strategic goals, identifying potential challenges and opportunities, and providing a detailed understanding of the project's context for informed decision-making.
- 상황 분석
 - 프로젝트의 필요성과 타당성을 결정하기 위해 외부 및 내부 요인을 모두 평가합니다. 프로젝트가 전략적 목표에 어떻게 부합하는지 설명하고, 잠재적인 과제와 기회를 식별하고, 정보에 입각한 의사 결정을 위해 프로젝트의 컨텍스트에 대한 자세한 이해를 제공하여 리소스 할당을 정당화하는 데 도움이 됩니다.

BUSINESS/PROJECT JUSTIFICATION (WHAT)

- Solution Needs/Pain Point Analysis

- identifies and assesses the problems and unmet needs of customers. This process helps businesses tailor their solutions to enhance customer satisfaction and loyalty by directly addressing these issues.

- 비즈니스 니즈/문제점 분석

- 문제와 충족되지 않은 요구를 식별하고 평가합니다. 이 프로세스는 기업이 이러한 문제를 직접 해결하여 고객 만족도와 충성도를 높일 수 있도록 솔루션을 맞춤화하는 데 도움이 됩니다.

BRAINSTORM SITUATIONS THAT WILL BENEFIT FROM SOLUTIONS WITH THESE TECHNIQUES

Must have **measurable benefits**. Search for information online, if needed



BRAINSTORMING PROCESS

1. Use Posted Notes on Flip Chart
2. Write one problem per note
3. Present your idea
4. Organize inputs into logical groupings
5. Sequence or show relationships as needed
6. Select a top idea with highest measurable outcome
(i.e. largest problem, highest chance of solving the complete problem)



BRAINSTORMING RULES

- Write your idea before sharing with the teammates
- Every input is good input
- Do not critique inputs only seek to understand



PRESENT THE SITUATIONS, SOLUTIONS AND MEASURABLE BENEFITS FROM THE BRAINSTORM

Identify the solution with highest measurable benefit

BUSINESS/SOLUTION REQUIREMENT STATEMENT (WHAT EXAMPLE)

- Commercial/Economical Requirements
 - ROI
 - cost reduction
 - Productivity
 - Revenue
 - Staffing
 - ...
- Technical/Functional Requirements
 - inspect aisles
 - detect defects
 - deliver objects
 - generate alerts
 - ...

BUSINESS/SOLUTION REQUIREMENT (WHAT EXAMPLE)

- **Business Requirements with Metrics:** The company aims to deploy a robotic system integrated with a deep learning model to automate quality inspection in manufacturing. The goal is to reduce human error by achieving 98% accuracy in defect detection and increase production efficiency by minimizing inspection time to under 2 seconds per item.
- 이 회사는 딥 러닝 모델과 통합된 로봇 시스템을 배포하여 제조 시 품질 검사를 자동화하는 것을 목표로 합니다. 목표는 결함 감지에서 **98%의 정확도**를 달성하여 인적 오류를 줄이고 검사 시간을 품목당 **2초 미만**으로 최소화하여 생산 효율성을 높이는 것입니다.

EXAMPLE OF POOR VS GOOD REQUIREMENTS

Poor Requirement

The robot should move fast.

The robot should detect people.

The robot should avoid obstacles.

The robot should have a good battery.

The robot should give alerts.

Better Requirement

The robot shall achieve a maximum speed of 0.5 m/s.

The robot shall detect standing adults within 5 m with at least 95% recall under normal indoor lighting.

The robot shall maintain a minimum clearance of 30 cm from obstacles while navigating.

The robot shall operate continuously for at least 8 hours between charges.

The robot shall issue visual and audible alerts within 1 second of detecting a critical fault.

CHARACTERISTICS OF HIGH-QUALITY REQUIREMENTS

- **Specific:** States exactly what is required.
- **Measurable:** Includes quantitative criteria where appropriate.
- **Achievable:** Technically feasible within project constraints.
- **Relevant:** Supports stakeholder or mission objectives.
- **Verifiable:** Can be validated through inspection, analysis, demonstration, or testing.
- **Traceable:** Has a unique identifier and can be linked to design elements, implementation, and test cases.

A. COMMERCIAL / ECONOMIC BUSINESS REQUIREMENTS

- BR-C01 — Labor CostThe solution shall reduce warehouse inspection labor cost by at least 40% compared with the 2026 baseline.
- BR-C02 — PaybackThe total project investment shall achieve a payback period of 24 months or less.
- BR-C03 — ProductivityThe solution shall increase the number of completed inspections per employee-hour by at least 200%.
- BR-C04 — Operating CostAnnual operating and maintenance cost shall not exceed ~~W~~\$50 million per warehouse.

B. TECHNICAL / OPERATIONAL BUSINESS REQUIREMENTS

- BR-T01 — Inspection CoverageThe solution shall inspect 100% of designated warehouse aisles at least once every four hours.
- BR-T02 — Defect DetectionThe solution shall detect designated pallet defects with $\geq 95\%$ precision and $\geq 90\%$ recall under the defined warehouse operating conditions.
- BR-T03 — AlertingThe solution shall notify the responsible operator within 5 seconds after identifying a critical safety condition.
- BR-T04 — Mission CompletionThe solution shall successfully complete $\geq 98\%$ of scheduled inspection missions without human intervention.
BR-T05 — AvailabilityThe inspection service shall be operational for $\geq 99.5\%$ of scheduled warehouse operating hours.

EXAMPLE BUSINESS/SOLUTION REQUIREMENT DOCUMENT

Business Requirements Document (BRD)

Project Title: Autonomous Mobile Robot (AMR) Security System

Project Owner: Kim Andreas
Date: [Insert Date]
Version: 1.0

1. Business Objectives

Implement an AI-powered robotic security solution using Autonomous Mobile Robots (AMRs) to monitor and safeguard a secure area, reducing reliance on human security personnel, increasing operational efficiency, and minimizing security risks.

2. Project Scope

Develop and deploy an AMR-based security system to perform real-time surveillance, threat detection, and autonomous response in restricted or

프로젝트 제목: 자율 이동 로봇(AMR) 보안 시스템

↓
프로젝트 소유자: 김 안드레아스
날짜: [날짜 삽입]
버전: 1.0

1. 비즈니스 목표

인공지능 기반 자율 이동 로봇(AMR)을 활용하여 보안 지역을 감시하고 보호하는 로봇 보안 솔루션을 구현하여, 인력 보안 의존도를 줄이고 운영 효율성을 높이며 보안 위험을 최소화합니다.

2. 프로젝트 범위

제한된 또는 민감한 지역에서 실시간 감시, 위험 탐지 및 자율 대응을 수행하는 AMR 기반 보안 시스템을 개발하고 배포합니다. 주요 기능에는 순찰, 이상 탐지, 위험 대응, 경고 상승이 포함됩니다.

포함 범위:

(on https://github.com/kimandreas/to_students)

TEAM EXERCISE I


Brainstorm Business/Solution Requirement for **the top** Solution and write business requirement statement

Using the posted notes and flipchart as needed

BUSINESS/SOLUTION REQUIREMENT PRESENTATION (SELECTED)

Using the posted notes and flipchart as needed

SW DEVELOPMENT PROCESS



SDLC - V Model - notepub.io

SYSTEM/TECHNICAL REQUIREMENT (EXAMPLE)

Technical Requirements and Metrics:

- 1. Deep Learning Models:** Train a CNN to achieve at least 98% accuracy on defect detection in validation datasets.

검증 데이터 세트에서 결함 감지에 대해 최소 98%의 정확도를 달성하도록 CNN을 훈련시킵니다.

- 2. Robotics Hardware:** Ensure the robot processes images and delivers results within 2 seconds per item, with 99.9% system uptime.

로봇이 99.9%의 시스템 가동 시간으로 항목당 2초 이내에 이미지를 처리하고 결과를 제공하도록 보장합니다.



SYSTEM/TECHNICAL REQUIREMENT (EXAMPLE)

Technical Requirements and Metrics:

- 3. Interface and Control System:** Design for less than 0.1% downtime and a response time under 1 second for user interactions.

다운타임이 0.1% 미만이고 사용자 상호 작용에 대한 응답 시간이 1초 미만으로 설계됩니다.

SYSTEM/TECHNICAL REQUIREMENT (EXAMPLE)

<u>Component</u>	<u>Technology Chosen</u>	<u>Requirements on That Technology</u>
Mobile Robot	TurtleBot4	Must support differential drive, payload ≥ 10 kg, runtime ≥ 8 hours
Camera	OAK-D Pro	Must provide synchronized RGB and depth at ≥ 30 FPS
AI Framework	YOLOv11m	Must achieve $\geq 95\%$ precision on the target object set
Middleware	ROS 2 Jazzy	Must support DDS communication and lifecycle nodes

SRD ANSWERS: WHAT DO WE NEED TO ACHIEVE THOSE NUMBERS?

- Suppose BR-T01 requires:
 - Inspect 100% of aisles every four hours.
- Engineering analysis might determine that this requires:

<u>SR ID</u>	<u>With What</u>	<u>How Much / How Many</u>
SR-01	TurtleBot4	10 robots
SR-02	Battery	≥8-hour runtime
SR-03	Navigation	Nav2, ≥0.5 m/s operational speed
SR-04	Network	Wi-Fi 6, ≤50 ms latency

EXAMPLE SYSTEM REQUIREMENT DOCUMENT

System Requirements Document (SRD)↵

↓

Project Title: Autonomous Mobile Robot (AMR) Security System↓

Version: 1.0↓

Date: [Insert Date]↵

1. Introduction↵

The system requirements define the technical specifications for developing and implementing the AMR-based security solution. This includes hardware, software, networking, and integration requirements.↵

2. System Overview↵

This system will provide autonomous patrolling, threat detection, and reporting for secure areas using AI-enabled Autonomous Mobile Robots (AMRs). It integrates navigation, sensor data processing, real-time alerts, and user interface management.↵

시스템 요구사항 문서 (SRD)↵

프로젝트 제목: 자율 이동 로봇(AMR) 보안 시스템↓

버전: 1.0↓

날짜: [날짜 삽입]↵

1. 소개↵

이 시스템 요구사항 문서는 AMR 기반 보안 솔루션의 개발 및 구현을 위한 기술 사양을 정의합니다. 여기에는 하드웨어, 소프트웨어, 네트워킹, 통합 요구사항이 포함됩니다.↵

2. 시스템 개요↵

이 시스템은 AI 기반 자율 이동 로봇(AMR)을 사용하여 보안 구역의 자율 순찰, 위험 탐지 및 보고를 제공합니다. 네비게이션, 센서 데이터 처리, 실시간 경고 및 사용자 인터페이스 관리를 통합합니다.↵

(on https://github.com/kimandreas/to_students)

TEAM EXERCISE 2

Brainstorm System/Solution Requirement for **Your** solution project and document

Using the posted notes and flipchart as needed

SYSTEM REQUIREMENT PRESENTATION (SELECTED)

Using the posted notes and flipchart as needed

SYSTEM AND DEVELOPMENT ENVIRONMENT SETUP



PROJECT SW SETUP


DAY 1 - Setup/Development ...			☰ ↓ ↗ ✖ 🔍 ↗
Aa 이름		⚙ 상태	
● 평가 지표		● 시작 전	
● PC 환경 구성		● 시작 전	
● Turtlebot4 SW Setup		● 시작 전	
● YOLO Setup	📄 열기	● 시작 전	
● User PC Single Robot Network Setup		● 시작 전	
● PC .bashrc 구성 Example		● 시작 전	

MINI PROJECT



HOW MUCH (USE CASE)


MINI PROJECT DESCRIPTION




DETECTION ALERT



START



NAVIGATE TO A POSITION




TRACK & APPROACH



VISUALIZATION – SCENARIO PROCESS DIAGRAMS

- As-Is Functional Process Diagram
 - Current states
- To-Be Functional Process Diagram
 - Future states
- [Untitled Diagram - draw.io](#)
- <https://app.diagrams.net/>



Process

Decision

Document

Data

Sub
Process

Start

Data

Card

Manual
Operation

Preparation


Loop Limit

paper Tape

Terminator

Display

Sequential
Data



DEVELOP MINI PROJECT SCENARIO (USE-CASE) PROCESS DIAGRAM

Using the posted notes and flipchart as needed

WITH WHAT



YOUR PROJECT ENVIRONMENT



BASE HW/OS

- PC

- Ubuntu 22.04
- USB Camera



- Network
 - Wifi



- AMR

- TurtleBot4
- Ubuntu 22.04



TURTLEBOT4 ROBOT 만나기

 Turtlebot4 Robot 만나기

 시작 전

More information can be found on:

- [User Manual · Turtlebot4 User Manual](#)
- <https://turtlebot.github.io/turtlebot4-user-manual/>

AMR (DEMO)

- [User Manual · Turtlebot4 User Manual](#)
- <https://turtlebot.github.io/turtlebot4-user-manual/>
- Teleop with keyboard
- Navigation with SLAM




OPERATING ROBOT (MANUALLY)

● Move Robot CLI

● 시작 전

EXAMPLE SYSTEM STACK



BASE SYSTEM PACKAGES

PC


- Python3
- ROS2
- Opencv
- Ultralytics
- Flask*
- SQLite3*

AMR

- Python3
- ROS2

- *Can use similar package instead

PROJECT SW STACK



PROJECT SW SETUP ALREADY DONE

DAY 1 - Setup/Development ...

Aa 이름

☰ ⬆ ⚡ ✨ 🔍 ↗

● 평가 지표

● 시작 전

● PC 환경 구성

● 시작 전

● Turtlebot4 SW Setup

● 시작 전

● YOLO Setup

📄 열기

● 시작 전


● User PC Single Robot Network Setup

● 시작 전


● PC .bashrc 구성 Example

● 시작 전

YOLO OBJ. DET. VS. YOLO TRACKING



- [Track - Ultralytics YOLO Docs](#)
 - [\(469\) YOLO people detection + SORT tracking – YouTube](#)
 - [Bing Videos](#)



OBJ. DET.

TARGET



DUMMY



KEY SUBSYSTEM (MODULES) TO DEVELOP

- Detection Alert
 - Camera Capture
 - Object Detection
 - Send messages to other subsystems
- AMR Controller
 - Receive messages and act accordingly
 - Move using (SLAM) with Obstruction avoidance
 - Target Acquisition (Obj. Det.) and Tracking
 - Follow target using camera and motor control

ROS BASIC - PRACTICE

● ROS Workspace Example

● 시작 전

APPENDIX

DAY 1 - Appendix + ...

Aa 이름

- Turtlebot4 SSH Access
- Turtlebot4 Setup(NO ACTION NEEDED)
- 화면 캡처 및 영상 녹화 도구
- Git 연동 및 사용 (Git+VSCode)
- Creating Custom ROS2 Interface

- Connecting to TB4
- Networking Setup (FYI ONLY)

HOMEWORK



SELECT **ONE** SOLUTION IDEA FROM THE BRAINSTORM AND UPDATE:

BUSINESS REQUIREMENT

- Research and Update
 - Situation Analysis with metrics
 - Pain Point/Need Analysis with metrics
- Define
 - Project/solution scope/out of scope
 - Functional Requirements with target/limits
 - Acceptance Criteria

SYSTEM REQUIREMENT

- Define
 - HW, OS, SW, and Networking requirements
 - Functional Requirements
 - Acceptance Criteria

REVIEW AMR (TURTLEBOT4) E-MANUAL

- [Features · User Manual](#)
- <https://turtlebot.github.io/turtlebot4-user-manual/overview/features.html>



PLEASE REVIEW YOUR WORK FROM EARLIER ONLINE CLASS

- Yolo obj. Det. Vs. Yolo Tracking
 - [Object Detection - Ultralytics YOLO Docs](#)
 - [Track - Ultralytics YOLO Docs](#)
 - [Model Training with Ultralytics YOLO - Ultralytics YOLO Docs](#)
- Yolo
 - Data Labelling (ex: Labellmg/roboflow)
 - Data pre-processing for YoloV8 Training
 - YoloV8 training to create .pt file
 - Using .pt file to predict/inference
- ROS
 - colcon build
 - Node, Topic, Service, Action, Interface, etc. coding

ROS EXERCISE I

Create a ROS2 Package with these publisher and subscribers

```
2_0_a_image_publisher.py
2_0_b_image_subscriber.py
2_0_c_data_publisher.py
2_0_d_data_subscriber.py
```

Try these CLI

```
$ ros2 run rqt_graph rqt_graph
$ ros2 node list
$ ros2 node info <node_name>
$ ros2 topic list
$ ros2 topic info <topic_name>
$ ros2 topic echo <topic_name>
$ ros2 interface list
$ ros2 interface show
  <package_name>/msg/<MessageName>
$ rqt --clear-config
```

ROS EXERCISE 2

● Homework_삐뽀삐뽀 소리내기 노드 만들기

● 시작 전

BEFORE GOING HOME (VERY IMPORTANT)!!!

- Dock your robot
- Perform **soft** shutdown by
 - PC Terminal
`$ ssh ubuntu@<AMR IP>`
 - AMR Terminal
`$ sudo shutdown now`

- TB4 battery continues to charge

Or

- Perform **soft** shutdown by
 - PC Terminal
`$ ssh ubuntu@<AMR IP>`
 - AMR Terminal
`$ sudo shutdown now`
- Remove TB4 from the Docking Station
- Power off Create 3

- TB4 battery is **NOT** charging



프로젝트 RULE NUMBER ONE!!!

Are we having
Fun???

