

Notably Design Document

Vahid Fazel-Rezai, Alex Luh, Akshay Ravikumar, Kimberli Zhong

November 13, 2015

6.170 Fall 2015

Overview

Motivation

Writing notes during class can be a struggle; it can be hard to write detailed notes and follow the lecture at the same time. This leads to both low-quality notes and an incomplete understanding of the material.

For our final project, we are creating Notably, an application for collaboratively creating and curating notes. MIT students will be able to log into the system and join a lecture feed for a particular class; then, they can contribute notes, flag inappropriate posts, and save useful notes to their personal stash.

Notably aims to achieve the following:

- **To encourage collaboration within an entire class.**

While there already exist note-taking tools, many of these aren't collaborative. Those that support collaboration (Google Docs, Evernote, etc.), however, are not readily accessible to the entire class; friends have to send each other a link to access the document. With Notably, all the students in a class can easily access its feed, making classwide collaboration effortless.

- **To let students absorb more information from a lecture.**

By streamlining the notetaking process with features like keyboard shortcuts and rich Markdown support, students can easily contribute notes without missing too much important information from the lecture. In addition, by working together to add information, students can better absorb the content without having to meticulously document everything.

- **To let students efficiently curate their own notes.**

Notably lets students add their own notes, and those of their peers, to a personal stash. This lets students store important information they wish to access in the future, and we hope that the user experience will be rich enough for MIT students to use Notably for all their notetaking needs.

We hope that with Notably, MIT students can communicate and learn from each other, fostering the archetypal MIT collaborative spirit while increasing understanding of the course material.

Design Essence

Concepts

Snippet

- Purpose: To allow a user to create a note for a certain topic in a class session (lecture, recitation, etc.)
- Operational Principle: If a user wants to write down the different ways to structure data in mongo, he or she can create a new snippet containing a table of the pros and cons of the embedded versus relational structures.

Stash

- Purpose: To allow a user to create an organized list of all notes he or she took for a class session
- Operational Principle: If a user wants to review his or her personal notes for a lecture before an exam, he or she can look at his or her own stash for that lecture.

Session

- Purpose: To allow organization of stashes and snippets
- Operational Principle: A session can correspond to a class lecture, recitation, etc. When a user visits a session page, he or she can see the class feed for that session as well as the user's stash for that particular session.

Feed

- Purpose: To allow a user to see a consolidated list of all notes taken by students in a class session
- Operational Principle: If a user feels confused about a particular topic during a lecture, he or she can look at the class feed to see if some other student has written a clear and helpful note about that topic.

Save

- Purpose: To allow a user to add a particularly insightful note written by another user to their own lecture notes
- Operational Principle: If a user sees a really good note for a certain topic in the class feed, he or she can add it to his or her stash for the lecture. Saves also serve as a rating system, since a snippet with many saves is likely to be better quality than a snippet with zero saves.


Flag

- Purpose: To allow a user to mark a note as incorrect or low quality; prevents trolls and spam
- Operational Principle: If a user sees a snippet in the class feed that is incorrect about some topic or obviously spam, he or she can flag that snippet. If a user has too many flagged snippets, he or she will temporarily lose access to the class feed.

Unlocking

- Purpose: To encourage students to be engaged in class
- Operational Principle: Upon logging into Notably, a user can only see the top ten snippets (by timestamp) in the class feed. If the user wishes to see more of the snippets in the class feed, he or she must contribute three good snippets (not flagged) to unlock access to the entire class feed.
- Potential Misfit: The concept of unlocking alone doesn't necessarily incentivize students to attend class.

Data model



Definitions:

- `subscribed_to` indicates that a user is subscribed to feeds in a class
- `has_sessions` denotes which sessions belong to a given class (lectures, recitations, study sessions, etc.)
- `saved_snippets` marks which snippets a user has saved to his/her stash
- `flagged_by` indicates which users have flagged a given snippet as incorrect or spammy

Textual constraints:

- A stash for a given session cannot contain snippets not in that session's feed
- A snippet is flagged by a user different than its author.

Insights:

- The feed is consolidated globally so that every user subscribed to its class can see it, given that they've unlocked the view.
- We use a session model to represent each class session. For each session, users can then add notes (snippets) to that session's feed.

Security concerns

We want notes to be as open as possible within classes, but to make participants comfortable with that we would like to limit access to the notes to MIT students. This also prevents spam from outside users. To do so, we will use a simple MIT certificate authorization system. That is, accessing any page of the system requires an MIT certificate. This also allows us to identify users by Kerberos ID. As mentioned on Piazza, we can consider redirecting a user to a site with a PHP script to verify the certificate, and if successful, redirect the user back.

We will prevent standard web attacks (XSS, CSRF, etc.) using standard techniques presented in lecture such as input sanitization (e.g. for snippets) and using authorization tokens. We will manage who has access to resources (such as feeds that aren't unlocked) on the server-side to prevent users from being able to access restricted content through HTML sources.

We are assuming attackers are anyone on the Internet (not just MIT students) who do not have access to the server directly but can send any request to any endpoint. We assume only MIT students have MIT certificates.

User interface

Figure 1: Splash page




Figure 2: User Home view

The screenshot shows the Notably user home view. At the top, there is a purple header bar with the word "Notably" in white cursive font. On the left side of the header is a white arrow pointing up, and on the right is a white keyhole icon.

The main content area has a light gray background. In the top center, it says "Welcome, Kimberli!"

On the left, there is a yellow sidebar titled "My classes" containing four items: 6.034, 6.006, 6.170, and 14.01. Below this is a search bar with the placeholder "Search" and a right-pointing arrow icon.

In the center, there is a section titled "Today's schedule" showing a timeline from 9 am to 4 pm. The schedule includes:

- 9 am: (empty)
- 10 am: 6.034 (10-250)
- 11 am: (empty)
- 12 pm: (empty)
- 1 pm: 14.01 (E25-111)
- 2 pm: (empty)
- 3 pm: 6.170 (54-100)
- 4 pm: (empty)

On the right, there is a section titled "Recent stashes" listing recent lecture materials:

- 6.170 - Lecture 7: Structuring a...
- 6.170 - Lecture 5: Structuring a...
- 6.006 - Lecture 6
- 6.170 - Lecture 6: How the web...
- 6.034 - Lecture 5
- 6.006 - Lecture 5
- 14.01 - Lecture 8
- 14.01 - Recitation 9
- 6.170 - Lecture 4: Events
- 6.006 - Lecture 4

Figure 3: Class view

The screenshot shows the Notably app interface. At the top, there's a purple header with the word "Notably" in white cursive. On the left is an upward-pointing arrow icon, and on the right is a keyhole icon. Below the header, the title "6.170 - Software Studio" is displayed in bold black text. To the right of the title is a red button with the text "Remove from classes" and a small "X". On the left side, there's a sidebar with a yellow background titled "My classes" containing four items: "6.034", "6.006", "6.170" (which is highlighted in orange), and "14.01". Below this sidebar is a search bar with the placeholder "Search" and a right-pointing arrow icon. The main content area has a light gray background and contains a table with two columns: "Sessions" and "Created". The table lists eight lecture sessions with their creation dates:

Sessions	Created
Lecture 7: Structuring a server-side app (9 online)	9/30/2015
Lecture 6: How the web works	9/28/2015
Lecture 5: Structuring a client-side app	9/23/2015
Lecture 4: Events	9/21/2015
Lecture 3: Hiding of representations	9/16/2015
Lecture 2: Functionals	9/14/2015
Lecture 1: What is design?	9/9/2015

Figure 4: Session Feed+Stash view

The screenshot shows the Notably application interface. At the top is a purple header bar with the word "Notably" in white cursive script. To the left of the title is a white upward-pointing arrow icon, and to the right is a white keyhole icon.

The main content area has two columns:

- Feed:** A yellow section containing a snippet card for "Node.js". The card includes the author's name ("Kimberli Zhong, 23 minutes ago"), a list of three bullet points, and a rating of "2 ★".
- Your Stash:** A yellow section containing a snippet card for "Node.js". The card includes the author's name ("Kimberli Zhong, 23 minutes ago"), a list of three bullet points, and a red "X" icon indicating it can be deleted.

Below these sections is a light orange bar with the text "Contribute 2 more snippets to see more...".

At the bottom, there is a toolbar with icons for bold, italic, underline, and heading 1, followed by a "Contribute!" button. Below the toolbar is a text input field with the placeholder "Add a new snippet...".

Figure 5: User Profile view

Notably

Kimberli's Profile


Stats

Snippets submitted: 124
 Snippets saved: 432
 Classes subscribed to: 4

Stashes

Class	Session	Created	Snippets
6.170	Lecture 7: Structuring a...	9/30/2015	16
6.006	Lecture 6	9/30/2015	20
6.170	Lecture 6: Structuring a...	9/28/2015	12

Figure 6: Page Flow Diagram



Upon login with certificate authentication, the user will see a homepage with her class schedule for the day as well as recent sessions she's attended. Pages will also display a sidebar with options to select classes. The class view includes a list of all sessions for that class. When a session is viewed, the feed for that session is displayed alongside the user's stash for that session, with snippets obscured when the user hasn't contributed enough.

The snippet editor features rich text editing and inline math. The system will also have a photo upload option for drawings and graphs. Meanwhile, the feed display shows all snippets for a given session and gives user the option to save snippets to their own stashes or flag snippets as inaccurate. When a user submits a snippet, it automatically adds that snippet to her stash (although the user may remove it if she wishes).

Challenges

Design challenges

One challenge is deciding whether snippets should be editable. On one hand, it would be nice to be able to fix typos or improve snippets after submitting. On the other hand, we would like to prevent a situation where a user originally stashes a snippet they like, the snippet gets edited, and the user now doesn't want the snippet in their stash. We chose to keep snippets immutable for sake of technical simplicity.

Another challenge is deciding how to administer which feeds exist. Ideally we want everyone in a lecture on the same feed, but also not require users to manually create new feeds (which could result in two users creating feeds for the same lecture). Options include manually creating each feed, creating feeds based on class schedules, and allowing users to manually create feeds. Our solution is to have a pre-existing empty feed that users can contribute to and 3 hours after the first contribution a new feed is automatically created.

Another challenge is deciding the mechanism for unlocking. Our goal is to incentivize contribution by requiring a user to add snippets before having access to the feed, so the feed won't be fully visible right away. At the same time, we want to encourage users to join by immediately showing the benefits of using the system for notes. Our solution is to show the first 10 snippets (as opposed to no snippets) of a feed to anyone and require at least 3 snippets to unlock the rest.

Team Work Plan

Stakeholders

The stakeholders involved are students as well as instructors and TAs for classes.

Students can join a particular class, access its feeds, contribute notes, and curate their stashes. The system would provide them an easy way to manage their own study material as well as collaborate and share resources with other students in the class.

Instructors and TAs are invested in their students' learning and should encourage them to take good notes and learn collaboratively. They can incentivize students to use the app and open up session feeds (lecture, recitation, review session) in which students can contribute notes.

Resources

MIT Course Catalog: we may need to scrape the course catalog for MIT class metadata. This is a single-time access, and we need not worry about the reliability of the catalog.

Tasks

The implementation of Notably is divided roughly into the following tasks, along with a tentative point person and deadline:

Category	Task	Point Person	Deadline
Stack	Certificate Authorization	Akshay	11/19/15
	Heroku/Athena	Vahid	11/19/15
	MongoDB/Mongolab	Vahid	11/19/15
	Express/Node	Vahid	11/19/15
Core Functionality	Real-time browser updating	Akshay	11/19/15
	Database models	Alex	11/19/15
	Client/server communication	Kimberli	11/19/15
	Save a snippet	Alex	11/23/15
	Flag a snippet	Akshay	12/06/15
Views	Session View	Akshay	11/23/15
	Profile View	Vahid	11/23/15
	User Home View (list of stashes)	Alex	11/23/15
	Class Home View (list of session)	Vahid	11/23/15
Features	List of MIT classes/descriptions	Akshay	12/06/15
	Rich Markdown (Text/code formatting, MathJax, etc.)	Akshay	12/06/15
	Keyboard shortcuts (list of stashes)	Kimberli	12/06/15
	Unlocking	Akshay	12/06/15
Testing	Model	Kimberli	12/06/15
	UI	Akshay	12/06/15
Logistics	Revised Design Document	Whole Team	11/19/15
	Meeting Agenda	Kimberli	per meeting
	Meeting Progress Report	Alex	per meeting
	Meeting Notes	Alex	per meeting

Risks

A risk is that our moderation system doesn't work as intended and the quality of snippets is low. The result would be that there wouldn't be a strong lure for students to use the app. We can mitigate this by testing and observing instances and properties of desirable and undesirable behavior. We would then implement criteria that allows the desirable behavior while blocking undesirable behavior.

Another risk is that lazy students will abuse the system by using other students' notes to justify not attending class. To prevent this, we mandate that students contribute a few snippets in order to view other students' notes in the session feed.

To allow for students to filter through many potentially redundant notes, we also will implement a rating system in which snippets that are the most popular (saved to most users' stashes) will bubble up to the top of the feed.

Although the app may need a critical mass for the sharing features to be useful, we intend for the system also offer an elegant way to manage students' personal notes. That way, individuals would be incentivized to use the app even when there aren't too many other users on it.

Minimum Viable Product

In our MVP, we expect to have the following features implemented:

- User and Class home
- Lecture feed with rudimentary note-taking capabilities
- Stash and Save Capabilities

The MVP includes almost all of the concepts (snippet, stash, feed, save); the missing concepts are flags and unlocking. We will delay certain features of the full product until after the MVP. These include rich text markup in snippets, creating a comprehensive list of MIT classes, and views for user and class home.