

```

*****
*****
*
* Log opened: 2016-10-25T14:42:11Z
*
*
* Acerca de este archivo de registro - MSNMsgr.txt
* Windows Live Messenger 16.4.3528.0331
*
* Este archivo de registro se crea en tu equipo al seleccionar el valor
de configuración
* Registro de conexiones en el cuadro de diálogo Opciones. Puedes
* desactivar esta configuración en cualquier momento. Para desactivarlo,
haz clic
* en el menú Herramientas y, a continuación, haz clic en Opciones. En la
sección Conexión, haz clic en el botón Configuraciones avanzadas.
En Configuración de Windows Live Messenger, desmarca la casilla de
registro y
* haz clic en Aceptar.
*
* Advertencia: este archivo puede contener información personal.
Cualquier
* persona con acceso a tu escritorio de Windows puede ver el contenido de
este archivo.
*
<SystemSettings><System SystemTime="10/25/2016 14:28:19 UTC"
WinsockVer="2.2" MsgrVersion="0x10040dc8" WinInet="1.2" LCID="0x0c0a"
/><OS SuiteMaskProductType="0x1000001" MajorVersion="0x6"
MinorVersion="0x1" BuildNumber="0x1db1" ServicePack="0x1" /><IESettings
Version="8.0.7601.17514" UseSSL30="0x1" CheckCertRev="0x1" /><Connection
Type="No hay proxy" Mode="0x0" /></SystemSettings>
*****
*****
[07:42:11.07] 1028 Messenger: Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[07:42:11.07] 1028 Messenger: Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F1E8)
[07:42:11.08] 1028 Messenger: Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.08] 1028 Messenger: Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[07:42:11.08] 1028 Messenger: Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.08] 1028 Messenger: Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[07:42:11.08] 1028 Messenger: Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[07:42:11.08] 1028 Messenger: Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[07:42:11.08] 1028 Messenger: Zone_UI
CUIManager::UILogon@006C23D8: enter
[07:42:11.08] 1028 Messenger: Zone_HotmailService
CHotmailService::SetLoginType> type=4

```

```

[07:42:11.08] 1028           Messenger:           Zone_UI
CUIManager::LogonService@006C23D8: enter
[07:42:11.08] 1028           Messenger:           Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [1] to
[2]
[07:42:11.08] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnSignInStarted> hr=[0x0] state=[2]
[07:42:11.08] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLogonServiceStarted> hr=[0x0] state=[2]
[07:42:11.08] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::SetActiveIdentity(0x006E73E0)
[07:42:11.08] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::SetActiveIdentity: Ignoring: (006E73E0) is already the
Active Identity.
[07:42:11.08] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::SetActiveIdentity() = 0x1
[07:42:11.08] 1290           Messenger:           Zone_LogonState
CSignInUI::StartSignInAnimations
[07:42:11.08] 1028           Messenger:           Zone_HotmailProtocol
CUIManager::LogonService@006C23D8: recorded login start time as 36480287
[07:42:11.08] 1290           Messenger:           Zone_LogonState
CSignInDialogBehavior::StartSignInAnimations m_eState=[0]
[07:42:11.08] 1028           Messenger:           Zone_HotmailService
CHotmailService::SetPresence_State@006A3650: m_bNextLogonState 2 (0x0002)
[07:42:11.08] 1028           Messenger:           Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: enter
[07:42:11.08] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.08] 1028           Messenger:           Zone_IdentityCRL
    strMemberNameOut = kimberli13@hotmail.com
[07:42:11.08] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.13] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.13] 1028           Messenger:           Zone_IdentityCRL
    strMemberNameOut = kimberli13@hotmail.com
[07:42:11.13] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.13] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.13] 1028           Messenger:           Zone_IdentityCRL
    strMemberNameOut = kimberli13@hotmail.com
[07:42:11.13] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.15] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.15] 1028           Messenger:           Zone_IdentityCRL
    strMemberNameOut = kimberli13@hotmail.com
[07:42:11.15] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.16] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.16] 1028           Messenger:           Zone_IdentityCRL
    strMemberNameOut = kimberli13@hotmail.com

```

```

[07:42:11.16] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: leave
[07:42:11.16] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.16] 1028           Messenger:           Zone_IdentityCRL
    strMemberNameOut = kimberlil3@hotmail.com
[07:42:11.16] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.16] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::Init@006C2888: enter
[07:42:11.16] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[07:42:11.16] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[07:42:11.16] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::Init@006C2888> IMessagingService pointer = 034BB514,
IConversationManager pointer = 034BB04C
[07:42:11.16] 1028           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@05015BD0: enter
[07:42:11.16] 1028           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@05015BD0> Shell ConversationMgr
006C2888 is listening to platform ConversationManager 034BB04C events.
[07:42:11.16] 1028           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@05015BD0: leave
[07:42:11.16] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::Init@006C2888: leave
[07:42:11.16] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.16] 1028           Messenger:           Zone_IdentityCRL
    strMemberNameOut = kimberlil3@hotmail.com
[07:42:11.16] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='LMC' depends={} timeout=60000
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='MessengerRpsTicket'
depends={BatchedTickets} timeout=300000
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='BatchedTickets' depends={} timeout=60000
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='Presence' depends={BatchedTickets}
timeout=90000
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='LivePlatform' depends={MessengerRpsTicket}
timeout=240000
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='StoreAdapter' depends={LMC, LivePlatform}
timeout=60000
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnLocalStateChangedInternal@006A3650: From 256 to 512
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CMsgrService::FireLocalStateChangeResult@006A2388: (S_OK, 0x0200)

```

```

[07:42:11.16] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x200
[07:42:11.16] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[2]
[07:42:11.16] 1028           Messenger:           Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x100, new state=0x200
[07:42:11.16] 1028           Messenger:           Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x200
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CTaskRunner::RunTasks: waiting=6
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LMC'
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='BatchedTickets'
[07:42:11.16] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=4
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F164)
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[07:42:11.18] 1028           Messenger:           Zone_UI
CUIManager::LogonService@006C23D8: leave
[07:42:11.18] 1028           Messenger:           Zone_LogonState
CUIManager::UILogon: LocalState=0x1 hr=0x0
[07:42:11.18] 1028           Messenger:           Zone_UI
CUIManager::UILogon@006C23D8: leave
[07:42:11.18] 1028           Messenger:           Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F1E8)
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[07:42:11.18] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0

```

```

[07:42:11.18] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[07:42:11.18] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[07:42:11.18] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[07:42:11.18] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[07:42:11.18] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[07:42:11.18] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[07:42:11.18] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F1E8)
[07:42:11.18] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.18] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[07:42:11.18] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.18] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[07:42:11.18] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[07:42:11.18] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[07:42:11.19] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[07:42:11.19] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[07:42:11.19] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[07:42:11.19] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[07:42:11.19] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[07:42:11.19] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F1E8)
[07:42:11.24] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.24] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[07:42:11.24] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.24] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[07:42:11.24] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[07:42:11.24] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[07:42:11.24] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[07:42:11.24] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0

```

```

[07:42:11.24] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[07:42:11.24] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[07:42:11.24] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[07:42:11.24] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F1E8)
[07:42:11.28] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[07:42:11.28] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[07:42:11.28] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[07:42:11.28] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[07:42:11.28] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[07:42:11.28] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[07:42:11.28] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[07:42:11.28] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[07:42:11.28] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[07:42:11.28] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[07:42:11.28] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='LMC'
[07:42:11.41] 1934      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=0)
[07:42:11.41] 1934      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=8)
[07:42:11.41] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='BatchedTickets'
[07:42:11.41] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SendIdentityRequest(0x0029F294, 4, 0x0029F28C)
[07:42:11.41] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SendIdentityRequest() = 0x48847
[07:42:11.41] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='BatchedTickets' hr=0x00048847
[07:42:11.41] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=4 pending=0 running=1
[07:42:11.41] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='MessengerRpsTicket' remaining={}
[07:42:11.41] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='MessengerRpsTicket'
[07:42:11.41] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='Presence' remaining={}
[07:42:11.41] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='Presence'
[07:42:11.41] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=2

```

```

[07:42:11.41] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='MessengerRpsTicket'
[07:42:11.41] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='Presence'
[07:42:11.41] 1028           Messenger:      Zone_HotmailService
CPresenceSession::SignIn@04FAFF10> service=@034BB28C PE=3 IM=4
[07:42:11.41] 1028           Messenger:      Zone_HotmailService
CPresenceSession::SignIn@04FAFF10> service=@034BB28C hr=0x00000001
[07:42:11.48] 1028           Messenger:      Zone_HotmailService
CMessengerServiceTicketRequest::OnGetServiceTicketCompleted> request=3,
service=messengerclear.live.com, hr=0x00000000
[07:42:11.48] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity(0x0029F268)
[07:42:11.48] 1028           Messenger:      Zone_IdentityCRL
      *ppIdentityOut = 0x006E73E0
[07:42:11.48] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity() = 0x0
[07:42:11.48] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='MessengerRpsTicket' hr=0x00000000
[07:42:11.48] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=2 pending=0 running=2
[07:42:11.48] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='LivePlatform' remaining={}
[07:42:11.48] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LivePlatform'
[07:42:11.48] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[07:42:11.48] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='LivePlatform'
[07:42:11.48] 1934           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=13)
[07:42:11.52] 1028           Messenger:      Zone_HotmailService contacts
service = synchronized
[07:42:11.52] 1028           Messenger:      Zone_HotmailService
PlatformReady = true
[07:42:11.52] 1028           Messenger:      Zone_HotmailService
hr=0x00000000
[07:42:11.52] 1028           Messenger:Zone_Contact_Replication Initial
Signin -- OnReady
[07:42:11.52] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[07:42:11.52] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LivePlatform' hr=0x00000000
[07:42:11.52] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=2
[07:42:11.52] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={LMC}
[07:42:11.52] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[07:42:11.68] 1934           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=2)
[07:42:11.68] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LMC' hr=0x00000000

```

```

[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=1
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={}
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='StoreAdapter'
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=0
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='StoreAdapter'
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinalConstruct
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinishLoadingIfReady
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreListEnumerate
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::EnumerateStoreObjects
[07:42:11.68] 1934      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=9)
[07:42:11.68] 1934      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=17)
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertMeContact > unread email count set
to 0
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 0
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 0 for ME contact.
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = HomePhone, value = NotAString
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 1
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 1 for ME contact.
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = WorkPhone, value = NotAString
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 2
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 2 for ME contact.
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = MobilePhone, value = +526647255259
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 3
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = IsMobileEnabled, value = NotAString

```



```

[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 4
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = IsMBEA, value = N
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 5
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityMobileOnline, value = NotAString
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityP2PAware, value = NotAString
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 7
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = UserTileActualObjectStoreName, value = <msnobj
Creator="kimberli13_@hotmail.com" Type="3"
SHA1D="d8dMHuTKt215bEVVVcRlNDH0yn0=" Size="4350" Location="0"
Friendly="PwAAAA==" />
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityWebCamDetected, value = NotAString
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsChunking, value = NotAString
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 10
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = ServerId, value = c5bd42a3-f949-46c3-ba24-295318cfb798
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 11
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = FriendlyName, value = PAOLA
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 12
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityWebIMClient, value = NotAString
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 13
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 13 for ME contact.
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = FirstName, value = PAOLA
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 14
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = CapabiltiyConnectedViaTGW, value = NotAString
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsWinks, value = NotAString

```

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 16
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 16 for ME contact.
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = IsMobileBuddy, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 17
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = StatusMessage, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 18
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CurrentMedia, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsVoiceIM, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 20
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoCount, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 21
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellCount, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 22
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSChannel, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 23
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CID, value = -999964482718167511
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 24
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSipInvite, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 25
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoTimer, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 26
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellTimer, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 27
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityIsBot, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 28

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 28 for ME contact.

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = Messenger4, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 29

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = NooIconUrl, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 30

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = DDPActualObjectStoreName, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PSupportsTurn, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PBootstrapViaUUN, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsTunneledSip, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityRTCVideoEnabled, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 35

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = SceneActualObjectStoreName, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 36

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = ColorScheme, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 39

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = BadgeActualObjectStoreName, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingVideoSupport, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupport1On1ViaGroup, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42

[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityNudgeEnabled, value = NotAString

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityCircleVoiceIMEnabled, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingEnabled, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 45
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityMobileSuspendIMFanoutDisable, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityConvWindowFileTransfer, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVideoCallSupports16x9, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = Capability SIPTunnelVersion2, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVoiceClipSupportsWMAFormat, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVoiceClipSupportsCircleIM, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSocialNewsObjectTypes, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityCustomEmoticonsCapable, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityUTF8MoodMessagesSupported, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 54
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityFTURNCapable, value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55
[07:42:11.68] 1028 Messenger: Zone_StoreAdapter
property = CapabilityRemoteP2PObjectStoreFetch , value = NotAString
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 56

```
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = AnimatedSceneActualObjectStoreName, value = NotAString
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsP4Activity, value = NotAString
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[07:42:11.68] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsMultiPartyIM, value = NotAString
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
03588B08
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
03588D70
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
03588FD8
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
03589240
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = snoop_opi03@hotmail.com, contactType = 1, store object =
035894A8
[07:42:11.68] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
```

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:edgardhino10@yahoo.com, contactType = 32, store
object = 03589710
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = player269@hotmail.com, contactType = 1, store object =
03589978
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
03589BE0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
03589E48
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = felixjpb@hotmail.com, contactType = 1, store object =
0358A0B0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 0358A318
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jdh_1989911@hotmail.com, contactType = 1, store object =
0358A580
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kikirikito_chu@hotmail.com, contactType = 1, store object =
0500C808
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
0500CA70
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
0500CCD8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = vija_gzllz@hotmail.com, contactType = 1, store object =
0500CF40
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlos_mcl59@hotmail.com, contactType = 1, store object =
0500D1A8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kimberli13_@hotmail.com, contactType = 1, store object =
0500D410
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ludwin_engel@hotmail.com, contactType = 1, store object =
0500D678
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bombon-angel-1@hotmail.com, contactType = 1, store object =
0500D8E0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calamardo_159@hotmail.com, contactType = 1, store object =
0500DB48
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = enbuscadeunanuevaesperanza@hotmail.com, contactType = 1,
store object = 0500DDB0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
0500E018
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_supernene91@hotmail.com, contactType = 1, store object
= 0500E280
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
0500E4E8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = CLAU Liz_LEX@hotmail.com, contactType = 1, store object =
04F39F10
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
04F3A178
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 04F3A3E0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
04F3A648
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
04F3A8B0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = l.alo.49@hotmail.com, contactType = 1, store object =
04F3AB18
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = charalracing7@hotmail.com, contactType = 1, store object =
04F3AD80
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 04F3AFE8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
04F3B250
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = trolito12@hotmail.com, contactType = 1, store object =
04F3B4B8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = leo_05_07@hotmail.com, contactType = 1, store object =
04F3B720
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
04F3B988
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
04F3BBF0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bichito_07@hotmail.com, contactType = 1, store object =
0503C1F0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = cerebral.dead@hotmail.com, contactType = 1, store object =
0503C458
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
0503C6C0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
0503C928
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
0503CB90
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alana_baun602@hotmail.com, contactType = 1, store object =
0503CDF8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
0503D060
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hee@bk.ru, contactType = 1, store object = 0503D2C8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = la_keimy_scoof_tkm@hotmail.com, contactType = 1, store
object = 0503D530
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yahoo:chikinkatcher@yahoo.com, contactType = 32, store
object = 0503D798
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kl_louis@hotmail.com, contactType = 1, store object =
0503DA00
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chikinkatcher@yahoo.com, contactType = 1, store object =
0503DC68
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
0503DED0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
04F4EF10
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
04F4F178
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
04F4F3E0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pier_69k@hotmail.com, contactType = 1, store object =
04F4F648
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
04F4F8B0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
04F4FB18
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = k1_louis@hotmail.com, contactType = 1, store object =
04F4FD80
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 04F4FFE8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 04F50250
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = eduardito25_3@hotmail.com, contactType = 1, store object =
04F504B8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
04F50720
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
04F50988
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
04F50BF0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:lupita0583@yahoo.com, contactType = 32, store object
= 04FC3440
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 04FC36A8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
04FC3910
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
04FC3B78
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 04FC3DE0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
04FC4048
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
04FC42B0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
04FC4518
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
04FC4780
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
04FC49E8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:honestman_always@yahoo.com, contactType = 32, store
object = 04FC4C50
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
04FC4EB8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
04FC5120
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
05009740
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mariaemigdia2@hotmail.com, contactType = 1, store object =
050099A8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 05009C10
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
05009E78
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
0500A0E0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ana_hi88@hotmail.com, contactType = 1, store object =
0500A348
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 0500A5B0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
0500A818
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 0500AA80
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
0500ACE8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
0500AF50
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = VickeyEmeraldaibtw@hotmail.com, contactType = 1, store
object = 0500B1B8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = CLAULIZ_LEX@hotmail.com, contactType = 1, store object =
0500B420
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
05040FA8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
05041210
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
05041478
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
050416E0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
05041948
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 05041BB0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gavo_9116@hotmail.com, contactType = 1, store object =
05041E18
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 05042080
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
050422E8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
05042550
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object
= 050427B8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
05042A20
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
05042C88
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
04F57F10
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chaparritochamps@hotmail.com, contactType = 1, store
object = 04F58178
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
04F583E0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
04F58648
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
04F588B0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
04F58B18
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
04F58D80
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gedc_3@hotmail.com, contactType = 1, store object =
04F58FE8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = la_nieka@hotmail.com, contactType = 1, store object =
04F59250
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = luison_10@hotmail.com, contactType = 1, store object =
04F594B8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
04F59720
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = trolito12@hotmail.com, contactType = 1, store object =
04F59988
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = enbuscadeunanuevaesperanza@hotmail.com, contactType = 1,
store object = 04F59BF0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
04F04230
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
04F04498
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
04F04700
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 04F04968
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
04F04BD0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
04F04E38
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
04F050A0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = barry19842009@live.co.uk, contactType = 1, store object =
04F05308
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = omarprado.s@hotmail.com, contactType = 1, store object =
04F05570
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object
= 04F057D8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
04F05A40
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
04F05CA8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
04F05F10
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
05042FA8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
05043210
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rivera-kevin@live.com, contactType = 1, store object =
05043478
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
050436E0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = skrowersote@hotmail.com, contactType = 1, store object =
05043948
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = knifex01@hotmail.com, contactType = 1, store object =
05043BB0
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = deniz.mavisi68@hotmail.com, contactType = 1, store object
= 05043E18
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
05044080
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
050442E8
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
05044550
[07:42:11.68] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
050447B8
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
05044A20
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
05044C88
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
08444088
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = skrowersote@hotmail.com, contactType = 1, store object =
084442F0
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = 00000000-0000-0000-0009-elab0db61252, contactType = 64,
store object = 08444558
[07:42:11.69] 1028 Messenger: Zone_Circles
CMsgrCircle::IsInCircle@04E85568: returning 0x0, fInCircle = 0
[07:42:11.69] 1028 Messenger: Zone_Circles
CMsgrCircle::AddMemberLocally@04E85568: adding kimberli13_@hotmail.com to
00000000-0000-0000-0009-elab0db61252
[07:42:11.69] 1028 Messenger: Zone_Circles
CBuddy::AddCircle@050388A0: buddy=kimberli13_@hotmail.com
circle=00000000-0000-0000-0009-elab0db61252 hr=0x 0
[07:42:11.69] 1028 Messenger: Zone_Circles
CHotmailService::OnStoreListAdd create circle returned 0x0
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
084447C0
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
08444A28
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
08444C90
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zorritarosita@hotmail.com, contactType = 1, store object =
08444EF8
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
08445160
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
084453C8
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
08445630
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 08445898
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
08445B00
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
08445D68
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
04EDEF98
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
04EDF200
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
04EDF468
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
04EDF6D0
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
04EDF938
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
04EDFBA0
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
04EDFE08
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
04EE0070
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
04EE02D8
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
04EE0540
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
04EE07A8
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = claudy_girl16@hotmail.com, contactType = 1, store object =
04EE0A10
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
04EE0C78
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = souljump@hotmail.com, contactType = 1, store object =
04ED9F98
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 04EDA200
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 1, store object =
04EDA468
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
04EDA6D0
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::UpdateContactTypeOnBuddy@006A3650: list = 1,
strContactId = nck.khc@gmail.com, contactType = 2 >> is taking over
contactType = 1
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListRemove@006A3650: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, strMemberId = nck.khc@gmail.com
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 04EDA938
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = souljamp@hotmail.com, contactType = 1, store object =
04EDABA0
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[07:42:11.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name Favoritos storeId 282
[07:42:11.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name amigos storeId 283
[07:42:11.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 284,
IsUnknownBuddy = false
[07:42:11.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 285,
IsUnknownBuddy = false
[07:42:11.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 286,
IsUnknownBuddy = false
[07:42:11.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

```
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 287,
IsUnknownBuddy = false
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 288,
IsUnknownBuddy = false
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 289,
IsUnknownBuddy = false
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 290,
IsUnknownBuddy = false
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 291,
IsUnknownBuddy = false
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 292,
IsUnknownBuddy = false
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 293,
IsUnknownBuddy = false
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 294,
IsUnknownBuddy = false
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 295,
IsUnknownBuddy = false
[07:42:11.69] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
```

```
[07:42:11.69] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 296,
IsUnknownBuddy = false
[07:42:11.69] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 297,
IsUnknownBuddy = false
[07:42:11.69] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.69] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 298,
IsUnknownBuddy = false
[07:42:11.69] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = souljump@hotmail.com
storeId = 299
[07:42:11.69] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 299,
strContactId = souljump@hotmail.com, contactType = 1, store object =
04FDDA78
[07:42:11.69] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.71] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[07:42:11.71] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 0
[07:42:11.71] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 299,
IsUnknownBuddy = false
[07:42:11.71] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 300,
IsUnknownBuddy = false
[07:42:11.71] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 301,
IsUnknownBuddy = false
[07:42:11.71] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 302,
IsUnknownBuddy = false
```

[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 303,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 304,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 305,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 306,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 307,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 308,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 309,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 310,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 311,
IsUnknownBuddy = false

[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 312,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 313,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 314,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 315,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 316,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 317,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 318,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 319,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 320,
IsUnknownBuddy = false

```
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 321,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 322,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 323,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 324,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 325,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 326,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 327,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 328,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name =
henryguerrero01@hotmail.com storeId = 329
[07:42:11.71] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 329,
```

```
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 08446088
[07:42:11.71] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.71] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[07:42:11.71] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 0
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 329,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 330,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 331,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 332,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 333,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 334,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 335,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
```


[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 336,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 337,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 338,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 339,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 340,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 341,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 342,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 344,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 345,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

```
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 346,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 347,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 348,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 349,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 350,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 351,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 352,
IsUnknownBuddy = false
[07:42:11.71] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = nck.khc@gmail.com
storeId = 353
[07:42:11.71] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 353,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
0845DC68
[07:42:11.71] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[07:42:11.71] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[07:42:11.71] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 0
```

[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 353,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 354,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 355,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 356,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 357,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 358,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 359,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 360,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 361,
IsUnknownBuddy = false

[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 362,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 363,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 364,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 365,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 366,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 367,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 368,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 369,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 370,
IsUnknownBuddy = false

[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 371,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 372,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 373,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 374,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[07:42:11.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 375,
IsUnknownBuddy = false
[07:42:11.71] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListSyncEnded
[07:42:11.71] 1028 Messenger: Zone_HotmailService
CTaskRunner::OnTaskResult: complete='StoreAdapter' hr=0x00000000
[07:42:11.71] 1028 Messenger: Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=0 pending=0 running=1
[07:42:12.24] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[07:42:12.24] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 1
[07:42:12.24] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[07:42:12.24] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 1
[07:42:12.24] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false

[07:42:12.24] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 1
[07:42:12.24] 1028 Messenger: Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[07:42:12.24] 1028 Messenger: Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[07:42:12.24] 1028 Messenger: Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[07:42:12.71] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[07:42:13.26] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property change count =
28
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityWebCamDetected
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsChunking
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsWinks
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsVoiceIM
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsTunneledSip
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PSupportsTurn
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PBootstrapViaUUN

[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRTCVideoEnabled
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupport1OnlViaGroup
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityOIMEnabled
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityOIMEnabled, Me = YES
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingVideoSupport
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityNudgeEnabled
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCircleVoiceIMEnabled
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingEnabled
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityConvWindowFileTransfer
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVideoCallSupports16x9
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property = Capability
SIPTunnelVersion2
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48

```

[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsWMAFormat
[07:42:13.39] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49
[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsCircleIM
[07:42:13.39] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50
[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsSocialNewsObjectTypes
[07:42:13.39] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51
[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCustomEmoticonsCapable
[07:42:13.39] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52
[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityUTF8MoodMessagesSupported
[07:42:13.39] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRemoteP2PObjectStoreFetch
[07:42:13.39] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55
[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsP4Activity
[07:42:13.39] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsMultiPartyIM
[07:42:13.39] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityMsgrVersion
[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityMsgrVersion, Me = YES
[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PAware
[07:42:13.39] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
[07:42:13.39] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityBits

```


[07:42:13.39] 1028 Messenger: Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityBits, Me = YES
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 0
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 0
[07:42:13.39] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[07:42:13.39] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 0
[07:42:13.39] 1028 Messenger: Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[07:42:13.39] 1028 Messenger: Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[07:42:13.39] 1028 Messenger: Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[07:42:14.55] 1028 Messenger: Zone_HotmailService contacts
service = delaysynchronized
[07:42:14.55] 1028 Messenger: Zone_HotmailService
CHotmailService::OnInvitesReady
[07:42:32.69] 1028 Messenger: Zone_HotmailService
CPresenceSession::OnClientVersion@04FAFF10> service=@034BB28C
minver=20.0.0001 curver=20.0.0001 latestver=20.0.0001
url=http://skype.dlservice.microsoft.com/download/C/E/F/CEFA5C04-05BE-
4347-9857-
C860CFBE897B/SkypeSetupFull(6.3.73.105)(Trackable457)trackable.exe
falback=http://download.live.com/?sku=messenger
[07:42:32.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: enter
[07:42:32.69] 1028 Messenger: Zone_HotmailService
CHotmailService::Logoff@006A3650> hr=0x00000000 tasks=@006A0E88
[07:42:32.69] 1028 Messenger: Zone_HotmailService
CPresenceSession::SignOut@04FAFF10> service=@034BB28C hr=0x00000000
[07:42:32.69] 1028 Messenger: Zone_HotmailService
CPresenceSession::SignOutInternal@04FAFF10> service=@034BB28C
hr=0x00000000
[07:42:32.69] 1028 Messenger: Zone_HotmailService
CHotmailService::FireLogonResult@006A3650: hr = 0x81000312
[07:42:32.69] 1028 Messenger: Zone_HotmailService
CTaskRunner::AbortTasks: running=1

```

[07:42:32.69] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_AbortTasks: aborting='Presence'
[07:42:32.71] 1028           Messenger:           Zone_Voice
(voicevideoplatformlogon.cpp:66): ERROR: [OnLogonResult called with an
failure hrLogon] "" failed with 0x81000312 in .
[07:42:32.71] 1028           Messenger:           Zone_LogonState
CUIManager::OnLogonResult hr=[0x81000312] m_dwUILogonFlags=[1]
[07:42:32.71] 1028           Messenger:           Zone_UI
CUIManager::OnLogonResult@006C23D8: enter
[07:42:32.71] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLogonError> hrError=[0x81000312]
[07:42:32.71] 1028           Messenger:           Zone_LogonState
CLogonErrorHandler::DisplayLogonErrorDialog> hrError=[0x81000312]
s_fDisplayingLogonError=[0]
[07:42:32.71] 1028           Messenger:           Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [2] to
[1]
[07:42:32.71] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnSignInError> hr=[0x0] state=[1]
[07:42:32.71] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLogonError> hr=[0x0] state=[1]
[07:42:32.71] 1028           Messenger:           Zone_UI
CUIManager::OnLogonResult@006C23D8: leave
[07:42:32.71] 1290           Messenger:           Zone_LogonState
CSignInUI::OnSignInCanceled
[07:42:34.73] 1028           Messenger:           Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: enter
[07:42:34.73] 1028           Messenger:           Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal> Transitioned to
MSTATE(0x1)
[07:42:34.73] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnClientConfig@04FAFF10> service=@00000000
config=<Policies><Policy type="SHIELDS"
checksum="6BB3CDF0B183D2FE1281441CC1BBDA60"><config> <shield> <cli
maj="7" min="0" minbld="0" maxbld="9999" deny="" /> </shield> <block>
<hashes> </hashes> <regex> <imtext
value="cGhvdG8yMzRcLnppcA==" /> <imtext value="aWlnMDIxXC56aXA==" />
<imtext value="dGFueWFiyWJlXC56aXA==" /> <imtext
value="c3RlZmZcLnppcA==" /> <imtext value="Zm90b3NcLnppcA==" />
<imtext value="dHVmb3Rv" /> <imtext value="Z2V0LW1lc3Nlbmdlcg==" />
<imtext value="Mm5udmM3" /> <imtext value="YmxvY2tpbnJpbw==" />
<imtext value="bWVzc2FnaW5nLW5hbWVz" /> <imtext
value="cGljdHVyYTAwMg==" /> <imtext value="bWVzc2VuZ2VyLXNjYW4==" />
<imtext value="c3VtbWVyMjAwOA==" /> <imtext
value="bWVzc2VuZ2VyZGVsZXRLY2h1Y2t1cg==" /> <imtext
value="cGhvdG9hbGJlbTIwMDc==" /> <imtext value="aWlhZ2UwMjlcLnppcA=="
/> <imtext value="Zm90b183ODFcLnppcA==" /> <imtext
value="Y2hpcnN0bWZlLTlwMDdcLnppcA==" /> <imtext
value="cGhvdG8yMDA3LTEyXC56aXA==" /> <imtext
value="aWlnNS0yMDA3XC56aXA==" /> <imtext
value="bXlwZW50dXJlcj0wMTA4XC56aXA==" /> <imtext
value="cGhvdG9zMS0yMDA4XC56aXA==" /> <imtext
value="aGFwcHkyMDA4XC5leGU==" /> <imtext value="aGFwcHlfMjAwOFwuZXhl"
/> <imtext value="aGFwcHktMjAwOFwuZXhl" /> <imtext

```

```
value="bmV3X31lYXJzX2xldHRlc19mbGFzaFwuZXhl" />      <imtext
value="bWFpbmlzblwuY29t" />      <imtext value="bWFpbmlzblwubmV0" />
<imtext value="Zmljb25zdWx0aW5n" />      <imtext value="YmV6Z2lcLmluZm8="
/>      <imtext value="c3VsYW5kaXJtYQ==" />      <imtext
value="dHVuYWJhbGlnaQ==" />      <imtext value="eW9ydW5nZXNlbA==" />
<imtext value="dHV0dXNrYW5saWs=" />      <imtext
value="YWNpc2FsY2FwXC5pbmZv" />      <imtext value="Ym95YWlhZ3VjdQ==" />
<imtext value="dHV0dXNrYW5saWs=" />      <imtext value="bXltc25nYWxsZXJ5"
/>      <imtext value="aWlhZ2UwMzFcLnppcA==" />      <imtext
value="Zm90bzcYmE2" />      <imtext value="cGhvdG8yMVWuemlw" />
<imtext value="cGljdHVyZTIyXC56aXA=" />      <imtext
value="cGljdHVyZHo5MjNcLnppcA==" />      <imtext
value="cGhvdG9fNjg4LWpwZ1wuemlw" />      <imtext
value="bXlwag90bzk0XC56aXA=" />      <imtext value="dmlkZW9cLmV4ZQ==" />
<imtext value="a3V6ZW5cLmV4ZQ==" />      <imtext value="bWlyY1wuZXhl" />
<imtext value="YmFja2Rvb3I6aXJjL2Zsb29kXC5jYw==" />      <imtext
value="Zm90b18wMjdcLnppcA==" />      <imtext value="Zm90bzcwOGs2XC56aXA="
/>      <imtext value="bXNuYmxvY2tsaXN0XC5jb20=" />      <imtext
value="bXNuLWZyaWVuZFwuY29t" />      <imtext
value="cXVpZW50ZWFKbWl0ZVwuY29t" />      <imtext
value="Y2hlY2ttZXNzZW5nZXJcLm5ldA==" />      <imtext
value="bXNuYmxvY2t1cmxpc3RcLmNvbQ==" />      <imtext
value="bXNubGlzdHN0YXRlc1wuY29t" />      <imtext
value="ZnJpZW5kbHktb2ZmZXJcLmNvbQ==" />      <imtext
value="c2V0dXBcLmV4ZQ==" />      <imtext value="aG9zdGlsZWFWcGxldA==" />
<imtext value="Z3NkYWdkZmdhc2RnczI0NTc0NTIyNDdcLmV4ZQ==" />      <imtext
value="Z3NkZGFzMjQ1ODcyMTRnc2RcLmV4ZQ==" />      <imtext
value="Zm90by0zMtFfanBlZw==" />      <imtext
value="aWlhZ2UyMDZcLmpwZy13d3dcLnBob3Rvc2hhcmVcWzFdXC5jb20=" />
<imtext value="aWlhZ2UyMDZcLmpwZw==" />      <imtext value="YnVzaFwuY29t"
/>      <imtext value="Y2FtZGFcLmV4ZQ==" />      <imtext
value="eW9ldHViZV9naXJpc19wcm9ncmFtaVwuZXhl" />      <imtext
value="cjU3OWRrYTkyalwuemlw" />      <imtext value="bW9uY2xvY2hlclwuY29t"
/>      <imtext value="aWlhZ2Vzd2l0Y2hcLmluZm8=" />      <imtext
value="bmV3ZXN0cGljdHVyZTAzXC5qcGc=" />      <imtext
value="bm90aWNpYXNkb2JyYXNpbFwuY29tXC5zYXBvXC5wdC9ub3RpbY2lhdXJnZW50ZWJyYX
NpbG51bWVybzk4MjFjcLmNvbQ==" />      <imtext
value="d2luZG93c215X3Bob3Rvc18xNTMwMVWuemlw" />      <imtext
value="cGhvdG9zXzElMzAxXC56aXA=" />      <imtext value="aWlwGF5XC5jb20="
/>      <imtext value="Ym9ieXVwXC5jb20=" />      <imtext
value="Ym9iYmxhalwuY29t" />      <imtext
value="cGljcy1hdC10aGUtcGFydHlcLmNvbQ==" />      <imtext
value="Ym9iem9wXC5jb20=" />      <imtext value="bW9vcnNoXC5jb20=" />
<imtext value="Ym9ieXVw" />      <imtext value="d293YmFtXC5jb20=" />
<imtext value="Zm90blwuZXhl" />      <imtext
value="ZHNjMjAwOTAxMTdcLmpwZ1wuZXhl" />      <imtext
value="ZnJpZW5kaWlzXC5jb20=" />      <imtext value="bm93cG91bmRzXC5jb20="
/>      <imtext value="Y2xpcGRlZXBzXC5jb20=" />      <imtext
value="L3VyYmxvY2s=" />      <imtext
value="aWlhZ2VzXC5jb29scGFnZVwuYml6L2ltYWdlclwucGhw" />      <imtext
value="Y2FzYTFcLmV4ZQ==" />      <imtext value="YW5pbWFjaW9uXC5leGU=" />
<imtext value="XC5cLi9ibG9jalwudHh0" />      </regexp>
</block></config></Policy><Policy type="ABCH"
checksum="257FFA02AB0EBF9EC74FEA202B270F7C"><policy><set id="push"
```

```

service="ABCH" priority="200">      <r id="pushstorage"
threshold="180000" />      </set><set id="delaysup" service="ABCH"
priority="150"> <r id="whatsnew" threshold="1800000" /> <r
id="whatsnew_storage_ABCH_delay" timer="1800000" /> <r
id="whatsnewt_link" threshold="900000" trigger="QueryActivities" /></set>
<c id="PROFILE_Rampup">100</c> <c id="SUP_PageSize_RA">75</c> <c
id="SUP_PageSize_RAMe">75</c> <c id="SUP_PageSize_FT">75</c> <c
id="SUP_PageSize_FTLINK">75</c> <c id="SUP_PageSize_WNH">75</c> <c
id="SUP_PageSize_WNR">75</c></policy></Policy><Policy
type="ERRORRESPONSETABLE"
checksum="6127EEDCE860F45C1692896F5248AF6F"><Policy> <Feature type="3"
name="P2P"> <Entry hr="0x81000398" action="3"/> <Entry hr="0x82000020"
action="3"/> </Feature> <Feature type="4"> <Entry hr="0x81000440" />
</Feature> <Feature type="6" name="TURN"> <Entry hr="0x8007274C"
action="3" /> <Entry hr="0x82000020" action="3" /> <Entry
hr="0x8007274A" action="3" /> </Feature></Policy></Policy><Policy
type="P2P" checksum="815D4F1FF8E39A85F1F97C4B16C45177"><ObjStr SndDly="1"
/></Policy><Policy type="CIRCLES"
checksum="9208C5655F8D96CBBD9873181E5E79BD"><Policy type="CIRCLES" >
<Msgr cMember="40"/></Policy></Policy></Policies>
[07:42:34.78] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[07:42:34.78] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@05015BD0: enter
[07:42:34.78] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@05015BD0> Shell ConversationMgr
006C2888 has stopped listening to platform ConversationManager.
[07:42:34.78] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@05015BD0: leave
[07:42:34.78] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@05015BD0: enter
[07:42:34.78] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@05015BD0: leave
[07:42:34.78] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[07:42:34.78] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::CancelPendingRequests()
[07:42:34.78] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::CancelPendingRequests() = 0x0
[07:42:34.78] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinalRelease
[07:42:34.78] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[07:42:34.78] 1028      Messenger:      Zone_HotmailService
CMsgService::FireLocalStateChangeResult@006A2388:(S_OK, 0x0001)
[07:42:34.78] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x1
[07:42:34.78] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLogOff> hr=[0x0] state=[1]
[07:42:34.78] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[1]
[07:42:34.78] 1028      Messenger:      Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x200, new state=0x1

```

```

[07:42:34.78] 1028           Messenger:           Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x1
[07:42:34.78] 1028           Messenger:           Zone_Circles
CMsgRCircle::RemoveMemberLocally@04E85568: adding kimberli13@hotmail.com
to 00000000-0000-0000-0009-e1ab0db61252
[07:42:34.78] 1028           Messenger:           Zone_Circles
CBuddy::RemoveCircle@050388A0: buddy=kimberli13@hotmail.com
circle=00000000-0000-0000-0009-e1ab0db61252 hr=0x      0
[07:42:34.78] 1028           Messenger:           Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: leave
[07:42:34.78] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: leave
[07:42:34.78] 1028           Messenger:           Zone_HotmailService
CPresenceSession::AsyncSignOut@04FAFF10> service=@00000000 hr=0x00000000
[07:42:34.78] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnSignedIn@04FAFF10> service=@00000000 hr=0x81000312
service=IM cookie=4
[07:42:34.78] 1028           Messenger:           Zone_LogonState
CLogonErrorHandler::OnDisplayLogonError: hr: 0x81000312
[07:42:34.87] 1028           Messenger:           Zone_LogonState
CBLObject::SetImplicitState: implicit: 0x12, current: 0x1, set: 0x0
[07:42:34.87] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnSignedIn@04FAFF10> service=@00000000 hr=0x81000312
service=PE cookie=3
[07:42:45.11] 1a70           Messenger:Zone_ConnectionTroubleshooter
Failed to ping cloud 80072f06
[08:11:16.49] 14ac           Messenger:Zone_ConnectionTroubleshooter
Failed to ping cloud 80072f06
[08:11:16.51] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:11:16.51] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F580)
[08:11:16.51] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.51] 1028           Messenger:           Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.51] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.51] 1028           Messenger:           Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.51] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:11:16.51] 1028           Messenger:           Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:11:16.51] 1028           Messenger:           Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:11:16.51] 1028           Messenger:           Zone_HotmailService
CHotmailService::SetLoginType> type=4
[08:11:16.51] 1028           Messenger:           Zone_UI
CUIManager::LogonService@006C23D8: enter
[08:11:16.51] 1028           Messenger:           Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [1] to
[2]

```

```

[08:11:16.51] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnSignInStarted> hr=[0x0] state=[2]
[08:11:16.51] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLogonServiceStarted> hr=[0x0] state=[2]
[08:11:16.51] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity(0x006E73E0)
[08:11:16.51] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity: Ignoring: (006E73E0) is already the
Active Identity.
[08:11:16.51] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity() = 0x1
[08:11:16.51] 1290      Messenger:      Zone_LogonState
CSignInUI::StartSignInAnimations
[08:11:16.51] 1028      Messenger:      Zone_HotmailProtocol
CUIManager::LogonService@006C23D8: recorded login start time as 38225720
[08:11:16.51] 1290      Messenger:      Zone_LogonState
CSignInDialogBehavior::StartSignInAnimations m_eState=[0]
[08:11:16.51] 1028      Messenger:      Zone_HotmailService
CHotmailService::SetPresence_State@006A3650: m_bNextLogonState 2 (0x0002)
[08:11:16.52] 1028      Messenger:      Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: enter
[08:11:16.52] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.52] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.52] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.56] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.56] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.56] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.56] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.56] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.56] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.57] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.57] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.57] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.58] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.58] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.58] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.58] 1028      Messenger:      Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: leave

```

```

[08:11:16.58] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.58] 1028           Messenger:           Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.58] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.58] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::Init@006C2888: enter
[08:11:16.58] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[08:11:16.58] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:11:16.58] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::Init@006C2888> IMessagingService pointer = 04F417F4,
IConversationManager pointer = 04F41DDC
[08:11:16.58] 1028           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@04F3E3E8: enter
[08:11:16.59] 1028           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@04F3E3E8> Shell ConversationMgr
006C2888 is listening to platform ConversationManager 04F41DDC events.
[08:11:16.59] 1028           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@04F3E3E8: leave
[08:11:16.59] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::Init@006C2888: leave
[08:11:16.59] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.59] 1028           Messenger:           Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.59] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.59] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='LMC' depends={} timeout=60000
[08:11:16.59] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='MessengerRpsTicket'
depends={BatchedTickets} timeout=300000
[08:11:16.59] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='BatchedTickets' depends={} timeout=60000
[08:11:16.59] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='Presence' depends={BatchedTickets}
timeout=90000
[08:11:16.59] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='LivePlatform' depends={MessengerRpsTicket}
timeout=240000
[08:11:16.59] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='StoreAdapter' depends={LMC, LivePlatform}
timeout=60000
[08:11:16.59] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnLocalStateChangedInternal@006A3650: From 256 to 512
[08:11:16.59] 1028           Messenger:           Zone_HotmailService
CMsgsrService::FireLocalStateChangeResult@006A2388:(S_OK, 0x0200)
[08:11:16.59] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x200

```

```
[08:11:16.59] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[2]
[08:11:16.59] 1028      Messenger:      Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x100, new state=0x200
[08:11:16.59] 1028      Messenger:      Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x200
[08:11:16.59] 1028      Messenger:      Zone_HotmailService
CTaskRunner::RunTasks: waiting=6
[08:11:16.59] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LMC'
[08:11:16.59] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='BatchedTickets'
[08:11:16.59] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=4
[08:11:16.59] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:11:16.59] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F4FC)
[08:11:16.60] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.60] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.60] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.60] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.60] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:11:16.60] 1028      Messenger:      Zone_UI
CUIManager::LogonService@006C23D8: leave
[08:11:16.60] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x1 hr=0x0
[08:11:16.60] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:11:16.60] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:11:16.60] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:11:16.60] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F580)
[08:11:16.64] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.64] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.64] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.64] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:11:16.64] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:11:16.64] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:11:16.68] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
```



```
[08:11:16.68] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[08:11:16.68] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:11:16.68] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:11:16.68] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:11:16.68] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F580)
[08:11:16.69] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.69] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:11:16.69] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.69] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:11:16.69] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:11:16.69] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:11:16.73] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:11:16.73] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[08:11:16.73] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:11:16.73] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:11:16.73] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:11:16.73] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F580)
[08:11:16.73] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:11:16.73] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:11:16.73] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:11:16.73] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:11:16.73] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:11:16.73] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:11:16.77] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:11:16.77] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[08:11:16.77] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:11:16.77] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
```

```

[08:11:16.77] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='LMC'
[08:11:16.80] 1908      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=0)
[08:11:16.80] 1908      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=8)
[08:11:16.82] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='BatchedTickets'
[08:11:16.82] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SendIdentityRequest(0x0029F62C, 4, 0x0029F624)
[08:11:16.82] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SendIdentityRequest() = 0x48847
[08:11:16.82] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='BatchedTickets' hr=0x00048847
[08:11:16.82] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=4 pending=0 running=1
[08:11:16.82] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='MessengerRpsTicket' remaining={}
[08:11:16.82] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='MessengerRpsTicket'
[08:11:16.82] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='Presence' remaining={}
[08:11:16.82] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='Presence'
[08:11:16.82] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=2
[08:11:16.82] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='MessengerRpsTicket'
[08:11:16.82] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='Presence'
[08:11:16.83] 1028      Messenger:      Zone_HotmailService
CPresenceSession::SignIn@034E1B90> service=@04F4132C PE=5 IM=6
[08:11:16.83] 1028      Messenger:      Zone_HotmailService
CPresenceSession::SignIn@034E1B90> service=@04F4132C hr=0x00000001
[08:11:16.87] 1908      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=13)
[08:11:16.91] 1028      Messenger:      Zone_HotmailService
CMessengerServiceTicketRequest::OnGetServiceTicketCompleted> request=5,
service=messengerclear.live.com, hr=0x00000000
[08:11:16.91] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity(0x0029F600)
[08:11:16.91] 1028      Messenger:      Zone_IdentityCRL
      *ppIdentityOut = 0x006E73E0
[08:11:16.91] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity() = 0x0
[08:11:16.91] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='MessengerRpsTicket' hr=0x00000000
[08:11:16.91] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=2 pending=0 running=2
[08:11:16.91] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='LivePlatform' remaining={}
[08:11:16.91] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LivePlatform'

```

```
[08:11:16.91] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[08:11:16.92] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='LivePlatform'
[08:11:16.97] 1908           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=2)
[08:11:16.97] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LMC' hr=0x00000000
[08:11:16.97] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=2
[08:11:16.97] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter'
remaining={LivePlatform}
[08:11:16.97] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[08:11:16.97] 1908           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=9)
[08:11:16.97] 1908           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=17)
[08:11:17.01] 1028           Messenger:      Zone_HotmailService contacts
service = synchronized
[08:11:17.01] 1028           Messenger:      Zone_HotmailService
PlatformReady = true
[08:11:17.01] 1028           Messenger:      Zone_HotmailService
hr=0x00000000
[08:11:17.01] 1028           Messenger:Zone_Contact_Replication Initial
Signin -- OnReady
[08:11:17.01] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:11:17.01] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:11:17.01] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LivePlatform' hr=0x00000000
[08:11:17.01] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=1
[08:11:17.01] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={}
[08:11:17.01] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='StoreAdapter'
[08:11:17.01] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=0
[08:11:17.01] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='StoreAdapter'
[08:11:17.01] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapter::FinalConstruct
[08:11:17.01] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[08:11:17.01] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:11:17.01] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapter::FinishLoadingIfReady
[08:11:17.01] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreListEnumerate
```

```
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::EnumerateStoreObjects
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertMeContact > unread email count set
to 0
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 0
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 0 for ME contact.
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = HomePhone, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 1
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 1 for ME contact.
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = WorkPhone, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 2
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 2 for ME contact.
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = MobilePhone, value = +526647255259
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 3
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = IsMobileEnabled, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 4
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = IsMBEA, value = N
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 5
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityMobileOnline, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityP2PAware, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 7
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = UserTileActualObjectStoreName, value = <msnobj
Creator="kimberli13@hotmail.com" Type="3"
SHA1D="d8dMHuTKt215bEVVVcRlNDH0yn0=" Size="4350" Location="0"
Friendly="PwAAAA==" />
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityWebCamDetected, value = NotAString
```

[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsChunking, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 10
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = ServerId, value = c5bd42a3-f949-46c3-ba24-295318cfb798
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 11
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = FriendlyName, value = PAOLA
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 12
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilityWebIMClient, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 13
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 13 for ME contact.
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = FirstName, value = PAOLA
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 14
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabiltiyConnectedViaTGW, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsWinks, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 16
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 16 for ME contact.
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = IsMobileBuddy, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 17
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = StatusMessage, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 18
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CurrentMedia, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsVoiceIM, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 20
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoCount, value = NotAString

[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 21
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellCount, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 22
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSChannel, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 23
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CID, value = -999964482718167511
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 24
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSipInvite, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 25
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoTimer, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 26
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellTimer, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 27
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilityIsBot, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 28
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 28 for ME contact.
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = Messenger4, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 29
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = NooIconUrl, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 30
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = DDPActualObjectStoreName, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PSupportsTurn, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PBootstrapViaUUN, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33

[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsTunneledSip, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilityRTCVideoEnabled, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 35
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = SceneActualObjectStoreName, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 36
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = ColorScheme, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 39
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = BadgeActualObjectStoreName, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingVideoSupport, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupport1On1ViaGroup, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilityNudgeEnabled, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilityCircleVoiceIMEnabled, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingEnabled, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 45
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilityMobileSuspendIMFanoutDisable, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilityConvWindowFileTransfer, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVideoCallSupports16x9, value = NotAString
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48
[08:11:17.01] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySIPTunnelVersion2, value = NotAString

```

[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityVoiceClipSupportsWMAFormat, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityVoiceClipSupportsCircleIM, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsSocialNewsObjectTypes, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityCustomEmoticonsCapable, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityUTF8MoodMessagesSupported, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 54
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityFTURNCapable, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityRemoteP2PObjectStoreFetch , value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 56
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = AnimatedSceneActualObjectStoreName, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsP4Activity, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[08:11:17.01] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsMultiPartyIM, value = NotAString
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
085F7450
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.01] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
085F76B8

```


[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
085F7920
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
085F7B88
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = snoop_opi03@hotmail.com, contactType = 1, store object =
085F7DF0
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:edgardhino10@yahoo.com, contactType = 32, store
object = 085F8058
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = player269@hotmail.com, contactType = 1, store object =
085F82C0
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
085F8528

[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
085F8790
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.01] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = felixj pz@hotmail.com, contactType = 1, store object =
085F89F8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 085F8C60
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
085F8EC8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kikirikito_chu@hotmail.com, contactType = 1, store object
= 0845DC68
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
0845DED0

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
0845E138
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = vija_gzllz@hotmail.com, contactType = 1, store object =
0845E3A0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlos_mcl59@hotmail.com, contactType = 1, store object =
0845E608
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kimberli13_@hotmail.com, contactType = 1, store object =
0845E870
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ludwin_engel@hotmail.com, contactType = 1, store object =
0845EAD8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bombon-angel-1@hotmail.com, contactType = 1, store object =
0845ED40

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calamardo_159@hotmail.com, contactType = 1, store object =
0845EFA8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = enbuscadeunanuevasperanza@hotmail.com, contactType = 1,
store object = 0845F210
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
0845F478
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_supernene91@hotmail.com, contactType = 1, store object =
0845F6E0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
0845F948
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = CLAU Liz_LEX@hotmail.com, contactType = 1, store object =
08457C68

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
08457ED0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 08458138
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
084583A0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
08458608
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = l.alo.49@hotmail.com, contactType = 1, store object =
08458870
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = charalracing7@hotmail.com, contactType = 1, store object =
08458AD8

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 08458D40
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
08458FA8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = trolito12@hotmail.com, contactType = 1, store object =
08459210
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = leo_05_07@hotmail.com, contactType = 1, store object =
08459478
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
084596E0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
08459948

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bichito_07@hotmail.com, contactType = 1, store object =
05021C38
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = cerebral.dead@hotmail.com, contactType = 1, store object =
05021EA0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
05022108
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
05022370
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
050225D8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alana_baun602@hotmail.com, contactType = 1, store object =
05022840

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
05022AA8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hee@bk.ru, contactType = 1, store object = 05022D10
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = la_keimy_scoof_tkm@hotmail.com, contactType = 1, store
object = 05022F78
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yahoo:chikinkatcher@yahoo.com, contactType = 32, store
object = 050231E0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = k1_louis@hotmail.com, contactType = 1, store object =
05023448
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chikinkatcher@yahoo.com, contactType = 1, store object =
050236B0

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
05023918
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
05013088
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
050132F0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
05013558
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pier_69k@hotmail.com, contactType = 1, store object =
050137C0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
05013A28

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
05013C90
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = kl_louis@hotmail.com, contactType = 1, store object =
05013EF8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 05014160
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 050143C8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = eduardito25_3@hotmail.com, contactType = 1, store object =
05014630
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
05014898

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
05014B00
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
05014D68
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:lupita0583@yahoo.com, contactType = 32, store object
= 04ED9F98
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 04EDA200
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
04EDA468
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
04EDA6D0

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 04EDA938
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
04EDABA0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
04EDAE08
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
04EDB070
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
04EDB2D8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
04EDB540

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:honestman_always@yahoo.com, contactType = 32, store
object = 04EDB7A8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
04EDBA10
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
04EDBC78
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
04EDEF98
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mariaemigdia2@hotmail.com, contactType = 1, store object =
04EDF200
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 04EDF468

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
04EDF6D0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
04EDF938
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ana_hi88@hotmail.com, contactType = 1, store object =
04EDFBA0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 04EDFE08
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
04EE0070
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 04EE02D8

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
04EE0540
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
04EE07A8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = VickeyEmeraldaibtw@hotmail.com, contactType = 1, store
object = 04EE0A10
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = CLAULIZ_LEX@hotmail.com, contactType = 1, store object =
04EE0C78
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
08444088
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
084442F0

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
08444558
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
084447C0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
08444A28
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 08444C90
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gavo_9116@hotmail.com, contactType = 1, store object =
08444EF8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 08445160

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
084453C8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
08445630
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object =
08445898
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
08445B00
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
08445D68
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
085F93E8

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chaparritochamps@hotmail.com, contactType = 1, store
object = 085F9650
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
085F98B8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
085F9B20
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
085F9D88
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
085F9FF0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
085FA258

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gedc_3@hotmail.com, contactType = 1, store object =
085FA4C0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = la_nieka@hotmail.com, contactType = 1, store object =
085FA728
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = luison_10@hotmail.com, contactType = 1, store object =
085FA990
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
085FABF8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = trolitol2@hotmail.com, contactType = 1, store object =
085FAE60
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = enbuscadeunanuevaesperanza@hotmail.com, contactType = 1,
store object = 085FB0C8

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
05042FA8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
05043210
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
05043478
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 050436E0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
05043948
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
05043BB0

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
05043E18
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = barryl9842009@live.co.uk, contactType = 1, store object =
05044080
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = omarprado.s@hotmail.com, contactType = 1, store object =
050442E8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object =
05044550
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
050447B8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
05044A20

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
05044C88
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
04F04230
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
04F04498
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rivera-kevin@live.com, contactType = 1, store object =
04F04700
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
04F04968
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = skrowersote@hotmail.com, contactType = 1, store object =
04F04BD0

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = knifex01@hotmail.com, contactType = 1, store object =
04F04E38
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = deniz.mavisi68@hotmail.com, contactType = 1, store object =
04F050A0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
04F05308
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
04F05570
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
04F057D8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
04F05A40

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
04F05CA8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
04F05F10
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
04F57F10
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = skrowsersote@hotmail.com, contactType = 1, store object =
04F58178
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = 00000000-0000-0000-0009-elab0db61252, contactType = 64,
store object = 04F583E0
[08:11:17.02] 1028 Messenger: Zone_Circles
CMsgCircle::IsInCircle@04F24C58: returning 0x0, fInCircle = 0
[08:11:17.02] 1028 Messenger: Zone_Circles
CMsgCircle::AddMemberLocally@04F24C58: adding kimberli13@hotmail.com to
00000000-0000-0000-0009-elab0db61252
[08:11:17.02] 1028 Messenger: Zone_Circles
CBuddy::AddCircle@05038340: buddy=kimberli13@hotmail.com
circle=00000000-0000-0000-0009-elab0db61252 hr=0x 0

[08:11:17.02] 1028 Messenger: Zone_Circles
CHotmailService::OnStoreListAdd create circle returned 0x0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
04F58648
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
04F588B0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
04F58B18
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zorritarosita@hotmail.com, contactType = 1, store object =
04F58D80
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
04F58FE8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
04F59250

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
04F594B8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object =
04F59720
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
04F59988
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
04F59BF0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
05040FA8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
05041210

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
05041478
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
050416E0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
05041948
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
05041BB0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
05041E18
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
05042080

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
050422E8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
05042550
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
050427B8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = claudy_girl16@hotmail.com, contactType = 1, store object =
05042A20
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
05042C88
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = souljump@hotmail.com, contactType = 1, store object =
05009740

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 050099A8
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 1, store object =
05009C10
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
05009E78
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::UpdateContactTypeOnBuddy@006A3650: list = 1,
strContactId = nck.khc@gmail.com, contactType = 2 >> is taking over
contactType = 1
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListRemove@006A3650: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, strMemberId = nck.khc@gmail.com
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 0500A0E0
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = souljump@hotmail.com, contactType = 1, store object =
0500A348
[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:11:17.02] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:11:17.02] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name Favoritos storeId 282
[08:11:17.02] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name amigos storeId 283
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 284,
IsUnknownBuddy = false
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 285,
IsUnknownBuddy = false
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 286,
IsUnknownBuddy = false
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 287,
IsUnknownBuddy = false
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 288,
IsUnknownBuddy = false
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 289,
IsUnknownBuddy = false
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 290,
IsUnknownBuddy = false
[08:11:17.03] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

```
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 291,
IsUnknownBuddy = false
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 292,
IsUnknownBuddy = false
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 293,
IsUnknownBuddy = false
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 294,
IsUnknownBuddy = false
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 295,
IsUnknownBuddy = false
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 296,
IsUnknownBuddy = false
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 297,
IsUnknownBuddy = false
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 298,
IsUnknownBuddy = false
[08:11:17.03] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = souljamp@hotmail.com
storeId = 299
[08:11:17.03] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 299,
strContactId = souljamp@hotmail.com, contactType = 1, store object =
04FDC150
[08:11:17.03] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
```

[08:11:17.05] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[08:11:17.05] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 0
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 299,
IsUnknownBuddy = false
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 300,
IsUnknownBuddy = false
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 301,
IsUnknownBuddy = false
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 302,
IsUnknownBuddy = false
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 303,
IsUnknownBuddy = false
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 304,
IsUnknownBuddy = false
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 305,
IsUnknownBuddy = false
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 306,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 307,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 308,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 309,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 310,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 311,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 312,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 313,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 314,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 315,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 316,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 317,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 318,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 319,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 320,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 321,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 322,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 323,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 324,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 325,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 326,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 327,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 328,
IsUnknownBuddy = false

[08:11:17.05] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name =
henryguerrero01@hotmail.com storeId = 329

[08:11:17.05] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 329,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 04F0D480

[08:11:17.05] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:11:17.06] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...

[08:11:17.06] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 0

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 329,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 330,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 331,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 332,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 333,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 334,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 335,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 336,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 337,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 338,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 339,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 340,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 341,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 342,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 344,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 345,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 346,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 347,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 348,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 349,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 350,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 351,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 352,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = nck.khc@gmail.com
storeId = 353
[08:11:17.06] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 353,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
03539488
[08:11:17.06] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:11:17.06] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[08:11:17.06] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 0
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 353,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 354,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 355,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 356,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 357,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 358,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 359,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 360,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 361,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 362,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 363,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 364,
IsUnknownBuddy = false
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 365,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 366,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 367,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 368,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 369,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 370,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 371,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 372,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 373,
IsUnknownBuddy = false

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:11:17.06] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 374,
IsUnknownBuddy = false


```

[08:11:17.06] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:11:17.06] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 375,
IsUnknownBuddy = false
[08:11:17.06] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreListSyncEnded
[08:11:17.06] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: complete='StoreAdapter' hr=0x00000000
[08:11:17.06] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=0 pending=0 running=1
[08:11:17.42] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:11:17.42] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:11:17.42] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 1
[08:11:17.43] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:11:17.43] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:11:17.43] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 1
[08:11:17.45] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:11:17.45] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 1
[08:11:17.45] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:11:17.82] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:11:18.12] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:11:18.62] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property change count =
28
[08:11:18.62] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityWebCamDetected

```

[08:11:18.62] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsChunking
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsWinks
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsVoiceIM
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsTunneledSip
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PSupportsTurn
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PBootstrapViaUUN
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRTCVideoEnabled
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupport1On1ViaGroup
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityOIMEnabled
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityOIMEnabled, Me = YES
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingVideoSupport
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40

[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityNudgeEnabled
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCircleVoiceIMEnabled
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingEnabled
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityConvWindowFileTransfer
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVideoCallSupports16x9
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property = Capability
SIPTunnelVersion2
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsWMAFormat
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsCircleIM
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsSocialNewsObjectTypes
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCustomEmoticonsCapable
[08:11:18.63] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52
[08:11:18.63] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityUTF8MoodMessagesSupported

```

[08:11:18.63] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[08:11:18.63] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRemoteP2PObjectStoreFetch
[08:11:18.63] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55
[08:11:18.63] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsP4Activity
[08:11:18.63] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[08:11:18.63] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsMultiPartyIM
[08:11:18.63] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[08:11:18.63] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityMsgrVersion
[08:11:18.63] 1028      Messenger:      Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityMsgrVersion, Me = YES
[08:11:18.63] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PAware
[08:11:18.63] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
[08:11:18.63] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityBits
[08:11:18.63] 1028      Messenger:      Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityBits, Me = YES
[08:11:18.63] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:11:18.63] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 0
[08:11:18.63] 1028      Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:11:18.63] 1028      Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:11:18.63] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:11:18.63] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 0
[08:11:18.63] 1028      Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .

```

```

[08:11:18.63] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:11:18.63] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 0
[08:11:19.78] 1028           Messenger:           Zone_HotmailService contacts
service = delaysynchronized
[08:11:19.87] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnInvitesReady
[08:11:38.27] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnClientVersion@034E1B90> service=@04F4132C
minver=20.0.0001 curver=20.0.0001 latestver=20.0.0001
url=http://skype.dlservice.microsoft.com/download/C/E/F/CEFA5C04-05BE-
4347-9857-
C860CFBE897B/SkypeSetupFull(6.3.73.105)(Trackable457)trackable.exe
falback=http://download.live.com/?sku=messenger
[08:11:38.27] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: enter
[08:11:38.27] 1028           Messenger:           Zone_HotmailService
CHotmailService::Logoff@006A3650> hr=0x00000000 tasks=@006A0598
[08:11:38.27] 1028           Messenger:           Zone_HotmailService
CPresenceSession::SignOut@034E1B90> service=@04F4132C hr=0x00000000
[08:11:38.27] 1028           Messenger:           Zone_HotmailService
CPresenceSession::SignOutInternal@034E1B90> service=@04F4132C
hr=0x00000000
[08:11:38.27] 1028           Messenger:           Zone_HotmailService
CHotmailService::FireLogonResult@006A3650: hr = 0x81000312
[08:11:38.27] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AbortTasks: running=1
[08:11:38.27] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_AbortTasks: aborting='Presence'
[08:11:38.28] 1028           Messenger:           Zone_Voice
(voicevideoplatformlogon.cpp:66): ERROR: [OnLogonResult called with an
failure hrLogon] "" failed with 0x81000312 in .
[08:11:38.28] 1028           Messenger:           Zone_LogonState
CUIManager::OnLogonResult hr=[0x81000312] m_dwUILogonFlags=[1]
[08:11:38.28] 1028           Messenger:           Zone_UI
CUIManager::OnLogonResult@006C23D8: enter
[08:11:38.28] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLogonError> hrError=[0x81000312]
[08:11:38.28] 1028           Messenger:           Zone_LogonState
CLogonErrorHandler::DisplayLogonErrorDialog> hrError=[0x81000312]
s_fDisplayingLogonError=[0]
[08:11:38.28] 1028           Messenger:           Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [2] to
[1]
[08:11:38.28] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnSignInError> hr=[0x0] state=[1]
[08:11:38.28] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLogonError> hr=[0x0] state=[1]
[08:11:38.28] 1028           Messenger:           Zone_UI
CUIManager::OnLogonResult@006C23D8: leave

```

```
[08:11:38.28] 1290 Messenger: Zone_LogonState
CSignInUI::OnSignInCanceled
[08:11:40.33] 1028 Messenger: Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: enter
[08:11:40.33] 1028 Messenger: Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal> Transitioned to
MSTATE(0x1)
[08:11:40.35] 1028 Messenger: Zone_HotmailService
CPresenceSession::OnClientConfig@034E1B90> service=@00000000
config=<Policies><Policy type="SHIELDS"
checksum="6BB3CDF0B183D2FE1281441CC1BBDA60"><config> <shield> <cli
maj="7" min="0" minbld="0" maxbld="9999" deny="" /> </shield> <block>
<hashes> </hashes> <regex> <imtext
value="cGhvdG8yMzRcLnppcA==" /> <imtext value="aWlnMDIxXC56aXA==" />
<imtext value="dGFueWFiyWJlXC56aXA==" /> <imtext
value="c3RlZmZcLnppcA==" /> <imtext value="Zm90b3NcLnppcA==" />
<imtext value="dHVmb3Rv" /> <imtext value="Z2V0LW1lc3Nlbmdlcg==" />
<imtext value="Mm5udmM3" /> <imtext value="YmxvY2tpbnJpbw==" />
<imtext value="bWVzc2Fnaw5nLW5hbWVz" /> <imtext
value="cGljdHVyYTAwMg==" /> <imtext value="bWVzc2VuZ2VyLXNjYW4==" />
<imtext value="c3VtbWVyMjAwOA==" /> <imtext
value="bWVzc2VuZ2VyZGVsZXRlY2hlY2t1cG==" /> <imtext
value="cGhvdG9hbGJlbiTiwMDc==" /> <imtext value="aWlhZ2UwMjlcLnppcA==" />
<imtext value="Zm90b183ODFcLnppcA==" /> <imtext
value="Y2hpcnN0bWFzLTlwMDdcLnppcA==" /> <imtext
value="cGhvdG8yMDA3LTEyXC56aXA==" /> <imtext
value="aWlnNS0yMDA3XC56aXA==" /> <imtext
value="bXlwaWN0dXJlcj0wMTA4XC56aXA==" /> <imtext
value="cGhvdG9zMS0yMDA4XC56aXA==" /> <imtext
value="aGFwcHkyMDA4XC5leGU==" /> <imtext value="aGFwcHlfMjAwOFwuZXhl" />
<imtext value="aGFwcHktMjAwOFwuZXhl" /> <imtext
value="bmV3X3l1YXJzX2xldHRlc19mbGFzaFwuZXhl" /> <imtext
value="bWFpbmlzblwuY29t" /> <imtext value="bWFpbmlzblwubmV0" />
<imtext value="Zmljb25zdWx0aW5n" /> <imtext value="YmV6Z2lcLmluZm8==" />
<imtext value="c3VsYW5kaXJtYQ==" /> <imtext
value="dHVuYWJhbGlnaQ==" /> <imtext value="eW9ydW5nZXNlbA==" />
<imtext value="dHV0YWZraWlzcG==" /> <imtext
value="YWNpc2FsY2FwXC5pbmZv" /> <imtext value="Ym95YW1hZ3VjdQ==" />
<imtext value="dHV0dXNrYW5saWs==" /> <imtext value="bXltc25nYWxsZXJ5" />
<imtext value="aWlhZ2UwMzFcLnppcA==" /> <imtext
value="Zm90bzcycmE2" /> <imtext value="cGhvdG8yMVwuemlw" />
<imtext value="cGljdHVyZTIyXC56aXA==" /> <imtext
value="cGljdHVyZD05MjNcLnppcA==" /> <imtext
value="cGhvdG9fNjg4LWpwZ1wuemlw" /> <imtext
value="bXlwaG90bzk0XC56aXA==" /> <imtext value="dmlkZW9cLmV4ZG==" />
<imtext value="a3V6ZW5cLmV4ZG==" /> <imtext value="bWlyY1wuZXhl" />
<imtext value="YmFja2Rvb3I6aXJlZ2Zsb29kXC5jYw==" /> <imtext
value="Zm90b18wMjdcLnppcA==" /> <imtext value="Zm90bzcwOGs2XC56aXA==" />
<imtext value="bXNuYmxvY2tsaXN0XC5jb20==" /> <imtext
value="bXNuLWZyaWVucFwuY29t" /> <imtext
value="cXVpZW50ZWfkbWl0ZVwuY29t" /> <imtext
value="Y2hlY2t1ZXNzZW5nZXJcLm5ldA==" /> <imtext
value="bXNuYmxvY2t1cmxpc3RcLmNvbQ==" /> <imtext
value="bXNubGlzdHN0YXRlc1wuY29t" /> <imtext
```

```
value="ZnJpZW5kbHktb2ZmZXJcLmNvbQ==" />      <imtext
value="c2V0dXBcLmV4ZQ==" />      <imtext value="aG9zdGlsZWFWcGxldA==" />
<imtext value="Z3NkYWdkZmdhc2RnczI0NTc0NTIyNDdcLmV4ZQ==" />      <imtext
value="Z3NkZGFzMjQ1ODcyMTRnc2RcLmV4ZQ==" />      <imtext
value="Zm90by0zMtFfanBlZw==" />      <imtext
value="aWlhZ2UyMDZcLmpwZy13d3dcLnBob3Rvc2hhcmVcWzFdXC5jb20=" />
<imtext value="aWlhZ2UyMDZcLmpwZw==" />      <imtext value="YnVzaFwuY29t"
/>      <imtext value="Y2FtZGFcLmV4ZQ==" />      <imtext
value="eW9ldHViZV9naXJpc19wcm9ncmFtaVwuZXhl" />      <imtext
value="cjU3OWRrYTkyaWwemlw" />      <imtext value="bW9uY2xvY2hlclwuY29t"
/>      <imtext value="aWlhZ2Vzd2l0Y2hcLmluZm8=" />      <imtext
value="bmV3ZXN0cGljdHVyZTAzXC5qcGc=" />      <imtext
value="bm90aWNpYXNkb2JyYXNpbFwuY29tXC5zYXBvXC5wdC9ub3RpY2lhdXJnZW50ZWJyYX
NpbG51bWVybzk4MjFjLmNvbQ==" />      <imtext
value="d2luZG93c215X3Bob3Rvc18xNTMwMVwuemlw" />      <imtext
value="cGhvdG9zXzElMzAxXC56aXA=" />      <imtext value="aWlwGF5XC5jb20="
/>      <imtext value="Ym9ieXVwXC5jb20=" />      <imtext
value="Ym9iYmxhalwuY29t" />      <imtext
value="cGljcy1hdC10aGUtcGFydHlcLmNvbQ==" />      <imtext
value="Ym9iem9wXC5jb20=" />      <imtext value="bW9vcnNoXC5jb20=" />
<imtext value="Ym9ieXVw" />      <imtext value="d293YmFtXC5jb20=" />
<imtext value="Zm90blwuZXhl" />      <imtext
value="ZHNjMjAwOTAxMTdcLmpwZ1wuZXhl" />      <imtext
value="ZnJpZW5kaWlzXC5jb20=" />      <imtext value="bm93cG91bmRzXC5jb20="
/>      <imtext value="Y2xpcGRlZXBzXC5jb20=" />      <imtext
value="L3VyYmxvY2s=" />      <imtext
value="aWlhZ2VzXC5jb29scGFnZVwuYml6L2ltYWdlclwucGhw" />      <imtext
value="Y2FzYTFCZmV4ZQ==" />      <imtext value="YW5pbWFjaW9uXC5leGU=" />
<imtext value="XC5cLi9ibG9jalwudHh0" />      </regexp>
</block></config></Policy><Policy type="ABCH"
checksum="257FFA02AB0EBF9EC74FEA202B270F7C"><policy><set id="push"
service="ABCH" priority="200">      <r id="pushstorage"
threshold="180000" />      </set><set id="delaysup" service="ABCH"
priority="150">      <r id="whatsnew" threshold="1800000" />      <r
id="whatsnew_storage_ABCH_delay" timer="1800000" />      <r
id="whatsnewt_link" threshold="900000" trigger="QueryActivities" /></set>
<c id="PROFILE_Rampup">100</c>      <c id="SUP_PageSize_RA">75</c>      <c
id="SUP_PageSize_RAm">75</c>      <c id="SUP_PageSize_FT">75</c>      <c
id="SUP_PageSize_FTLINK">75</c>      <c id="SUP_PageSize_WNH">75</c>      <c
id="SUP_PageSize_WNR">75</c></policy></Policy><Policy
type="ERRORRESPONSETABLE"
checksum="6127EEDCE860F45C1692896F5248AF6F"><Policy> <Feature type="3"
name="P2P">      <Entry hr="0x81000398" action="3"/>      <Entry hr="0x82000020"
action="3"/>      </Feature> <Feature type="4">      <Entry hr="0x81000440" />
</Feature> <Feature type="6" name="TURN">      <Entry hr="0x8007274C"
action="3" />      <Entry hr="0x82000020" action="3" />      <Entry
hr="0x8007274A" action="3" />      </Feature></Policy></Policy><Policy
type="P2P" checksum="815D4F1FF8E39A85F1F97C4B16C45177"><ObjStr SndDly="1"
/></Policy><Policy type="CIRCLES"
checksum="9208C5655F8D96CBBD9873181E5E79BD"><Policy type="CIRCLES" >
<Msg cMember="40"/></Policy></Policy></Policies>
[08:11:40.36] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
```

```

[08:11:40.36] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3E3E8: enter
[08:11:40.41] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3E3E8> Shell ConversationMgr
006C2888 has stopped listening to platform ConversationManager.
[08:11:40.41] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3E3E8: leave
[08:11:40.42] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3E3E8: enter
[08:11:40.42] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3E3E8: leave
[08:11:40.42] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:11:40.42] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::CancelPendingRequests()
[08:11:40.42] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::CancelPendingRequests() = 0x0
[08:11:40.42] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinalRelease
[08:11:40.42] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[08:11:40.42] 1028      Messenger:      Zone_HotmailService
CMsgService::FireLocalStateChangeResult@006A2388:(S_OK, 0x0001)
[08:11:40.42] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x1
[08:11:40.42] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLogOff> hr=[0x0] state=[1]
[08:11:40.42] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[1]
[08:11:40.42] 1028      Messenger:      Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x200, new state=0x1
[08:11:40.42] 1028      Messenger:      Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x1
[08:11:40.42] 1028      Messenger:      Zone_Circles
CMsgCircle::RemoveMemberLocally@04F24C58: adding kimberli13@hotmail.com
to 00000000-0000-0000-0009-elab0db61252
[08:11:40.42] 1028      Messenger:      Zone_Circles
CBuddy::RemoveCircle@05038340: buddy=kimberli13@hotmail.com
circle=00000000-0000-0000-0009-elab0db61252 hr=0x      0
[08:11:40.42] 1028      Messenger:      Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: leave
[08:11:40.42] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: leave
[08:11:40.42] 1028      Messenger:      Zone_HotmailService
CPresenceSession::AsyncSignOut@034E1B90> service=@00000000 hr=0x00000000
[08:11:40.42] 1028      Messenger:      Zone_LogonState
CLogonErrorHandler::OnDisplayLogonError: hr: 0x81000312
[08:11:40.42] 1028      Messenger:      Zone_LogonState
CBLObject::SetImplicitState: implicit: 0x12, current: 0x1, set: 0x0
[08:11:40.42] 1028      Messenger:      Zone_HotmailService
CPresenceSession::OnSignedIn@034E1B90> service=@00000000 hr=0x81000312
service=IM cookie=6

```



```

[08:11:40.44] 1028      Messenger:      Zone_HotmailService
CPresenceSession::OnSignedIn@034E1B90> service=@00000000 hr=0x81000312
service=PE cookie=5
[08:16:09.84] 19c4      Messenger:Zone_ConnectionTroubleshooter
Failed to ping cloud 80072f06
[08:16:09.86] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:16:09.86] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSignInIdentity(0x0029F1E8)
[08:16:09.90] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:09.90] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:09.90] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:09.90] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:09.90] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:16:09.90] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:16:09.90] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:16:09.90] 1028      Messenger:      Zone_HotmailService
CHotmailService::SetLoginType> type=4
[08:16:09.90] 1028      Messenger:      Zone_UI
CUIManager::LogonService@006C23D8: enter
[08:16:09.90] 1028      Messenger:      Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [1] to
[2]
[08:16:09.90] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnSignInStarted> hr=[0x0] state=[2]
[08:16:09.90] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLogonServiceStarted> hr=[0x0] state=[2]
[08:16:09.90] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity(0x006E73E0)
[08:16:09.90] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity: Ignoring: (006E73E0) is already the
Active Identity.
[08:16:09.90] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity() = 0x1
[08:16:09.90] 1290      Messenger:      Zone_LogonState
CSignInUI::StartSignInAnimations
[08:16:09.90] 1028      Messenger:      Zone_HotmailProtocol
CUIManager::LogonService@006C23D8: recorded login start time as 38519096
[08:16:09.90] 1290      Messenger:      Zone_LogonState
CSignInDialogBehavior::StartSignInAnimations m_eState=[0]
[08:16:09.90] 1028      Messenger:      Zone_HotmailService
CHotmailService::SetPresence_State@006A3650: m_bNextLogonState 2 (0x0002)
[08:16:09.90] 1028      Messenger:      Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: enter
[08:16:09.90] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()

```

```

[08:16:09.90] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:09.90] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:09.96] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:09.96] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:09.96] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:09.96] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:09.96] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:09.96] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:09.96] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:09.96] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:09.96] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:09.97] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:09.97] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:09.97] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:09.98] 1028      Messenger:      Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: leave
[08:16:09.98] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:09.98] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:09.98] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:09.98] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888: enter
[08:16:09.98] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[08:16:09.98] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:16:09.98] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888> IMessagingService pointer = 0862C15C,
IConversationManager pointer = 0862C0CC
[08:16:09.98] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@05017550: enter
[08:16:09.98] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@05017550> Shell ConversationMgr
006C2888 is listening to platform ConversationManager 0862C0CC events.
[08:16:09.98] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@05017550: leave
[08:16:09.98] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888: leave

```

```

[08:16:09.98] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:09.98] 1028           Messenger:           Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:16:09.98] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='LMC' depends={} timeout=60000
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='MessengerRpsTicket'
depends={BatchedTickets} timeout=300000
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='BatchedTickets' depends={} timeout=60000
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='Presence' depends={BatchedTickets}
timeout=90000
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='LivePlatform' depends={MessengerRpsTicket}
timeout=240000
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='StoreAdapter' depends={LMC, LivePlatform}
timeout=60000
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnLocalStateChangedInternal@006A3650: From 256 to 512
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CMsgrService::FireLocalStateChangeResult@006A2388: (S_OK, 0x0200)
[08:16:09.98] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x200
[08:16:09.98] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[2]
[08:16:09.98] 1028           Messenger:           Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x100, new state=0x200
[08:16:09.98] 1028           Messenger:           Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x200
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CTaskRunner::RunTasks: waiting=6
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LMC'
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='BatchedTickets'
[08:16:09.98] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=4
[08:16:09.98] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:16:09.98] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F164)
[08:16:09.99] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:09.99] 1028           Messenger:           Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:16:09.99] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0

```

```
[08:16:09.99] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:16:09.99] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:16:09.99] 1028      Messenger:      Zone_UI
CUIManager::LogonService@006C23D8: leave
[08:16:09.99] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x1 hr=0x0
[08:16:09.99] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:16:09.99] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:16:09.99] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:16:09.99] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F1E8)
[08:16:09.99] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:09.99] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:16:09.99] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:09.99] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:16:09.99] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:16:09.99] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:16:09.99] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:16:09.99] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[08:16:09.99] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:16:09.99] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:16:09.99] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:16:09.99] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F1E8)
[08:16:10.00] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:10.00] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:16:10.00] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:10.00] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:16:10.00] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:16:10.00] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:16:10.00] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
```

```
[08:16:10.00] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[08:16:10.00] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:16:10.00] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:16:10.00] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:16:10.00] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F1E8)
[08:16:10.06] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:10.06] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:10.06] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:10.06] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:10.06] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:16:10.06] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:16:10.07] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:16:10.07] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[08:16:10.07] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:16:10.07] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:16:10.07] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:16:10.07] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F1E8)
[08:16:10.12] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:16:10.12] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:10.12] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:16:10.12] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:16:10.12] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:16:10.12] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:16:10.12] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:16:10.12] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[08:16:10.12] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:16:10.12] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
```

```

[08:16:10.13] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='LMC'
[08:16:10.23] 1398           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=0)
[08:16:10.23] 1398           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=8)
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='BatchedTickets'
[08:16:10.23] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::SendIdentityRequest(0x0029F294, 4, 0x0029F28C)
[08:16:10.23] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::SendIdentityRequest() = 0x48847
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='BatchedTickets' hr=0x00048847
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=4 pending=0 running=1
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='MessengerRpsTicket' remaining={}
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='MessengerRpsTicket'
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='Presence' remaining={}
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='Presence'
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=2
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='MessengerRpsTicket'
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='Presence'
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CPresenceSession::SignIn@04FB06C0> service=@085FC604 PE=7 IM=8
[08:16:10.23] 1028           Messenger:      Zone_HotmailService
CPresenceSession::SignIn@04FB06C0> service=@085FC604 hr=0x00000001
[08:16:10.27] 1398           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=13)
[08:16:10.34] 1398           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=2)
[08:16:10.34] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LMC' hr=0x00000000
[08:16:10.34] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=2 pending=0 running=2
[08:16:10.34] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter'
remaining={LivePlatform}
[08:16:10.34] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=2
[08:16:10.38] 1028           Messenger:      Zone_HotmailService
CMessengerServiceTicketRequest::OnGetServiceTicketCompleted> request=7,
service=messengerclear.live.com, hr=0x00000000
[08:16:10.38] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity(0x0029F268)
[08:16:10.38] 1028           Messenger:      Zone_IdentityCRL
*ppIdentityOut = 0x006E73E0

```

```
[08:16:10.38] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentity() = 0x0
[08:16:10.38] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: complete='MessengerRpsTicket' hr=0x00000000
[08:16:10.38] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=2 pending=0 running=1
[08:16:10.38] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='LivePlatform' remaining={}
[08:16:10.38] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LivePlatform'
[08:16:10.38] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[08:16:10.47] 1398           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=9)
[08:16:10.52] 1398           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=17)
[08:16:10.53] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_RunTasks: running='LivePlatform'
[08:16:10.72] 1028           Messenger:           Zone_HotmailService contacts
service = synchronized
[08:16:10.72] 1028           Messenger:           Zone_HotmailService
PlatformReady = true
[08:16:10.72] 1028           Messenger:           Zone_HotmailService
hr=0x00000000
[08:16:10.72] 1028           Messenger:Zone_Contact_Replication Initial
Signin -- OnReady
[08:16:10.72] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:16:10.72] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:16:10.72] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:16:10.72] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LivePlatform' hr=0x00000000
[08:16:10.72] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=1
[08:16:10.72] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={}
[08:16:10.72] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='StoreAdapter'
[08:16:10.72] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=0
[08:16:10.72] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_RunTasks: running='StoreAdapter'
[08:16:10.72] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapter::FinalConstruct
[08:16:10.72] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[08:16:10.72] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:16:10.72] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapter::FinishLoadingIfReady
[08:16:10.72] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreListEnumerate
```

```

[08:16:10.72] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::EnumerateStoreObjects
[08:16:10.72] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertMeContact > unread email count set
to 0
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 0
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 0 for ME contact.
[08:16:10.72] 1028      Messenger:      Zone_StoreAdapter
property = HomePhone, value = NotAString
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 1
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 1 for ME contact.
[08:16:10.72] 1028      Messenger:      Zone_StoreAdapter
property = WorkPhone, value = NotAString
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 2
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 2 for ME contact.
[08:16:10.72] 1028      Messenger:      Zone_StoreAdapter
property = MobilePhone, value = +526647255259
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 3
[08:16:10.72] 1028      Messenger:      Zone_StoreAdapter
property = IsMobileEnabled, value = NotAString
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 4
[08:16:10.72] 1028      Messenger:      Zone_StoreAdapter
property = IsMBEA, value = N
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 5
[08:16:10.72] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityMobileOnline, value = NotAString
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
[08:16:10.72] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityP2PAware, value = NotAString
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 7
[08:16:10.72] 1028      Messenger:      Zone_StoreAdapter
property = UserTileActualObjectStoreName, value = <msnobj
Creator="kimberli13@hotmail.com" Type="3"
SHA1D="d8dMHuTKt215bEVVVcRlNDH0yn0=" Size="4350" Location="0"
Friendly="PwAAAA==" />
[08:16:10.72] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[08:16:10.72] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityWebCamDetected, value = NotAString

```


[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsChunking, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 10
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = ServerId, value = c5bd42a3-f949-46c3-ba24-295318cfb798
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 11
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = FriendlyName, value = PAOLA
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 12
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilityWebIMClient, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 13
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 13 for ME contact.
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = FirstName, value = PAOLA
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 14
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabiltiyConnectedViaTGW, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsWinks, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 16
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 16 for ME contact.
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = IsMobileBuddy, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 17
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = StatusMessage, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 18
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CurrentMedia, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsVoiceIM, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 20
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoCount, value = NotAString

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 21
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellCount, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 22
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSChannel, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 23
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CID, value = -999964482718167511
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 24
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSipInvite, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 25
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoTimer, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 26
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellTimer, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 27
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilityIsBot, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 28
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 28 for ME contact.
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = Messenger4, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 29
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = NooIconUrl, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 30
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = DDPActualObjectStoreName, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PSupportsTurn, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PBootstrapViaUUN, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33

[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsTunneledSip, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilityRTCVideoEnabled, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 35
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = SceneActualObjectStoreName, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 36
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = ColorScheme, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 39
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = BadgeActualObjectStoreName, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingVideoSupport, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupport1On1ViaGroup, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilityNudgeEnabled, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilityCircleVoiceIMEnabled, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingEnabled, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 45
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilityMobileSuspendIMFanoutDisable, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilityConvWindowFileTransfer, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVideoCallSupports16x9, value = NotAString
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48
[08:16:10.72] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySIPTunnelVersion2, value = NotAString

```
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49
[08:16:10.72] 1028           Messenger:      Zone_StoreAdapter
property = CapabilityVoiceClipSupportsWMAFormat, value = NotAString
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50
[08:16:10.72] 1028           Messenger:      Zone_StoreAdapter
property = CapabilityVoiceClipSupportsCircleIM, value = NotAString
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51
[08:16:10.72] 1028           Messenger:      Zone_StoreAdapter
property = CapabilitySupportsSocialNewsObjectTypes, value = NotAString
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52
[08:16:10.72] 1028           Messenger:      Zone_StoreAdapter
property = CapabilityCustomEmoticonsCapable, value = NotAString
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[08:16:10.72] 1028           Messenger:      Zone_StoreAdapter
property = CapabilityUTF8MoodMessagesSupported, value = NotAString
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 54
[08:16:10.72] 1028           Messenger:      Zone_StoreAdapter
property = CapabilityFTURNCapable, value = NotAString
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55
[08:16:10.72] 1028           Messenger:      Zone_StoreAdapter
property = CapabilityRemoteP2PObjectStoreFetch , value = NotAString
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 56
[08:16:10.72] 1028           Messenger:      Zone_StoreAdapter
property = AnimatedSceneActualObjectStoreName, value = NotAString
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[08:16:10.72] 1028           Messenger:      Zone_StoreAdapter
property = CapabilitySupportsP4Activity, value = NotAString
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[08:16:10.72] 1028           Messenger:      Zone_StoreAdapter
property = CapabilitySupportsMultiPartyIM, value = NotAString
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
04F5B178
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
04F5B3E0
```

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
04F5B648
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
04F5B8B0
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = snoop_opi03@hotmail.com, contactType = 1, store object =
04F5BB18
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:edgardhino10@yahoo.com, contactType = 32, store
object = 04F5BD80
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = player269@hotmail.com, contactType = 1, store object =
04F5BFE8
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
04F5C250

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
04F5C4B8
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = felixj pz@hotmail.com, contactType = 1, store object =
04F5C720
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 04F5C988
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
04F5CBF0
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kikirikito_chu@hotmail.com, contactType = 1, store object
= 0500C808
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
0500CA70

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
0500CCD8
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = vija_gzllz@hotmail.com, contactType = 1, store object =
0500CF40
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlos_mcl59@hotmail.com, contactType = 1, store object =
0500D1A8
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kimberli13_@hotmail.com, contactType = 1, store object =
0500D410
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ludwin_engel@hotmail.com, contactType = 1, store object =
0500D678
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bombon-angel-1@hotmail.com, contactType = 1, store object =
0500D8E0

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calamardo_159@hotmail.com, contactType = 1, store object =
0500DB48
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = enbuscadeunanuevaesperanza@hotmail.com, contactType = 1,
store object = 0500DDB0
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
0500E018
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_supernene91@hotmail.com, contactType = 1, store object =
= 0500E280
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
0500E4E8
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = CLAU Liz_LEX@hotmail.com, contactType = 1, store object =
04F23F10

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
04F24178
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 04F243E0
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
04F24648
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
04F248B0
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = l.alo.49@hotmail.com, contactType = 1, store object =
04F24B18
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = charalracing7@hotmail.com, contactType = 1, store object =
04F24D80

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 04F24FE8
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
04F25250
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = trolitol2@hotmail.com, contactType = 1, store object =
04F254B8
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = leo_05_07@hotmail.com, contactType = 1, store object =
04F25720
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
04F25988
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
04F25BF0

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bichito_07@hotmail.com, contactType = 1, store object =
04EE0F98
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = cerebral.dead@hotmail.com, contactType = 1, store object =
04EE1200
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
04EE1468
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
04EE16D0
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
04EE1938
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alana_baun602@hotmail.com, contactType = 1, store object =
04EE1BA0

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
04EE1E08
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hee@bk.ru, contactType = 1, store object = 04EE2070
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = la_keimy_scoof_tkm@hotmail.com, contactType = 1, store
object = 04EE22D8
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yahoo:chikinkatcher@yahoo.com, contactType = 32, store
object = 04EE2540
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = k1_louis@hotmail.com, contactType = 1, store object =
04EE27A8
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chikinkatcher@yahoo.com, contactType = 1, store object =
04EE2A10

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
04EE2C78
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
0856C958
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
0856CBC0
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
0856CE28
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pier_69k@hotmail.com, contactType = 1, store object =
0856D090
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
0856D2F8

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
0856D560
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = kl_louis@hotmail.com, contactType = 1, store object =
0856D7C8
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 0856DA30
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 0856DC98
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = eduardito25_3@hotmail.com, contactType = 1, store object =
0856DF00
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
0856E168

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
0856E3D0
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
0856E638
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:lupita0583@yahoo.com, contactType = 32, store object
= 04FC3440
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 04FC36A8
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
04FC3910
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
04FC3B78

[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 04FC3DE0
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.72] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
04FC4048
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
04FC42B0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
04FC4518
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
04FC4780
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
04FC49E8

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:honestman_always@yahoo.com, contactType = 32, store
object = 04FC4C50
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
04FC4EB8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
04FC5120
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
04F4EF10
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mariaemigdia2@hotmail.com, contactType = 1, store object =
04F4F178
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 04F4F3E0

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
04F4F648
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
04F4F8B0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ana_hi88@hotmail.com, contactType = 1, store object =
04F4FB18
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 04F4FD80
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
04F4FFE8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 04F50250

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
04F504B8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
04F50720
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = VickeyEmeraldaibtw@hotmail.com, contactType = 1, store
object = 04F50988
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = CLAULIZ_LEX@hotmail.com, contactType = 1, store object =
04F50BF0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
0503C1F0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
0503C458

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
0503C6C0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
0503C928
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
0503CB90
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object =
0503CDF8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gavo_9116@hotmail.com, contactType = 1, store object =
0503D060
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 0503D2C8

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
0503D530
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
0503D798
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object =
0503DA00
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
0503DC68
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
0503DED0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
04F39F10

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chaparritochamps@hotmail.com, contactType = 1, store
object = 04F3A178
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
04F3A3E0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
04F3A648
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
04F3A8B0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
04F3AB18
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
04F3AD80

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gedc_3@hotmail.com, contactType = 1, store object =
04F3AFE8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = la_nieka@hotmail.com, contactType = 1, store object =
04F3B250
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = luison_10@hotmail.com, contactType = 1, store object =
04F3B4B8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
04F3B720
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = trolitol2@hotmail.com, contactType = 1, store object =
04F3B988
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = enbuscadeunanuevasperanza@hotmail.com, contactType = 1,
store object = 04F3BBF0

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
04FA1CE8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
04FA1F50
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
04FA21B8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 04FA2420
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
04FA2688
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
04FA28F0

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
04FA2B58
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = barryl9842009@live.co.uk, contactType = 1, store object =
04FA2DC0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = omarprado.s@hotmail.com, contactType = 1, store object =
04FA3028
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object =
04FA3290
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
04FA34F8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
04FA3760

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
04FA39C8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
00680EF8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
00681160
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rivera-kevin@live.com, contactType = 1, store object =
006813C8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
00681630
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = skrowersote@hotmail.com, contactType = 1, store object =
00681898

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = knifex01@hotmail.com, contactType = 1, store object =
00681B00
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = deniz.mavisi68@hotmail.com, contactType = 1, store object =
00681D68
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
00681FD0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
00682238
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
006824A0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
00682708

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
00682970
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
00682BD8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
085CAAF0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = skrowsersote@hotmail.com, contactType = 1, store object =
085CAD58
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = 00000000-0000-0000-0009-elab0db61252, contactType = 64,
store object = 085CAFC0
[08:16:10.73] 1028 Messenger: Zone_Circles
CMsgCircle::IsInCircle@00689A28: returning 0x0, fInCircle = 0
[08:16:10.73] 1028 Messenger: Zone_Circles
CMsgCircle::AddMemberLocally@00689A28: adding kimberli13@hotmail.com to
00000000-0000-0000-0009-elab0db61252
[08:16:10.73] 1028 Messenger: Zone_Circles
CBuddy::AddCircle@05037B30: buddy=kimberli13@hotmail.com
circle=00000000-0000-0000-0009-elab0db61252 hr=0x 0

[08:16:10.73] 1028 Messenger: Zone_Circles
CHotmailService::OnStoreListAdd create circle returned 0x0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
085CB228
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
085CB490
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
085CB6F8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zorritarosita@hotmail.com, contactType = 1, store object =
085CB960
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
085CBBC8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
085CBE30

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
085CC098
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object =
085CC300
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
085CC568
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
085CC7D0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
08536198
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
08536400

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
08536668
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
085368D0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
08536B38
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
08536DA0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
08537008
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
08537270

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
085374D8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
08537740
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
085379A8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = claudy_girl16@hotmail.com, contactType = 1, store object =
08537C10
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
08537E78
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = souljump@hotmail.com, contactType = 1, store object =
05009740

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 050099A8
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 1, store object =
05009C10
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
05009E78
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::UpdateContactTypeOnBuddy@006A3650: list = 1,
strContactId = nck.khc@gmail.com, contactType = 2 >> is taking over
contactType = 1
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListRemove@006A3650: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, strMemberId = nck.khc@gmail.com
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 0500A0E0
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = souljump@hotmail.com, contactType = 1, store object =
0500A348
[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:16:10.73] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name Favoritos storeId 282
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name amigos storeId 283
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 284,
IsUnknownBuddy = false
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 285,
IsUnknownBuddy = false
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 286,
IsUnknownBuddy = false
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 287,
IsUnknownBuddy = false
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 288,
IsUnknownBuddy = false
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 289,
IsUnknownBuddy = false
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 290,
IsUnknownBuddy = false
[08:16:10.73] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

```
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 291,
IsUnknownBuddy = false
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 292,
IsUnknownBuddy = false
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 293,
IsUnknownBuddy = false
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 294,
IsUnknownBuddy = false
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 295,
IsUnknownBuddy = false
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 296,
IsUnknownBuddy = false
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 297,
IsUnknownBuddy = false
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 298,
IsUnknownBuddy = false
[08:16:10.73] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = souljamp@hotmail.com
storeId = 299
[08:16:10.73] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 299,
strContactId = souljamp@hotmail.com, contactType = 1, store object =
04FD7AE0
[08:16:10.73] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
```

[08:16:10.76] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[08:16:10.76] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 1
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 299,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 300,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 301,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 302,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 303,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 304,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 305,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 306,
IsUnknownBuddy = false

```
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 307,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 308,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 309,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 310,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 311,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 312,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 313,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 314,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 315,
IsUnknownBuddy = false
```

```
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 316,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 317,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 318,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 319,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 320,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 321,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 322,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 323,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 324,
IsUnknownBuddy = false
```

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 325,
IsUnknownBuddy = false

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 326,
IsUnknownBuddy = false

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 327,
IsUnknownBuddy = false

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 328,
IsUnknownBuddy = false

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name =
henryguerrero01@hotmail.com storeId = 329

[08:16:10.76] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 329,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 04FE1D00

[08:16:10.76] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:16:10.76] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...

[08:16:10.76] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 1

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 329,
IsUnknownBuddy = false

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 330,
IsUnknownBuddy = false

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

```
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 331,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 332,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 333,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 334,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 335,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 336,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 337,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 338,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 339,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
```



```
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 340,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 341,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 342,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 344,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 345,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 346,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 347,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 348,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 349,
IsUnknownBuddy = false
[08:16:10.76] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
```

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 350,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 351,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 352,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = nck.khc@gmail.com
storeId = 353
[08:16:10.76] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 353,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
050423C8
[08:16:10.76] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:16:10.76] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[08:16:10.76] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 1
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 353,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 354,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 355,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguiState> storeId = 356,
IsUnknownBuddy = false

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 357,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 358,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 359,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 360,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 361,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 362,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 363,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 364,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 365,
IsUnknownBuddy = false

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 366,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 367,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 368,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 369,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 370,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 371,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 372,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 373,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 374,
IsUnknownBuddy = false

[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:16:10.76] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 375,
IsUnknownBuddy = false
[08:16:10.76] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListSyncEnded
[08:16:10.77] 1028 Messenger: Zone_HotmailService
CTaskRunner::OnTaskResult: complete='StoreAdapter' hr=0x00000000
[08:16:10.77] 1028 Messenger: Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=0 pending=0 running=1
[08:16:11.12] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:16:11.43] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:16:12.21] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property change count =
28
[08:16:12.21] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityWebCamDetected
[08:16:12.21] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[08:16:12.23] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsChunking
[08:16:12.23] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
[08:16:12.23] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsWinks
[08:16:12.23] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[08:16:12.23] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsVoiceIM
[08:16:12.23] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[08:16:12.23] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsTunneledSip
[08:16:12.23] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33
[08:16:12.23] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PSupportsTurn
[08:16:12.23] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31

```
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PBootstrapViaUUN
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRTCVideoEnabled
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupport1OnlViaGroup
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityOIMEnabled
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityOIMEnabled, Me = YES
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingVideoSupport
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityNudgeEnabled
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCircleVoiceIMEnabled
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingEnabled
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityConvWindowFileTransfer
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVideoCallSupports16x9
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property = Capability
SIPTunnelVersion2
```

```
[08:16:12.23] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48
[08:16:12.23] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsWMAFormat
[08:16:12.23] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49
[08:16:12.23] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsCircleIM
[08:16:12.23] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50
[08:16:12.23] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsSocialNewsObjectTypes
[08:16:12.23] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51
[08:16:12.23] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCustomEmoticonsCapable
[08:16:12.23] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52
[08:16:12.23] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityUTF8MoodMessagesSupported
[08:16:12.23] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[08:16:12.23] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRemoteP2PObjectStoreFetch
[08:16:12.23] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55
[08:16:12.23] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsP4Activity
[08:16:12.23] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[08:16:12.23] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsMultiPartyIM
[08:16:12.23] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[08:16:12.23] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityMsgrVersion
[08:16:12.23] 1028           Messenger:      Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityMsgrVersion, Me = YES
[08:16:12.23] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PAware
[08:16:12.23] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
```

```

[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityBits
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityBits, Me = YES
[08:16:12.23] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 0
[08:16:12.23] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 0
[08:16:12.23] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:16:12.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 0
[08:16:12.23] 1028           Messenger:           Zone_HotmailService contacts
service = delaysynchronized
[08:16:12.23] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnInvitesReady
[08:16:31.86] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnClientVersion@04FB06C0> service=@085FC604
minver=20.0.0001 curver=20.0.0001 latestver=20.0.0001
url=http://skype.dlservice.microsoft.com/download/C/E/F/CEFA5C04-05BE-
4347-9857-
C860CFBE897B/SkypeSetupFull(6.3.73.105)(Trackable457)trackable.exe
falback=http://download.live.com/?sku=messenger
[08:16:31.86] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: enter
[08:16:31.86] 1028           Messenger:           Zone_HotmailService
CHotmailService::Logoff@006A3650> hr=0x00000000 tasks=@006A14B8
[08:16:31.86] 1028           Messenger:           Zone_HotmailService
CPresenceSession::SignOut@04FB06C0> service=@085FC604 hr=0x00000000
[08:16:31.86] 1028           Messenger:           Zone_HotmailService
CPresenceSession::SignOutInternal@04FB06C0> service=@085FC604
hr=0x00000000

```



```

[08:16:31.86] 1028      Messenger:      Zone_HotmailService
CHotmailService::FireLogonResult@006A3650: hr = 0x81000312
[08:16:31.86] 1028      Messenger:      Zone_HotmailService
CTaskRunner::AbortTasks: running=1
[08:16:31.86] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_AbortTasks: aborting='Presence'
[08:16:31.87] 1028      Messenger:      Zone_Voice
(voicevideoplatformlogon.cpp:66): ERROR: [OnLogonResult called with an
failure hrLogon] "" failed with 0x81000312 in .
[08:16:31.87] 1028      Messenger:      Zone_LogonState
CUIManager::OnLogonResult hr=[0x81000312] m_dwUILogonFlags=[1]
[08:16:31.87] 1028      Messenger:      Zone_UI
CUIManager::OnLogonResult@006C23D8: enter
[08:16:31.87] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLogonError> hrError=[0x81000312]
[08:16:31.87] 1028      Messenger:      Zone_LogonState
CLogonErrorHandler::DisplayLogonErrorDialog> hrError=[0x81000312]
s_fDisplayingLogonError=[0]
[08:16:31.87] 1028      Messenger:      Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [2] to
[1]
[08:16:31.87] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnSignInError> hr=[0x0] state=[1]
[08:16:31.87] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLogonError> hr=[0x0] state=[1]
[08:16:31.87] 1028      Messenger:      Zone_UI
CUIManager::OnLogonResult@006C23D8: leave
[08:16:31.87] 1290      Messenger:      Zone_LogonState
CSignInUI::OnSignInCanceled
[08:16:33.93] 1028      Messenger:      Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: enter
[08:16:33.93] 1028      Messenger:      Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal> Transitioned to
MSTATE (0x1)
[08:16:33.94] 1028      Messenger:      Zone_HotmailService
CPresenceSession::OnClientConfig@04FB06C0> service=@00000000
config=<Policies><Policy type="SHIELDS"
checksum="6BB3CDF0B183D2FE1281441CC1BBDA60"><config> <shield> <cli
maj="7" min="0" minbld="0" maxbld="9999" deny="" /> </shield> <block>
<hashes> </hashes> <regex> <imtext
value="cGhvdG8yMzRcLnppcA==" /> <imtext value="aWlnMDIxXC56aXA==" />
<imtext value="dGFueWFiyWJlXC56aXA==" /> <imtext
value="c3RlZmZcLnppcA==" /> <imtext value="Zm90b3NcLnppcA==" />
<imtext value="dHVmb3Rv" /> <imtext value="Z2V0LW1lc3Nlbmdlcg==" />
<imtext value="Mm5udmM3" /> <imtext value="YmxvY2tpbnJpbw==" />
<imtext value="bWVzc2FnZW5nLW5hbWVz" /> <imtext
value="cGljdHVyYTAwMg==" /> <imtext value="bWVzc2VuZ2VyLXNjYW4==" />
<imtext value="c3VtbWVyMjAwOA==" /> <imtext
value="bWVzc2VuZ2VyZGVzZXRlY2h1Y2t1cG==" /> <imtext
value="cGhvdG9hbGJ1bTlwMDc=" /> <imtext value="aWlhZ2UwMjlcLnppcA=="
/> <imtext value="Zm90b183ODFcLnppcA==" /> <imtext
value="Y2hpcnN0bWVzLTlwMDdcLnppcA==" /> <imtext
value="cGhvdG8yMDA3LTEyXC56aXA==" /> <imtext
value="aWlnNS0yMDA3XC56aXA==" /> <imtext

```

value="bXlwaWN0dXJlcy0wMTA4XC56aXA=" /> <imtext
value="cGhvdG9zMS0yMDA4XC56aXA=" /> <imtext
value="aGFwcHkyMDA4XC5leGU=" /> <imtext value="aGFwcHlfMjAwOFwuZXhl"
/> <imtext value="aGFwcHktMjAwOFwuZXhl" /> <imtext
value="bmV3X3l1YXJzX2xldHRlcl9mbGFzaFwuZXhl" /> <imtext
value="bWFpbmlzblwuY29t" /> <imtext value="bWFpbmlzblwubmV0" />
<imtext value="Zmljb25zdWx0aW5n" /> <imtext value="YmV6Z2lcLmluZm8=" />
<imtext value="c3VsYW5kaXJtYQ==" /> <imtext
value="dHVuYWJhbGlnaQ==" /> <imtext value="eW9ydW5nZXNlbA==" />
<imtext value="dHVoYWZraW1zZQ==" /> <imtext
value="YWNpc2FsY2FwXC5pbmZv" /> <imtext value="Ym95YW1hZ3VjdQ==" />
<imtext value="dHV0dXNrYW5saWs=" /> <imtext value="bXltc25nYWxsZXJ5"
/> <imtext value="aW1hZ2UwMzFclnppcA==" /> <imtext
value="Zm90bzcycmE2" /> <imtext value="cGhvdG8yMVwuemlw" />
<imtext value="cGljdHVyZTIyXC56aXA=" /> <imtext
value="cGljdHVyZXo5MjNcLnppcA==" /> <imtext
value="cGhvdG9fNjg4LWpwZ1wuemlw" /> <imtext
value="bXlwaG90bzk0XC56aXA=" /> <imtext value="dmlkZW9cLmV4ZQ==" />
<imtext value="a3V6ZW5cLmV4ZQ==" /> <imtext value="bWlyY1wuZXhl" />
<imtext value="YmFja2Rvb3I6aXJjL2Zsb29kXC5jYw==" /> <imtext
value="Zm90b18wMjdcLnppcA==" /> <imtext value="Zm90bzcwOGs2XC56aXA=" />
<imtext value="bXNuYmxvY2tsaXN0XC5jb20=" /> <imtext
value="bXNuLWZyaWVuZFwuY29t" /> <imtext
value="cXVpZW50ZWFKbWl0ZVwuY29t" /> <imtext
value="Y2hlY2ttZXNzZW5nZXJcLm5ldA==" /> <imtext
value="bXNuYmxvY2t1cmxpc3RcLmNvbQ==" /> <imtext
value="bXNubGlzdHN0YXR1clwuY29t" /> <imtext
value="ZnJpZW5kbHktb2ZmZXJcLmNvbQ==" /> <imtext
value="c2V0dXBcLmV4ZQ==" /> <imtext value="aG9zdGlsZWFWcGxldA==" />
<imtext value="Z3NkYWdkZmdhc2RnczI0NTc0NTIyNDdcLmV4ZQ==" /> <imtext
value="Z3NkZGFzMjQ1ODcyMTRnc2RcLmV4ZQ==" /> <imtext
value="Zm90by0zMTFFanBlZw==" /> <imtext
value="aW1hZ2UyMDZcLmpwZy13d3dcLnBob3Rvc2hhcmVcWzFdXC5jb20=" />
<imtext value="aW1hZ2UyMDZcLmpwZw==" /> <imtext value="YnVzaFwuY29t"
/> <imtext value="Y2FtZGFcLmV4ZQ==" /> <imtext
value="eW9ldHViZV9naXJpc19wcm9ncmFtaVwuZXhl" /> <imtext
value="cjU3OWRrYTkyalwuemlw" /> <imtext value="bW9uY2xvY2hlclwuY29t"
/> <imtext value="aW1hZ2Vzd2l0Y2hcLmluZm8=" /> <imtext
value="bmV3ZXN0cGljdHVyZTAzXC5qcGc=" /> <imtext
value="bm90aWNpYXNkb2JyYXNpbFwuY29tXC5zYXBvXC5wdC9ub3RpbY2lhdXJnZW50ZWJyYXNpbG51bWVybzk4MjFclmNvbQ==" /> <imtext
value="d2luZG93c215X3Bob3Rvc18xNTMwMVwuemlw" /> <imtext
value="cGhvdG9zXzElMzAxXC56aXA=" /> <imtext value="aW1wbGF5XC5jb20=" />
<imtext value="Ym9ieXVwXC5jb20=" /> <imtext
value="Ym9iYmxhalwuY29t" /> <imtext
value="cGljcy1hdC10aGUtcGFydHlcLmNvbQ==" /> <imtext
value="Ym9iem9wXC5jb20=" /> <imtext value="bW9vcnNoXC5jb20=" />
<imtext value="Ym9ieXVw" /> <imtext value="d293YmFtXC5jb20=" />
<imtext value="Zm90blwuZXhl" /> <imtext
value="ZHNjMjAwOTAxMTdcLmpwZ1wuZXhl" /> <imtext
value="ZnJpZW5kaW1zXC5jb20=" /> <imtext value="bm93cG91bmRzXC5jb20=" />
<imtext value="Y2xpcGRlZXBzXC5jb20=" /> <imtext
value="L3VyYmxvY2s=" /> <imtext
value="aW1hZ2VzXC5jb29scGFnZVwuYml6L2ltYWdlclwucGhw" /> <imtext

```

value="Y2FzYTFcLmV4ZQ==" />      <imtext value="YW5pbWFjaW9uXC5leGU=" />
<imtext value="XC5cLi9ibG9jalwudHh0" />    </regex>
</block></config></Policy><Policy type="ABCH"
checksum="257FFA02AB0EBF9EC74FEA202B270F7C"><policy><set id="push"
service="ABCH" priority="200">      <r id="pushstorage"
threshold="180000" />    </set><set id="delaysup" service="ABCH"
priority="150">  <r id="whatsnew" threshold="1800000" />  <r
id="whatsnew_storage_ABCH_delay" timer="1800000" />  <r
id="whatsnewt_link" threshold="900000" trigger="QueryActivities" /></set>
<c id="PROFILE_Rampup">100</c>  <c id="SUP_PageSize_RA">75</c>  <c
id="SUP_PageSize_RAm">75</c>  <c id="SUP_PageSize_FT">75</c>  <c
id="SUP_PageSize_FTLINK">75</c>  <c id="SUP_PageSize_WNH">75</c>  <c
id="SUP_PageSize_WNR">75</c></policy></Policy><Policy
type="ERRORRESPONSETABLE"
checksum="6127EEDCE860F45C1692896F5248AF6F"><Policy> <Feature type="3"
name="P2P">  <Entry hr="0x81000398" action="3"/>  <Entry hr="0x82000020"
action="3"/>  </Feature> <Feature type="4">  <Entry hr="0x81000440" />
</Feature> <Feature type="6" name="TURN">  <Entry hr="0x8007274C"
action="3" />  <Entry hr="0x82000020" action="3" />  <Entry
hr="0x8007274A" action="3" />  </Feature></Policy></Policy><Policy
type="P2P" checksum="815D4F1FF8E39A85F1F97C4B16C45177"><ObjStr SndDly="1"
/></Policy><Policy type="CIRCLES"
checksum="9208C5655F8D96CBBD9873181E5E79BD"><Policy type="CIRCLES" >
<Msg cMember="40"/></Policy></Policy></Policies>
[08:16:33.97] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[08:16:33.97] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@05017550: enter
[08:16:33.97] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@05017550> Shell ConversationMgr
006C2888 has stopped listening to platform ConversationManager.
[08:16:33.97] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@05017550: leave
[08:16:33.97] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@05017550: enter
[08:16:33.97] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@05017550: leave
[08:16:33.97] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:16:33.97] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::CancelPendingRequests()
[08:16:33.97] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::CancelPendingRequests() = 0x0
[08:16:33.97] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinalRelease
[08:16:33.97] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[08:16:33.98] 1028      Messenger:      Zone_HotmailService
CMsgService::FireLocalStateChangeResult@006A2388:(S_OK, 0x0001)
[08:16:33.98] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x1
[08:16:33.98] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLogOff> hr=[0x0] state=[1]

```

```

[08:16:33.98] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[1]
[08:16:33.98] 1028           Messenger:           Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x200, new state=0x1
[08:16:33.98] 1028           Messenger:           Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x1
[08:16:33.98] 1028           Messenger:           Zone_Circles
CMsgCircle::RemoveMemberLocally@00689A28: adding kimberli13@hotmail.com
to 00000000-0000-0000-0009-elab0db61252
[08:16:33.98] 1028           Messenger:           Zone_Circles
CBuddy::RemoveCircle@05037B30: buddy=kimberli13@hotmail.com
circle=00000000-0000-0000-0009-elab0db61252 hr=0x 0
[08:16:33.98] 1028           Messenger:           Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: leave
[08:16:33.98] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: leave
[08:16:33.98] 1028           Messenger:           Zone_HotmailService
CPresenceSession::AsyncSignOut@04FB06C0> service=@00000000 hr=0x00000000
[08:16:33.98] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnSignedIn@04FB06C0> service=@00000000 hr=0x81000312
service=IM cookie=8
[08:16:34.00] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnSignedIn@04FB06C0> service=@00000000 hr=0x81000312
service=PE cookie=7
[08:16:34.00] 1028           Messenger:           Zone_LogonState
CLogonErrorHandler::OnDisplayLogonError: hr: 0x81000312
[08:16:34.00] 1028           Messenger:           Zone_LogonState
CBLObject::SetImplicitState: implicit: 0x12, current: 0x1, set: 0x0
[08:16:38.11] 0668           Messenger:Zone_ConnectionTroubleshooter
Failed to ping cloud 80072f06
[08:22:05.29] 1a48           Messenger:Zone_ConnectionTroubleshooter
Failed to ping cloud 80072f06
[08:22:05.31] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:22:05.31] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F1E8)
[08:22:05.32] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:22:05.32] 1028           Messenger:           Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[08:22:05.32] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:22:05.32] 1028           Messenger:           Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[08:22:05.32] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:22:05.32] 1028           Messenger:           Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:22:05.32] 1028           Messenger:           Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:22:05.32] 1028           Messenger:           Zone_HotmailService
CHotmailService::SetLoginType> type=4
[08:22:05.32] 1028           Messenger:           Zone_UI
CUIManager::LogonService@006C23D8: enter

```

```

[08:22:05.32] 1028      Messenger:      Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [1] to
[2]
[08:22:05.32] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnSignInStarted> hr=[0x0] state=[2]
[08:22:05.32] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLogonServiceStarted> hr=[0x0] state=[2]
[08:22:05.32] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity(0x006E73E0)
[08:22:05.32] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity: Ignoring: (006E73E0) is already the
Active Identity.
[08:22:05.32] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity() = 0x1
[08:22:05.32] 1290      Messenger:      Zone_LogonState
CSignInUI::StartSignInAnimations
[08:22:05.32] 1028      Messenger:      Zone_HotmailProtocol
CUIManager::LogonService@006C23D8: recorded login start time as 38874513
[08:22:05.32] 1290      Messenger:      Zone_LogonState
CSignInDialogBehavior::StartSignInAnimations m_eState=[0]
[08:22:05.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::SetPresence_State@006A3650: m_bNextLogonState 2 (0x0002)
[08:22:05.33] 1028      Messenger:      Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: enter
[08:22:05.33] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:22:05.33] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:22:05.33] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:22:05.37] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:22:05.37] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:22:05.37] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:22:05.37] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:22:05.37] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:22:05.37] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:22:05.37] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:22:05.37] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:22:05.37] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:22:05.38] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:22:05.38] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:22:05.38] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0

```

```

[08:22:05.39] 1028           Messenger:      Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: leave
[08:22:05.39] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:22:05.39] 1028           Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:22:05.39] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:22:05.39] 1028           Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888: enter
[08:22:05.39] 1028           Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[08:22:05.39] 1028           Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:22:05.39] 1028           Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888> IMessagingService pointer = 0862E004,
IConversationManager pointer = 0862E094
[08:22:05.39] 1028           Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@04F3F368: enter
[08:22:05.39] 1028           Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@04F3F368> Shell ConversationMgr
006C2888 is listening to platform ConversationManager 0862E094 events.
[08:22:05.39] 1028           Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@04F3F368: leave
[08:22:05.39] 1028           Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888: leave
[08:22:05.39] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:22:05.39] 1028           Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:22:05.39] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:22:05.39] 1028           Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='LMC' depends={} timeout=60000
[08:22:05.39] 1028           Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='MessengerRpsTicket'
depends={BatchedTickets} timeout=300000
[08:22:05.39] 1028           Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='BatchedTickets' depends={} timeout=60000
[08:22:05.39] 1028           Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='Presence' depends={BatchedTickets}
timeout=90000
[08:22:05.39] 1028           Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='LivePlatform' depends={MessengerRpsTicket}
timeout=240000
[08:22:05.39] 1028           Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='StoreAdapter' depends={LMC, LivePlatform}
timeout=60000
[08:22:05.39] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnLocalStateChangedInternal@006A3650: From 256 to 512
[08:22:05.39] 1028           Messenger:      Zone_HotmailService
CMsgrService::FireLocalStateChangeResult@006A2388: (S_OK, 0x0200)

```

```

[08:22:05.39] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x200
[08:22:05.39] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[2]
[08:22:05.39] 1028           Messenger:           Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x100, new state=0x200
[08:22:05.39] 1028           Messenger:           Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x200
[08:22:05.39] 1028           Messenger:           Zone_HotmailService
CTaskRunner::RunTasks: waiting=6
[08:22:05.39] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LMC'
[08:22:05.39] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='BatchedTickets'
[08:22:05.39] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=4
[08:22:05.39] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:22:05.39] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029F164)
[08:22:05.40] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:22:05.40] 1028           Messenger:           Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[08:22:05.40] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:22:05.40] 1028           Messenger:           Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[08:22:05.40] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:22:05.40] 1028           Messenger:           Zone_UI
CUIManager::LogonService@006C23D8: leave
[08:22:05.40] 1028           Messenger:           Zone_LogonState
CUIManager::UILogon: LocalState=0x1 hr=0x0
[08:22:05.40] 1028           Messenger:           Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:22:05.40] 1028           Messenger:           Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:22:05.40] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_RunTasks: running='LMC'
[08:22:05.46] 18a4           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=0)
[08:22:05.46] 18a4           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=8)
[08:22:05.46] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_RunTasks: running='BatchedTickets'
[08:22:05.46] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::SendIdentityRequest(0x0029F294, 4, 0x0029F28C)
[08:22:05.46] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::SendIdentityRequest() = 0x48847
[08:22:05.46] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: complete='BatchedTickets' hr=0x00048847

```

```

[08:22:05.46] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=4 pending=0 running=1
[08:22:05.46] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='MessengerRpsTicket' remaining={}
[08:22:05.46] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='MessengerRpsTicket'
[08:22:05.46] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='Presence' remaining={}
[08:22:05.46] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='Presence'
[08:22:05.46] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=2
[08:22:05.46] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='MessengerRpsTicket'
[08:22:05.46] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='Presence'
[08:22:05.47] 1028           Messenger:      Zone_HotmailService
CPresenceSession::SignIn@04FB0808> service=@04F510E4 PE=9 IM=10
[08:22:05.47] 1028           Messenger:      Zone_HotmailService
CPresenceSession::SignIn@04FB0808> service=@04F510E4 hr=0x00000001
[08:22:05.48] 1028           Messenger:      Zone_HotmailService
CMessengerServiceTicketRequest::OnGetServiceTicketCompleted> request=9,
service=messengerclear.live.com, hr=0x00000000
[08:22:05.48] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity(0x0029F268)
[08:22:05.48] 1028           Messenger:      Zone_IdentityCRL
*ppIdentityOut = 0x006E73E0
[08:22:05.48] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity() = 0x0
[08:22:05.51] 18a4           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=13)
[08:22:05.52] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='MessengerRpsTicket' hr=0x00000000
[08:22:05.52] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=2 pending=0 running=2
[08:22:05.52] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='LivePlatform' remaining={}
[08:22:05.52] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LivePlatform'
[08:22:05.52] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[08:22:05.52] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='LivePlatform'
[08:22:05.56] 1028           Messenger:      Zone_HotmailService contacts
service = synchronized
[08:22:05.56] 1028           Messenger:      Zone_HotmailService
PlatformReady = true
[08:22:05.56] 1028           Messenger:      Zone_HotmailService
hr=0x00000000
[08:22:05.56] 1028           Messenger:Zone_Contact_Replication Initial
Signin -- OnReady
[08:22:05.56] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady

```



```

[08:22:05.56] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:22:05.56] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:22:05.56] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:22:05.56] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LivePlatform' hr=0x00000000
[08:22:05.56] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=2
[08:22:05.56] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={LMC}
[08:22:05.56] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[08:22:05.74] 18a4      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=2)
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LMC' hr=0x00000000
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=1
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={}
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='StoreAdapter'
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=0
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='StoreAdapter'
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinalConstruct
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinishLoadingIfReady
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreListEnumerate
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::EnumerateStoreObjects
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertMeContact > unread email count set
to 0
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 0
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 0 for ME contact.
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = HomePhone, value = NotAString
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 1

```

```

[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 1 for ME contact.
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = WorkPhone, value = NotAString
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 2
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 2 for ME contact.
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = MobilePhone, value = +526647255259
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 3
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = IsMobileEnabled, value = NotAString
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 4
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = IsMBEA, value = N
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 5
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityMobileOnline, value = NotAString
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityP2PAware, value = NotAString
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 7
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = UserTileActualObjectStoreName, value = <msnobj
Creator="kimberli13_@hotmail.com" Type="3"
SHA1D="d8dMHuTKt215bEVVVcRlNDH0yn0=" Size="4350" Location="0"
Friendly="PwAAAA==" />
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityWebCamDetected, value = NotAString
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsChunking, value = NotAString
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 10
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = ServerId, value = c5bd42a3-f949-46c3-ba24-295318cfb798
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 11
[08:22:05.74] 1028      Messenger:      Zone_StoreAdapter
property = FriendlyName, value = PAOLA
[08:22:05.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 12

```

[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityWebIMClient, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 13
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 13 for ME contact.
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = FirstName, value = PAOLA
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 14
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabiltiyConnectedViaTGW, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsWinks, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 16
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 16 for ME contact.
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = IsMobileBuddy, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 17
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = StatusMessage, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 18
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CurrentMedia, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsVoiceIM, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 20
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoCount, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 21
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellCount, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 22
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSChannel, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 23
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CID, value = -999964482718167511
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 24

[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSipInvite, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 25
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoTimer, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 26
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellTimer, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 27
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityIsBot, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 28
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 28 for ME contact.
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = Messenger4, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 29
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = NooIconUrl, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 30
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = DDPActualObjectStoreName, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PSupportsTurn, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PBootstrapViaUUN, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsTunneledSip, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityRTCVideoEnabled, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 35
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = SceneActualObjectStoreName, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 36
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = ColorScheme, value = NotAString

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 39
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = BadgeActualObjectStoreName, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingVideoSupport, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupport10n1ViaGroup, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityNudgeEnabled, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityCircleVoiceIMEnabled, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingEnabled, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 45
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityMobileSuspendIMFanoutDisable, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityConvWindowFileTransfer, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVideoCallSupports16x9, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = Capability SIPTunnelVersion2, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVoiceClipSupportsWMAFormat, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVoiceClipSupportsCircleIM, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSocialNewsObjectTypes, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52

[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityCustomEmoticonsCapable, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityUTF8MoodMessagesSupported, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 54
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityFTURNCapable, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilityRemoteP2PObjectStoreFetch , value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 56
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = AnimatedSceneActualObjectStoreName, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsP4Activity, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[08:22:05.74] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsMultiPartyIM, value = NotAString
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
03537438
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
035376A0
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
03537908
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
03537B70

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = snoop_opi03@hotmail.com, contactType = 1, store object =
03537DD8

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:edgardhino10@yahoo.com, contactType = 32, store
object = 03538040

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = player269@hotmail.com, contactType = 1, store object =
035382A8

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
03538510

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
03538778

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = felixj pz@hotmail.com, contactType = 1, store object =
035389E0

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 03538C48

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
03538EB0

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kikirikito_chu@hotmail.com, contactType = 1, store object
= 08624C18

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
08624E80

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
086250E8

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = vija_gzlj@hotmail.com, contactType = 1, store object =
08625350

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlos_mc159@hotmail.com, contactType = 1, store object =
086255B8

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kimberli13_@hotmail.com, contactType = 1, store object =
08625820

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ludwin_engel@hotmail.com, contactType = 1, store object =
08625A88

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bombon-angel-1@hotmail.com, contactType = 1, store object =
= 08625CF0

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calamardo_159@hotmail.com, contactType = 1, store object =
08625F58

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = enbuscadeunanuevaesperanza@hotmail.com, contactType = 1,
store object = 086261C0
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
08626428
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_supernene91@hotmail.com, contactType = 1, store object =
08626690
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
086268F8
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = CLAULIZ_LEX@hotmail.com, contactType = 1, store object =
05042FA8
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
05043210
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 05043478
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
050436E0
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
05043948
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = l.alo.49@hotmail.com, contactType = 1, store object =
05043BB0
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = charalracing7@hotmail.com, contactType = 1, store object =
05043E18
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 05044080
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
050442E8

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = trolito12@hotmail.com, contactType = 1, store object =
05044550

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = leo_05_07@hotmail.com, contactType = 1, store object =
050447B8

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
05044A20

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
05044C88

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bichito_07@hotmail.com, contactType = 1, store object =
04F04230

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = cerebral.dead@hotmail.com, contactType = 1, store object =
04F04498

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
04F04700

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
04F04968

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
04F04BD0

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alana_baun602@hotmail.com, contactType = 1, store object =
04F04E38

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
04F050A0

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hee@bk.ru, contactType = 1, store object = 04F05308
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = la_keimy_scoof_tkm@hotmail.com, contactType = 1, store
object = 04F05570
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yahoo:chikinkatcher@yahoo.com, contactType = 32, store
object = 04F057D8
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kl_louis@hotmail.com, contactType = 1, store object =
04F05A40
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chikinkatcher@yahoo.com, contactType = 1, store object =
04F05CA8
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
04F05F10
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
04F57F10

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
04F58178

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
04F583E0

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pier_69k@hotmail.com, contactType = 1, store object =
04F58648

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
04F588B0

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
04F58B18

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = kl_louis@hotmail.com, contactType = 1, store object =
04F58D80

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 04F58FE8

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 04F59250

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = eduardito25_3@hotmail.com, contactType = 1, store object =
04F594B8

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
04F59720

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
04F59988

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
04F59BF0

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:lupita0583@yahoo.com, contactType = 32, store object
= 05040FA8

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 05041210

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
05041478

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
050416E0

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 05041948

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
05041BB0

[08:22:05.74] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
05041E18

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
05042080

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
050422E8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
05042550

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:honestman_always@yahoo.com, contactType = 32, store
object = 050427B8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
05042A20

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
05042C88

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
04ED9F98

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mariaemigdia2@hotmail.com, contactType = 1, store object =
04EDA200

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 04EDA468

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
04EDA6D0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
04EDA938

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ana_hi88@hotmail.com, contactType = 1, store object =
04EDABA0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 04EDAE08

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
04EDB070

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 04EDB2D8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
04EDB540

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
04EDB7A8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = VickeyEmeraldaibt@hotmail.com, contactType = 1, store
object = 04EDBA10

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = CLAULIZ_LEX@hotmail.com, contactType = 1, store object =
04EDBC78

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
006888D0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
00688B38

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
00688DA0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
00689008

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
00689270

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 006894D8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gavo_9116@hotmail.com, contactType = 1, store object =
00689740

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 006899A8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
00689C10

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
00689E78

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object =
= 0068A0E0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
0068A348

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
0068A5B0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
08628C18

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chaparritochamps@hotmail.com, contactType = 1, store
object = 08628E80

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
086290E8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
08629350

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
086295B8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
08629820

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
08629A88

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gedc_3@hotmail.com, contactType = 1, store object =
08629CF0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = la_nieka@hotmail.com, contactType = 1, store object =
08629F58

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = luison_10@hotmail.com, contactType = 1, store object =
0862A1C0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
0862A428

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = trolito12@hotmail.com, contactType = 1, store object =
0862A690

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = enbuscadeunanuevaesperanza@hotmail.com, contactType = 1,
store object = 0862A8F8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
05018E58

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
050190C0
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
05019328
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 05019590
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
050197F8
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
05019A60
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
05019CC8
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = barryl9842009@live.co.uk, contactType = 1, store object =
05019F30

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = omarprado.s@hotmail.com, contactType = 1, store object =
0501A198

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object =
= 0501A400

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
0501A668

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
0501A8D0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
0501AB38

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
0861D1A0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
0861D408

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rivera-kevin@live.com, contactType = 1, store object =
0861D670

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
0861D8D8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = skrowsersote@hotmail.com, contactType = 1, store object =
0861DB40

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = knifex01@hotmail.com, contactType = 1, store object =
0861DDA8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = deniz.mavisi68@hotmail.com, contactType = 1, store object
= 0861E010

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
0861E278

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
0861E4E0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
0861E748

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
0861E9B0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
0861EC18

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
0861EE80

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
085F4BE8

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = skrowersote@hotmail.com, contactType = 1, store object =
085F4E50

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = 00000000-0000-0000-0009-elab0db61252, contactType = 64,
store object = 085F50B8

[08:22:05.75] 1028 Messenger: Zone_Circles
CMsgCircle::IsInCircle@04F3B018: returning 0x0, fInCircle = 0

[08:22:05.75] 1028 Messenger: Zone_Circles
CMsgCircle::AddMemberLocally@04F3B018: adding kimberli13_@hotmail.com to
00000000-0000-0000-0009-elab0db61252

[08:22:05.75] 1028 Messenger: Zone_Circles
CBuddy::AddCircle@05038F58: buddy=kimberli13_@hotmail.com
circle=00000000-0000-0000-0009-elab0db61252 hr=0x 0

[08:22:05.75] 1028 Messenger: Zone_Circles
CHotmailService::OnStoreListAdd create circle returned 0x0

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
085F5320

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:22:05.75] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,

```
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
085F5588
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
085F57F0
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zorritarosita@hotmail.com, contactType = 1, store object =
085F5A58
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
085F5CC0
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
085F5F28
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
085F6190
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
```

```
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 085F63F8
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
085F6660
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
085F68C8
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
05009740
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
050099A8
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
05009C10
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
```



```
strContactId = eduart26@hotmail.com, contactType = 1, store object =
05009E78
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
0500A0E0
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
0500A348
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
0500A5B0
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
0500A818
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
0500AA80
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
```

```
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
0500ACE8
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
0500AF50
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = claudy_girl16@hotmail.com, contactType = 1, store object =
0500B1B8
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
0500B420
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = souljump@hotmail.com, contactType = 1, store object =
08536198
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 08536400
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
```

```
strContactId = nck.khc@gmail.com, contactType = 1, store object =
08536668
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
085368D0
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::UpdateContactTypeOnBuddy@006A3650: list = 1,
strContactId = nck.khc@gmail.com, contactType = 2 >> is taking over
contactType = 1
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListRemove@006A3650: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, strMemberId = nck.khc@gmail.com
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 08536B38
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = souljamp@hotmail.com, contactType = 1, store object =
08536DA0
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.75] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:22:05.75] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name Favoritos storeId 282
[08:22:05.75] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name amigos storeId 283
[08:22:05.75] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 284,
IsUnknownBuddy = false
[08:22:05.75] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
```

[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 285,
IsUnknownBuddy = false
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 286,
IsUnknownBuddy = false
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 287,
IsUnknownBuddy = false
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 288,
IsUnknownBuddy = false
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 289,
IsUnknownBuddy = false
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 290,
IsUnknownBuddy = false
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 291,
IsUnknownBuddy = false
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 292,
IsUnknownBuddy = false
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 293,
IsUnknownBuddy = false
[08:22:05.75] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

```
[08:22:05.75] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 294,
IsUnknownBuddy = false
[08:22:05.75] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 295,
IsUnknownBuddy = false
[08:22:05.75] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 296,
IsUnknownBuddy = false
[08:22:05.75] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 297,
IsUnknownBuddy = false
[08:22:05.75] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.75] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 298,
IsUnknownBuddy = false
[08:22:05.75] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = souljump@hotmail.com
storeId = 299
[08:22:05.75] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 299,
strContactId = souljump@hotmail.com, contactType = 1, store object =
04FDDF80
[08:22:05.75] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.76] 18a4      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=9)
[08:22:05.76] 18a4      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=17)
[08:22:05.78] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[08:22:05.78] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 0
[08:22:05.78] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 299,
IsUnknownBuddy = false
[08:22:05.78] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
```

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 300,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 301,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 302,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 303,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 304,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 305,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 306,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 307,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 308,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 309,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 310,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 311,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 312,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 313,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 314,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 315,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 316,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 317,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 318,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 319,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 320,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 321,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 322,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 323,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 324,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 325,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 326,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 327,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 328,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name =
henryguerrero01@hotmail.com storeId = 329
[08:22:05.78] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 329,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 04F21330
[08:22:05.78] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.78] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[08:22:05.78] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 0
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 329,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 330,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 331,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 332,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 333,
IsUnknownBuddy = false

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 334,
IsUnknownBuddy = false

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 335,
IsUnknownBuddy = false

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 336,
IsUnknownBuddy = false

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 337,
IsUnknownBuddy = false

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 338,
IsUnknownBuddy = false

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 339,
IsUnknownBuddy = false

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 340,
IsUnknownBuddy = false

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 341,
IsUnknownBuddy = false

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 342,
IsUnknownBuddy = false

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 344,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 345,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 346,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 347,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 348,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 349,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 350,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 351,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 352,
IsUnknownBuddy = false

[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = nck.khc@gmail.com
storeId = 353
[08:22:05.78] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 353,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
08635AE8
[08:22:05.78] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:22:05.78] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[08:22:05.78] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 0
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 353,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 354,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 355,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 356,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 357,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 358,
IsUnknownBuddy = false
[08:22:05.78] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

```
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 359,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 360,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 361,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 362,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 363,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 364,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 365,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 366,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 367,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
```

```
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 368,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 369,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 370,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 371,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 372,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 373,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 374,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:22:05.78] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 375,
IsUnknownBuddy = false
[08:22:05.78] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListSyncEnded
[08:22:05.87] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='StoreAdapter' hr=0x00000000
[08:22:05.87] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=0 pending=0 running=1
[08:22:06.15] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
```

```
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:22:06.15] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 1
[08:22:06.15] 1028           Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:22:06.20] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:22:06.20] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 1
[08:22:06.20] 1028           Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:22:06.21] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:22:06.21] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 1
[08:22:06.21] 1028           Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:22:06.54] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:22:06.85] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:22:07.39] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property change count =
28
[08:22:07.39] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityWebCamDetected
[08:22:07.39] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[08:22:07.45] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsChunking
[08:22:07.45] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
[08:22:07.45] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsWinks
[08:22:07.45] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[08:22:07.45] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsVoiceIM
```

[08:22:07.45] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[08:22:07.49] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsTunneledSip
[08:22:07.49] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33
[08:22:07.49] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PSupportsTurn
[08:22:07.49] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31
[08:22:07.49] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PBootstrapViaUUN
[08:22:07.49] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32
[08:22:07.49] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRTCVideoEnabled
[08:22:07.49] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34
[08:22:07.49] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupport1On1ViaGroup
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityOIMEnabled
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityOIMEnabled, Me = YES
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingVideoSupport
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityNudgeEnabled
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCircleVoiceIMEnabled
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingEnabled
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44

[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityConvWindowFileTransfer
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVideoCallSupports16x9
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property = Capability
SIPTunnelVersion2
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsWMAFormat
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsCircleIM
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsSocialNewsObjectTypes
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCustomEmoticonsCapable
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityUTF8MoodMessagesSupported
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRemoteP2PObjectStoreFetch
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsP4Activity
[08:22:07.50] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[08:22:07.50] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsMultiPartyIM

```

[08:22:07.50] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[08:22:07.50] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityMsgrVersion
[08:22:07.50] 1028           Messenger:      Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityMsgrVersion, Me = YES
[08:22:07.50] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PAware
[08:22:07.50] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
[08:22:07.50] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityBits
[08:22:07.50] 1028           Messenger:      Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityBits, Me = YES
[08:22:07.50] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiareState =
false
[08:22:07.50] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 0
[08:22:07.50] 1028           Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:22:07.50] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiareState =
false
[08:22:07.50] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 0
[08:22:07.50] 1028           Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:22:07.50] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiareState =
false
[08:22:07.50] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 0
[08:22:07.50] 1028           Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:22:08.47] 1028           Messenger:      Zone_HotmailService contacts
service = delaysynchronized
[08:22:08.51] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnInvitesReady
[08:22:26.88] 1028           Messenger:      Zone_HotmailService
CPresenceSession::OnClientVersion@04FB0808> service=@04F510E4
minver=20.0.0001 curver=20.0.0001 latestver=20.0.0001
url=http://skype.dlservice.microsoft.com/download/C/E/F/CEFA5C04-05BE-

```

4347-9857-

```
C860CFBE897B/SkypeSetupFull(6.3.73.105)(Trackable457)trackable.exe
falback=http://download.live.com/?sku=messenger
[08:22:26.88] 1028 Messenger: Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: enter
[08:22:26.88] 1028 Messenger: Zone_HotmailService
CHotmailService::Logoff@006A3650> hr=0x00000000 tasks=@006A16C8
[08:22:26.88] 1028 Messenger: Zone_HotmailService
CPresenceSession::SignOut@04FB0808> service=@04F510E4 hr=0x00000000
[08:22:26.88] 1028 Messenger: Zone_HotmailService
CPresenceSession::SignOutInternal@04FB0808> service=@04F510E4
hr=0x00000000
[08:22:26.88] 1028 Messenger: Zone_HotmailService
CHotmailService::FireLogonResult@006A3650: hr = 0x81000312
[08:22:26.88] 1028 Messenger: Zone_HotmailService
CTaskRunner::AbortTasks: running=1
[08:22:26.88] 1028 Messenger: Zone_HotmailService
CTaskRunner::_AbortTasks: aborting='Presence'
[08:22:26.89] 1028 Messenger: Zone_Voice
(voicevideoplatformlogon.cpp:66): ERROR: [OnLogonResult called with an
failure hrLogon] "" failed with 0x81000312 in .
[08:22:26.89] 1028 Messenger: Zone_LogonState
CUIManager::OnLogonResult hr=[0x81000312] m_dwUILogonFlags=[1]
[08:22:26.89] 1028 Messenger: Zone_UI
CUIManager::OnLogonResult@006C23D8: enter
[08:22:26.89] 1028 Messenger: Zone_LogonState
CSignInUIController::OnLogonError> hrError=[0x81000312]
[08:22:26.89] 1028 Messenger: Zone_LogonState
CLogonErrorHandler::DisplayLogonErrorDialog> hrError=[0x81000312]
s_fDisplayingLogonError=[0]
[08:22:26.89] 1028 Messenger: Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [2] to
[1]
[08:22:26.89] 1028 Messenger: Zone_LogonState
CSignInUIController::OnSignInError> hr=[0x0] state=[1]
[08:22:26.89] 1028 Messenger: Zone_LogonState
CSignInUIController::OnLogonError> hr=[0x0] state=[1]
[08:22:26.89] 1028 Messenger: Zone_UI
CUIManager::OnLogonResult@006C23D8: leave
[08:22:26.89] 1290 Messenger: Zone_LogonState
CSignInUI::OnSignInCanceled
[08:22:28.93] 1028 Messenger: Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: enter
[08:22:28.93] 1028 Messenger: Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal> Transitioned to
MSTATE(0x1)
[08:22:28.98] 1028 Messenger: Zone_HotmailService
CPresenceSession::OnClientConfig@04FB0808> service=@00000000
config=<Policies><Policy type="SHIELDS"
checksum="6BB3CDF0B183D2FE1281441CC1BBDA60"><config> <shield> <cli
maj="7" min="0" minbld="0" maxbld="9999" deny="" /> </shield> <block>
<hashes> </hashes> <regex> <imtext
value="cGhvdG8yMzRcLnppcA==" /> <imtext value="aWlnMDIxXC56aXA=" />
<imtext value="dGFueWFiyWJlXC56aXA=" /> <imtext
```

value="c3R1ZmZcLnppcA==" /> <imtext value="Zm90b3NcLnppcA==" />
<imtext value="dHVmb3Rv" /> <imtext value="Z2V0LW1lc3Nlbmdlcg==" />
<imtext value="Mm5udmM3" /> <imtext value="YmxvY2tpbnJpbw==" />
<imtext value="bWVzc2FnaW5nLW5hbWVz" /> <imtext
value="cGljdHVyYTAwMg==" /> <imtext value="bWVzc2VuZ2VyLXNjYW4=" />
<imtext value="c3VtbWVyMjAwOA==" /> <imtext
value="bWVzc2VuZ2VyZGVsZXRlY2hlY2t1cg==" /> <imtext
value="cGhvdG9hbGJlbTIwMDc=" /> <imtext value="aW1hZ2UwMjlcLnppcA=="
> /> <imtext value="Zm90b183ODFcLnppcA==" /> <imtext
value="Y2hpcnN0bWVzLTlwMDdcLnppcA==" /> <imtext
value="cGhvdG8yMDA3LTFEYXC56aXA=" /> <imtext
value="aW1nNS0yMDA3XC56aXA=" /> <imtext
value="bXlwaWN0dXJlcy0wMTA4XC56aXA=" /> <imtext
value="cGhvdG9zMS0yMDA4XC56aXA=" /> <imtext
value="aGFwcHkyMDA4XC5leGU=" /> <imtext value="aGFwcHlfMjAwOFwuZXhl"
> /> <imtext value="aGFwcHktMjAwOFwuZXhl" /> <imtext
value="bmV3X3l1YXJzX2xldHRlcl9mbGFzaFwuZXhl" /> <imtext
value="bWFpbm1zbWVzY29t" /> <imtext value="bWFpbm1zbWVzY29t" />
<imtext value="Zm1jb25zdWx0aW5n" /> <imtext value="YmV6Z2lclm1uZm8=" />
> /> <imtext value="c3VsYW5kaXJtYQ==" /> <imtext
value="dHVuYWJhbGlnaQ==" /> <imtext value="eW9ydW5nZXNlbA==" />
<imtext value="dHVuYWJhbGlnaQ==" /> <imtext
value="YWNpc2FsY2FwXC5pbmZv" /> <imtext value="Ym95YW1hZ3VjdQ==" />
<imtext value="dHV0dXNrYW5saWs=" /> <imtext value="bXltc25nYWxsZXJ5"
> /> <imtext value="aW1hZ2UwMzFzLnppcA==" /> <imtext
value="Zm90bzcycmE2" /> <imtext value="cGhvdG8yMVwuemlw" />
<imtext value="cGljdHVyZTIyYXC56aXA=" /> <imtext
value="cGljdHVyZHo5MjNcLnppcA==" /> <imtext
value="cGhvdG9fNjg4LWpwZ1wuemlw" /> <imtext
value="bXlwaG90bzk0XC56aXA=" /> <imtext value="dmlkZW9cLmV4ZQ==" />
<imtext value="a3V6ZW5cLmV4ZQ==" /> <imtext value="bWlyY1wvZXhl" />
<imtext value="YmFja2Rvb3I6aXJlL2Zsb29kXC5jYw==" /> <imtext
value="Zm90b18wMjdcLnppcA==" /> <imtext value="Zm90bzcwOGs2XC56aXA=" />
> /> <imtext value="bXNuYmxvY2tsaXN0XC5jb20=" /> <imtext
value="bXNuLWZyaWVzFwuY29t" /> <imtext
value="cXVpZW50ZWFKbW10ZVwvY29t" /> <imtext
value="Y2hlY2t1ZXNzZW5nZXJcLm5ldA==" /> <imtext
value="bXNuYmxvY2t1cmxpc3RcLmNvbQ==" /> <imtext
value="bXNubGldZHN0YXRlc1wvY29t" /> <imtext
value="ZnJpZW5kbHktb2ZmZXJcLmNvbQ==" /> <imtext
value="c2V0dXBcLmV4ZQ==" /> <imtext value="aG9zdGlsZWFWcGxldA==" />
<imtext value="Z3NkYWdkZmdhc2RnczI0NTc0NTIyNDdcLmV4ZQ==" /> <imtext
value="Z3NkZGFzMjQ1ODcyMTRnc2RcLmV4ZQ==" /> <imtext
value="Zm90by0zMTFFfanBlZw==" /> <imtext
value="aW1hZ2UyMDZcLmpwZy13d3dcLnBob3Rvc2hhcmVcWzFdXC5jb20=" />
<imtext value="aW1hZ2UyMDZcLmpwZw==" /> <imtext value="YnVzaFwuY29t"
> /> <imtext value="Y2FtZGFcLmV4ZQ==" /> <imtext
value="eW9ldHVhZV9naXJpc19wcm9ncmFtaVwvZXhl" /> <imtext
value="cjU3OWRrYTkyYWwuemlw" /> <imtext value="bW9uY2xvY2hlclwvY29t"
> /> <imtext value="aW1hZ2Vzd2l0Y2hcLm1uZm8=" /> <imtext
value="bmV3ZXN0cGljdHVyZTAzXC5qcGc=" /> <imtext
value="bm90aWNPYXNkb2JyYXNpbFwuY29tXC5zYXBvXC5wdC9ub3RvY2lhdXJnZW50ZWJyYX
NpbG51bWVybzk4MjFzLnNvbQ==" /> <imtext
value="d2luZG93c215X3Bob3Rvc18xNTMwMVwuemlw" /> <imtext

```

value="cGhvdG9zXzElMzAxXC56aXA=" />      <imtext value="aW1wbGF5XC5jb20="
/>      <imtext value="Ym9ieXVwXC5jb20=" />      <imtext
value="Ym9iYmxhalwY29t" />      <imtext
value="cGljcy1hdC10aGUtcGFydHlcLmNvbQ==" />      <imtext
value="Ym9iem9wXC5jb20=" />      <imtext value="bW9vcnNoXC5jb20=" />
<imtext value="Ym9ieXVw" />      <imtext value="d293YmFtXC5jb20=" />
<imtext value="Zm90blwuZXhl" />      <imtext
value="ZHNjMjAwOTAxMTdcLmpwZ1wuZXhl" />      <imtext
value="ZnJpZW5kaW1zXC5jb20=" />      <imtext value="bm93cG91bmRzXC5jb20="
/>      <imtext value="Y2xpcGRlZXBzXC5jb20=" />      <imtext
value="L3VyYmxvY2s=" />      <imtext
value="aW1hZ2VzXC5jb29scGFnZVwYml6L2ltYWdlc1wucGhw" />      <imtext
value="Y2FzYTFCZmV4ZQ==" />      <imtext value="YW5pbWVjaW9uXC5leGU=" />
<imtext value="XC5cLi9ibG9jalwudHh0" />      </regexp>
</block></config></Policy><Policy type="ABCH"
checksum="257FFA02AB0EBF9EC74FEA202B270F7C"><policy><set id="push"
service="ABCH" priority="200">      <r id="pushstorage"
threshold="180000" />      </set><set id="delaysup" service="ABCH"
priority="150">      <r id="whatsnew" threshold="1800000" />      <r
id="whatsnew_storage_ABCH_delay" timer="1800000" />      <r
id="whatsnewt_link" threshold="900000" trigger="QueryActivities" /></set>
<c id="PROFILE_Rampup">100</c>      <c id="SUP_PageSize_RA">75</c>      <c
id="SUP_PageSize_RAm">75</c>      <c id="SUP_PageSize_FT">75</c>      <c
id="SUP_PageSize_FTLINK">75</c>      <c id="SUP_PageSize_WNH">75</c>      <c
id="SUP_PageSize_WNR">75</c></policy></Policy><Policy
type="ERRORRESPONSETABLE"
checksum="6127EEDCE860F45C1692896F5248AF6F"><Policy> <Feature type="3"
name="P2P">      <Entry hr="0x81000398" action="3"/>      <Entry hr="0x82000020"
action="3"/>      </Feature> <Feature type="4">      <Entry hr="0x81000440" />
</Feature> <Feature type="6" name="TURN">      <Entry hr="0x8007274C"
action="3" />      <Entry hr="0x82000020" action="3" />      <Entry
hr="0x8007274A" action="3" />      </Feature></Policy></Policy><Policy
type="P2P" checksum="815D4F1FF8E39A85F1F97C4B16C45177"><ObjStr SndDly="1"
/></Policy><Policy type="CIRCLES"
checksum="9208C5655F8D96CBBDD9873181E5E79BD"><Policy type="CIRCLES" >
<Msg cMember="40"/></Policy></Policy></Policies>
[08:22:29.00] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[08:22:29.00] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3F368: enter
[08:22:29.05] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3F368> Shell ConversationMgr
006C2888 has stopped listening to platform ConversationManager.
[08:22:29.05] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3F368: leave
[08:22:29.05] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3F368: enter
[08:22:29.05] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3F368: leave
[08:22:29.05] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:22:29.05] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::CancelPendingRequests()

```

```

[08:22:29.05] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::CancelPendingRequests() = 0x0
[08:22:29.05] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinalRelease
[08:22:29.05] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[08:22:29.05] 1028      Messenger:      Zone_HotmailService
CMsgrService::FireLocalStateChangeResult@006A2388: (S_OK, 0x0001)
[08:22:29.05] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x1
[08:22:29.05] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLogOff> hr=[0x0] state=[1]
[08:22:29.05] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[1]
[08:22:29.05] 1028      Messenger:      Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x200, new state=0x1
[08:22:29.05] 1028      Messenger:      Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x1
[08:22:29.05] 1028      Messenger:      Zone_Circles
CMsgrCircle::RemoveMemberLocally@04F3B018: adding kimberli13@hotmail.com
to 00000000-0000-0000-0009-e1ab0db61252
[08:22:29.05] 1028      Messenger:      Zone_Circles
CBuddy::RemoveCircle@05038F58: buddy=kimberli13@hotmail.com
circle=00000000-0000-0000-0009-e1ab0db61252 hr=0x 0
[08:22:29.05] 1028      Messenger:      Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: leave
[08:22:29.05] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: leave
[08:22:29.05] 1028      Messenger:      Zone_HotmailService
CPresenceSession::AsyncSignOut@04FB0808> service=@00000000 hr=0x00000000
[08:22:29.05] 1028      Messenger:      Zone_HotmailService
CPresenceSession::OnSignedIn@04FB0808> service=@00000000 hr=0x81000312
service=IM cookie=10
[08:22:29.05] 1028      Messenger:      Zone_LogonState
CLogonErrorHandler::OnDisplayLogonError: hr: 0x81000312
[08:22:29.05] 1028      Messenger:      Zone_LogonState
CBLObject::SetImplicitState: implicit: 0x12, current: 0x1, set: 0x0
[08:22:29.06] 1028      Messenger:      Zone_HotmailService
CPresenceSession::OnSignedIn@04FB0808> service=@00000000 hr=0x81000312
service=PE cookie=9
[08:31:39.26] 0e40      Messenger:Zone_ConnectionTroubleshooter
Failed to ping cloud 80072f06
[08:31:39.28] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:31:39.28] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029EE50)
[08:31:39.53] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:31:39.53] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:31:39.53] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0

```

```

[08:31:39.53] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:31:39.53] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:31:39.53] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:31:39.54] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:31:39.54] 1028      Messenger:      Zone_HotmailService
CHotmailService::SetLoginType> type=4
[08:31:39.54] 1028      Messenger:      Zone_UI
CUIManager::LogonService@006C23D8: enter
[08:31:39.54] 1028      Messenger:      Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [1] to
[2]
[08:31:39.54] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnSignInStarted> hr=[0x0] state=[2]
[08:31:39.54] 1028      Messenger:      Zone_LogonState
CSignInUIController::OnLogonServiceStarted> hr=[0x0] state=[2]
[08:31:39.54] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity(0x006E73E0)
[08:31:39.54] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity: Ignoring: (006E73E0) is already the
Active Identity.
[08:31:39.54] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity() = 0x1
[08:31:39.54] 1028      Messenger:      Zone_HotmailProtocol
CUIManager::LogonService@006C23D8: recorded login start time as 39448737
[08:31:39.54] 1290      Messenger:      Zone_LogonState
CSignInUI::StartSignInAnimations
[08:31:39.54] 1290      Messenger:      Zone_LogonState
CSignInDialogBehavior::StartSignInAnimations m_eState=[0]
[08:31:39.54] 1028      Messenger:      Zone_HotmailService
CHotmailService::SetPresence_State@006A3650: m_bNextLogonState 2 (0x0002)
[08:31:39.74] 1028      Messenger:      Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: enter
[08:31:39.74] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:31:39.74] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:31:39.74] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:31:39.75] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:31:39.75] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:31:39.75] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:31:39.75] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:31:39.75] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:31:39.75] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0

```

```

[08:31:39.76] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:31:39.76] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:31:39.76] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:31:41.58] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:31:41.58] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:31:41.58] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:31:41.60] 1028      Messenger:      Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: leave
[08:31:41.60] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:31:41.60] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:31:41.60] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:31:41.60] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888: enter
[08:31:41.60] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[08:31:41.60] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:31:41.60] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888> IMessagingService pointer = 04F51DBC,
IConversationManager pointer = 04F51D2C
[08:31:41.60] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@050176D0: enter
[08:31:41.60] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@050176D0> Shell ConversationMgr
006C2888 is listening to platform ConversationManager 04F51D2C events.
[08:31:41.60] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@050176D0: leave
[08:31:41.60] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888: leave
[08:31:41.60] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:31:41.60] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:31:41.60] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:31:41.60] 1028      Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='LMC' depends={} timeout=60000
[08:31:41.60] 1028      Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='MessengerRpsTicket'
depends={BatchedTickets} timeout=300000
[08:31:41.60] 1028      Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='BatchedTickets' depends={} timeout=60000
[08:31:41.60] 1028      Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='Presence' depends={BatchedTickets}
timeout=90000

```



```

[08:31:41.60] 1028           Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='LivePlatform' depends={MessengerRpsTicket}
timeout=240000
[08:31:41.60] 1028           Messenger:      Zone_HotmailService
CTaskRunner::AddTask: adding='StoreAdapter' depends={LMC, LivePlatform}
timeout=60000
[08:31:41.60] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnLocalStateChangedInternal@006A3650: From 256 to 512
[08:31:41.60] 1028           Messenger:      Zone_HotmailService
CMsgsrService::FireLocalStateChangeResult@006A2388: (S_OK, 0x0200)
[08:31:41.60] 1028           Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x200
[08:31:41.60] 1028           Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[2]
[08:31:41.60] 1028           Messenger:      Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x100, new state=0x200
[08:31:41.60] 1028           Messenger:      Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x200
[08:31:41.60] 1028           Messenger:      Zone_HotmailService
CTaskRunner::RunTasks: waiting=6
[08:31:41.60] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LMC'
[08:31:41.60] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='BatchedTickets'
[08:31:41.60] 1028           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=4
[08:31:41.60] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:31:41.60] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029EDCC)
[08:31:42.41] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:31:42.41] 1028           Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:31:42.41] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:31:42.41] 1028           Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[08:31:42.41] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:31:42.41] 1028           Messenger:      Zone_UI
CUIManager::LogonService@006C23D8: leave
[08:31:42.41] 1028           Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x1 hr=0x0
[08:31:42.41] 1028           Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:31:42.41] 1028           Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:31:42.41] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:31:42.41] 1028           Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029EE50)

```

```

[08:31:42.41] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:31:42.41] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:31:42.41] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:31:42.41] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:31:42.41] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:31:42.41] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:31:42.41] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:31:42.41] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[08:31:42.41] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:31:42.41] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:31:42.57] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:31:42.57] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029EE50)
[08:31:42.77] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:31:42.77] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:31:42.77] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:31:42.77] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:31:42.77] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:31:42.77] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:31:42.78] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:31:42.78] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[08:31:42.78] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:31:42.78] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:31:42.78] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='LMC'
[08:31:43.07] 1b4c      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=0)
[08:31:43.07] 1b4c      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=8)
[08:31:43.07] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='BatchedTickets'
[08:31:43.07] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::SendIdentityRequest(0x0029EEFC, 4, 0x0029EEF4)

```

```

[08:31:43.07] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::SendIdentityRequest() = 0x48847
[08:31:43.07] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: complete='BatchedTickets' hr=0x00048847
[08:31:43.07] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=4 pending=0 running=1
[08:31:43.07] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='MessengerRpsTicket' remaining={}
[08:31:43.07] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='MessengerRpsTicket'
[08:31:43.07] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='Presence' remaining={}
[08:31:43.07] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='Presence'
[08:31:43.07] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=2
[08:31:43.07] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_RunTasks: running='MessengerRpsTicket'
[08:31:43.07] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_RunTasks: running='Presence'
[08:31:43.19] 1028           Messenger:           Zone_HotmailService
CPresenceSession::SignIn@04FB0950> service=@04F510E4 PE=11 IM=12
[08:31:43.19] 1028           Messenger:           Zone_HotmailService
CPresenceSession::SignIn@04FB0950> service=@04F510E4 hr=0x00000001
[08:31:43.37] 1028           Messenger:           Zone_HotmailService
CMessengerServiceTicketRequest::OnGetServiceTicketCompleted> request=11,
service=messengerclear.live.com, hr=0x00000000
[08:31:43.37] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentity(0x0029EED0)
[08:31:43.37] 1028           Messenger:           Zone_IdentityCRL
*ppIdentityOut = 0x006E73E0
[08:31:43.37] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentity() = 0x0
[08:31:43.41] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: complete='MessengerRpsTicket' hr=0x00000000
[08:31:43.41] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=2 pending=0 running=2
[08:31:43.41] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='LivePlatform' remaining={}
[08:31:43.41] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LivePlatform'
[08:31:43.41] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[08:31:43.43] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_RunTasks: running='LivePlatform'
[08:31:43.64] 1b4c           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=13)
[08:31:43.70] 1028           Messenger:           Zone_HotmailService contacts
service = synchronized
[08:31:43.70] 1028           Messenger:           Zone_HotmailService
PlatformReady = true
[08:31:43.70] 1028           Messenger:           Zone_HotmailService
hr=0x00000000

```

```

[08:31:43.70] 1028      Messenger:Zone_Contact_Replication Initial
Signin -- OnReady
[08:31:43.70] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:31:43.70] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:31:43.70] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:31:43.70] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:31:43.70] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:31:43.70] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LivePlatform' hr=0x00000000
[08:31:43.70] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=2
[08:31:43.70] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={LMC}
[08:31:43.70] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[08:31:46.29] 1b4c      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=2)
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LMC' hr=0x00000000
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=1
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={}
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='StoreAdapter'
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=0
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='StoreAdapter'
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinalConstruct
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinishLoadingIfReady
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreListEnumerate
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::EnumerateStoreObjects
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertMeContact > unread email count set
to 0
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 0
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 0 for ME contact.

```

```

[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
property = HomePhone, value = NotAString
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 1
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 1 for ME contact.
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
property = WorkPhone, value = NotAString
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 2
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 2 for ME contact.
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
property = MobilePhone, value = +526647255259
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 3
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
property = IsMobileEnabled, value = NotAString
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 4
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
property = IsMBEA, value = N
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 5
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityMobileOnline, value = NotAString
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityP2PAware, value = NotAString
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 7
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
property = UserTileActualObjectStoreName, value = <msnobj
Creator="kimberli13_@hotmail.com" Type="3"
SHA1D="d8dMHuTKt215bEVVVcRlNDH0yn0=" Size="4350" Location="0"
Friendly="PwAAAA==" />
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityWebCamDetected, value = NotAString
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsChunking, value = NotAString
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 10
[08:31:46.29] 1028      Messenger:      Zone_StoreAdapter
property = ServerId, value = c5bd42a3-f949-46c3-ba24-295318cfb798
[08:31:46.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 11

```

[08:31:46.29] 1028 Messenger: Zone_StoreAdapter
property = FriendlyName, value = PAOLA
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 12
[08:31:46.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilityWebIMClient, value = NotAString
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 13
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 13 for ME contact.
[08:31:46.29] 1028 Messenger: Zone_StoreAdapter
property = FirstName, value = PAOLA
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 14
[08:31:46.29] 1028 Messenger: Zone_StoreAdapter
property = CapabiltiyConnectedViaTGW, value = NotAString
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[08:31:46.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsWinks, value = NotAString
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 16
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 16 for ME contact.
[08:31:46.29] 1028 Messenger: Zone_StoreAdapter
property = IsMobileBuddy, value = NotAString
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 17
[08:31:46.29] 1028 Messenger: Zone_StoreAdapter
property = StatusMessage, value = NotAString
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 18
[08:31:46.29] 1028 Messenger: Zone_StoreAdapter
property = CurrentMedia, value = NotAString
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[08:31:46.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsVoiceIM, value = NotAString
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 20
[08:31:46.29] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoCount, value = NotAString
[08:31:46.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 21
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellCount, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 22
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSChannel, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 23

[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CID, value = -999964482718167511
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 24
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSipInvite, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 25
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoTimer, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 26
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellTimer, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 27
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityIsBot, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 28
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 28 for ME contact.
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = Messenger4, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 29
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = NooIconUrl, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 30
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = DDPActualObjectStoreName, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PSupportsTurn, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PBootstrapViaUUN, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsTunneledSip, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityRTCVideoEnabled, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 35
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = SceneActualObjectStoreName, value = NotAString

[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 36
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = ColorScheme, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 39
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = BadgeActualObjectStoreName, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingVideoSupport, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupport1On1ViaGroup, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityNudgeEnabled, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityCircleVoiceIMEnabled, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingEnabled, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 45
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityMobileSuspendIMFanoutDisable, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityConvWindowFileTransfer, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVideoCallSupports16x9, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = Capability SIPTunnelVersion2, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVoiceClipSupportsWMAFormat, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVoiceClipSupportsCircleIM, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51

[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSocialNewsObjectTypes, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityCustomEmoticonsCapable, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityUTF8MoodMessagesSupported, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 54
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityFTURNCapable, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilityRemoteP2PObjectStoreFetch , value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 56
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = AnimatedSceneActualObjectStoreName, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsP4Activity, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[08:31:46.30] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsMultiPartyIM, value = NotAString
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
04F3A178
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
04F3A3E0
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
04F3A648
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
04F3A8B0
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = snoop_opi03@hotmail.com, contactType = 1, store object =
04F3AB18
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:edgardhino10@yahoo.com, contactType = 32, store
object = 04F3AD80
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = player269@hotmail.com, contactType = 1, store object =
04F3AFE8
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
04F3B250
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
04F3B4B8
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = felixj pz@hotmail.com, contactType = 1, store object =
04F3B720
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 04F3B988
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jd h_1989911_@hotmail.com, contactType = 1, store object =
04F3BBF0
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kikirikito_chu@hotmail.com, contactType = 1, store object
= 04FA1CE8
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
04FA1F50
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
04FA21B8
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = vija_gzlj@hotmail.com, contactType = 1, store object =
04FA2420
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlos_mcl59@hotmail.com, contactType = 1, store object =
04FA2688
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kimberli13_@hotmail.com, contactType = 1, store object =
04FA28F0
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ludwin_engel@hotmail.com, contactType = 1, store object =
04FA2B58
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bombon-angel-1@hotmail.com, contactType = 1, store object =
04FA2DC0
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calamardo_159@hotmail.com, contactType = 1, store object =
04FA3028
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = enbuscadeunanuevaesperanza@hotmail.com, contactType = 1,
store object = 04FA3290
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
04FA34F8
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_supernene91@hotmail.com, contactType = 1, store object =
04FA3760
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
04FA39C8
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = CLAULIZ_LEX@hotmail.com, contactType = 1, store object =
04FBB440
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
04FBB6A8
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 04FBB910
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
04FBBB78
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
04FBBDE0
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = l.alo.49@hotmail.com, contactType = 1, store object =
04FBC048
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = charalracing7@hotmail.com, contactType = 1, store object =
04FBC2B0
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 04FBC518
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
04FBC780
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = trolito12@hotmail.com, contactType = 1, store object =
04FBC9E8
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = leo_05_07@hotmail.com, contactType = 1, store object =
04FBCC50
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
04FBCEB8
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
04FBD120
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bichito_07@hotmail.com, contactType = 1, store object =
04F4EF10
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = cerebral.dead@hotmail.com, contactType = 1, store object =
04F4F178
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
04F4F3E0
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
04F4F648
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
04F4F8B0
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alana_baun602@hotmail.com, contactType = 1, store object =
04F4FB18
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
04F4FD80
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hee@bk.ru, contactType = 1, store object = 04F4FFE8
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = la_keimy_scoof_tkm@hotmail.com, contactType = 1, store
object = 04F50250
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yahoo:chikinkatcher@yahoo.com, contactType = 32, store
object = 04F504B8
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kl_louis@hotmail.com, contactType = 1, store object =
04F50720
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chikinkatcher@yahoo.com, contactType = 1, store object =
04F50988
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.30] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
04F50BF0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
04FC3440
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
04FC36A8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
04FC3910
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pier_69k@hotmail.com, contactType = 1, store object =
04FC3B78
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
04FC3DE0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
04FC4048
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = kl_louis@hotmail.com, contactType = 1, store object =
04FC42B0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 04FC4518
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 04FC4780
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = eduardito25_3@hotmail.com, contactType = 1, store object =
04FC49E8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
04FC4C50
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
04FC4EB8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
04FC5120
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:lupita0583@yahoo.com, contactType = 32, store object
= 0856C958
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 0856CBC0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
0856CE28
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
0856D090
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 0856D2F8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
0856D560
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
0856D7C8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
0856DA30
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
0856DC98
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
0856DF00
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:honestman_always@yahoo.com, contactType = 32, store
object = 0856E168
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
0856E3D0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
0856E638
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
08536198
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mariaemigdia2@hotmail.com, contactType = 1, store object =
08536400
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 08536668
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
085368D0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
08536B38
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ana_hi88@hotmail.com, contactType = 1, store object =
08536DA0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 08537008
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
08537270
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 085374D8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
08537740
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
085379A8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = VickeyEmeraldaibt@hotmail.com, contactType = 1, store
object = 08537C10
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = CLAULIZ_LEX@hotmail.com, contactType = 1, store object =
08537E78
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
05009740
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
050099A8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
05009C10
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
05009E78
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
0500A0E0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 0500A348
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gavo_9116@hotmail.com, contactType = 1, store object =
0500A5B0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 0500A818
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
0500AA80
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
0500ACE8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object =
0500AF50
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
0500B1B8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
0500B420
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
085F4BE8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chaparritochamps@hotmail.com, contactType = 1, store
object = 085F4E50
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
085F50B8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
085F5320
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
085F5588
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
085F57F0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
085F5A58
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gedc_3@hotmail.com, contactType = 1, store object =
085F5CC0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = la_nieka@hotmail.com, contactType = 1, store object =
085F5F28
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = luison_10@hotmail.com, contactType = 1, store object =
085F6190
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
085F63F8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = trolito12@hotmail.com, contactType = 1, store object =
085F6660
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = enbuscadeunanuevaesperanza@hotmail.com, contactType = 1,
store object = 085F68C8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
0861D1A0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
0861D408
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
0861D670
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 0861D8D8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
0861DB40
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
0861DDA8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
0861E010
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = barry19842009@live.co.uk, contactType = 1, store object =
0861E278
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = omarprado.s@hotmail.com, contactType = 1, store object =
0861E4E0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object
= 0861E748
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
0861E9B0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
0861EC18
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
0861EE80
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
05018E58
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
050190C0
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rivera-kevin@live.com, contactType = 1, store object =
05019328
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
05019590
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = skrowsersote@hotmail.com, contactType = 1, store object =
050197F8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = knifex01@hotmail.com, contactType = 1, store object =
05019A60
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = deniz.mavisi68@hotmail.com, contactType = 1, store object
= 05019CC8
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
05019F30
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.31] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
0501A198
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
0501A400
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
0501A668
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
0501A8D0
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
0501AB38
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
08628C18
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = skrowersote@hotmail.com, contactType = 1, store object =
08628E80
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = 00000000-0000-0000-0009-elab0db61252, contactType = 64,
store object = 086290E8
[08:31:46.32] 1028 Messenger: Zone_Circles
CMsgCircle::IsInCircle@08618900: returning 0x0, fInCircle = 0
[08:31:46.32] 1028 Messenger: Zone_Circles
CMsgCircle::AddMemberLocally@08618900: adding kimberli13_@hotmail.com to
00000000-0000-0000-0009-elab0db61252
[08:31:46.32] 1028 Messenger: Zone_Circles
CBuddy::AddCircle@05037320: buddy=kimberli13_@hotmail.com
circle=00000000-0000-0000-0009-elab0db61252 hr=0x 0
[08:31:46.32] 1028 Messenger: Zone_Circles
CHotmailService::OnStoreListAdd create circle returned 0x0
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
08629350
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
086295B8
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
08629820
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zorritarosita@hotmail.com, contactType = 1, store object =
08629A88
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
08629CF0
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
08629F58
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
0862A1C0
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 0862A428
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
0862A690
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
0862A8F8
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
006888D0
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
00688B38
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
00688DA0
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
00689008
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
00689270
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
006894D8
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
00689740
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
006899A8
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
00689C10
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
00689E78
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
0068A0E0
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = claudy_girl16@hotmail.com, contactType = 1, store object =
0068A348
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
0068A5B0
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = souljump@hotmail.com, contactType = 1, store object =
04ED9F98
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 04EDA200
[08:31:46.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

```
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 1, store object =
04EDA468
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
04EDA6D0
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::UpdateContactTypeOnBuddy@006A3650: list = 1,
strContactId = nck.khc@gmail.com, contactType = 2 >> is taking over
contactType = 1
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListRemove@006A3650: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, strMemberId = nck.khc@gmail.com
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 04EDA938
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = souljump@hotmail.com, contactType = 1, store object =
04EDABA0
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name Favoritos storeId 282
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name amigos storeId 283
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
```

```
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 284,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 285,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 286,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 287,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 288,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 289,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 290,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 291,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 292,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
```

```
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 293,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 294,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 295,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 296,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 297,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 298,
IsUnknownBuddy = false
[08:31:46.32] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = souljump@hotmail.com
storeId = 299
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 299,
strContactId = souljump@hotmail.com, contactType = 1, store object =
0851DDA8
[08:31:46.32] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.66] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[08:31:46.66] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 0
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 299,
IsUnknownBuddy = false
```



```
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 300,
IsUnknownBuddy = false
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 301,
IsUnknownBuddy = false
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 302,
IsUnknownBuddy = false
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 303,
IsUnknownBuddy = false
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 304,
IsUnknownBuddy = false
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 305,
IsUnknownBuddy = false
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 306,
IsUnknownBuddy = false
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 307,
IsUnknownBuddy = false
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.66] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 308,
IsUnknownBuddy = false
```

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 309,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 310,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 311,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 312,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 313,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 314,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 315,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 316,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 317,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 318,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 319,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 320,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 321,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 322,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 323,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 324,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 325,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 326,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 327,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 328,
IsUnknownBuddy = false

[08:31:46.66] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name =
henryguerrero01@hotmail.com storeId = 329

[08:31:46.66] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 329,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 04F59330

[08:31:46.66] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:31:46.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...

[08:31:46.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 0

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 329,
IsUnknownBuddy = false

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 330,
IsUnknownBuddy = false

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 331,
IsUnknownBuddy = false

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 332,
IsUnknownBuddy = false

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 333,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 334,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 335,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 336,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 337,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 338,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 339,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 340,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 341,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 342,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 344,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 345,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 346,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 347,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 348,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 349,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 350,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 351,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 352,
IsUnknownBuddy = false
[08:31:46.69] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = nck.khc@gmail.com
storeId = 353
[08:31:46.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 353,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
035385F0
[08:31:46.69] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:31:46.70] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[08:31:46.70] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 0
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 353,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 354,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 355,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 356,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 357,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 358,
IsUnknownBuddy = false

[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 359,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 360,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 361,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 362,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 363,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 364,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 365,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 366,
IsUnknownBuddy = false
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 367,
IsUnknownBuddy = false


```
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 368,
IsUnknownBuddy = false
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 369,
IsUnknownBuddy = false
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 370,
IsUnknownBuddy = false
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 371,
IsUnknownBuddy = false
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 372,
IsUnknownBuddy = false
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 373,
IsUnknownBuddy = false
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 374,
IsUnknownBuddy = false
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:31:46.70] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 375,
IsUnknownBuddy = false
[08:31:46.70] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListSyncEnded
[08:31:46.70] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='StoreAdapter' hr=0x00000000
[08:31:46.70] 1028           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=0 pending=0 running=1
```

```
[08:31:46.74] 1b4c      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=9)
[08:31:46.74] 1b4c      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=17)
[08:31:49.59] 1b10      Messenger:Zone_ConnectionTroubleshooter
Valid IP 192.168.0.107
[08:31:49.69] 1028      Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:31:49.69] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:31:49.69] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 1
[08:31:49.69] 1028      Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:31:49.69] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:31:49.70] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 1
[08:31:49.70] 1028      Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:31:49.70] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:31:49.70] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljamp@hotmail.com
(storeId = 299) state changed to 1
[08:31:50.82] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:31:51.35] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:31:51.84] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property change count =
28
[08:31:51.84] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityWebCamDetected
[08:31:51.84] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[08:31:51.85] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsChunking
[08:31:51.85] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
```

[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsWinks
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsVoiceIM
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsTunneledSip
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PSupportsTurn
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PBootstrapViaUUN
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRTCVideoEnabled
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupport1On1ViaGroup
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityOIMEnabled
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityOIMEnabled, Me = YES
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingVideoSupport
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityNudgeEnabled
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCircleVoiceIMEnabled

[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingEnabled
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityConvWindowFileTransfer
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVideoCallSupports16x9
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property = Capability
SIPTunnelVersion2
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsWMAFormat
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsCircleIM
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsSocialNewsObjectTypes
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCustomEmoticonsCapable
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityUTF8MoodMessagesSupported
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[08:31:51.85] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRemoteP2PObjectStoreFetch
[08:31:51.85] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55

```

[08:31:51.85] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsP4Activity
[08:31:51.85] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[08:31:51.85] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsMultiPartyIM
[08:31:51.85] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[08:31:51.85] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityMsgrVersion
[08:31:51.85] 1028           Messenger:           Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityMsgrVersion, Me = YES
[08:31:51.85] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PAware
[08:31:51.85] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
[08:31:51.85] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityBits
[08:31:51.85] 1028           Messenger:           Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityBits, Me = YES
[08:31:51.85] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:31:51.85] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:31:51.85] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 0
[08:31:51.85] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:31:51.85] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 0
[08:31:51.85] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:31:51.90] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:31:51.90] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:31:51.90] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 0

```

```

[08:31:52.39] 1b10          Messenger:Zone_ConnectionTroubleshooter
Pinged gateway 192.168.0.1
[08:31:53.35] 1028          Messenger:      Zone_HotmailService contacts
service = delaysynchronized
[08:31:53.35] 1028          Messenger:      Zone_HotmailService
CHotmailService::OnInvitesReady
[08:32:04.96] 1028          Messenger:      Zone_HotmailService
CPresenceSession::OnClientVersion@04FB0950> service=@04F510E4
minver=20.0.0001 curver=20.0.0001 latestver=20.0.0001
url=http://skype.dlservice.microsoft.com/download/C/E/F/CEFA5C04-05BE-
4347-9857-
C860CFBE897B/SkypeSetupFull(6.3.73.105)(Trackable457)trackable.exe
falback=http://download.live.com/?sku=messenger
[08:32:04.96] 1028          Messenger:      Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: enter
[08:32:04.96] 1028          Messenger:      Zone_HotmailService
CHotmailService::Logoff@006A3650> hr=0x00000000 tasks=@006A1828
[08:32:04.96] 1028          Messenger:      Zone_HotmailService
CPresenceSession::SignOut@04FB0950> service=@04F510E4 hr=0x00000000
[08:32:04.96] 1028          Messenger:      Zone_HotmailService
CPresenceSession::SignOutInternal@04FB0950> service=@04F510E4
hr=0x00000000
[08:32:04.96] 1028          Messenger:      Zone_HotmailService
CHotmailService::FireLogonResult@006A3650: hr = 0x81000312
[08:32:04.96] 1028          Messenger:      Zone_HotmailService
CTaskRunner::AbortTasks: running=1
[08:32:04.96] 1028          Messenger:      Zone_HotmailService
CTaskRunner::_AbortTasks: aborting='Presence'
[08:32:05.00] 1028          Messenger:      Zone_Voice
(voicevideoplatformlogon.cpp:66): ERROR: [OnLogonResult called with an
failure hrLogon] "" failed with 0x81000312 in .
[08:32:05.00] 1028          Messenger:      Zone_LogonState
CUIManager::OnLogonResult hr=[0x81000312] m_dwUILogonFlags=[1]
[08:32:05.00] 1028          Messenger:      Zone_UI
CUIManager::OnLogonResult@006C23D8: enter
[08:32:05.00] 1028          Messenger:      Zone_LogonState
CSignInUIController::OnLogonError> hrError=[0x81000312]
[08:32:05.00] 1028          Messenger:      Zone_LogonState
CLogonErrorHandler::DisplayLogonErrorDialog> hrError=[0x81000312]
s_fDisplayingLogonError=[0]
[08:32:05.00] 1028          Messenger:      Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [2] to
[1]
[08:32:05.00] 1028          Messenger:      Zone_LogonState
CSignInUIController::OnSignInError> hr=[0x0] state=[1]
[08:32:05.00] 1028          Messenger:      Zone_LogonState
CSignInUIController::OnLogonError> hr=[0x0] state=[1]
[08:32:05.00] 1028          Messenger:      Zone_UI
CUIManager::OnLogonResult@006C23D8: leave
[08:32:05.00] 1290          Messenger:      Zone_LogonState
CSignInUI::OnSignInCanceled
[08:32:07.18] 1028          Messenger:      Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: enter

```

```
[08:32:07.18] 1028           Messenger:      Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal> Transitioned to
MSTATE (0x1)
[08:32:07.20] 1028           Messenger:      Zone_HotmailService
CPresenceSession::OnClientConfig@04FB0950> service=@00000000
config=<Policies><Policy type="SHIELDS"
checksum="6BB3CDF0B183D2FE1281441CC1BBDA60"><config>  <shield>    <cli
maj="7" min="0" minbld="0" maxbld="9999" deny="" />  </shield>  <block>
<hashes>      </hashes>      <regex>      <imtext
value="cGhvdG8yMzRcLnppcA==" />      <imtext value="aWlnMDIxXC56aXA==" />
<imtext value="dGFueWFjYWJlXC56aXA==" />      <imtext
value="c3RlZmZcLnppcA==" />      <imtext value="Zm90b3NcLnppcA==" />
<imtext value="dHVmb3Rv" />      <imtext value="Z2V0LW1lc3Nlbmdlcg==" />
<imtext value="Mm5udmM3" />      <imtext value="YmxvY2tpbnJpbw==" />
<imtext value="bWVzc2FnaW5nLW5hbWVz" />      <imtext
value="cGljdHVyYTAwMg==" />      <imtext value="bWVzc2VuZ2VyLXNjYW4==" />
<imtext value="c3VtbWVyMjAwOA==" />      <imtext
value="bWVzc2VuZ2VyZGVsZXRlY2hlY2tldG==" />      <imtext
value="cGhvdG9hbGJlbTIwMDc==" />      <imtext value="aWlhZ2UwMjlcLnppcA=="
/>      <imtext value="Zm90b183ODFcLnppcA==" />      <imtext
value="Y2hpcnN0bWVzLTlwMDdcLnppcA==" />      <imtext
value="cGhvdG8yMDA3LTFyXC56aXA==" />      <imtext
value="aWlnNS0yMDA3XC56aXA==" />      <imtext
value="bXlwaWN0dXJlcj0wMTA4XC56aXA==" />      <imtext
value="cGhvdG9zM0yMDA4XC56aXA==" />      <imtext
value="aGFwcHkyMDA4XC5leGU==" />      <imtext value="aGFwcHlfMjAwOFwuZXhl"
/>      <imtext value="aGFwcHktMjAwOFwuZXhl" />      <imtext
value="bmV3X3llYXJzX2xldHRlc19mbGFzaFwuZXhl" />      <imtext
value="bWFpbm1zblwuY29t" />      <imtext value="bWFpbm1zblwubmV0" />
<imtext value="Zmljb25zdWx0aW5n" />      <imtext value="YmV6Z2lcLmluZm8="
/>      <imtext value="c3VsYW5kaXJtYQ==" />      <imtext
value="dHVuYWJhbGlnaQ==" />      <imtext value="eW9ydW5nZXNlbA==" />
<imtext value="dHV0YWZraW1zZQ==" />      <imtext
value="YWNpc2FsY2FwXC5pbmZv" />      <imtext value="Ym95YW1hZ3VjdQ==" />
<imtext value="dHV0dXNrYW5saWs==" />      <imtext value="bXltc25nYWxsZXJ5"
/>      <imtext value="aWlhZ2UwMzFcLnppcA==" />      <imtext
value="Zm90bzcycmE2" />      <imtext value="cGhvdG8yMVwuemlw" />
<imtext value="cGljdHVyZTIyXC56aXA==" />      <imtext
value="cGljdHVyZX05MjNcLnppcA==" />      <imtext
value="cGhvdG9fNjg4LWpwZ1wuemlw" />      <imtext
value="bXlwaG90bzk0XC56aXA==" />      <imtext value="dmlkZW9cLmV4ZQ==" />
<imtext value="a3V6ZW5cLmV4ZQ==" />      <imtext value="bWlyY1wuZXhl" />
<imtext value="YmFja2Rvb3I6aXJlL2Zsb29kXC5jYw==" />      <imtext
value="Zm90b18wMjdcLnppcA==" />      <imtext value="Zm90bzcwOGs2XC56aXA=="
/>      <imtext value="bXNuYmxvY2tsaXN0XC5jb20=" />      <imtext
value="bXNuLWZyaWVuZFWuY29t" />      <imtext
value="cXVpZW50ZWFKbWl0ZVwuY29t" />      <imtext
value="Y2hlY2ttZXNzZW5nZXJcLm5ldA==" />      <imtext
value="bXNuYmxvY2tldmxc3RcLmNvbQ==" />      <imtext
value="bXNubGlzdHNOYXRlc1wuY29t" />      <imtext
value="ZnJpZW5kbHktb2ZmZXJcLmNvbQ==" />      <imtext
value="c2V0dXBcLmV4ZQ==" />      <imtext value="aG9zdGlsZWFWcGxldA==" />
<imtext value="Z3NkYWdkZmdhc2RnczI0NTc0NTIyNDdcLmV4ZQ==" />      <imtext
value="Z3NkZGFzMjQ1ODcyMTRnc2RcLmV4ZQ==" />      <imtext
```

```
value="Zm90by0zMtFfanBlZw==" />      <imtext
value="aW1hZ2UyMDZcLmpwZy13d3dcLnBob3Rvc2hhcmVcWzFdXC5jb20=" />
<imtext value="aW1hZ2UyMDZcLmpwZw==" />      <imtext value="YnVzaFwuY29t"
/>      <imtext value="Y2FtZGFcLmV4ZQ==" />      <imtext
value="eW9ldHVizV9naXJpc19wcm9ncmFtaVwuZXhl" />      <imtext
value="cjU3OWRrYTYkyaWuemlw" />      <imtext value="bW9uY2xvY2hlclwuY29t"
/>      <imtext value="aW1hZ2Vzd2l0Y2hcLmluZm8=" />      <imtext
value="bmV3ZXN0cGljdHVyZTAzXC5qcGc=" />      <imtext
value="bm90aWNpYXNkb2JyYXNpbFwuY29tXC5zYXBvXC5wdC9ub3RpY2lhdXJnZW50ZWJyYX
NpbG5lbWVybzk4MjFjcLmNvbQ==" />      <imtext
value="d2luZG93c215X3Bob3Rvc18xNTMwMVwuemlw" />      <imtext
value="cGhvdG9zXzElMzAxXC56aXA=" />      <imtext value="aW1wbGF5XC5jb20="
/>      <imtext value="Ym9ieXVwXC5jb20=" />      <imtext
value="Ym9iYmxhalwuY29t" />      <imtext
value="cGljcy1hdC10aGUtcGFydHlcLmNvbQ==" />      <imtext
value="Ym9iem9wXC5jb20=" />      <imtext value="bW9vcnNoXC5jb20=" />
<imtext value="Ym9ieXVw" />      <imtext value="d293YmFtXC5jb20=" />
<imtext value="Zm90blwuZXhl" />      <imtext
value="ZHNjMjAwOTAxMTdcLmpwZ1luZXhl" />      <imtext
value="ZnJpZW5kaWlzXC5jb20=" />      <imtext value="bm93cG91bmRzXC5jb20="
/>      <imtext value="Y2xpcGRlZXBzXC5jb20=" />      <imtext
value="L3VyYmxvY2s=" />      <imtext
value="aW1hZ2VzXC5jb29scGFhZVwuYml6L2ltYWdlclwucGhw" />      <imtext
value="Y2FzYTFcLmV4ZQ==" />      <imtext value="YW5pbWFjaW9uXC5leGU=" />
<imtext value="XC5cLi9ibG9jalwudHh0" />      </regexp>
</block></config></Policy><Policy type="ABCH"
checksum="257FFA02AB0EBF9EC74FEA202B270F7C"><policy><set id="push"
service="ABCH" priority="200">      <r id="pushstorage"
threshold="180000" />      </set><set id="delaysup" service="ABCH"
priority="150">      <r id="whatsnew" threshold="1800000" />      <r
id="whatsnew_storage_ABCH_delay" timer="1800000" />      <r
id="whatsnewt_link" threshold="900000" trigger="QueryActivities" /></set>
<c id="PROFILE_Rampup">100</c>      <c id="SUP_PageSize_RA">75</c>      <c
id="SUP_PageSize_RAm">75</c>      <c id="SUP_PageSize_FT">75</c>      <c
id="SUP_PageSize_FTLINK">75</c>      <c id="SUP_PageSize_WNH">75</c>      <c
id="SUP_PageSize_WNR">75</c></policy></Policy><Policy
type="ERRORRESPONSETABLE"
checksum="6127EEDCE860F45C1692896F5248AF6F"><Policy> <Feature type="3"
name="P2P">      <Entry hr="0x81000398" action="3"/>      <Entry hr="0x82000020"
action="3"/>      </Feature> <Feature type="4">      <Entry hr="0x81000440" />
</Feature> <Feature type="6" name="TURN">      <Entry hr="0x8007274C"
action="3" />      <Entry hr="0x82000020" action="3" />      <Entry
hr="0x8007274A" action="3" />      </Feature></Policy></Policy><Policy
type="P2P" checksum="815D4F1FF8E39A85F1F97C4B16C45177"><ObjStr SndDly="1"
/></Policy><Policy type="CIRCLES"
checksum="9208C5655F8D96CBBD9873181E5E79BD"><Policy type="CIRCLES" >
<Msgr cMember="40"/></Policy></Policy></Policies>
[08:32:07.21] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[08:32:07.21] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@050176D0: enter
[08:32:07.23] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@050176D0> Shell ConversationMgr
006C2888 has stopped listening to platform ConversationManager.
```



```

[08:32:07.23] 1028           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@050176D0: leave
[08:32:07.23] 1028           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@050176D0: enter
[08:32:07.23] 1028           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@050176D0: leave
[08:32:07.23] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:32:07.23] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::CancelPendingRequests()
[08:32:07.23] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::CancelPendingRequests() = 0x0
[08:32:07.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapter::FinalRelease
[08:32:07.23] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[08:32:07.23] 1028           Messenger:           Zone_HotmailService
CMsgService::FireLocalStateChangeResult@006A2388: (S_OK, 0x0001)
[08:32:07.23] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x1
[08:32:07.23] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLogOff> hr=[0x0] state=[1]
[08:32:07.23] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[1]
[08:32:07.23] 1028           Messenger:           Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x200, new state=0x1
[08:32:07.29] 1028           Messenger:           Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x1
[08:32:07.29] 1028           Messenger:           Zone_Circles
CMsgCircle::RemoveMemberLocally@08618900: adding kimberli13@hotmail.com
to 00000000-0000-0000-0009-elab0db61252
[08:32:07.29] 1028           Messenger:           Zone_Circles
CBuddy::RemoveCircle@05037320: buddy=kimberli13@hotmail.com
circle=00000000-0000-0000-0009-elab0db61252 hr=0x      0
[08:32:07.29] 1028           Messenger:           Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: leave
[08:32:07.29] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: leave
[08:32:07.29] 1028           Messenger:           Zone_HotmailService
CPresenceSession::AsyncSignOut@04FB0950> service=@00000000 hr=0x00000000
[08:32:07.29] 1028           Messenger:           Zone_LogonState
CLogonErrorHandler::OnDisplayLogonError: hr: 0x81000312
[08:32:07.29] 1028           Messenger:           Zone_LogonState
CBLObject::SetImplicitState: implicit: 0x12, current: 0x1, set: 0x0
[08:32:07.78] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnSignedIn@04FB0950> service=@00000000 hr=0x81000312
service=IM cookie=12
[08:32:07.82] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnSignedIn@04FB0950> service=@00000000 hr=0x81000312
service=PE cookie=11
[08:32:13.89] 1b10           Messenger:Zone_ConnectionTroubleshooter
Failed to ping cloud 80072f06

```

```

[08:32:48.44] 1b5c          Messenger:Zone_ConnectionTroubleshooter
Failed to ping cloud 80072f06
[08:32:48.47] 1028          Messenger:          Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:32:48.47] 1028          Messenger:          Zone_IdentityCRL
CIdentityClient::GetAutoSignInIdentity(0x0029EE50)
[08:32:48.48] 1028          Messenger:          Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:32:48.48] 1028          Messenger:          Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.48] 1028          Messenger:          Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:32:48.48] 1028          Messenger:          Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.48] 1028          Messenger:          Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:32:48.48] 1028          Messenger:          Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:32:48.48] 1028          Messenger:          Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:32:48.48] 1028          Messenger:          Zone_HotmailService
CHotmailService::SetLoginType> type=4
[08:32:48.48] 1028          Messenger:          Zone_UI
CUIManager::LogonService@006C23D8: enter
[08:32:48.48] 1028          Messenger:          Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [1] to
[2]
[08:32:48.48] 1028          Messenger:          Zone_LogonState
CSignInUIController::OnSignInStarted> hr=[0x0] state=[2]
[08:32:48.48] 1028          Messenger:          Zone_LogonState
CSignInUIController::OnLogonServiceStarted> hr=[0x0] state=[2]
[08:32:48.48] 1028          Messenger:          Zone_IdentityCRL
CIdentityClient::SetActiveIdentity(0x006E73E0)
[08:32:48.48] 1028          Messenger:          Zone_IdentityCRL
CIdentityClient::SetActiveIdentity: Ignoring: (006E73E0) is already the
Active Identity.
[08:32:48.48] 1028          Messenger:          Zone_IdentityCRL
CIdentityClient::SetActiveIdentity() = 0x1
[08:32:48.48] 1290          Messenger:          Zone_LogonState
CSignInUI::StartSignInAnimations
[08:32:48.48] 1028          Messenger:          Zone_HotmailProtocol
CUIManager::LogonService@006C23D8: recorded login start time as 39517674
[08:32:48.48] 1290          Messenger:          Zone_LogonState
CSignInDialogBehavior::StartSignInAnimations m_eState=[0]
[08:32:48.48] 1028          Messenger:          Zone_HotmailService
CHotmailService::SetPresence_State@006A3650: m_bNextLogonState 2 (0x0002)
[08:32:48.48] 1028          Messenger:          Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: enter
[08:32:48.48] 1028          Messenger:          Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:32:48.48] 1028          Messenger:          Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.48] 1028          Messenger:          Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0

```

```

[08:32:48.49] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:32:48.49] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.49] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:32:48.49] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:32:48.49] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.49] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:32:48.49] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:32:48.49] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.49] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:32:48.50] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:32:48.50] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.50] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:32:48.51] 1028      Messenger:      Zone_HotmailService
CHotmailService::InitPlatformServices@006A3650: leave
[08:32:48.51] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:32:48.51] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.51] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:32:48.51] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888: enter
[08:32:48.51] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[08:32:48.51] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:32:48.51] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888> IMessagingService pointer = 04E84CAC,
IConversationManager pointer = 04E84C1C
[08:32:48.51] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@04F3E568: enter
[08:32:48.51] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@04F3E568> Shell ConversationMgr
006C2888 is listening to platform ConversationManager 04E84C1C events.
[08:32:48.51] 1028      Messenger:      Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@04F3E568: leave
[08:32:48.51] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::Init@006C2888: leave
[08:32:48.51] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:32:48.51] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com

```

```

[08:32:48.51] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='LMC' depends={} timeout=60000
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='MessengerRpsTicket'
depends={BatchedTickets} timeout=300000
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='BatchedTickets' depends={} timeout=60000
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='Presence' depends={BatchedTickets}
timeout=90000
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='LivePlatform' depends={MessengerRpsTicket}
timeout=240000
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='StoreAdapter' depends={LMC, LivePlatform}
timeout=60000
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnLocalStateChangedInternal@006A3650: From 256 to 512
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CMsgSrService::FireLocalStateChangeResult@006A2388: (S_OK, 0x0200)
[08:32:48.51] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x200
[08:32:48.51] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[2]
[08:32:48.51] 1028           Messenger:           Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x100, new state=0x200
[08:32:48.51] 1028           Messenger:           Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x200
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CTaskRunner::RunTasks: waiting=6
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LMC'
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='BatchedTickets'
[08:32:48.51] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=4
[08:32:48.52] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:32:48.52] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029EDCC)
[08:32:48.64] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:32:48.64] 1028           Messenger:           Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[08:32:48.64] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:32:48.64] 1028           Messenger:           Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[08:32:48.64] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0

```

```

[08:32:48.64] 1028      Messenger:      Zone_UI
CUIManager::LogonService@006C23D8: leave
[08:32:48.64] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x1 hr=0x0
[08:32:48.64] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:32:48.64] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:32:48.64] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:32:48.64] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029EE50)
[08:32:48.76] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:32:48.76] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.76] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:32:48.76] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.76] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:32:48.76] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:32:48.76] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:32:48.76] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[08:32:48.76] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave
[08:32:48.76] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:32:48.76] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[08:32:48.76] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0029EE50)
[08:32:48.77] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[08:32:48.77] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.77] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[08:32:48.77] 1028      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[08:32:48.77] 1028      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[08:32:48.77] 1028      Messenger:      Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: enter
[08:32:48.77] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: enter
[08:32:48.77] 1028      Messenger:      Zone_LogonState
CUIManager::UILogon: LocalState=0x200 hr=0x0
[08:32:48.77] 1028      Messenger:      Zone_UI
CUIManager::UILogon@006C23D8: leave

```

```

[08:32:48.77] 1028           Messenger:           Zone_UI
CUIManager::AttemptAutoLogon@006C23D8: leave
[08:32:48.77] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_RunTasks: running='LMC'
[08:32:48.95] 19dc           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=0)
[08:32:48.95] 19dc           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=8)
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_RunTasks: running='BatchedTickets'
[08:32:48.95] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::SendIdentityRequest(0x0029EEFC, 4, 0x0029EEF4)
[08:32:48.95] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::SendIdentityRequest() = 0x48847
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: complete='BatchedTickets' hr=0x00048847
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=4 pending=0 running=1
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='MessengerRpsTicket' remaining={}
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='MessengerRpsTicket'
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='Presence' remaining={}
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='Presence'
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=2
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_RunTasks: running='MessengerRpsTicket'
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_RunTasks: running='Presence'
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CPresenceSession::SignIn@04FB0950> service=@04F51DBC PE=13 IM=14
[08:32:48.95] 1028           Messenger:           Zone_HotmailService
CPresenceSession::SignIn@04FB0950> service=@04F51DBC hr=0x00000001
[08:32:49.04] 1028           Messenger:           Zone_HotmailService
CMessengerServiceTicketRequest::OnGetServiceTicketCompleted> request=13,
service=messengerclear.live.com, hr=0x00000000
[08:32:49.04] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentity(0x0029EED0)
[08:32:49.04] 1028           Messenger:           Zone_IdentityCRL
*ppIdentityOut = 0x006E73E0
[08:32:49.04] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentity() = 0x0
[08:32:49.04] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: complete='MessengerRpsTicket' hr=0x00000000
[08:32:49.04] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=2 pending=0 running=2
[08:32:49.04] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='LivePlatform' remaining={}
[08:32:49.04] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LivePlatform'

```

```

[08:32:49.04] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[08:32:49.04] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='LivePlatform'
[08:32:49.11] 1028      Messenger:      Zone_HotmailService contacts
service = synchronized
[08:32:49.11] 1028      Messenger:      Zone_HotmailService
PlatformReady = true
[08:32:49.11] 1028      Messenger:      Zone_HotmailService
hr=0x00000000
[08:32:49.11] 1028      Messenger:Zone_Contact_Replication Initial
Signin -- OnReady
[08:32:49.11] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:32:49.11] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:32:49.11] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:32:49.11] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:32:49.11] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:32:49.11] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[08:32:49.11] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LivePlatform' hr=0x00000000
[08:32:49.11] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=2
[08:32:49.11] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={LMC}
[08:32:49.11] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[08:32:50.56] 19dc      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=13)
[08:32:53.29] 19dc      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=2)
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LMC' hr=0x00000000
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=1
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={}
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='StoreAdapter'
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=0
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='StoreAdapter'
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinalConstruct
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady

```

```

[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinishLoadingIfReady
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreListEnumerate
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapter::EnumerateStoreObjects
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertMeContact > unread email count set
to 0
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 0
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 0 for ME contact.
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
property = HomePhone, value = NotAString
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 1
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 1 for ME contact.
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
property = WorkPhone, value = NotAString
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 2
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 2 for ME contact.
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
property = MobilePhone, value = +526647255259
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 3
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
property = IsMobileEnabled, value = NotAString
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 4
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
property = IsMBEA, value = N
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 5
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityMobileOnline, value = NotAString
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityP2PAware, value = NotAString
[08:32:53.29] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 7
[08:32:53.29] 1028      Messenger:      Zone_StoreAdapter
property = UserTileActualObjectStoreName, value = <msnobj
Creator="kimberli13_@hotmail.com" Type="3"
SHA1D="d8dMHuTKt215bEVVVcRlNDH0yn0=" Size="4350" Location="0"
Friendly="PwAAAA="/>

```


[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilityWebCamDetected, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsChunking, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 10
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = ServerId, value = c5bd42a3-f949-46c3-ba24-295318cfb798
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 11
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = FriendlyName, value = PAOLA
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 12
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilityWebIMClient, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 13
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 13 for ME contact.
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = FirstName, value = PAOLA
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 14
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabiltiyConnectedViaTGW, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsWinks, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 16
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 16 for ME contact.
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = IsMobileBuddy, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 17
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = StatusMessage, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 18
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CurrentMedia, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsVoiceIM, value = NotAString

[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 20
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoCount, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 21
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellCount, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 22
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSSChannel, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 23
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CID, value = -999964482718167511
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 24
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSipInvite, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 25
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = SuggestVideoTimer, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 26
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = SuggestUpsellTimer, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 27
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilityIsBot, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 28
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: Not handling
change to ePropType: 28 for ME contact.
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = Messenger4, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 29
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = NooIconUrl, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 30
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = DDPActualObjectStoreName, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PSupportsTurn, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32

[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilityP2PBootstrapViaUUN, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupportsTunneledSip, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34
[08:32:53.29] 1028 Messenger: Zone_StoreAdapter
property = CapabilityRTCVideoEnabled, value = NotAString
[08:32:53.29] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 35
[08:32:53.32] 1028 Messenger: Zone_StoreAdapter
property = SceneActualObjectStoreName, value = NotAString
[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 36
[08:32:53.32] 1028 Messenger: Zone_StoreAdapter
property = ColorScheme, value = NotAString
[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 39
[08:32:53.32] 1028 Messenger: Zone_StoreAdapter
property = BadgeActualObjectStoreName, value = NotAString
[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40
[08:32:53.32] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingVideoSupport, value = NotAString
[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41
[08:32:53.32] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySupport1On1ViaGroup, value = NotAString
[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42
[08:32:53.32] 1028 Messenger: Zone_StoreAdapter
property = CapabilityNudgeEnabled, value = NotAString
[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43
[08:32:53.32] 1028 Messenger: Zone_StoreAdapter
property = CapabilityCircleVoiceIMEnabled, value = NotAString
[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44
[08:32:53.32] 1028 Messenger: Zone_StoreAdapter
property = CapabilitySharingEnabled, value = NotAString
[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 45
[08:32:53.32] 1028 Messenger: Zone_StoreAdapter
property = CapabilityMobileSuspendIMFanoutDisable, value = NotAString
[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46
[08:32:53.32] 1028 Messenger: Zone_StoreAdapter
property = CapabilityConvWindowFileTransfer, value = NotAString
[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47
[08:32:53.32] 1028 Messenger: Zone_StoreAdapter
property = CapabilityVideoCallSupports16x9, value = NotAString

```

[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48
[08:32:53.32] 1028      Messenger:      Zone_StoreAdapter
property = Capability SIPTunnelVersion2, value = NotAString
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49
[08:32:53.32] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityVoiceClipSupportsWMAFormat, value = NotAString
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50
[08:32:53.32] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityVoiceClipSupportsCircleIM, value = NotAString
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51
[08:32:53.32] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsSocialNewsObjectTypes, value = NotAString
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52
[08:32:53.32] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityCustomEmoticonsCapable, value = NotAString
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[08:32:53.32] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityUTF8MoodMessagesSupported, value = NotAString
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 54
[08:32:53.32] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityFTURNCapable, value = NotAString
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55
[08:32:53.32] 1028      Messenger:      Zone_StoreAdapter
property = CapabilityRemoteP2PObjectStoreFetch , value = NotAString
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 56
[08:32:53.32] 1028      Messenger:      Zone_StoreAdapter
property = AnimatedSceneActualObjectStoreName, value = NotAString
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[08:32:53.32] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsP4Activity, value = NotAString
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[08:32:53.32] 1028      Messenger:      Zone_StoreAdapter
property = CapabilitySupportsMultiPartyIM, value = NotAString
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
04EDA200
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.32] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

```

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
04EDA468

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
04EDA6D0

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
04EDA938

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = snoop_opi03@hotmail.com, contactType = 1, store object =
04EDABA0

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:edgardhino10@yahoo.com, contactType = 32, store
object = 04EDAE08

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.32] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:32:53.33] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = player269@hotmail.com, contactType = 1, store object =
04EDB070

[08:32:53.33] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.33] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:32:53.33] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
04EDB2D8

[08:32:53.33] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.33] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:32:53.33] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
04EDB540

[08:32:53.35] 19dc Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=9)

[08:32:53.35] 19dc Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=17)

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = felixj pz@hotmail.com, contactType = 1, store object =
04EDB7A8

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 04EDBA10

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
04EDBC78

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kikirikito_chu@hotmail.com, contactType = 1, store object
= 05042FA8

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
05043210
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
05043478
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = vija_gzllz@hotmail.com, contactType = 1, store object =
050436E0
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlos_mcl59@hotmail.com, contactType = 1, store object =
05043948
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kimberli13_@hotmail.com, contactType = 1, store object =
05043BB0
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ludwin_engel@hotmail.com, contactType = 1, store object =
05043E18

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bombon-angel-1@hotmail.com, contactType = 1, store object
= 05044080
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calamardo_159@hotmail.com, contactType = 1, store object =
050442E8
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = enbuscadeunanuevaesperanza@hotmail.com, contactType = 1,
store object = 05044550
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
050447B8
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_supernene91@hotmail.com, contactType = 1, store object
= 05044A20
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
05044C88

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = CLAULIZ_LEX@hotmail.com, contactType = 1, store object =
08624C18
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
08624E80
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 086250E8
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
08625350
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
086255B8
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = l.alo.49@hotmail.com, contactType = 1, store object =
08625820

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = charalracing7@hotmail.com, contactType = 1, store object =
08625A88
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 08625CF0
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
08625F58
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = trolito12@hotmail.com, contactType = 1, store object =
086261C0
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = leo_05_07@hotmail.com, contactType = 1, store object =
08626428
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
08626690

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
086268F8
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = bichito_07@hotmail.com, contactType = 1, store object =
085CAAF0
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = cerebral.dead@hotmail.com, contactType = 1, store object =
085CAD58
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
085CAFC0
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
085CB228
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
085CB490

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alana_baun602@hotmail.com, contactType = 1, store object =
085CB6F8
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
085CB960
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = hee@bk.ru, contactType = 1, store object = 085CBBC8
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = la_keimy_scoof_tkm@hotmail.com, contactType = 1, store
object = 085CBE30
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yahoo:chikinkatcher@yahoo.com, contactType = 32, store
object = 085CC098
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = kl_louis@hotmail.com, contactType = 1, store object =
085CC300

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chikinkatcher@yahoo.com, contactType = 1, store object =
085CC568
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
085CC7D0
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
04FA8CE8
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
04FA8F50
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
04FA91B8
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pier_69k@hotmail.com, contactType = 1, store object =
04FA9420

[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
04FA9688
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.46] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
04FA98F0
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = kl_louis@hotmail.com, contactType = 1, store object =
04FA9B58
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 04FA9DC0
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 04FAA028
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = eduardito25_3@hotmail.com, contactType = 1, store object =
04FAA290

[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
04FAA4F8
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
04FAA760
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
04FAA9C8
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:lupita0583@yahoo.com, contactType = 32, store object
= 04EDEF98
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 04EDF200
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
04EDF468

[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
04EDF6D0
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 04EDF938
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
04EDFBA0
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
04EDFE08
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
04EE0070
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
04EE02D8

[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
04EE0540
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = yahoo:honestman_always@yahoo.com, contactType = 32, store
object = 04EE07A8
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
04EE0A10
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
04EE0C78
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
05021C38
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = mariaemigdia2@hotmail.com, contactType = 1, store object =
05021EA0

[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 05022108
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
05022370
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
050225D8
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ana_hi88@hotmail.com, contactType = 1, store object =
05022840
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 05022AA8
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
05022D10

[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 05022F78
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
050231E0
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
05023448
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = VickeyEmeraldaibtw@hotmail.com, contactType = 1, store
object = 050236B0
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = CLAULIZ_LEX@hotmail.com, contactType = 1, store object =
05023918
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
006888D0

[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
00688B38
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
00688DA0
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
00689008
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
00689270
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 006894D8
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gavo_9116@hotmail.com, contactType = 1, store object =
00689740

[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 006899A8
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
00689C10
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
00689E78
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object =
0068A0E0
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
0068A348
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
0068A5B0

[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
08628C18
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = chaparritochamps@hotmail.com, contactType = 1, store
object = 08628E80
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
086290E8
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
08629350
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
086295B8
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
08629820

[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
08629A88
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = gedc_3@hotmail.com, contactType = 1, store object =
08629CF0
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = la_nieka@hotmail.com, contactType = 1, store object =
08629F58
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = luison_10@hotmail.com, contactType = 1, store object =
0862A1C0
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
0862A428
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = trolito12@hotmail.com, contactType = 1, store object =
0862A690

[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = enbuscadeunanuevaesperanza@hotmail.com, contactType = 1,
store object = 0862A8F8
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
05018E58
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
050190C0
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
05019328
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 05019590
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
050197F8

[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = el_gerardoO@hotmail.com, contactType = 1, store object =
05019CC8
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
05019F30
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = barryl9842009@live.co.uk, contactType = 1, store object =
0501A198
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.47] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = omarprado.s@hotmail.com, contactType = 1, store object =
0501A400
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object =
0501A668
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
0501A8D0

[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
0501AB38
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
0861D1A0
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
0861D408
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
0861D670
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rivera-kevin@live.com, contactType = 1, store object =
0861D8D8
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
0861DB40

[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = skrowsersote@hotmail.com, contactType = 1, store object =
0861DDA8
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = knifex01@hotmail.com, contactType = 1, store object =
0861E010
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = deniz.mavisi68@hotmail.com, contactType = 1, store object
= 0861E278
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
0861E4E0
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
0861E748
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
0861E9B0

[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
0861EC18
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
0861EE80
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
05009740
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
050099A8
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = skrowersote@hotmail.com, contactType = 1, store object =
05009C10
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = 00000000-0000-0000-0009-elab0db61252, contactType = 64,
store object = 05009E78

[08:32:53.48] 1028 Messenger: Zone_Circles
CMsgCircle::IsInCircle@03526010: returning 0x0, fInCircle = 0
[08:32:53.48] 1028 Messenger: Zone_Circles
CMsgCircle::AddMemberLocally@03526010: adding kimberli13@hotmail.com to
00000000-0000-0000-0009-e1ab0db61252
[08:32:53.48] 1028 Messenger: Zone_Circles
CBuddy::AddCircle@050371C8: buddy=kimberli13@hotmail.com
circle=00000000-0000-0000-0009-e1ab0db61252 hr=0x 0
[08:32:53.48] 1028 Messenger: Zone_Circles
CHotmailService::OnStoreListAdd create circle returned 0x0
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
0500A0E0
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
05019A60
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
0500A348
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = zorritarosita@hotmail.com, contactType = 1, store object =
0500A5B0
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
0500A818
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
0500AA80
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 2, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
0500ACE8
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 0500AF50
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
0500B1B8
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
0500B420
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
0856C958
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
0856CBC0
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
0856CE28
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
0856D090
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
0856D2F8
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
0856D560
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
0856D7C8
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
0856DA30
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
0856DC98
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
0856DF00
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
0856E168
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = claudy_girl16@hotmail.com, contactType = 1, store object =
0856E3D0
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 3, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
0856E638
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = souljump@hotmail.com, contactType = 1, store object =
04FC3440
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 04FC36A8
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 1, store object =
04FC3910
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
04FC3B78
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::UpdateContactTypeOnBuddy@006A3650: list = 1,
strContactId = nck.khc@gmail.com, contactType = 2 >> is taking over
contactType = 1
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListRemove@006A3650: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, strMemberId = nck.khc@gmail.com
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 04FC3DE0
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 1, contactId = 0,
strContactId = souljump@hotmail.com, contactType = 1, store object =
04FC4048
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name Favoritos storeId 282
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name amigos storeId 283
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 284,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 285,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 286,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 287,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 288,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 289,
IsUnknownBuddy = false

[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 290,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 291,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 292,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 293,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 294,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 295,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 296,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 297,
IsUnknownBuddy = false
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 298,
IsUnknownBuddy = false

[08:32:53.48] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = souljump@hotmail.com
storeId = 299

[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 299,
strContactId = souljump@hotmail.com, contactType = 1, store object =
086433B0

[08:32:53.48] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:33:06.66] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...

[08:33:06.67] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 0

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 299,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 300,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 301,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 302,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 303,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 304,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 305,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 306,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 307,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 308,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 309,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 310,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 311,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 312,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 313,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 314,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 315,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 316,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 317,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 318,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 319,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 320,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 321,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 322,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

```
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 323,
IsUnknownBuddy = false
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 324,
IsUnknownBuddy = false
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 325,
IsUnknownBuddy = false
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 326,
IsUnknownBuddy = false
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 327,
IsUnknownBuddy = false
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 328,
IsUnknownBuddy = false
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name =
henryguerrero01@hotmail.com storeId = 329
[08:33:06.67] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 329,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 08661B98
[08:33:06.67] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[08:33:06.67] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[08:33:06.67] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 0
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 329,
IsUnknownBuddy = false
```

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 330,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 331,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 332,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 333,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 334,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 335,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 336,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 337,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 338,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 339,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 340,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 341,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 342,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 344,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 345,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 346,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 347,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 348,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 349,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 350,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 351,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 352,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = nck.khc@gmail.com
storeId = 353

[08:33:06.67] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@006A3650: list = 0, contactId = 353,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
04F3B330

[08:33:06.67] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[08:33:06.67] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...

[08:33:06.67] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 0

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 353,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 354,
IsUnknownBuddy = false

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 355,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 356,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 357,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 358,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 359,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 360,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 361,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 362,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 363,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 364,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 365,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 366,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 367,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 368,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 369,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 370,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 371,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 372,
IsUnknownBuddy = false
[08:33:06.67] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

```
[08:33:06.67] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 373,
IsUnknownBuddy = false
[08:33:06.67] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 374,
IsUnknownBuddy = false
[08:33:06.67] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[08:33:06.67] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 375,
IsUnknownBuddy = false
[08:33:06.67] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreListSyncEnded
[08:33:08.21] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: complete='StoreAdapter' hr=0x00000000
[08:33:08.21] 1028           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=0 pending=0 running=1
[08:33:08.25] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:33:08.25] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 1
[08:33:08.25] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:33:08.25] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:33:08.25] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:33:08.25] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 1
[08:33:08.25] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:33:08.25] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 1
[08:33:08.25] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:33:09.16] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:33:09.33] 1028           Messenger:           Zone_HotmailService contacts
service = delaysynchronized
```

```
[08:33:09.35] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property change count =
28
[08:33:09.35] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityWebCamDetected
[08:33:09.35] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 8
[08:33:09.38] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsChunking
[08:33:09.38] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 9
[08:33:09.38] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsWinks
[08:33:09.38] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 15
[08:33:09.38] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsVoiceIM
[08:33:09.38] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 19
[08:33:09.38] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsTunneledSip
[08:33:09.38] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 33
[08:33:09.39] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PSupportsTurn
[08:33:09.39] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 31
[08:33:09.39] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PBootstrapViaUUN
[08:33:09.39] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 32
[08:33:09.39] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRTCVideoEnabled
[08:33:09.39] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 34
[08:33:09.40] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupport1On1ViaGroup
[08:33:09.40] 1028           Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 41
[08:33:09.40] 1028           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityOIMEnabled
[08:33:09.40] 1028           Messenger:      Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityOIMEnabled, Me = YES
```

[08:33:09.40] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingVideoSupport

[08:33:09.40] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 40

[08:33:09.40] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityNudgeEnabled

[08:33:09.40] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 42

[08:33:09.40] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCircleVoiceIMEnabled

[08:33:09.40] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 43

[08:33:09.40] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySharingEnabled

[08:33:09.40] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 44

[08:33:09.40] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityConvWindowFileTransfer

[08:33:09.40] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 46

[08:33:09.40] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVideoCallSupports16x9

[08:33:09.40] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 47

[08:33:09.40] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property = Capability
SIPTunnelVersion2

[08:33:09.40] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 48

[08:33:09.40] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsWMAFormat

[08:33:09.40] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 49

[08:33:09.40] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityVoiceClipSupportsCircleIM

[08:33:09.40] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 50

[08:33:09.40] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsSocialNewsObjectTypes

[08:33:09.40] 1028 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 51

[08:33:09.40] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityCustomEmoticonsCapable

```

[08:33:09.40] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 52
[08:33:09.40] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityUTF8MoodMessagesSupported
[08:33:09.40] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 53
[08:33:09.40] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityRemoteP2PObjectStoreFetch
[08:33:09.40] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 55
[08:33:09.40] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsP4Activity
[08:33:09.40] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 57
[08:33:09.40] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilitySupportsMultiPartyIM
[08:33:09.40] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 58
[08:33:09.40] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityMsgrVersion
[08:33:09.40] 1028      Messenger:      Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityMsgrVersion, Me = YES
[08:33:09.40] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityP2PAware
[08:33:09.40] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@006A3650: ePropType: 6
[08:33:09.40] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property =
CapabilityBits
[08:33:09.40] 1028      Messenger:      Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = CapabilityBits, Me = YES
[08:33:09.40] 1028      Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:33:09.40] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false
[08:33:09.40] 1028      Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: souljump@hotmail.com
(storeId = 299) state changed to 0
[08:33:09.40] 1028      Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:33:09.40] 1028      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguireState =
false

```



```

[08:33:09.40] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650:
henryguerrero01@hotmail.com (storeId = 329) state changed to 0
[08:33:09.40] 1028           Messenger:           Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[08:33:09.40] 1028           Messenger:           Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeContact> fIsContactInsert = false,
fIsContactDelete = false, fIsLKPNeeded = false, fResolveJaguiState =
false
[08:33:09.40] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnStoreStateChanged@006A3650: nck.khc@gmail.com (storeId
= 353) state changed to 0
[08:33:09.41] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnInvitesReady
[08:33:11.92] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnClientVersion@04FB0950> service=@04F51DBC
minver=20.0.0001 curver=20.0.0001 latestver=20.0.0001
url=http://skype.dlservice.microsoft.com/download/C/E/F/CEFA5C04-05BE-
4347-9857-
C860CFBE897B/SkypeSetupFull(6.3.73.105)(Trackable457)trackable.exe
falback=http://download.live.com/?sku=messenger
[08:33:11.92] 1028           Messenger:           Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: enter
[08:33:11.92] 1028           Messenger:           Zone_HotmailService
CHotmailService::Logoff@006A3650> hr=0x00000000 tasks=@006A18D8
[08:33:11.92] 1028           Messenger:           Zone_HotmailService
CPresenceSession::SignOut@04FB0950> service=@04F51DBC hr=0x00000000
[08:33:11.92] 1028           Messenger:           Zone_HotmailService
CPresenceSession::SignOutInternal@04FB0950> service=@04F51DBC
hr=0x00000000
[08:33:11.92] 1028           Messenger:           Zone_HotmailService
CHotmailService::FireLogonResult@006A3650: hr = 0x81000312
[08:33:11.92] 1028           Messenger:           Zone_HotmailService
CTaskRunner::AbortTasks: running=1
[08:33:11.92] 1028           Messenger:           Zone_HotmailService
CTaskRunner::_AbortTasks: aborting='Presence'
[08:33:11.94] 1028           Messenger:           Zone_Voice
(voicevideoplatformlogon.cpp:66): ERROR: [OnLogonResult called with an
failure hrLogon] "" failed with 0x81000312 in .
[08:33:11.94] 1028           Messenger:           Zone_LogonState
CUIManager::OnLogonResult hr=[0x81000312] m_dwUILogonFlags=[1]
[08:33:11.94] 1028           Messenger:           Zone_UI
CUIManager::OnLogonResult@006C23D8: enter
[08:33:11.94] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLogonError> hrError=[0x81000312]
[08:33:11.94] 1028           Messenger:           Zone_LogonState
CLogonErrorHandler::DisplayLogonErrorDialog> hrError=[0x81000312]
s_fDisplayingLogonError=[0]
[08:33:11.94] 1028           Messenger:           Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [2] to
[1]
[08:33:11.94] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnSignInError> hr=[0x0] state=[1]

```

```
[08:33:11.94] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnLogonError> hr=[0x0] state=[1]
[08:33:11.94] 1028           Messenger:           Zone_UI
CUIManager::OnLogonResult@006C23D8: leave
[08:33:11.97] 1290           Messenger:           Zone_LogonState
CSignInUI::OnSignInCanceled
[08:33:14.06] 1028           Messenger:           Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: enter
[08:33:14.06] 1028           Messenger:           Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal> Transitioned to
MSTATE(0x1)
[08:33:14.09] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnClientConfig@04FB0950> service=@00000000
config=<Policies><Policy type="SHIELDS"
checksum="6BB3CDF0B183D2FE1281441CC1BBDA60"><config> <shield> <cli
maj="7" min="0" minbld="0" maxbld="9999" deny="" /> </shield> <block>
<hashes> </hashes> <regex> <imtext
value="cGhvdG8yMzRcLnppcA==" /> <imtext value="aWlnMDIxXC56aXA==" />
<imtext value="dGFueWFiYWJlXC56aXA==" /> <imtext
value="c3R1ZmZcLnppcA==" /> <imtext value="Zm90b3NcLnppcA==" />
<imtext value="dHVmb3Rv" /> <imtext value="Z2V0LW1lc3Nlbmdlcg==" />
<imtext value="Mm5udmM3" /> <imtext value="YmxvY2tpbnJpbw==" />
<imtext value="bWVzc2FnaW5nLW5hbWVz" /> <imtext
value="cGljdHVyYTAwMg==" /> <imtext value="bWVzc2VuZ2VvLXNjYW4==" />
<imtext value="c3VtbWVyMjAwOA==" /> <imtext
value="bWVzc2VuZ2VvZGVsZXRlY2h1Y2t1cg==" /> <imtext
value="cGhvdG9hbGJlbTIwMDc==" /> <imtext value="aWlhZ2UwMjlcLnppcA=="
/> <imtext value="Zm90b183ODFcLnppcA==" /> <imtext
value="Y2hpcnN0bWZzLTlwMDdcLnppcA==" /> <imtext
value="cGhvdG8yMDA3LTFEYXC56aXA==" /> <imtext
value="aWlnNS0yMDA3XC56aXA==" /> <imtext
value="bXlwaWN0dXJlcy0wMTA4XC56aXA==" /> <imtext
value="cGhvdG9zMS0yMDA4XC56aXA==" /> <imtext
value="aGFwcHkyMDA4XC5leGU==" /> <imtext value="aGFwcHlfMjAwOFwuZXhl"
/> <imtext value="aGFwcHktMjAwOFwuZXhl" /> <imtext
value="bmV3X3llYXJzX2xldHRlcl9mbGFzaFwuZXhl" /> <imtext
value="bWFpbmlzblwuY29t" /> <imtext value="bWFpbmlzblwubmV0" />
<imtext value="Zmljb25zdWx0aW5n" /> <imtext value="YmV6Z2lcLmluZm8="
/> <imtext value="c3VsYW5kaXJtYQ==" /> <imtext
value="dHVuYWJhbGlnaQ==" /> <imtext value="eW9ydW5nZXNlbA==" />
<imtext value="dHV0YWZraW1zZQ==" /> <imtext
value="YWNpc2FsY2FwXC5pbmZv" /> <imtext value="Ym95YW1hZ3VjdQ==" />
<imtext value="dHV0dXNrYW5saWs=" /> <imtext value="bXltc25nYWxsZXJ5"
/> <imtext value="aWlhZ2UwMzFcLnppcA==" /> <imtext
value="Zm90bzcycmE2" /> <imtext value="cGhvdG8yMVwuemlw" />
<imtext value="cGljdHVyZTIyXC56aXA==" /> <imtext
value="cGljdHVyZX05MjNcLnppcA==" /> <imtext
value="cGhvdG9fNjg4LWpwZ1wuemlw" /> <imtext
value="bXlwaG90bzk0XC56aXA==" /> <imtext value="dmlkZW9cLmV4ZQ==" />
<imtext value="a3V6ZW5cLmV4ZQ==" /> <imtext value="bWlyY1wuZXhl" />
<imtext value="YmFja2Rvb3I6aXJlZ2sb29kXC5jYw==" /> <imtext
value="Zm90b18wMjdcLnppcA==" /> <imtext value="Zm90bzcwOGs2XC56aXA=="
/> <imtext value="bXNuYmxvY2tsaXN0XC5jb20=" /> <imtext
value="bXNuLWZyaWVvZ2FwY29t" /> <imtext
```

```
value="cXVpZW50ZWFKbWl0ZWVwY29t" />      <imtext
value="Y2hlY2ttZXNzZW5nZXJcLm5ldA==" />      <imtext
value="bXNuYmxvY2t1cmxpc3RcLmNvbQ==" />      <imtext
value="bXNubGlzdHN0YXRlc1wuY29t" />      <imtext
value="ZnJpZW5kbHktb2ZmZXJcLmNvbQ==" />      <imtext
value="c2V0dXBcLmV4ZQ==" />      <imtext value="aG9zdGlsZWFWcGxldA==" />
<imtext value="Z3NkYWdkZmdhc2RnczI0NTc0NTIyNDdcLmV4ZQ==" />      <imtext
value="Z3NkZGFzMjQ1ODcyMTRnc2RcLmV4ZQ==" />      <imtext
value="Zm90by0zMTRffanBlZw==" />      <imtext
value="aWlhZ2UyMDZcLmpwZy13d3dcLnBob3Rvc2hhcmVcWzFdXC5jb20=" />
<imtext value="aWlhZ2UyMDZcLmpwZw==" />      <imtext value="YnVzaFwuY29t"
/>      <imtext value="Y2FtZGFcLmV4ZQ==" />      <imtext
value="eW9ldHViZV9naXJpc19wcm9ncmFtaVwuZXhl" />      <imtext
value="cjU3OWRrYTkyYWwemlw" />      <imtext value="bW9uY2xvY2hlclwuY29t"
/>      <imtext value="aWlhZ2Vzd2l0Y2hcLmluZm8=" />      <imtext
value="bmV3ZXN0cGljdHVyZTAzXC5qcGc=" />      <imtext
value="bm90aWNpYXNkb2JyYXNpbFwuY29tXC5zYXBvXC5wdC9ub3RpbY2lhdXJnZW50ZWJyYX
NpbG51bWVybzk4MjFjLmNvbQ==" />      <imtext
value="d2luZG93c215X3Bob3Rvc18xNTMwMVwemlw" />      <imtext
value="cGhvdG9zXzE1MzAxXC56aXA=" />      <imtext value="aWlwbGF5XC5jb20="
/>      <imtext value="Ym9ieXVwXC5jb20=" />      <imtext
value="Ym9iYmxhalwuY29t" />      <imtext
value="cGljcy1hdC10aGUtcGFydHlcLmNvbQ==" />      <imtext
value="Ym9iem9wXC5jb20=" />      <imtext value="bW9vcnNoXC5jb20=" />
<imtext value="Ym9ieXVw" />      <imtext value="d293YmFtXC5jb20=" />
<imtext value="Zm90b1wuZXhl" />      <imtext
value="ZHNjMjAwOTAxMTdcLmpwZ1wuZXhl" />      <imtext
value="ZnJpZW5kaWlzXC5jb20=" />      <imtext value="bm93cG91bmRzXC5jb20="
/>      <imtext value="Y2xpcGRlZXBzXC5jb20=" />      <imtext
value="L3VyYmxvY2s=" />      <imtext
value="aWlhZ2VzXC5jb29scGFnZVwuYml6L2ltYWdlclwucGhw" />      <imtext
value="Y2FzYTFCcLmV4ZQ==" />      <imtext value="YW5pbWFjaW9uXC5leGU=" />
<imtext value="XC5cLi9ibG9ja1wudHh0" />      </regexp>
</block></config></Policy><Policy type="ABCH"
checksum="257FFA02AB0EBF9EC74FEA202B270F7C"><policy><set id="push"
service="ABCH" priority="200">      <r id="pushstorage"
threshold="180000" />      </set><set id="delaysup" service="ABCH"
priority="150">      <r id="whatsnew" threshold="1800000" />      <r
id="whatsnew_storage_ABCH_delay" timer="1800000" />      <r
id="whatsnewt_link" threshold="900000" trigger="QueryActivities" /></set>
<c id="PROFILE_Rampup">100</c>      <c id="SUP_PageSize_RA">75</c>      <c
id="SUP_PageSize_RAm">75</c>      <c id="SUP_PageSize_FT">75</c>      <c
id="SUP_PageSize_FTLink">75</c>      <c id="SUP_PageSize_WNH">75</c>      <c
id="SUP_PageSize_WNR">75</c></policy></Policy><Policy
type="ERRORRESPONSETABLE"
checksum="6127EEDCE860F45C1692896F5248AF6F"><Policy> <Feature type="3"
name="P2P">      <Entry hr="0x81000398" action="3"/>      <Entry hr="0x82000020"
action="3"/>      </Feature> <Feature type="4">      <Entry hr="0x81000440" />
</Feature> <Feature type="6" name="TURN">      <Entry hr="0x8007274C"
action="3" />      <Entry hr="0x82000020" action="3" />      <Entry
hr="0x8007274A" action="3" />      </Feature></Policy></Policy><Policy
type="P2P" checksum="815D4F1FF8E39A85F1F97C4B16C45177"><ObjStr SndDly="1"
/></Policy><Policy type="CIRCLES"
```

```

checksum="9208C5655F8D96CBBD9873181E5E79BD"><Policy type="CIRCLES" >
<Msgr cMember="40"/></Policy></Policy></Policies>
[08:33:14.21] 1028 Messenger: Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[08:33:14.21] 1028 Messenger: Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3E568: enter
[08:33:14.21] 1028 Messenger: Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3E568> Shell ConversationMgr
006C2888 has stopped listening to platform ConversationManager.
[08:33:14.21] 1028 Messenger: Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3E568: leave
[08:33:14.21] 1028 Messenger: Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3E568: enter
[08:33:14.21] 1028 Messenger: Zone_IM_Messages
CPlatformConversationMgrEventSink::UnInit@04F3E568: leave
[08:33:14.21] 1028 Messenger: Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:33:14.21] 1028 Messenger: Zone_IdentityCRL
CIdentityClient::CancelPendingRequests()
[08:33:14.21] 1028 Messenger: Zone_IdentityCRL
CIdentityClient::CancelPendingRequests() = 0x0
[08:33:14.21] 1028 Messenger: Zone_StoreAdapter
CStoreAdapter::FinalRelease
[08:33:14.21] 1028 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[08:33:14.21] 1028 Messenger: Zone_HotmailService
CMsgrService::FireLocalStateChangeResult@006A2388:(S_OK, 0x0001)
[08:33:14.21] 1028 Messenger: Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x1
[08:33:14.21] 1028 Messenger: Zone_LogonState
CSignInUIController::OnLogOff> hr=[0x0] state=[1]
[08:33:14.21] 1028 Messenger: Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[1]
[08:33:14.21] 1028 Messenger: Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x200, new state=0x1
[08:33:14.22] 1028 Messenger: Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x1
[08:33:14.22] 1028 Messenger: Zone_Circles
CMsgrCircle::RemoveMemberLocally@03526010: adding kimberli13@hotmail.com
to 00000000-0000-0000-0009-e1ab0db61252
[08:33:14.22] 1028 Messenger: Zone_Circles
CBuddy::RemoveCircle@050371C8: buddy=kimberli13@hotmail.com
circle=00000000-0000-0000-0009-e1ab0db61252 hr=0x 0
[08:33:14.22] 1028 Messenger: Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: leave
[08:33:14.22] 1028 Messenger: Zone_HotmailService
CHotmailService::OnClientVersion@006A3650: leave
[08:33:14.22] 1028 Messenger: Zone_HotmailService
CPresenceSession::AsyncSignOut@04FB0950> service=@00000000 hr=0x00000000
[08:33:14.22] 1028 Messenger: Zone_HotmailService
CPresenceSession::OnSignedIn@04FB0950> service=@00000000 hr=0x81000312
service=IM cookie=14

```

```

[08:33:14.22] 1028           Messenger:           Zone_HotmailService
CPresenceSession::OnSignedIn@04FB0950> service=@00000000 hr=0x81000312
service=PE cookie=13
[08:33:14.22] 1028           Messenger:           Zone_LogonState
CLogonErrorHandler::OnDisplayLogonError: hr: 0x81000312
[08:33:14.22] 1028           Messenger:           Zone_LogonState
CBLObject::SetImplicitState: implicit: 0x12, current: 0x1, set: 0x0
[08:33:22.17] 1290           Messenger:           Zone_LogonState
CSignInUI::TerminateDialog entered
[08:33:22.17] 1290           Messenger:           Zone_LogonState
CSignInUI::ShutDownMessenger
[08:33:22.17] 1028           Messenger:           Zone_Shutdown
CUIManager::StartShutdown - Entered.fForceShutdow=true
[08:33:22.17] 1028           Messenger:           Zone_Shutdown
CUIManager::StartShutdown - Calling TryCloseAllIMs
[08:33:22.17] 1028           Messenger:           Zone_UI
CUIManager::ContinueShutdown@006C23D8: enter
[08:33:22.17] 1028           Messenger:           Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [1] to
[8]
[08:33:22.17] 1028           Messenger:           Zone_LogonState
CSignInDialogWrapper::CloseSignInDialog m_spSignInUI=006A5E90
m_spUxSigninDialog=034D5D20
[08:33:22.23] 1290           Messenger:           Zone_LogonState
CSignInUI::TerminateDialog exits
[08:33:22.23] 1028           Messenger:           Zone_LogonState
CSignInUIController::OnShutdownStarted> state=[8]
[08:33:23.21] 1028           Messenger:           Zone_LogonState
CUIManager::UIContinueLogoff: dwContext=0x1 fClose=1
[08:33:23.21] 1028           Messenger:           Zone_Shutdown
CUIManager::UIContinueLogoff- Calling m_spBLO->Logoff()
[08:33:23.21] 1028           Messenger:           Zone_HotmailService
CHotmailService::Logoff@006A3650> hr=0x00000000 tasks=@00000000
[08:33:23.21] 1028           Messenger:           Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: enter
[08:33:23.21] 1028           Messenger:           Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal> Transitioned to
MSTATE(0x1)
[08:33:23.21] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[08:33:23.21] 1028           Messenger:           Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:33:23.21] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::CancelPendingRequests()
[08:33:23.21] 1028           Messenger:           Zone_IdentityCRL
CIdentityClient::CancelPendingRequests() = 0x0
[08:33:23.21] 1028           Messenger:           Zone_HotmailService
CHotmailService::DisconnectAndCleanupInternal@006A3650: leave
[08:33:24.60] 1028           Messenger:           Zone_Shutdown
CUIManager::ContinueShutdown- calling TryShutdown
[08:33:24.60] 1028           Messenger:           Zone_Shutdown
CMSBLApp::TryShutdown > Shutting down activities.
[08:33:25.98] 1028           Messenger:           Zone_Voice
CLocalVoiceProxy::Shutdown > Shutting down LVP

```

```

[08:33:27.68] 1028      Messenger:      Zone_UI
CUIManager::ContinueShutdown@006C23D8: leave
[08:34:18.90] 1028      Messenger:      Zone_Voice
CRtcWrap::ContinueCleanup [0x6d18f0] > RTC shutdown completed.
[08:34:18.91] 1028      Messenger:      Zone_Shutdown
CMSBLApp::OnActivityManagerShutdownCompleted > Done.
[08:34:18.91] 1028      Messenger:      Zone_Voice
CMSBLApp::OnActivityManagerShutdownCompleted - ActivityManager is
shutdown and not shutting down Messenger
[08:34:18.91] 1028      Messenger:      Zone_Shutdown
CMSBLApp::TryShutdown- Posting WM_QUIT (UI was never activated)
[08:34:26.93] 1028      Messenger:      Zone_Shutdown MSBL
received WM_QUIT
[08:34:26.93] 1028      Messenger:      Zone_UI
CUIManager::Cleanup@006C23D8: enter
[08:34:34.27] 1028      Messenger:      Zone_UI
CUIManager::Cleanup@006C23D8: leave
[08:34:34.27] 1028      Messenger:      Zone_IM_Messages
CSessionManagerInstance<class CWinSessionManagerDisp<struct
IMsgrSessionManager>,struct IMsgrLock,struct
DMSgrSessionManagerEvents,class CSessionInstance<class
CWinSessionInstanceDisp,struct IMsgrSession,struct IMsgrLock,struct
DMSgrSessionEvents>,0>::Unadvise ln 404: Someone (7018412) is un-
subscribing to Session Manager events directly.
[08:34:34.27] 1028      Messenger:      Zone_IM_Messages
CSessionManagerInstance<class CWinSessionManagerDisp<struct
IMsgrSessionManager>,struct IMsgrLock,struct
DMSgrSessionManagerEvents,class CSessionInstance<class
CWinSessionInstanceDisp,struct IMsgrSession,struct IMsgrLock,struct
DMSgrSessionEvents>,0>::~~CSessionManagerInstance ln 579 Destroying
Session Manager.
[08:34:36.27] 1028      Messenger:      Zone_ConfigInfo
CProductProviderMgr::_Free - UNHOOK_ALL_EVENTS for
CConfigServerClientEvents
[08:34:36.27] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: enter
[08:34:36.27] 1028      Messenger:      Zone_IM_Messages
ConversationMgr::UnInit@006C2888: leave
[08:34:36.27] 1028      Messenger:      Zone_Shutdown
CWLUpdateMgr::Shutdown - enter
[08:34:36.37] 1028      Messenger:      Zone_HotmailService
CHotmailService::~~CHotmailService@006A3650: Enter
[08:34:36.37] 1028      Messenger:      Zone_HotmailService
CHotmailService::~~CHotmailService@006A3650: Exit
[08:34:36.37] 1028      Messenger:      Zone_Shutdown
CBLInstance::~~CBLInstance- One instance is being destroyed calling
TryShutdown
*****
*****
*
* Log closed (normally) at 2016-10-25T15:35:01Z
*
*****
*****

```

```

*****
*****
*
* Log opened: 2016-10-25T18:06:43Z
*
*
* Acerca de este archivo de registro - MSNMsgr.txt
* Windows Live Messenger 16.4.3528.0331
*
* Este archivo de registro se crea en tu equipo al seleccionar el valor
de configuración
* Registro de conexiones en el cuadro de diálogo Opciones. Puedes
* desactivar esta configuración en cualquier momento. Para desactivarlo,
haz clic
* en el menú Herramientas y, a continuación, haz clic en Opciones. En la
sección Conexión, haz clic en el botón Configuraciones avanzadas.
En Configuración de Windows Live Messenger, desmarca la casilla de
registro y
* haz clic en Aceptar.
*
* Advertencia: este archivo puede contener información personal.
Cualquier
* persona con acceso a tu escritorio de Windows puede ver el contenido de
este archivo.
*
<SystemSettings><System SystemTime="10/25/2016 18:06:43 UTC"
WinsockVer="2.2" MsgrVersion="0x10040dc8" WinInet="1.2" LCID="0x0c0a"
/><OS SuiteMaskProductType="0x1000001" MajorVersion="0x6"
MinorVersion="0x1" BuildNumber="0x1db0" ServicePack="0x0" /><IESettings
Version="8.0.7601.17514" UseSSL30="0x1" CheckCertRev="0x1" /><Connection
Type="No hay proxy" Mode="0x0" /></SystemSettings>
*****
*****
[11:06:44.29] 1094 Messenger: Zone_UI Font
Face: Segoe UI, Normal Size: 9-point, Large Size: 12-point, NoBold: 0,
NoUnderline: 0
[11:06:44.29] 1094 Messenger: Zone_HotmailService
CHotmailService::Init@0043DF30: Enter
[11:06:44.29] 1094 Messenger: Zone_HotmailService
CHotmailService::Init@0043DF30: Exit
[11:06:44.91] 1094 Messenger: Zone_Shutdown
CWLUpdateMgr::RunAppStartupChecks - enter
[11:06:44.91] 1094 Messenger: Zone_Shutdown Calling
IWLSetup::GetProductStatus
[11:06:44.91] 1094 Messenger: Zone_Shutdown
WLSetup::GetProductStatus returned 0 - app initialization will continue
[11:06:44.91] 1094 Messenger: Zone_UI
CUIManager::Initialize@02D0A7E8: enter
[11:06:44.99] 1094 Messenger: Zone_LogonState
CUIManager::InitUIFromCmdLine: cmdShow=0
[11:06:44.99] 1094 Messenger: Zone_LogonState
CSignInUIController::Initialize> hr=[0x0] m_fForceMinimumUI=[0]
[11:06:45.52] 1094 Messenger: Zone_Voice
CUIManager::InitializeVoiceVideo - CoCreating ActivityManager Succeeded

```

```

[11:06:45.52] 1094          Messenger:          Zone_Voice
CActivityManager::Initialize - Entering - Initializing Voice Video
platform
[11:06:45.54] 1094          Messenger:          Zone_Voice
CUIManager::InitializeVoiceVideo - ActivityManager Successfully
Initialized
[11:06:45.54] 1094          Messenger:          Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[11:06:45.54] 1094          Messenger:          Zone_Voice
GetVideoStrategyType - NO STRATEGY - no layer manager, defaulting to RGB
[11:06:45.65] 1094          Messenger:          Zone_Voice
CRtcPlatformFactory::CreateRtcPlatform[this==0x2d19f90] -
CRtcPlatformFactory::CreateRtcPlatform (hr == 0x0)
[11:06:49.81] 1094          Messenger:          Zone_Voice
CUIManager::InitializeVoiceVideo - Initialization of Voice Video
succeeded at AppStartup
[11:06:49.81] 1094          Messenger:          Zone_IM_Messages
CSessionManagerInstance<class CWinSessionManagerDisp<struct
IMsgrSessionManager>,struct IMsgrLock,struct
DMsgrSessionManagerEvents,class CSessionInstance<class
CWinSessionInstanceDisp,struct IMsgrSession,struct IMsgrLock,struct
DMsgrSessionEvents>,0>::Init ln 602 Creating Session Manager object:
locked=1
[11:06:49.81] 1094          Messenger:          Zone_UI
TEventSink::QueryInterface(): Returning IDispatch.
[11:06:49.81] 1094          Messenger:          Zone_IM_Messages
CSessionManagerInstance<class CWinSessionManagerDisp<struct
IMsgrSessionManager>,struct IMsgrLock,struct
DMsgrSessionManagerEvents,class CSessionInstance<class
CWinSessionInstanceDisp,struct IMsgrSession,struct IMsgrLock,struct
DMsgrSessionEvents>,0>::Advise ln 387: Someone (0) is subscribing to
Session Manager events directly.
[11:06:49.81] 1094          Messenger:          Zone_ConfigInfo
CProductProviderMgr::_QueryForData - HOOK_EVENT for
CConfigServerClientEvents
[11:06:49.81] 1094          Messenger:          Zone_ConfigInfo
CSMsgrGetConfigInfo - with with fRefresh=false
[11:06:49.81] 1094          Messenger:          Zone_ConfigInfo
CSMsgrGetConfigInfo - not online.
[11:06:49.81] 1094          Messenger:          Zone_ConfigInfo
CUIManager::Initialize - HOOK_EVENT for CConfigServerClientEvents
[11:06:49.81] 1094          Messenger:          Zone_ConfigInfo
CErrorResponder::Initialize - UNHOOK_ALL_EVENTS for
CConfigServerClientEvents
[11:06:49.81] 1094          Messenger:          Zone_ConfigInfo
CErrorResponder::Initialize - HOOK_EVENT for CConfigServerClientEvents
[11:06:49.81] 1094          Messenger:          Zone_ConfigInfo
CSMsgrGetConfigInfo - with with fRefresh=false
[11:06:49.81] 1094          Messenger:          Zone_ConfigInfo
CSMsgrGetConfigInfo - not online.
[11:06:49.81] 1094          Messenger:          Zone_UI
CUIManager::Initialize@02D0A7E8: leave
[11:06:49.81] 1094          Messenger:          Zone_Shutdown
CWLUpdateMgr::LaunchAsyncTasks - enter

```



```

[11:06:49.83] 1094      Messenger:      Zone_Shutdown MSBL
entering event loop...
[11:06:49.83] 1094      Messenger:      Zone_LogonState
CUIManager::OnPrivateCreateUI: fNewInstance=0
[11:06:49.83] 1094      Messenger:      Zone_LogonState
CUIManager::AttemptSilentLogon: eASL: ASL_LAUNCHED_NO_FLAGS
[11:06:49.83] 1094      Messenger:      Zone_LogonState
CUIManager::GetLocalState: returned hr=0x0, State=0x1
[11:06:49.83] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::Initialize()
[11:06:49.83] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::Initialize: environment = Production
[11:06:49.83] 1094      PresenceIM.dll:      Zone_Identity
InitializeIdentity(179): Adding LCID 0xc0a
[11:06:49.84] 1094      PresenceIM.dll:      Zone_Identity
InitializeIdentity(231): Created Work Item Thread 5052 (13BC)
[11:06:49.84] 13bc      PresenceIM.dll:      Zone_Identity
CIdentity::WorkItemThread(1765): Starting
[11:06:49.84] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::Initialize() = 0x0
[11:06:49.84] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0014F5DC)
[11:06:49.84] 1094      PresenceIM.dll:      Zone_Identity
GetAutoSigninIdentity(332): (0x0014F5BC)
[11:06:49.84] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::GetAutoSigninIdentity(1294): (0x0014F58C)
[11:06:50.26] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::CreateIdentity(1434): 053569B8: Created PassportIdentityHandle
0115B538
[11:06:50.26] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::GetPersisted(928)@0x053569B8: eCredType = 2
[11:06:50.26] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::CreateIdentity(1450): ppvObjOut = 0x053569B8
[11:06:50.26] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::GetAutoSigninIdentity(1326): Found AutoSignin identity:
kimberli13@hotmail.com
[11:06:50.26] 1094      PresenceIM.dll:      Zone_Identity
GetAutoSigninIdentity(395): : *ppvObjOut = 0x053569B8
[11:06:50.26] 1094      Messenger:      Zone_LogonState
CUIManager::ShouldTrySilentLogon: hrAutoIdentity=0x0
[11:06:50.26] 1094      Messenger:      Zone_HotmailService
CHotmailService::SetLoginType> type=9
[11:06:50.26] 1094      Messenger:      Zone_UI
CUIManager::LogonService@02D0A7E8: enter
[11:06:50.26] 1094      Messenger:      Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [0] to
[2]
[11:06:50.26] 1094      Messenger:      Zone_LogonState
CSignInUIController::OnSignInStarted> hr=[0x0] state=[2]
[11:06:50.26] 1094      Messenger:      Zone_LogonState
CSignInUIController::OnLogonServiceStarted> hr=[0x0] state=[2]
[11:06:50.26] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity(0x053569B8)

```

```
[11:06:50.26] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity: Setting new Identity (053569B8).
[11:06:50.26] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::SetActiveIdentity() = 0x0
[11:06:50.26] 1094      Messenger:      Zone_HotmailProtocol
CUIManager::LogonService@02D0A7E8: recorded login start time as 48759469
[11:06:50.26] 1094      Messenger:      Zone_HotmailService
CHotmailService::SetPresence_State@0043DF30: m_bNextLogonState 2 (0x0002)
[11:06:50.65] 1094      Messenger:      Zone_HotmailService
CHotmailService::InitPlatformServices@0043DF30: enter
[11:06:50.65] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:06:50.65] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:06:50.65] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:06:50.76] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:06:50.76] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:06:50.76] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:06:50.76] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:06:50.76] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:06:50.76] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:06:50.92] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:06:50.92] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:06:50.92] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:06:50.92] 1094      PresenceIM.dll:      Zone_Identity
CreateIdentity(431): (kimberli13@hotmail.com, 0x053FC60C)
[11:06:50.92] 1094      PresenceIM.dll:      Zone_Identity
CreateIdentity(456): : Found existing IIdentity (053569B8)
[11:06:51.06] 1094      ObjectStore.dll:      Zone_ObjectStore
CDiskCachingLayer::Initialize: Using cache path:
C:\Users\ppj\AppData\Local\Temp\MessengerCache
[11:06:51.12] 1094      ObjectStore.dll:      Zone_ObjectStore
CDiskCachingLayer::Initialize: Using cache path:
C:\Users\ppj\AppData\Local\Temp\MessengerCache\SessionCache\kimberli13_h
otmail.com
[11:06:51.34] 1094      ObjectStore.dll:      Zone_ObjectStore
CObjectStoreLockdown::OnConfigUpdated(103)@0x05417C70: New locked down
hashes <hashes>
</hashes>
[11:06:51.34] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:06:51.34] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
```

```

[11:06:51.34] 1094           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:06:51.68] 1094           ObjectStore.dll:           Zone_ObjectStore
CObjectStoreLockdown::OnConfigUpdated(103)@0x05417C70: New locked down
hashes <hashes>
</hashes>
[11:06:51.68] 1094           Messenger:           Zone_HotmailService
CHotmailService::InitPlatformServices@0043DF30: leave
[11:06:51.68] 1094           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:06:51.68] 1094           Messenger:           Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[11:06:51.68] 1094           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:06:51.70] 1094           Messenger:           Zone_IM_Messages
ConversationMgr::Init@02CE5C78: enter
[11:06:51.70] 1094           Messenger:           Zone_IM_Messages
ConversationMgr::UnInit@02CE5C78: enter
[11:06:51.70] 1094           Messenger:           Zone_IM_Messages
ConversationMgr::UnInit@02CE5C78: leave
[11:06:51.70] 1094           Messenger:           Zone_IM_Messages
ConversationMgr::Init@02CE5C78> IMessagingService pointer = 05453F64,
IConversationManager pointer = 0545409C
[11:06:51.70] 1094           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@054251B0: enter
[11:06:51.72] 1094           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@054251B0> Shell ConversationMgr
02CE5C78 is listening to platform ConversationManager 0545409C events.
[11:06:51.72] 1094           Messenger:           Zone_IM_Messages
CPlatformConversationMgrEventSink::Init@054251B0: leave
[11:06:51.72] 1094           Messenger:           Zone_IM_Messages
ConversationMgr::Init@02CE5C78: leave
[11:06:51.72] 1094           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:06:51.72] 1094           Messenger:           Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[11:06:51.72] 1094           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:06:51.72] 1094           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='LMC' depends={} timeout=60000
[11:06:51.72] 1094           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='MessengerRpsTicket'
depends={BatchedTickets} timeout=300000
[11:06:51.72] 1094           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='BatchedTickets' depends={} timeout=60000
[11:06:51.72] 1094           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='Presence' depends={BatchedTickets}
timeout=90000
[11:06:51.72] 1094           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='LivePlatform' depends={MessengerRpsTicket}
timeout=240000
[11:06:51.72] 1094           Messenger:           Zone_HotmailService
CTaskRunner::AddTask: adding='StoreAdapter' depends={LMC, LivePlatform}
timeout=60000

```

```

[11:06:51.72] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnLocalStateChangedInternal@0043DF30: From 256 to 512
[11:06:51.72] 1094           Messenger:      Zone_HotmailService
CMsgSrService::FireLocalStateChangeResult@00485340: (S_OK, 0x0200)
[11:06:51.72] 1094           Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x200
[11:06:51.72] 1094           Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[2]
[11:06:51.72] 1094           Messenger:      Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x100, new state=0x200
[11:06:51.72] 1094           Messenger:      Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x200
[11:06:51.72] 1094           Messenger:      Zone_HotmailService
CTaskRunner::RunTasks: waiting=6
[11:06:51.72] 1094           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LMC'
[11:06:51.72] 1094           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='BatchedTickets'
[11:06:51.72] 1094           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=4
[11:06:51.72] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetPersisted(928)@0x053569B8:      eCredType = 2
[11:06:51.72] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName()
[11:06:51.72] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetAutoSigninIdentity(0x0014F5C4)
[11:06:51.72] 1094           PresenceIM.dll:      Zone_Identity
GetAutoSigninIdentity(332): (0x0014F5A4)
[11:06:51.72] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetAutoSigninIdentity(1294): (0x0014F574)
[11:06:51.76] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::CreateIdentity(1434): 054524C8: Created PassportIdentityHandle
0115BDE8
[11:06:51.76] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetPersisted(928)@0x054524C8:      eCredType = 2
[11:06:51.76] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::CreateIdentity(1450): ppvObjOut = 0x054524C8
[11:06:51.76] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetAutoSigninIdentity(1326): Found AutoSignin identity:
kimberli13@hotmail.com
[11:06:51.76] 1094           PresenceIM.dll:      Zone_Identity
GetAutoSigninIdentity(373): : Found existing IIdentity (053569B8)
[11:06:51.76] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::~~CIdentity(558)@0x054524C8: Closing PassportIdentityHandle
0115BDE8
[11:06:51.76] 1094           PresenceIM.dll:      Zone_Identity
GetAutoSigninIdentity(395): : *ppvObjOut = 0x053569B8
[11:06:51.76] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:06:51.76] 1094           Messenger:      Zone_IdentityCRL
strMemberNameOut = kimberli13@hotmail.com
[11:06:51.76] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0

```

```

[11:06:51.76] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:06:51.76] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetDefaultMemberName() = 0x0
[11:06:51.76] 1094      Messenger:      Zone_UI
CUIManager::LogonService@02D0A7E8: leave
[11:06:51.76] 1094      Messenger:      Zone_LogonState
CUIManager::AttemptSilentLogon: hr = 0
[11:06:51.76] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity(0x0014F5EC)
[11:06:51.76] 1094      Messenger:      Zone_IdentityCRL
      *ppIdentityOut = 0x053569B8
[11:06:51.76] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity() = 0x0
[11:06:51.76] 1094      Messenger:      Zone_LogonState
CSignInDialogWrapper::ShowSignInDialog> m_spUxSigninDialog=[00000000]
pcwzUserName=[kimberli13@hotmail.com] fAutoSignIn=[1]
[11:06:51.93] 1094      Messenger:      Zone_LogonState
CSignInUIController::ShowSignInDialog> hr=[0x0] state=[2]
[11:06:52.70] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='LMC'
[11:06:53.71] 138c      Messenger:      Zone_LogonState
CSignInUI::OnDialogCreated: all sign in events hooked! this=054195D0
[11:06:54.12] 1450      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=0)
[11:06:54.12] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='BatchedTickets'
[11:06:54.12] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::SendIdentityRequest(0x0014F564, 4, 0x0014F55C)
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendBatchedRequest(2921)@0x053569B8: (0x0014F564, 4,
0x0014F55C)
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendIdentityRequest(2424)@0x053569B8: (0x06819970, 0x0014F55C)
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendIdentityRequest(2439)@0x053569B8: @053569B8:*pdwRequestID
= 1, pdwRequestID = 0014F55C
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendBatchedTicketsRequest(2617)@0x053569B8: (0x06819970)
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendBatchedTicketsRequest(2660)@0x053569B8:
      spRSTParams[0].wzServiceTarget = messengerclear.live.com
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendBatchedTicketsRequest(2661)@0x053569B8:
      spRSTParams[0].wzServicePolicy = MBI_KEY
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendBatchedTicketsRequest(2660)@0x053569B8:
      spRSTParams[1].wzServiceTarget = msn.com
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendBatchedTicketsRequest(2661)@0x053569B8:
      spRSTParams[1].wzServicePolicy = LBI
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendBatchedTicketsRequest(2660)@0x053569B8:
      spRSTParams[2].wzServiceTarget = messengersecure.live.com

```

```
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendBatchedTicketsRequest(2661)@0x053569B8:
      spRSTParams[2].wzServicePolicy = MBI_SSL
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendBatchedTicketsRequest(2660)@0x053569B8:
      spRSTParams[3].wzServiceTarget = ssl.live.com
[11:06:54.12] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::SendBatchedTicketsRequest(2661)@0x053569B8:
      spRSTParams[3].wzServicePolicy = MBI_SSL
[11:06:54.12] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::SendIdentityRequest() = 0x48847
[11:06:54.12] 1094      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='BatchedTickets' hr=0x00048847
[11:06:54.12] 1094      Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=4 pending=0 running=1
[11:06:54.12] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='MessengerRpsTicket' remaining={}
[11:06:54.12] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='MessengerRpsTicket'
[11:06:54.12] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='Presence' remaining={}
[11:06:54.12] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='Presence'
[11:06:54.12] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=2
[11:06:54.12] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='MessengerRpsTicket'
[11:06:54.12] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='Presence'
[11:06:54.13] 1464      PresenceIM.dll:      Zone_Identity
CIdentity::OnIdentityResponse(1666): (0x0115B538, 0x053569B8, 0)
[11:06:54.13] 1464      PresenceIM.dll:      Zone_Identity
CIdentity::GetAuthState(620)@0x053569B8:      hrAuthState = 0x00048803
[11:06:54.13] 1464      PresenceIM.dll:      Zone_Identity
CIdentity::GetAuthState(621)@0x053569B8:      hrAuthRequired = 0x00000000
[11:06:54.13] 1464      PresenceIM.dll:      Zone_Identity
CIdentity::GetAuthState(622)@0x053569B8:      hrRequestStatus =
0x00000000
[11:06:54.13] 1464      PresenceIM.dll:      Zone_Identity
CIdentity::GetAuthState(623)@0x053569B8:      hrUIError = 0x00000000
[11:06:54.13] 1464      PresenceIM.dll:      Zone_Identity
CIdentity::GetAuthState(624)@0x053569B8:      WebFlowUrl =
[11:06:54.15] 1450      Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=8)
[11:06:54.20] 13bc      PresenceIM.dll:      Zone_Identity
CIdentity::GetBrandID(704)@0x053569B8:      *pbstrBrandIdOut =
[11:06:54.20] 13bc      PresenceIM.dll:      Zone_Identity
CIdentity::OnCurrentRequestCompleted(1842): 053569B8: Brand ID -
[11:06:54.20] 13bc      PresenceIM.dll:      Zone_Identity
CIdentity::OnGetServiceTicketResponse(1965)@0x053569B8:
(messengerclear.live.com)
[11:06:54.20] 13bc      PresenceIM.dll:      Zone_Identity
CIdentity::OnGetServiceTicketResponse(2015)@0x053569B8: : First Time
we've authed successfully!
```

[11:06:54.20] 1094 Messenger: Zone_HotmailService
CPresenceSession::SignIn@05422040> service=@0542E32C PE=2 IM=3
[11:06:54.20] 1094 Messenger: Zone_HotmailService
CPresenceSession::SignIn@05422040> service=@0542E32C hr=0x00000001
[11:06:54.20] 1094 Messenger: Zone_HotmailService
CPresenceSession::OnSignedIn@05422040> service=@0542E32C hr=0x00000000
service=PE cookie=2
[11:06:54.21] 1094 Messenger: Zone_HotmailService
CPresenceSession::OnConnectionChanged@05422040> service=@0542E32C type=2
msnp=5 cookie=2
[11:06:54.21] 1094 Messenger: Zone_HotmailService
CPresenceSession::OnMePresenceInfoChanged@05422040> service=@0542E32C
flags=0x0000006d
[11:06:54.21] 1094 Messenger: Zone_HotmailService
CPresenceSession::OnPresenceInfoChanged@05422040> service=@0542E32C
name=kimberli13@hotmail.com state=1 type=1 dirty=0x0000006f
caps=0x4419c02006000000
[11:06:54.23] 13bc PresenceIM.dll: Zone_Identity
CIdentity::OnGetServiceTicketResponse(1965)@0x053569B8: (msn.com)
[11:06:54.23] 13bc PresenceIM.dll: Zone_Identity
CIdentity::OnGetServiceTicketResponse(1965)@0x053569B8:
(messengersecure.live.com)
[11:06:54.23] 13bc PresenceIM.dll: Zone_Identity
CIdentity::OnGetServiceTicketResponse(1965)@0x053569B8: (ssl.live.com)
[11:06:54.55] 1094 Messenger: Zone_HotmailService
CHotmailService::OnConnectionChanged@0043DF30: 5 (MSNP21) Validated: 0,
Managed: 0
[11:06:54.55] 1094 Messenger: Zone_HotmailService
CHotmailService::OnMePresenceInfoChanged@0043DF30: Updating local user
endpoints
[11:06:54.55] 1094 Messenger: Zone_MPOP
CHotmailService::UpdateBuddyEndpoints@0043DF30: Updating the Endpoints
for : kimberli13@hotmail.com
[11:06:54.55] 1094 Messenger: Zone_HotmailService
CPresenceSession::OnMePresenceInfoChanged@05422040> service=@0542E32C
flags=0x00000243
[11:06:54.57] 1094 Messenger: Zone_HotmailService
CPresenceSession::OnPresenceInfoChanged@05422040> service=@0542E32C
name=kimberli13@hotmail.com state=2 type=1 dirty=0x00000063
caps=0xdf9fdf90b6249120
[11:06:54.57] 1094 Messenger: Zone_HotmailService
CPresenceSession::OnSignedIn@05422040> service=@0542E32C hr=0x00000000
service=IM cookie=3
[11:06:54.57] 1094 Messenger: Zone_MPOP
CEndpointData::FillOutFromPresenceEndpoint@067D3888: Capabilities:
3055849760:3751796624 (B6249120:DF9FDF90)
[11:06:54.57] 1094 Messenger: Zone_MPOP
CEndpointList::CEndpointList@0014F574: Adding Endpoint Id:
1:kimberli13@hotmail.com;epid={7ccb133-f3bf-4ed1-bb51-3c77b84e9ba2}
[11:06:54.57] 1094 Messenger: Zone_MPOP
CHotmailService::UpdateBuddyEndpoints@0043DF30: endpoints added: 1
removed: 0 updated: 0

```

[11:06:54.57] 1094           Messenger:           Zone_MPOP
CEndpointCountToast::OnUserEndpointAdded@02D0AC38:109:
kimberli13@hotmail.com;{7ccbf133-f3bf-4ed1-bb51-3c77b84e9ba2}
[11:06:54.57] 1094           Messenger:           Zone_MPOP
CHotmailService::UpdateBuddyEndpoints@0043DF30() = 0x00000000
[11:06:54.57] 1094           Messenger:           Zone_HotmailService
CHotmailService::OnMePresenceInfoChanged@0043DF30: Delaying local state
update until fully logged state=2
[11:06:54.57] 1094           Messenger:           Zone_HotmailService
CHotmailService::OnPresenceInfoChanged@0043DF30: Getting update for MeYou
update, discarding
[11:06:54.57] 1094           PresenceIM.dll:           Zone_Identity
CIdentity::CompleteRequestInCreatorThread(2378)@0x053569B8: Raising
OnGetServiceTicketCompleted (Target = messengerclear.live.com, hrResponse
= 0x00000000)
[11:06:54.57] 1094           Messenger:           Zone_HotmailService
CMessengerServiceTicketRequest::OnGetServiceTicketCompleted> request=1,
service=messengerclear.live.com, hr=0x00000000
[11:06:54.57] 1094           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentity(0x0014F538)
[11:06:54.57] 1094           Messenger:           Zone_IdentityCRL
*ppIdentityOut = 0x053569B8
[11:06:54.57] 1094           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentity() = 0x0
[11:06:54.57] 1094           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: complete='MessengerRpsTicket' hr=0x00000000
[11:06:54.57] 1094           Messenger:           Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=2 pending=0 running=2
[11:06:54.57] 1094           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='LivePlatform' remaining={}
[11:06:54.57] 1094           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='LivePlatform'
[11:06:54.57] 1094           Messenger:           Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[11:06:54.63] 1094           PresenceIM.dll:           Zone_Identity
CIdentity::CompleteRequestInCreatorThread(2378)@0x053569B8: Raising
OnGetServiceTicketCompleted (Target = msn.com, hrResponse = 0x00048861)
[11:06:54.63] 1094           PresenceIM.dll:           Zone_Identity
CIdentity::CompleteRequestInCreatorThread(2378)@0x053569B8: Raising
OnGetServiceTicketCompleted (Target = messengersecure.live.com,
hrResponse = 0x00048861)
[11:06:54.63] 1094           PresenceIM.dll:           Zone_Identity
CIdentity::CompleteRequestInCreatorThread(2378)@0x053569B8: Raising
OnGetServiceTicketCompleted (Target = ssl.live.com, hrResponse =
0x00048861)
[11:06:54.63] 1094           Messenger:           Zone_HotmailService
CHotmailService::OnMePresenceInfoChanged@0043DF30: Updating local user
endpoints
[11:06:54.63] 1094           Messenger:           Zone_MPOP
CHotmailService::UpdateBuddyEndpoints@0043DF30: Updating the Endpoints
for : kimberli13@hotmail.com
[11:06:54.63] 1094           Messenger:           Zone_MPOP
CEndpointData::FillOutFromPresenceEndpoint@067D3B08: Capabilities:
3055849760:3751796624 (B6249120:DF9FDF90)

```


[11:06:54.63] 1094 Messenger: Zone_MPOP
CEndpointList::CEndpointList@0014F574: Adding Endpoint Id:
1:kimberli13@hotmail.com;epid={7ccbf133-f3bf-4ed1-bb51-3c77b84e9ba2}
[11:06:54.63] 1094 Messenger: Zone_MPOP
CHotmailService::UpdateBuddyEndpoints@0043DF30: endpoints added: 0
removed: 0 updated: 0
[11:06:54.63] 1094 Messenger: Zone_MPOP
CHotmailService::UpdateBuddyEndpoints@0043DF30() = 0x00000000
[11:06:54.63] 1094 Messenger: Zone_HotmailService
CHotmailService::OnMePresenceInfoChanged@0043DF30: Delaying local state
update until fully logged state=2
[11:06:54.63] 1094 Messenger: Zone_HotmailService
CHotmailService::OnPresenceInfoChanged@0043DF30: Getting update for MeYou
update, discarding
[11:06:54.63] 1094 Messenger: Zone_HotmailService
CHotmailService::OnConnectionChanged@0043DF30: 5 (MSNP21) Validated: 0,
Managed: 0
[11:06:54.63] 1094 Messenger: Zone_HotmailService
CTaskRunner::OnTaskResult: complete='Presence' hr=0x00000000
[11:06:54.63] 1094 Messenger: Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=1 running=1
[11:06:54.63] 1094 Messenger: Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[11:06:54.63] 1094 Messenger: Zone_HotmailService
CTaskRunner::_RunTasks: running='LivePlatform'
[11:06:55.72] 1094 Contacts: Zone_Api
LivePlatform::Signin(418)@0x05452FB8: PLATFORM :: SignIn :
contacts;sharing;socialnews;psa
[11:06:55.72] 1094 Contacts: Zone_Api
Services::StartServices(271)@0x06794500: SERVICES :: Starting all
services (contacts;sharing;socialnews;psa)
[11:06:55.72] 1094 Contacts: Zone_Api
Services::EnableServices(132)@0x06794500: SERVICES :: Enable=contacts
[11:06:55.72] 1094 Contacts: Zone_Api
Services::EnableServices(132)@0x06794500: SERVICES :: Enable=psa
[11:06:55.72] 1094 Contacts: Zone_Api
Services::EnableServices(132)@0x06794500: SERVICES :: Enable=sharing
[11:06:55.72] 1094 Contacts: Zone_Api
Services::EnableServices(132)@0x06794500: SERVICES :: Enable=socialnews
[11:06:55.72] 1094 Contacts: Zone_Api
Services::StartServices(284)@0x06794500: SERVICES :: Starting all
services (contacts;sharing;socialnews;psa) [result=00000000]
[11:06:55.72] 1094 Contacts: Zone_Api
LivePlatform::Signin(478)@0x05452FB8: PLATFORM :: SignIn :
contacts;sharing;socialnews;psa (result=00000000)
[11:06:55.72] 0d34 Contacts: Zone_Api
Services::InitializeServices(857)@0x06794500: SERVICES :: Initialize
[11:06:55.72] 0d34 Contacts: Zone_Api
Services::InitializeServices(887)@0x06794500: SERVICES :: Initialize
result=0x00000000
[11:06:55.72] 0d34 Contacts: Zone_Api
Services::StartEnabledServices(1063)@0x06794500: SERVICES :: Start

```
[11:06:55.72] 0d34           Contacts:           Zone_Api
Services::AddDependentServices(1034)@0x06794500: SERVICES :: Enabling
'profile' as dependency of 'contacts'
[11:06:55.72] 0d34           Contacts:           Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'contacts'
REQUIRE 'storeType:2'
[11:06:55.72] 0d34           Contacts:           Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'contacts'
REQUIRE 'storeType:2' result=0x00000000
[11:06:55.72] 0d34           Contacts:           Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'profile'
REQUIRE 'storeType:8'
[11:06:55.72] 0d34           Contacts:           Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'profile'
REQUIRE 'storeType:8' result=0x00000000
[11:06:55.72] 0d34           Contacts:           Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'psa' REQUIRE
'storeType:d'
[11:06:55.72] 0d34           Contacts:           Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'psa' REQUIRE
'storeType:d' result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'sharing'
REQUIRE 'storeType:9'
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'sharing'
REQUIRE 'storeType:9' result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'socialnews'
REQUIRE 'storeType:9'
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'socialnews'
REQUIRE 'storeType:9' result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::StartEnabledServices(1103)@0x06794500: SERVICES :: Start
result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::CreatePlatformResources(1164)@0x06794500: SERVICES ::
CreatePlatformResources
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnStoreInitialized(518)@0x06794500: SERVICES ::
OnStoreInitialized ready=17
[11:06:55.74] 0d34           Contacts:           Zone_Api
ObjectCache::OnStoreInitialized(779)@0x05453080:
LivePlatform::OnStoreInitialized(eStoreType=17). result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::CreatePlatformResources(1183)@0x06794500: SERVICES ::
CreatePlatformResources result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnStateChange(571)@0x06794500: SERVICES :: service state change
'contacts' --> 2
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnStateChange(607)@0x06794500: SERVICES :: service state change
'contacts' --> 2, result=0x00000000
```

```
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnStateChange(571)@0x06794500: SERVICES :: service state change
'profile' --> 2
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnStateChange(607)@0x06794500: SERVICES :: service state change
'profile' --> 2, result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnStateChange(571)@0x06794500: SERVICES :: service state change
'psa' --> 2
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnStateChange(607)@0x06794500: SERVICES :: service state change
'psa' --> 2, result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnStateChange(571)@0x06794500: SERVICES :: service state change
'sharing' --> 2
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnStateChange(607)@0x06794500: SERVICES :: service state change
'sharing' --> 2, result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnStateChange(571)@0x06794500: SERVICES :: service state change
'socialnews' --> 2
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::OnStateChange(607)@0x06794500: SERVICES :: service state change
'socialnews' --> 2, result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1222)@0x06794500: SERVICES :: Notify
'config'
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1265)@0x06794500: SERVICES :: Notify
'config' result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1222)@0x06794500: SERVICES :: Notify
'storeType:2'
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1265)@0x06794500: SERVICES :: Notify
'storeType:2' result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1222)@0x06794500: SERVICES :: Notify
'storeType:8'
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1265)@0x06794500: SERVICES :: Notify
'storeType:8' result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1222)@0x06794500: SERVICES :: Notify
'storeType:d'
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1265)@0x06794500: SERVICES :: Notify
'storeType:d' result=0x00000000
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1222)@0x06794500: SERVICES :: Notify
'storeType:9'
[11:06:55.74] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1265)@0x06794500: SERVICES :: Notify
'storeType:9' result=0x00000000
```

[11:06:55.74] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'contacts' -> 'storeType:2'
[11:06:55.74] 0d34 Contacts: Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15C70: SERVICE(contacts):
'storeType:2' ready [Needed=config;auth;storeType:2;service:profile,
Acquired=storeType:2, Waiting=]
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'contacts'
REQUIRE 'config'
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'contacts'
REQUIRE 'config' result=0x00000000
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'contacts' -> 'storeType:2' result=0x00000000
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'profile' -> 'storeType:8'
[11:06:55.74] 0d34 Contacts: Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15D60: SERVICE(profile):
'storeType:8' ready [Needed=config;auth;storeType:8,
Acquired=storeType:8, Waiting=]
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'profile'
REQUIRE 'config'
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'profile'
REQUIRE 'config' result=0x00000000
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'profile' -> 'storeType:8' result=0x00000000
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'psa' -> 'storeType:d'
[11:06:55.74] 0d34 Contacts: Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15E50: SERVICE(psa):
'storeType:d' ready [Needed=config;auth;storeType:d,
Acquired=storeType:d, Waiting=]
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'psa' REQUIRE
'config'
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'psa' REQUIRE
'config' result=0x00000000
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'psa' -> 'storeType:d' result=0x00000000
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'sharing' -> 'storeType:9'
[11:06:55.74] 0d34 Contacts: Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15F40: SERVICE(sharing):

'storeType:9' ready [Needed=config;auth;storeType:9,
Acquired=storeType:9, Waiting=]
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'sharing'
REQUIRE 'config'
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'sharing'
REQUIRE 'config' result=0x00000000
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'sharing' -> 'storeType:9' result=0x00000000
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'socialnews' -> 'storeType:9'
[11:06:55.74] 0d34 Contacts: Zone_Api
PlatformService::ResourceAvailable(204)@0x02D16030: SERVICE(socialnews):
'storeType:9' ready [Needed=config;auth;storeType:9;service:contacts,
Acquired=storeType:9, Waiting=]
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'socialnews'
REQUIRE 'config'
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'socialnews'
REQUIRE 'config' result=0x00000000
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'socialnews' -> 'storeType:9' result=0x00000000
[11:06:55.74] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'contacts' -> 'config'
[11:06:55.74] 0d34 Contacts: Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15C70: SERVICE(contacts):
'config' ready [Needed=config;auth;storeType:2;service:profile,
Acquired=storeType:2;config, Waiting=]
[11:06:55.77] 18ec Contacts: Zone_Api
Identity::Logon(378)@0x0685D3A8: IDENTITY(0685D3A8): Authentication
result=0x00000000
[11:06:55.77] 18ec Contacts: Zone_Api
Services::OnAuthenticationComplete(1390)@0x06794500: SERVICES ::
Auth_Complete result=0x00000000
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'contacts'
REQUIRE 'auth'
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'contacts'
REQUIRE 'auth' result=0x00000000
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'contacts' -> 'config' result=0x00000000
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'profile' -> 'config'
[11:06:55.77] 0d34 Contacts: Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15D60: SERVICE(profile):

'config' ready [Needed=config;auth;storeType:8,
Acquired=storeType:8;config, Waiting=]
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'profile'
REQUIRE 'auth'
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'profile'
REQUIRE 'auth' result=0x00000000
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'profile' -> 'config' result=0x00000000
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'psa' -> 'config'
[11:06:55.77] 0d34 Contacts: Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15E50: SERVICE(psa):
'config' ready [Needed=config;auth;storeType:d,
Acquired=storeType:d;config, Waiting=]
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'psa' REQUIRE
'auth'
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'psa' REQUIRE
'auth' result=0x00000000
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'psa' -> 'config' result=0x00000000
[11:06:55.77] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'sharing' -> 'config'
[11:06:55.77] 0d34 Contacts: Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15F40: SERVICE(sharing):
'config' ready [Needed=config;auth;storeType:9,
Acquired=storeType:9;config, Waiting=]
[11:06:55.79] 0d34 Contacts: Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'sharing'
REQUIRE 'auth'
[11:06:55.79] 0d34 Contacts: Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'sharing'
REQUIRE 'auth' result=0x00000000
[11:06:55.79] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'sharing' -> 'config' result=0x00000000
[11:06:55.79] 0d34 Contacts: Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'socialnews' -> 'config'
[11:06:55.79] 0d34 Contacts: Zone_Api
PlatformService::ResourceAvailable(204)@0x02D16030: SERVICE(socialnews):
'config' ready [Needed=config;auth;storeType:9;service:contacts,
Acquired=storeType:9;config, Waiting=]
[11:06:55.79] 0d34 Contacts: Zone_Api
Services::OnRequireResource(674)@0x06794500: SERVICES :: 'socialnews'
REQUIRE 'auth'

```
[11:06:55.79] 0d34           Contacts:           Zone_Api
Services::OnRequireResource(698)@0x06794500: SERVICES :: 'socialnews'
REQUIRE 'auth' result=0x00000000
[11:06:55.79] 0d34           Contacts:           Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'socialnews' -> 'config' result=0x00000000
[11:06:55.79] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1222)@0x06794500: SERVICES :: Notify
'auth'
[11:06:55.79] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1265)@0x06794500: SERVICES :: Notify
'auth' result=0x00000000
[11:06:55.79] 0d34           Contacts:           Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'contacts' -> 'auth'
[11:06:55.79] 0d34           Contacts:           Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15C70: SERVICE(contacts):
'auth' ready [Needed=config;auth;storeType:2;service:profile,
Acquired=storeType:2;config;auth, Waiting=]
[11:06:56.01] 0d34           Contacts:           Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'contacts' -> 'auth' result=0x00000000
[11:06:56.01] 0d34           Contacts:           Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'profile' -> 'auth'
[11:06:56.01] 0d34           Contacts:           Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15D60: SERVICE(profile):
'auth' ready [Needed=config;auth;storeType:8,
Acquired=storeType:8;config;auth, Waiting=]
[11:06:56.71] 0d34           Contacts:           Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'profile' -> 'auth' result=0x00000000
[11:06:56.71] 0d34           Contacts:           Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'psa' -> 'auth'
[11:06:56.71] 0d34           Contacts:           Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15E50: SERVICE(psa): 'auth'
ready [Needed=config;auth;storeType:d, Acquired=storeType:d;config;auth,
Waiting=]
[11:06:56.79] 0d34           Contacts:           Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'psa' -> 'auth' result=0x00000000
[11:06:56.79] 0d34           Contacts:           Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'sharing' -> 'auth'
[11:06:56.79] 0d34           Contacts:           Zone_Api
PlatformService::ResourceAvailable(204)@0x02D15F40: SERVICE(sharing):
'auth' ready [Needed=config;auth;storeType:9,
Acquired=storeType:9;config;auth, Waiting=]
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'sharing' -> 'auth' result=0x00000000
```

```
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyServiceOfResource(1334)@0x06794500: SERVICES :: Notify
'socialnews' -> 'auth'
[11:06:56.82] 0d34           Contacts:           Zone_Api
PlatformService::ResourceAvailable(204)@0x02D16030: SERVICE(socialnews):
'auth' ready [Needed=config;auth;storeType:9;service:contacts,
Acquired=storeType:9;config;auth, Waiting=]
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyServiceOfResource(1348)@0x06794500: SERVICES :: Notify
'socialnews' -> 'auth' result=0x00000000
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::OnStateChange(571)@0x06794500: SERVICES :: service state change
'contacts' --> 4
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::OnStateChange(607)@0x06794500: SERVICES :: service state change
'contacts' --> 4, result=0x00000000
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::OnStateChange(571)@0x06794500: SERVICES :: service state change
'profile' --> 4
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::OnStateChange(607)@0x06794500: SERVICES :: service state change
'profile' --> 4, result=0x00000000
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::OnStateChange(571)@0x06794500: SERVICES :: service state change
'psa' --> 4
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::OnStateChange(607)@0x06794500: SERVICES :: service state change
'psa' --> 4, result=0x00000000
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::OnStateChange(571)@0x06794500: SERVICES :: service state change
'sharing' --> 4
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::OnStateChange(607)@0x06794500: SERVICES :: service state change
'sharing' --> 4, result=0x00000000
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::OnStateChange(571)@0x06794500: SERVICES :: service state change
'socialnews' --> 4
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::OnStateChange(607)@0x06794500: SERVICES :: service state change
'socialnews' --> 4, result=0x00000000
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1222)@0x06794500: SERVICES :: Notify
'service:contacts'
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1265)@0x06794500: SERVICES :: Notify
'service:contacts' result=0x00000000
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1222)@0x06794500: SERVICES :: Notify
'service:profile'
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1265)@0x06794500: SERVICES :: Notify
'service:profile' result=0x00000000
```



```

[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1222)@0x06794500: SERVICES :: Notify
'service:psa'
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1265)@0x06794500: SERVICES :: Notify
'service:psa' result=0x00000000
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1222)@0x06794500: SERVICES :: Notify
'service:sharing'
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1265)@0x06794500: SERVICES :: Notify
'service:sharing' result=0x00000000
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1222)@0x06794500: SERVICES :: Notify
'service:socialnews'
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyResourceAvailable(1265)@0x06794500: SERVICES :: Notify
'service:socialnews' result=0x00000000
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyAllServicesStarted(1449)@0x06794500: SERVICES :: Notify
all services started
[11:06:56.82] 0d34           Contacts:           Zone_Api
LivePlatform::OnServicesReady(1103)@0x05452FB8: PLATFORM :: Ready (5, 5,
0)
[11:06:56.82] 0d34           Contacts:           Zone_Api
Services::NotifyAllServicesStarted(1486)@0x06794500: SERVICES :: Notify
all services started result=0x00000000 (Success=5, Failed=0)
[11:06:56.85] 1094           Messenger:      Zone_HotmailService contacts
service = synchronized
[11:06:56.85] 1094           Messenger:      Zone_HotmailService contacts
service = synchronized
[11:06:56.85] 1094           Messenger:      Zone_HotmailService
PlatformReady = true
[11:06:56.85] 1094           Messenger:      Zone_HotmailService
hr=0x00000000
[11:06:56.85] 1094           Messenger:Zone_Contact_Replication Initial
Signin -- OnReady
[11:06:56.85] 1094           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LivePlatform' hr=0x00000000
[11:06:56.85] 1094           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=1
[11:06:56.85] 1094           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={LMC}
[11:06:56.85] 1094           Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=1
[11:06:57.10] 1450           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=13)
[11:07:01.09] 1450           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=2)
[11:07:01.09] 1094           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='LMC' hr=0x00000000
[11:07:01.09] 1094           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=1 pending=0 running=0

```

```

[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: dependant='StoreAdapter' remaining={}
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: queuing='StoreAdapter'
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_QueueTasks: waiting=0
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CTaskRunner::_RunTasks: running='StoreAdapter'
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinalConstruct
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::SetStoreAdapter
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnReady
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
CStoreAdapter::FinishLoadingIfReady
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreListEnumerate
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
CStoreAdapter::EnumerateStoreObjects
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertMeContact > unread email count set
to 0
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 0
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: Not handling
change to ePropType: 0 for ME contact.
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
property = HomePhone, value = NotAString
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 1
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: Not handling
change to ePropType: 1 for ME contact.
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
property = WorkPhone, value = NotAString
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 2
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: Not handling
change to ePropType: 2 for ME contact.
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
property = MobilePhone, value = +526647255259
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 3
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
property = IsMobileEnabled, value = NotAString
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 4
[11:07:01.09] 1094      Messenger:      Zone_StoreAdapter
property = IsMBEA, value = N
[11:07:01.09] 1094      Messenger:      Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 5

```

[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityMobileOnline, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 6
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityP2PAware, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 7
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = UserTileActualObjectStoreName, value = <msnobj
Creator="kimberli13_@hotmail.com" Type="3"
SHA1D="d8dMHuTKt215bEVVVcRlNDH0yn0=" Size="4350" Location="0"
Friendly="PwAAAA==" />
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 8
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityWebCamDetected, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 9
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySupportsChunking, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 10
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = ServerId, value = c5bd42a3-f949-46c3-ba24-295318cfb798
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 11
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = FriendlyName, value = kimberli13_@hotmail.com
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 12
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityWebIMClient, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 13
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: Not handling
change to ePropType: 13 for ME contact.
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = FirstName, value = PAOLA
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 14
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabiltiyConnectedViaTGW, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 15
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySupportsWinks, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 16
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: Not handling
change to ePropType: 16 for ME contact.

[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = IsMobileBuddy, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 17
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = StatusMessage, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 18
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CurrentMedia, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 19
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySupportsVoiceIM, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 20
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = SuggestVideoCount, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 21
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = SuggestUpsellCount, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 22
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSChannel, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 23
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CID, value = -999964482718167511
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 24
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSipInvite, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 25
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = SuggestVideoTimer, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 26
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = SuggestUpsellTimer, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 27
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityIsBot, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 28
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: Not handling
change to ePropType: 28 for ME contact.
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = Messenger4, value = NotAString

[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 29
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = NooIconUrl, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 30
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = DDPActualObjectStoreName, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 31
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityP2PSupportsTurn, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 32
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityP2PBootstrapViaUUN, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 33
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySupportsTunneledSip, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 34
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityRTCVideoEnabled, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 35
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = SceneActualObjectStoreName, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 36
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = ColorScheme, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 39
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = BadgeActualObjectStoreName, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 40
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySharingVideoSupport, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 41
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySupport1On1ViaGroup, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 42
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityNudgeEnabled, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 43
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityCircleVoiceIMEnabled, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 44

[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySharingEnabled, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 45
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityMobileSuspendIMFanoutDisable, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 46
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityConvWindowFileTransfer, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 47
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityVideoCallSupports16x9, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 48
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = Capability SIPTunnelVersion2, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 49
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityVoiceClipSupportsWMAFormat, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 50
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityVoiceClipSupportsCircleIM, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 51
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySupportsSocialNewsObjectTypes, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 52
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityCustomEmoticonsCapable, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 53
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityUTF8MoodMessagesSupported, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 54
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityFTURNCapable, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 55
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilityRemoteP2PObjectStoreFetch , value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 56
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = AnimatedSceneActualObjectStoreName, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 57
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySupportsP4Activity, value = NotAString

[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreLocalPropertyChanged@0043DF30: ePropType: 58
[11:07:01.09] 1094 Messenger: Zone_StoreAdapter
property = CapabilitySupportsMultiPartyIM, value = NotAString
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
06A0B6A0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
06A10120
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
06A103A0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
06A10A20
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = snoop_opi03@hotmail.com, contactType = 1, store object =
06A130A0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = yahoo:edgardhino10@yahoo.com, contactType = 32, store
object = 06A13F20

[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = player269@hotmail.com, contactType = 1, store object =
06A141A0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
06A14420
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
06A146A0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = felixjpz@hotmail.com, contactType = 1, store object =
06A18D38
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 06A18FC0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
06A19248

[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = kikirikito_chu@hotmail.com, contactType = 1, store object
= 06A194D0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
06A19758
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
06A199E0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = vija_gzllz@hotmail.com, contactType = 1, store object =
06A19C68
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = carlos_mc159@hotmail.com, contactType = 1, store object =
06A19EF0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = kimberli13_@hotmail.com, contactType = 1, store object =
06A1A178

[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = ludwin_engel@hotmail.com, contactType = 1, store object =
06A1A400
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = bombon-angel-1@hotmail.com, contactType = 1, store object =
06A1A688
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = calamardo_159@hotmail.com, contactType = 1, store object =
06A1A910
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = enbuscadeunanuevaesperanza@hotmail.com, contactType = 1,
store object = 06A22538
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
06A227C0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = el_supernene91@hotmail.com, contactType = 1, store object =
06A22A48

[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
06A22CD0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = CLAULIZ_LEX@hotmail.com, contactType = 1, store object =
06A22F58
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
06A231E0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 06A23468
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
06A236F0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
06A23978

[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = 1.alo.49@hotmail.com, contactType = 1, store object =
06A23C00
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = charalracing7@hotmail.com, contactType = 1, store object =
06A23E88
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 06A24110
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
06A27938
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = trolitol2@hotmail.com, contactType = 1, store object =
06A27BC0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 1, contactId = 0,
strContactId = leo_05_07@hotmail.com, contactType = 1, store object =
06A27E48

[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
06A280D0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
06A28358
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = bichito_07@hotmail.com, contactType = 1, store object =
06A285E0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = cerebral.dead@hotmail.com, contactType = 1, store object =
06A28868
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
06A28AF0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
06A28D78

[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
06A29000
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = alana_baun602@hotmail.com, contactType = 1, store object =
06A29288
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
06A29510
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = hee@bk.ru, contactType = 1, store object = 06A30938
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = la_keimy_scoof_tkm@hotmail.com, contactType = 1, store
object = 06A30BC0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = yahoo:chikinkatcher@yahoo.com, contactType = 32, store
object = 06A30E48

[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = kl_louis@hotmail.com, contactType = 1, store object =
06A310D0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = chikinkatcher@yahoo.com, contactType = 1, store object =
06A31358
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
06A315E0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
06A31868
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
06A31AF0
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = mamurris02@hotmail.com, contactType = 1, store object =
06A31D78

[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.09] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = pier_69k@hotmail.com, contactType = 1, store object =
06A32000
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
06A32288
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
06A32510
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = kl_louis@hotmail.com, contactType = 1, store object =
06A391E8
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 06A39470
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = digato@live.com, contactType = 1, store object = 06A396F8

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = eduardito25_3@hotmail.com, contactType = 1, store object =
06A39980
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = alan_moreno7@hotmail.com, contactType = 1, store object =
06A39C08
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
06A39E90
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = alex_herp@hotmail.com, contactType = 1, store object =
06A3A118
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = yahoo:lupita0583@yahoo.com, contactType = 32, store object
= 06A3A3A0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 06A3A628

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
06A3A8B0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = brOw_one@hotmail.com, contactType = 1, store object =
06A3AB38
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 06A3ADC0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = asmgomez@hotmail.com, contactType = 1, store object =
06A471E8
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
06A47470
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
06A476F8

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
06A47980
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = arta_avit@hotmail.com, contactType = 1, store object =
06A47C08
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = yahoo:honestman_always@yahoo.com, contactType = 32, store
object = 06A47E90
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
06A48118
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
06A483A0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
06A48628

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = mariaemigdia2@hotmail.com, contactType = 1, store object =
06A488B0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = carlitos.euphoria@hotmail.com, contactType = 1, store
object = 06A48B38
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = calox_ac@hotmail.com, contactType = 1, store object =
06A48DC0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
06A521E8
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = ana_hi88@hotmail.com, contactType = 1, store object =
06A52470
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = christian77narvaez@hotmail.com, contactType = 1, store
object = 06A526F8

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
06A52980
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = naPpyboy_ckrizz@hotmail.com, contactType = 1, store object
= 06A52C08
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
06A52E90
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
06A53118
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = VickeyEmeraldaibt@hotmail.com, contactType = 1, store
object = 06A533A0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = CLAU_LIZ_LEX@hotmail.com, contactType = 1, store object =
06A53628

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
06A538B0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
06A53B38
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = jdh_1989911_@hotmail.com, contactType = 1, store object =
06A53DC0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = f_chorcho_g@hotmail.com, contactType = 1, store object =
06A591E8
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
06A59470
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 06A596F8

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = gavo_9116@hotmail.com, contactType = 1, store object =
06A59980
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = absolut_whisky05@hotmail.com, contactType = 1, store
object = 06A59C08
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = tabomalo_13@hotmail.com, contactType = 1, store object =
06A59E90
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = yurethzi_glez@hotmail.com, contactType = 1, store object =
06A5A118
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object
= 06A5A3A0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
06A5A628

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
06A5A8B0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = zar-j86@hotmail.com, contactType = 1, store object =
06A5AB38
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = chaparritochamps@hotmail.com, contactType = 1, store
object = 06A5ADC0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = JoseArturo@bersamex.com, contactType = 1, store object =
06A5D9E8
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
06A5DC70
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = juribega@hotmail.es, contactType = 1, store object =
06A5DEF8

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
06A5E180
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = tina86cristy@hotmail.com, contactType = 1, store object =
06A5E408
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = gedc_3@hotmail.com, contactType = 1, store object =
06A5E690
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = la_nieka@hotmail.com, contactType = 1, store object =
06A5E918
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = luison_10@hotmail.com, contactType = 1, store object =
06A5EBA0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = kykyn28@hotmail.com, contactType = 1, store object =
06A5EE28

```
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = trolito12@hotmail.com, contactType = 1, store object =
06A5F0B0
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = enbuscadeunanuevasperanza@hotmail.com, contactType = 1,
store object = 06A5F338
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = t_hemax@hotmail.com, contactType = 1, store object =
06A5F5C0
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
06A6E9E8
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
06A6EC70
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = fidelangelmemu@hotmail.com, contactType = 1, store object
= 06A6EEF8
```

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = real_mr.hope@hotmail.com, contactType = 1, store object =
06A6F180
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = el_gerardoO_@hotmail.com, contactType = 1, store object =
06A6F408
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = olyzavaleta@hotmail.com, contactType = 1, store object =
06A6F690
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = barry19842009@live.co.uk, contactType = 1, store object =
06A6F918
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = omarprado.s@hotmail.com, contactType = 1, store object =
06A6FBA0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = miiss_penelope@hotmail.com, contactType = 1, store object =
06A6FE28

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = otmarito_10@hotmail.com, contactType = 1, store object =
06A700B0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = Gesmo_hmpk@hotmail.com, contactType = 1, store object =
06A70338
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = pmoreno67@hotmail.com, contactType = 1, store object =
06A705C0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = b_r_a_n_d_o_n@hotmail.es, contactType = 1, store object =
06A749E8
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
06A74C70
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = rivera-kevin@live.com, contactType = 1, store object =
06A74EF8

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = elokitopenk@hotmail.com, contactType = 1, store object =
06A75180
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = skrowersote@hotmail.com, contactType = 1, store object =
06A75408
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = knifex01@hotmail.com, contactType = 1, store object =
06A75690
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = deniz.mavisi68@hotmail.com, contactType = 1, store object =
06A75918
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = RAKEL_VICDV87@hotmail.com, contactType = 1, store object =
06A75BA0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = pablo_mp67@hotmail.com, contactType = 1, store object =
06A75E28

```
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
06A760B0
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = ken.doe@hotmail.com, contactType = 1, store object =
06A76338
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = nana_roxio@hotmail.com, contactType = 1, store object =
06A765C0
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
06A81DE8
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = lil_beits_420@hotmail.com, contactType = 1, store object =
06A82070
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = skrowersote@hotmail.com, contactType = 1, store object =
06A822F8
```

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = 00000000-0000-0000-0009-elab0db61252, contactType = 64,
store object = 06A82580
[11:07:01.11] 1094 Messenger: Zone_Circles
CMsgCircle::IsInCircle@02D91238: returning 0x0, fInCircle = 0
[11:07:01.11] 1094 Messenger: Zone_Circles
CMsgCircle::AddMemberLocally@02D91238: adding kimberli13@hotmail.com to
00000000-0000-0000-0009-elab0db61252
[11:07:01.11] 1094 Messenger: Zone_Circles
CBuddy::AddCircle@05430958: buddy=kimberli13@hotmail.com
circle=00000000-0000-0000-0009-elab0db61252 hr=0x 0
[11:07:01.11] 1094 Messenger: Zone_Circles
CHotmailService::OnStoreListAdd create circle returned 0x0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = sa.ra.ii@hotmail.com, contactType = 1, store object =
06A82808
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = jamontano10@hotmail.com, contactType = 1, store object =
06A82A90
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = metalira@hotmail.com, contactType = 1, store object =
06A82D18
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = zorritarosita@hotmail.com, contactType = 1, store object =
06A82FA0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = frecsa_dwda@hotmail.com, contactType = 1, store object =
06A83228
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = miguelmonu@hotmail.com, contactType = 1, store object =
06A834B0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 2, contactId = 0,
strContactId = dcecilia247@hotmail.com, contactType = 1, store object =
06A83738
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = alfredo_fil413@hotmail.com, contactType = 1, store object
= 06A839C0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = slowerk@hotmail.com, contactType = 1, store object =
06A88DE8
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = beits_mck@hotmail.com, contactType = 1, store object =
06A89070
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = pimpboy_552@hotmail.com, contactType = 1, store object =
06A892F8
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = NAVI_BRT13@hotmail.com, contactType = 1, store object =
06A89580
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = super_12310@hotmail.com, contactType = 1, store object =
06A89808
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = eduart26@hotmail.com, contactType = 1, store object =
06A89A90
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = rusol3_2@hotmail.com, contactType = 1, store object =
06A89D18
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = KEVINCARTOON_@hotmail.com, contactType = 1, store object =
06A89FA0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = gahf86@hotmail.com, contactType = 1, store object =
06A8A228
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = hasmet_k@hotmail.com, contactType = 1, store object =
06A8A4B0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = pumas_ramiro@hotmail.com, contactType = 1, store object =
06A8A738
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = anekdoten01@hotmail.com, contactType = 1, store object =
06A8A9C0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = juliohijo@hotmail.com, contactType = 1, store object =
06A94CD0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = claudy_girl16@hotmail.com, contactType = 1, store object =
06A94F58
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 3, contactId = 0,
strContactId = latin_tony@hotmail.com, contactType = 1, store object =
06A951E0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 4, contactId = 0,
strContactId = souljump@hotmail.com, contactType = 1, store object =
06A95468
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 4, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 06A956F0
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 1, store object =
06A95978
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 1, contactId = 0,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
06A95C00
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::UpdateContactTypeOnBuddy@0043DF30: list = 1,
strContactId = nck.khc@gmail.com, contactType = 2 >> is taking over
contactType = 1
[11:07:01.11] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListRemove@0043DF30: list = 4, contactId = 0,
strContactId = nck.khc@gmail.com, strMemberId = nck.khc@gmail.com

```
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 1, contactId = 0,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 06A95E88
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 1, contactId = 0,
strContactId = souljamp@hotmail.com, contactType = 1, store object =
06A96110
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.11] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling
GetBuddyPropertiesFromStoreMember...
[11:07:01.11] 1450           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=9)
[11:07:01.11] 1450           Messenger:Zone_Contact_Platform_Errors
CLoadContacts::OnStoreInitialized> (eStoreType=17)
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name Favoritos storeId 282
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertGroup name amigos storeId 283
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 284,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 285,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 286,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 287,
IsUnknownBuddy = false
```

```
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 288,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 289,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 290,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 291,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 292,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 293,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 294,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 295,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 296,
IsUnknownBuddy = false
```

```

[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 297,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 298,
IsUnknownBuddy = false
[11:07:01.14] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = souljump@hotmail.com
storeId = 299
[11:07:01.14] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 0, contactId = 299,
strContactId = souljump@hotmail.com, contactType = 1, store object =
004229F0
[11:07:01.14] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.26] 1094           Contacts:        Zone_Chk
livenetwork.cpp:897 ERROR:"" failed with 0x802F0028.
[11:07:01.26] 1094           Contacts:        Zone_Chk
livenetwork.cpp:897 ERROR:"" failed with 0x802F0028.
[11:07:01.26] 1094           Contacts:        Zone_Chk
livenetwork.cpp:897 ERROR:"" failed with 0x802F0028.
[11:07:01.26] 1094           Contacts:        Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:01.26] 1094           Contacts:        Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:01.26] 1094           Contacts:        Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:01.28] 1094           Contacts:        Zone_Chk
contact.cpp:766 ERROR:"" failed with 0x80070057.
[11:07:01.28] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[11:07:01.28] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreStateChanged@0043DF30: souljump@hotmail.com
(storeId = 299) state changed to 1
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 299,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 300,
IsUnknownBuddy = false

```

```
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 301,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 302,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 303,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 304,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 305,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 306,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 307,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 308,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 309,
IsUnknownBuddy = false
```

```
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 310,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 311,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 312,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 313,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 314,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 315,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 316,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 317,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 318,
IsUnknownBuddy = false
```



```
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 319,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 320,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 321,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 322,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 323,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 324,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 325,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 326,
IsUnknownBuddy = false
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 327,
IsUnknownBuddy = false
```

[11:07:01.29] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.29] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 328,
IsUnknownBuddy = false
[11:07:01.29] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name =
henryguerrero01@hotmail.com storeId = 329
[11:07:01.29] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 0, contactId = 329,
strContactId = henryguerrero01@hotmail.com, contactType = 1, store object
= 06AB58F8
[11:07:01.29] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser
[11:07:01.32] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...
[11:07:01.32] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@0043DF30:
henryguerrero01@hotmail.com (storeId = 329) state changed to 1
[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 329,
IsUnknownBuddy = false
[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 330,
IsUnknownBuddy = false
[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 331,
IsUnknownBuddy = false
[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 332,
IsUnknownBuddy = false
[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 333,
IsUnknownBuddy = false
[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

```
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 334,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 335,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 336,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 337,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 338,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 339,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 340,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 341,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 342,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
```

```
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 344,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 345,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 346,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 347,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 348,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 349,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 350,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 351,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 352,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact name = nck.khc@gmail.com
storeId = 353
```

[11:07:01.32] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd@0043DF30: list = 0, contactId = 353,
strContactId = nck.khc@gmail.com, contactType = 2, store object =
06ABD8F8

[11:07:01.32] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd successfully created spUser

[11:07:01.32] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreListAdd calling GetPropertiesFromStoreContact...

[11:07:01.32] 1094 Messenger: Zone_HotmailService
CHotmailService::OnStoreStateChanged@0043DF30: nck.khc@gmail.com (storeId
= 353) state changed to 1

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 353,
IsUnknownBuddy = false

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 354,
IsUnknownBuddy = false

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 355,
IsUnknownBuddy = false

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 356,
IsUnknownBuddy = false

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 357,
IsUnknownBuddy = false

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 358,
IsUnknownBuddy = false

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.

[11:07:01.32] 1094 Messenger: Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 359,
IsUnknownBuddy = false

```
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 360,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 361,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 362,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 363,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 364,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 365,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 366,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 367,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 368,
IsUnknownBuddy = false
```

```
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 369,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 370,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 371,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 372,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 373,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 374,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreInsertContact> Resolving LKPNeeded state
and Jaguire state.
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::ResolveJaguireState> storeId = 375,
IsUnknownBuddy = false
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property change count =
1
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapterEventSink::OnStoreChangeMeContact Me property = StatusState
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter WARNING
--- CStoreAdapterEventSink::OnStoreChangeContactProperty not handling
property = StatusState, Me = YES
[11:07:01.32] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnStoreListSyncEnded
[11:07:01.32] 1094           Messenger:      Zone_HotmailService contacts
service = delaysynchronized
```

```

[11:07:01.32] 1094           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: complete='StoreAdapter' hr=0x00000000
[11:07:01.32] 1094           Messenger:      Zone_HotmailService
CTaskRunner::OnTaskResult: waiting=0 pending=0 running=0
[11:07:01.32] 1094           Messenger:      Zone_HotmailService
CTaskRunner::_TasksComplete: hr=0x00000000
[11:07:01.32] 1094           Messenger:      Zone_HotmailService
CHotmailService::OnInvitesReady
[11:07:01.32] 1094           Messenger:      Zone_StoreAdapter
CStoreAdapter::SetLocalState mstate = 2
[11:07:01.32] 1094           Messenger:      Zone_IM_Messages
ConversationMgr::InitializeConversations@02CE5C78: enter
[11:07:01.32] 1094           Messenger:      Zone_IM_Messages
ConversationMgr::InitializeConversations@02CE5C78: leave
[11:07:01.32] 1094           Messenger:      Zone_HotmailService
CHotmailService::FireLogonResult@0043DF30: hr = 0x0
[11:07:01.32] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:01.32] 1094           Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:07:01.32] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:01.37] 1094           Messenger:      Zone_Voice
CVoiceVideoPlatformLogon::OnLogonResult - Connected by http proxy -
Begining proxy detection
[11:07:01.37] 1094           Messenger:      Zone_Voice
CVoiceVideoPlatformLogon::BeginHttpProxyDetection [0x53dd2a0] >
Attempting to detect HTTP proxy settings.
[11:07:01.37] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:01.37] 1094           Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:07:01.37] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:01.37] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:01.37] 1094           Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:07:01.37] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:01.39] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:01.39] 1094           Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:07:01.39] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:01.39] 1094           Messenger:      Zone_LogonState
CUIManager::OnLogonResult hr=[0x0] m_dwUILogonFlags=[1]
[11:07:01.39] 1094           Messenger:      Zone_UI
CUIManager::OnLogonResult@02D0A7E8: enter
[11:07:01.39] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:01.39] 1094           Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com

```



```

[11:07:01.39] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:01.39] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:01.39] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[11:07:01.39] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:01.39] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:01.39] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[11:07:01.39] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:01.39] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:01.39] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:01.39] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:01.39] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity(0x0014F454)
[11:07:01.39] 1094      Messenger:      Zone_IdentityCRL
      *ppIdentityOut = 0x053569B8
[11:07:01.39] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity() = 0x0
[11:07:01.40] 1464      Messenger:      Zone_Net
CIEProxyFromWinHttp::Run (06B37A08) > Failed to detect HTTPS proxy from
WinHttp, using Wininet
[11:07:01.40] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity(0x0014F4E8)
[11:07:01.40] 1094      Messenger:      Zone_IdentityCRL
      *ppIdentityOut = 0x053569B8
[11:07:01.40] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentity() = 0x0
[11:07:01.40] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::GetBrandID(704)@0x053569B8: *pbstrBrandIdOut =
[11:07:01.40] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::GetPersisted(928)@0x053569B8: eCredType = 2
[11:07:01.40] 1094      Messenger:      Zone_ConfigInfo
CUIManager::HookConfigInfo - HOOK_EVENT for CConfigServerClientEvents
[11:07:01.40] 1094      Messenger:      Zone_ConfigInfo
CSMsgrGetConfigInfo - with with fRefresh=false
[11:07:01.40] 1094      Messenger:      Zone_ConfigInfo
CSMsgrGetConfigInfo: URL being requested is:
https://secure.wlxrs.com/~Live.ConfigServer/~::~/~op-
GetClientConfig/~ts-16102505/~Country-MX/~CLCID-0c0a/~PLCID-
0c0a/config.xml
[11:07:01.40] 1094      Messenger:      Zone_ConfigInfo
ClientVersion=16.4.3528.331
[11:07:01.40] 1094      Messenger:      Zone_ConfigInfo
CSMsgrGetConfigInfo - first run
[11:07:01.40] 1094      Messenger:      Zone_ConfigInfo
CSMsgrGetConfigInfo: UserAgent = Mozilla/4.0 (compatible; MSIE 7.0;

```

```

Windows NT 6.1; WOW64; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR
3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E;
Windows Live Messenger 16.4.3528.0331)
[11:07:01.43] 1464 Messenger: Zone_Net
CIEProxyFromWinHttp::Run (06B37A08) > No proxy is specified.
[11:07:01.53] 1094 Messenger: Zone_ConfigInfo
CSMsgrGetConfigInfo:CSConfigDownload returned hr = 0x401e8
[11:07:01.59] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::SetTCPNatType:nat type = 0
[11:07:01.59] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::SetUDPNatType:nat type = 0
[11:07:01.59] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::SetTCPNatType:nat type = 0
[11:07:01.59] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::SetCachedUDPNatType:nat type = 0
[11:07:01.59] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::SetCachedTCPNatType:nat type = 0
[11:07:01.59] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::Initialize: Initializing echo client.
[11:07:01.59] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::Initialize: Created window handle (0x1118c).
[11:07:01.59] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::DNSResolveEchoServerName (054D1198) >> resolving
echo.edge.messenger.live.com
[11:07:01.59] 0fa0 LiveNatTrav.dll: Zone_NAT_NatTraversal
CAsyncICFDetector::IsBehindICF: >> ICF+ is OFF
[11:07:01.67] 1094 Messenger: Zone_UI
Constructing CPopupMsg: 054CE690
[11:07:01.78] 0824 LiveNatTrav.dll: Zone_Shared
CAsyncGetAddrInfo::Run >> (0x5498c30) getaddrinfo succeeded for
echo.edge.messenger.live.com, ticks 1, time 187ms
[11:07:05.55] 1094 Messenger: Zone_ConfigInfo
CMyPSManager::CMyPSManager
[11:07:05.55] 1094 Messenger: Zone_ConfigInfo Calling
HOOK_EVENT for PostSignInConfigInfoReceived
[11:07:05.55] 1094 Messenger: Zone_ConfigInfo
CSMsgrGetConfigInfo - with with fRefresh=false
[11:07:05.55] 1094 Messenger: Zone_ConfigInfo
CSMsgrGetConfigInfo - Config server info is being downloaded.
[11:07:05.55] 1094 Messenger: Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [2] to
[5]
[11:07:05.68] 138c Messenger: Zone_LogonState
CSignInUI::StartSignInAnimations
[11:07:05.68] 138c Messenger: Zone_LogonState
CSignInDialogBehavior::StartSignInAnimations m_eState=[0]
[11:07:06.36] 1094 Messenger: Zone_LogonState
CSignInUIController::CreateMainWindow> Main window [067ECFF8] events
hooked
[11:07:06.36] 1094 Messenger: Zone_LogonState
CSignInUIController::CreateMainWindow> hr=0x0 m_nCmdShow=3 state=[5]
[11:07:06.36] 1094 Messenger: Zone_LogonState
CMainWnd::UpdateUIWithLocalState: mstate=2 m_fMinimized=0
fApplicationFirstRun=0

```

```

[11:07:06.57] 1094           Messenger:      Zone_HotmailService
CPresenceSession::OnMePresenceInfoChanged@05422040> service=@0542E32C
flags=0x00000042
[11:07:06.68] 1094           Messenger:      Zone_SocialContent
CSocialContentManager::Initialize: Feeds available
[11:07:06.68] 1094           Messenger:      Zone_SocialContent
CFeedDownloader::Download: url=http://tdy.prodigy.msn.com/scf.aspx
[11:07:06.68] 1094           Messenger:      Zone_SocialContent
CFeedDownloader::Download: url=http://windowsphone.xbox.com/es-
MX/MessengerGames/TabConfig
[11:07:06.68] 1094           Messenger:      Zone_HotmailService
CPresenceSession::OnPresenceInfoChanged@05422040> service=@0542E32C
name=kimberli13@hotmail.com state=2 type=1 dirty=0x00000042
caps=0xdf9fdf90b6249130
[11:07:06.80] 11a8           Messenger:      Zone_SocialContent
CFeedDownloader::OnError: hr=0x80072ee7,
url=http://tdy.prodigy.msn.com/scf.aspx
[11:07:06.85] 1094           Messenger:      Zone_UserTile
CMsgrPersonDuiAdapter::GetStaticUserTile stream pointer =@06B3AAE8
[11:07:06.86] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:06.86] 1094           Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:07:06.86] 1094           Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:06.91] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetMemberID(732)@0x053569B8:      strMemberIdOut =
00060000934B888A
[11:07:06.97] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetMemberID(732)@0x053569B8:      strMemberIdOut =
00060000934B888A
[11:07:06.99] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetMemberID(732)@0x053569B8:      strMemberIdOut =
00060000934B888A
[11:07:06.99] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetMemberID(732)@0x053569B8:      strMemberIdOut =
00060000934B888A
[11:07:06.99] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetMemberID(732)@0x053569B8:      strMemberIdOut =
00060000934B888A
[11:07:06.99] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetMemberID(732)@0x053569B8:      strMemberIdOut =
00060000934B888A
[11:07:06.99] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetMemberID(732)@0x053569B8:      strMemberIdOut =
00060000934B888A
[11:07:07.00] 1094           PresenceIM.dll:      Zone_Identity
CIdentity::GetMemberID(732)@0x053569B8:      strMemberIdOut =
00060000934B888A

```



```

[11:07:07.05] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::GetMemberID(732)@0x053569B8:      strMemberIdOut =
00060000934B888A
[11:07:07.05] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::GetMemberID(732)@0x053569B8:      strMemberIdOut =
00060000934B888A
[11:07:07.05] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:07.05] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:07:07.05] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:07.05] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:07.05] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:07:07.05] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:07.05] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:07.05] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:07:07.07] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:07.07] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:07.07] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:07:07.07] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:07.07] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:07.07] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:07:07.07] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:07.07] 1094      ObjectStore.dll:      Zone_ObjectStore
CObjectStore::GetObjectInternal@053FCB00: Getting Object: Name(<msnobj
Creator="kimberli13@hotmail.com" Type="19"
SHA1D="h0Fq2jkVWf3ZQ/8CBP8PJ8ZLEN4=" Size="28670" Location="0"
Friendly="VwBpAG4AZABvAHcAcwAgAEwAaQB2AGUAAAA="/>) Flags(0x0)
Priority(10) MinDelay(0) MaxDelay(0)
[11:07:07.07] 1094      ObjectStore.dll:      Zone_ObjectStore
CObjectStore::GetRequestTypeForObject@053FCB00: Succeeded with request
type = 2
[11:07:07.07] 1094      PresenceIM.dll:      Zone_Identity
CIdentity::GetMemberID(732)@0x053569B8:      strMemberIdOut =
00060000934B888A

```

```

[11:07:07.07] 10f8      ObjectStore.dll:      Zone_ObjectStore
CRetrieveRequest::Work@0536CAF4: CRetrieveRequest Work()
[11:07:07.16] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:07.16] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[11:07:07.16] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:07.16] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:07.16] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberlil3@hotmail.com
[11:07:07.16] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:07.21] 1094      Messenger:      Zone_ConfigInfo
CAdBrowser::OnHosted - HOOK_EVENT for OnBrandComplete
[11:07:07.24] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.24] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.24] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.24] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.24] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.24] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.38] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.38] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.38] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.41] 05c8      Contacts:      Zone_Chk
binaryobjectstream.cpp:100 ERROR:"" failed with 0x80004001.
[11:07:07.42] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.42] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.42] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.47] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.47] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.47] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.47] 1094      Messenger:      Zone_LogonState
CMainWnd::CreateMainContent: Main Content Creation returns hr=0x0
[11:07:07.49] 1094      Messenger:      Zone_LogonState
CMainWnd::OnMainWndReady: m_fMainWndPresentationReady=0 m_hwnd=397772
[11:07:07.49] 1094      Messenger:      Zone_LogonState
CMainWnd::ShowMainContent: returns hr=0x0

```

```

[11:07:07.55] 1094      Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[11:07:07.55] 1094      Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[11:07:07.55] 1094      Messenger:      Zone_Voice
(videorenderinglayer.cpp:201): ERROR: "" failed with 0x80004005 in .
[11:07:07.55] 1094      Messenger:      Zone_LogonState
CSignInUIController::OnSuccessfulLogon> hr=0x0 m_spMainWnd=108974072,
m_nCmdShow=3
[11:07:07.55] 1094      Messenger:      Zone_LogonState
CSignInUIController::OnLogonSucceeded> hr=[0x0] state=[5]
[11:07:07.55] 1094      Messenger:      Zone_ConfigInfo
CSignInWindowLauncher::Launch - Hook Branding for CSignInWindowLauncher
[11:07:07.56] 1094      Messenger:      Zone_ConfigInfo
CTabManagerDuiBase::downloadTabs - HOOK_EVENT for CCoBranding
[11:07:07.56] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.56] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.56] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.56] 1094      Messenger:      Zone_UI
CUIManager::OnLogonResult@02D0A7E8: leave
[11:07:07.56] 1094      Messenger:      Zone_IM_Messages
CSessionManagerInstance<class CWinSessionManagerDisp<struct
IMsgrSessionManager>,struct IMsgrLock,struct
DMsgrSessionManagerEvents,class CSessionInstance<class
CWinSessionInstanceDisp,struct IMsgrSession,struct IMsgrLock,struct
DMsgrSessionEvents>,0>::FireEvent ln 416 Firing Session Manager event
directly: 12288
[11:07:07.58] 1094      Messenger:      Zone_HotmailService
CMsgrService::FireLocalStateChangeResult@00485340:(S_OK, 0x0002)
[11:07:07.58] 1094      Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hrResult=0x0,
bsLocalState=0x2
[11:07:07.58] 1094      Messenger:      Zone_LogonState
CSignInUIController::OnLocalStateChangeResult> hr=[0x0] state=[5]
[11:07:07.58] 1094      Messenger:      Zone_UI
CUIManager::OnLocalStateChangeResult> Old state=0x200, new state=0x2
[11:07:07.58] 1094      Messenger:      Zone_Net Logon
Performance report - Start & Elapsed Times - In seconds
[11:07:07.58] 1094      Messenger:      Zone_Net
Normalized Start Times:
[11:07:07.58] 1094      Messenger:      Zone_Net
Normalized Contacts Load Start Time      T+      0.0000
[11:07:07.58] 1094      Messenger:      Zone_Net
Normalized Hotmail Services Logon start      T+      0.0000
[11:07:07.58] 1094      Messenger:      Zone_Net
Normalized Messenger Service Logon Start Time      T+      0.0000
[11:07:07.58] 1094      Messenger:      Zone_Net
Normalized Passport IDCRL Logon Start Time:      T+      0.0000
[11:07:07.58] 1094      Messenger:      Zone_Net
Normalized Live Platform Logon Start Time      T+      0.0000

```

```

[11:07:07.58] 1094      Messenger:      Zone_Net
Normalized OnLogonResult Start Time:      T+      0.0000
[11:07:07.58] 1094      Messenger:      Zone_Net Elapsed
Times:
[11:07:07.58] 1094      Messenger:      Zone_Net
Contacts Load Elapsed Time:      0.0000
[11:07:07.58] 1094      Messenger:      Zone_Net
Messenger Service Logon Elapsed Time:      0.0000
[11:07:07.58] 1094      Messenger:      Zone_Net
Passport IDCRL Logon Elapsed Time:      0.0000
[11:07:07.58] 1094      Messenger:      Zone_Net      Live
Platform Logon Elapsed Time:      0.0000
[11:07:07.58] 1094      Messenger:      Zone_Net
OnLogonResult Elapsed Time:      0.0000
[11:07:07.58] 1094      Messenger:      Zone_Net
Combined Hotmail Services Logon Elapsed Time:      0.0000
[11:07:07.58] 1094      Messenger:      Zone_Net
Total HotmailService Logon Elapsed Time:      0.0000
[11:07:07.58] 1094      Messenger:      Zone_LogonState
CBLObject::OnPrimaryPutLocalState: hr: 0x00000000, state: 0x2
[11:07:07.60] 1094      Messenger:      Zone_Net
CIEProxyFromWinHttp::OnMessage (06B37A08) >> got
WM_PROXY_DETECT_COMPLETE_MSG
[11:07:07.60] 1094      PresenceIM.dll:      Zone_Identity
CreateIdentity(431): (kimberli13@hotmail.com, 0x0014F600)
[11:07:07.60] 1094      PresenceIM.dll:      Zone_Identity
CreateIdentity(456): : Found existing IIdentity (053569B8)
[11:07:07.60] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:07.60] 1094      Messenger:      Zone_IdentityCRL
      strMemberNameOut = kimberli13@hotmail.com
[11:07:07.60] 1094      Messenger:      Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:07.60] 1094      Messenger:      Zone_Voice
CActivityManagerInstance::LogOn - Entering
[11:07:07.60] 1094      Messenger:      Zone_Voice
CTunneledRtcActivityProvider::OnLogonToPlatform - hrLogon = 0
[11:07:07.60] 1094      Messenger:      Zone_Voice
CVVSignalServiceAdapter::Initialize - Initializing for SignalType =
AudioMeta
[11:07:07.60] 1094      Messenger:      Zone_Voice
CVVSignalServiceAdapter::Initialize - Initialization complete
[11:07:07.60] 1094      Messenger:      Zone_Voice
CServiceTicketProvider::Initialize -Initializing with Target =
messengerclear.live.com, policy = MBI_KEY
[11:07:07.60] 1094      Messenger:      Zone_Voice
CServiceTicketProvider::Initialize - Advising the identity interface for
event call backs
[11:07:07.61] 1094      Messenger:      Zone_Voice
CServiceTicketProvider::GetCachedTicketAtLogon > Entering
[11:07:07.61] 1094      Messenger:      Zone_Voice
CServiceTicketProvider::GetCachedTicketAtLogon > Getting the ticket at
logon from the active identity

```



```

[11:07:07.61] 1094           Messenger:           Zone_Voice
CServiceCredentials::SetSessionKeyInfo - Session Key length = 24
[11:07:07.61] 1094           Messenger:           Zone_Voice
CBaseServiceConnectionInfo::Initialize - Succeeded getting a cached
ticket
[11:07:07.61] 1094           Messenger:           Zone_Voice
CServiceTicketProvider::GetCachedTicketAtLogon > Entering
[11:07:07.61] 1094           Messenger:           Zone_Voice
CServiceTicketProvider::GetCachedTicketAtLogon > Getting the ticket at
logon from the active identity
[11:07:07.61] 1094           Messenger:           Zone_Voice
CServiceCredentials::SetSessionKeyInfo - Session Key length = 24
[11:07:07.61] 1094           Messenger:           Zone_Voice
CBaseServiceConnectionInfo::Initialize - Succeeded getting a cached
ticket
[11:07:07.61] 1094           Messenger:           Zone_Voice
CVVSignalServiceAdapter::Initialize - Initializing for SignalType =
AudioTunnel
[11:07:07.61] 1094           Messenger:           Zone_Voice
CVVSignalServiceAdapter::Initialize - Initialization complete
[11:07:07.61] 1094           Messenger:           Zone_Voice
CLocalVoiceProxy::Action_Start > Starting Socket Proxy.
[11:07:07.61] 1094           Messenger:           Zone_Voice
CLocalVoiceProxy::Action_Start > Successfully started Socket Proxy.
[11:07:07.61] 1094           Messenger:           Zone_Voice
CLocalVoiceProxy::Action_RaiseLocalVoiceProxyConnectionAvailable > Local
Voice Proxy Connection Available.
[11:07:07.66] 1094           Messenger:           Zone_ConfigInfo
CUIManager::OnPreProcessConfigInfo - UNHOOK_EVENT for
CConfigServerClientEvents
[11:07:07.77] 1094           Messenger:           Zone_UI
CUIManager::OnPostSigninConfigInfoReceived(0x0)
[11:07:07.77] 1094           Messenger:           Zone_UI Passport
market detected: es-MX
[11:07:07.77] 1094           Messenger:           Zone_UI
CUIManager::OnPostSigninConfigInfoReceived() - starting personalization
[11:07:07.77] 1094           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentity(0x0014F2F0)
[11:07:07.77] 1094           Messenger:           Zone_IdentityCRL
*ppIdentityOut = 0x053569B8
[11:07:07.77] 1094           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentity() = 0x0
[11:07:07.77] 1094           PresenceIM.dll:       Zone_Identity
CIdentity::GetBrandID(704)@0x053569B8: *pbstrBrandIdOut =
[11:07:07.77] 1094           Messenger:           Zone_UI BrandID
= ''
[11:07:07.77] 1094           Messenger:           Zone_UI Got
<Brands> = 05F77A68 from config server.
[11:07:07.77] 1094           Messenger:           Zone_UI
CCoBranding::Instance().Update() returned false.
[11:07:07.77] 1094           Messenger:           Zone_UI
CCoBranding::Instance().Switch(0) == true
[11:07:07.77] 1094           Messenger:           Zone_UI
OnPostSigninConfigInfoReceived() - processed synchronously

```

```

[11:07:07.77] 1094           Messenger:           Zone_ConfigInfo
CTabManagerDuiBase::OnBrandComplete - UNHOOK_ALL_EVENTS for CCoBranding
[11:07:07.91] 1094           Messenger:           Zone_ConfigInfo
CSignInWindowLauncher::OnPersonalizationComplete - Unhook for Brand
Loaded
[11:07:07.91] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.91] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.91] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:07.91] 1094           Messenger:           Zone_ConfigInfo
UNHOOK_EVENT for CConfigServerClientEvents
[11:07:07.91] 1094           Messenger:           Zone_ConfigInfo
CAdBrowser::OnPostSignInBrandInfoReceived - UNHOOK_ALL_EVENTS for
OnPostSignInBrandInfoReceived
[11:07:07.91] 11a8           Messenger:           Zone_SocialContent
CFeedDownloader::OnError: hr=0x801941f4,
url=http://windowsphone.xbox.com/es-MX/MessengerGames/TabConfig
[11:07:07.94] 1094           Messenger:           Zone_ConfigInfo
CMainWnd::OnBrandComplete
[11:07:07.94] 1094           Messenger:           Zone_LogonState
CMainWnd::OnMainWndReady: m_fMainWndPresentationReady=1 m_hwnd=397772
[11:07:07.94] 1094           Messenger:           Zone_LogonState
CMainWnd::ShowMainContent: returns hr=0x0
[11:07:07.94] 1094           Messenger:           Zone_ConfigInfo
CErrorResponder::OnPostSignInConfigInfoReceived - UNHOOK_EVENT for
CConfigServerClientEvents
[11:07:08.03] 1094           Messenger:           Zone_ConfigInfo
CProductProviderMgr::_OnConfigInfoReceived UNHOOK_EVENT for
CConfigServerClientEvents
[11:07:08.17] 1094           LiveNatTrav.dll:   Zone_NAT_NatTraversal
CEchoClient::OnEchoICFDetector@054D1198:fIsBehindICF = false
[11:07:08.17] 1094           LiveNatTrav.dll:   Zone_NAT_NatTraversal
CEchoClient::OnServerNameResolved: echo server address 64.4.45.216:7001
[11:07:08.17] 1094           LiveNatTrav.dll:   Zone_NAT_NatTraversal
CEchoClient::OnServerNameResolved: dump sending echo packet.
[11:07:08.17] 1094           LiveNatTrav.dll:   Zone_NAT_NatTraversal
CEchoClient::OutputEchoPacket:   version: 0x2   service code: 0x4
transaction ID: 0x0
[11:07:08.17] 1094           LiveNatTrav.dll:   Zone_NAT_NatTraversal
CEchoClient::OutputEchoPacket   client port: 0   client addr 0.0.0.0
[11:07:08.17] 1094           LiveNatTrav.dll:   Zone_NAT_NatTraversal
CEchoClient::OutputEchoPacket   discard port: 0   test port: 0   test
addr: 0.0.0.0
[11:07:08.24] 1094           LiveNatTrav.dll:   Zone_NAT_NatTraversal
CEchoClient::OnServerNameResolved: True local internet facing address is
192.168.0.107.
[11:07:08.24] 1094           LiveNatTrav.dll:   Zone_NAT_NatTraversal
CEchoClient::OnServerNameResolved: Found correct local address at index
0.
[11:07:08.24] 1094           LiveNatTrav.dll:   Zone_NAT_NatTraversal
CEchoClient::OnServerNameResolved: Set local address to 192.168.0.107.

```

```

[11:07:08.24] 1094      LiveNatTrav.dll:      Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest: created new socket (4100).
[11:07:08.24] 1094      LiveNatTrav.dll:      Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest@054D1198: bound to internal addr 0.0.0.0:0
[11:07:08.24] 1094      LiveNatTrav.dll:      Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest: Sent request from 0.0.0.0:64820 to echo
server
[11:07:08.24] 1094      LiveNatTrav.dll:      Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest: Sent request to echo
server(64.4.45.216:7001)
[11:07:08.24] 1094      LiveNatTrav.dll:      Zone_NAT_NatTraversal
CEchoClient::StartNATProbe@054D1198: Sent first echo request from
192.168.0.107:64820.
[11:07:09.41] 1094      Messenger:      Zone_HotmailService
CHotmailService::OnMePresenceInfoChanged@0043DF30: Updating local user
endpoints
[11:07:09.41] 1094      Messenger:      Zone_MPOP
CHotmailService::UpdateBuddyEndpoints@0043DF30: Updating the Endpoints
for : kimberli13@hotmail.com
[11:07:09.42] 1094      Messenger:      Zone_MPOP
CEndpointData::FillOutFromPresenceEndpoint@05349968: Capabilities:
3055849776:3751796624 (B6249130:DF9FDF90)
[11:07:09.42] 1094      Messenger:      Zone_MPOP
CEndpointList::CEndpointList@0014F574: Adding Endpoint Id:
1:kimberli13@hotmail.com;epid={7ccbf133-f3bf-4ed1-bb51-3c77b84e9ba2}
[11:07:09.42] 1094      Messenger:      Zone_MPOP
CHotmailService::UpdateBuddyEndpoints@0043DF30: endpoints added: 0
removed: 0 updated: 1
[11:07:09.42] 1094      Messenger:      Zone_MPOP
CHotmailService::UpdateBuddyEndpoints@0043DF30() = 0x00000000
[11:07:09.42] 1094      Messenger:      Zone_HotmailService
CHotmailService::OnPresenceInfoChanged@0043DF30: Getting update for MeYou
update, discarding
[11:07:09.44] 1094      ObjectStore.dll:      Zone_ObjectStore
CRetrieveRequest::OnComplete@0536CAF4: hr = 0x0, name: <msnobj
Creator="kimberli13@hotmail.com" Type="19"
SHA1D="h0Fq2jkVwf3ZQ/8CBP8PJ8ZLEN4=" Size="28670" Location="0"
Friendly="VwBpAG4AZABvAHcAcwAgAEwAaQB2AGUAAAA="/>
[11:07:09.44] 1094      ObjectStore.dll:      Zone_ObjectStore
CObjectStoreElement::GetFromMap (contentid) not found
[11:07:09.73] 1094      PresenceIM.dll:      Zone_Identity
CreateIdentity(431): (kimberli13@hotmail.com, 0x069025FC)
[11:07:09.73] 1094      PresenceIM.dll:      Zone_Identity
CreateIdentity(456): : Found existing IIdentity (053569B8)
[11:07:09.73] 1094      ObjectStore.dll:      Zone_ObjectStore
CDiskCachingLayer::Initialize: Using cache path:
C:\Users\ppj\AppData\Local\Temp\MessengerCache
[11:07:09.73] 1094      ObjectStore.dll:      Zone_ObjectStore
CDiskCachingLayer::Initialize: Using cache path:
C:\Users\ppj\AppData\Local\Temp\MessengerCache\SessionCache\kimberli13_@h
otmail.com
[11:07:09.73] 1094      ObjectStore.dll:      Zone_ObjectStore
CObjectStoreLockdown::OnConfigUpdated(103)@0x0843AEF8: New locked down
hashes <hashes>

```

</hashes>

```
[11:07:09.75] 1094           Messenger:           Zone_LogonState
CSignInUIController::OnMainWindowReady> m_spSignInDialogWrapper=00419078
m_spMainWnd=067ECFF8, dialoghwnd=00021172
[11:07:09.75] 1094           Messenger:           Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [5] to
[6]
[11:07:09.75] 1094           Messenger:           Zone_LogonState
CSignInDialogWrapper::CloseSignInDialog m_spSignInUI=054195D0
m_spUxSigninDialog=054194D0
[11:07:09.75] 1094           Messenger:           Zone_LogonState
CSignInUIController::OnMainWindowReady> hr=[0x0] state=[6]
[11:07:09.75] 1094           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName()
[11:07:09.75] 1094           Messenger:           Zone_IdentityCRL
    strMemberNameOut = kimberlil3@hotmail.com
[11:07:09.75] 1094           Messenger:           Zone_IdentityCRL
CIdentityClient::GetActiveIdentityMemberName() = 0x0
[11:07:09.75] 1094           Messenger:           Zone_LogonState
CBLObject::SetImplicitState: implicit: 0x12, current: 0x2, set: 0x0
[11:07:09.90] 1094           Messenger:           Zone_Voice
CTurnDigestConnectionInfo::GetServiceConnectivityInfo - Using TLS port
since we are connected with HTTPProxy
[11:07:09.90] 1094           Messenger:           Zone_Voice
CRtcEndpoint::CRtcEndpoint [0x82cf588] > pEndpointInternal=0x83dba18
[11:07:09.90] 1094           Messenger:           Zone_Voice
CRtcEndpointManager::CreateEndpoint [0x5358720] > New endpoint
(pEndpoint=0x82cf588, pEndpointInternal=0x83dba18).
[11:07:10.03] 138c           Messenger:           Zone_LogonState
CSignInUI::TerminateDialog entered
[11:07:10.03] 138c           Messenger:           Zone_LogonState
CSignInUI::TerminateDialog raising OnSignInDialogDestroyed this=054195D0
[11:07:10.03] 138c           Messenger:           Zone_LogonState
CSignInUI::TerminateDialog exits
[11:07:10.36] 1094           Messenger:           Zone_Voice
CRtcEndpointManager::CreateEndpoint [0x5358720] > Configuring signaling
settings.
[11:07:10.40] 1094           Messenger:           Zone_Voice
CRtcEndpointManager::CreateEndpoint [0x5358720] > Configuring media
connectivity settings.
[11:07:10.40] 1094           Messenger:           Zone_Voice
(rtcendpoint.cpp:1241): ERROR: [Not setting port range as its disabled]
"" failed with 0x80004005 in .
[11:07:10.40] 1094           Messenger:           Zone_Voice
CRtcEndpointManager::SetMediaPortRangeIfSpecified - Exiting
SetMediaPortRangeIfSpecified:mediaType=1,hr=0x80004005
[11:07:10.40] 1094           Messenger:           Zone_Voice
(rtcendpoint.cpp:1241): ERROR: [Not setting port range as its disabled]
"" failed with 0x80004005 in .
[11:07:10.40] 1094           Messenger:           Zone_Voice
CRtcEndpointManager::SetMediaPortRangeIfSpecified - Exiting
SetMediaPortRangeIfSpecified:mediaType=2,hr=0x80004005
[11:07:10.44] 1094           Messenger:           Zone_Voice
CRtcEndpointManager::CreateEndpoint [0x5358720] > Adding TURN
```

```

configuration (address=relay.voice.edge.messenger.live.com,
domain=relay.voice.edge.messenger.live.com).
[11:07:10.44] 1094 Messenger: Zone_Voice
CRtcEndpointManager::CreateEndpoint [0x5358720] > Setting UDP port =
1863.
[11:07:10.44] 1094 Messenger: Zone_Voice
CRtcEndpointManager::CreateEndpoint [0x5358720] > Setting TCP port = 443.
[11:07:10.44] 1094 Messenger: Zone_Voice
CTunneledRtcActivityProvider::OnLocalVoiceProxyConnectionAvailable
[0x5355ec8] > Created new endpoint (pEndpoint=0x82cf588).
[11:07:10.44] 1094 Messenger: Zone_Voice
CRtcEndpointInternal::Enable [0x83dba18] > Enabling endpoint
(pIUccEndpoint=0x2d2a6c0, attempt=1).
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::OnMessage:Received NAT detection select message
(socket=4100, error=0, event=1).
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::ProcessNATDetection > Phase 2
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::ReceiveEchoResponse:ICMP unreachable error for UDP, need to
fix F5 in server or APCON in lab err = 0x2746
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::ReceiveEchoResponse:Failure receiving response err = 0x2746
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::ProcessNATDetection:Failure in NAT detection, hr=0x80072746,
Phase = 2
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::ProcessNATDetection: Attempting to retry UDP NAT detection,
retry attempt 1.
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::CloseSendSocket:closing socket 4100.
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest: created new socket (4428).
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest@054D1198: bound to internal addr 0.0.0.0:0
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest: Sent request from 0.0.0.0:56653 to echo
server
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest: Sent request to echo
server(64.4.45.216:7001)
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::StartNATProbe@054D1198: Sent first echo request from
192.168.0.107:56653.
[11:07:10.73] 1094 LiveNatTrav.dll: Zone_NAT_NatTraversal
CEchoClient::OnNatDetectionCompleted: NAT detection not DONE yet, phase =
2.
[11:07:10.79] 1094 Contacts: Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:10.79] 1094 Contacts: Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:10.79] 1094 Contacts: Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.

```

```

[11:07:10.86] 1094          Messenger:          Zone_LogonState
CSignInUIController::TransitionState>Enter Transition from state [6] to
[7]
[11:07:10.86] 1094          Messenger:          Zone_LogonState
CSignInUIController::OnSignInDialogDestroyed> hr=[0x0] state=[7]
[11:07:10.89] 1094          Messenger:          Zone_Voice
CLocalVoiceProxy::Action_AcceptConnection > Accepting connection request.
[11:07:11.36] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::OnMessage:Received NAT detection select message
(socket=4428, error=0, event=1).
[11:07:11.36] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::ProcessNATDetection > Phase 2
[11:07:11.36] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::ReceiveEchoResponse:ICMP unreachable error for UDP, need to
fix F5 in server or APCON in lab err = 0x2746
[11:07:11.36] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::ReceiveEchoResponse:Failure receiving response err = 0x2746
[11:07:11.36] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::ProcessNATDetection:Failure in NAT detection, hr=0x80072746,
Phase = 2
[11:07:11.36] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::ProcessNATDetection: Attempting to retry UDP NAT detection,
retry attempt 2.
[11:07:11.36] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::CloseSendSocket:closing socket 4428.
[11:07:11.37] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest: created new socket (4428).
[11:07:11.37] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest@054D1198: bound to internal addr 0.0.0.0:0
[11:07:11.37] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest: Sent request from 0.0.0.0:56557 to echo
server
[11:07:11.37] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::SendEchoRequest: Sent request to echo
server(64.4.45.216:7001)
[11:07:11.37] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::StartNATProbe@054D1198: Sent first echo request from
192.168.0.107:56557.
[11:07:11.37] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::OnNatDetectionCompleted: NAT detection not DONE yet, phase =
2.
[11:07:11.85] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::OnMessage:Received NAT detection select message
(socket=4428, error=0, event=1).
[11:07:11.85] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::ProcessNATDetection > Phase 2
[11:07:11.85] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::ReceiveEchoResponse:ICMP unreachable error for UDP, need to
fix F5 in server or APCON in lab err = 0x2746
[11:07:11.85] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::ReceiveEchoResponse:Failure receiving response err = 0x2746
[11:07:11.85] 1094          LiveNatTrav.dll:     Zone_NAT_NatTraversal
CEchoClient::ProcessNATDetection:Failure in NAT detection, hr=0x80072746,
Phase = 2

```

```

[11:07:11.85] 1094      LiveNatTrav.dll:      Zone_NAT_NatTraversal
CEchoClient::SetTCPNatType:nat type = 7
[11:07:11.85] 1094      LiveNatTrav.dll:      Zone_NAT_NatTraversal
CEchoClient::SetUDPNatType:nat type = 7
[11:07:11.85] 1094      LiveNatTrav.dll:      Zone_NAT_NatTraversal
CEchoClient::OnNatDetectionCompleted: NAT detection completed, phase =
18.
[11:07:11.85] 1094      LiveNatTrav.dll:      Zone_NAT_NatTraversal
CEchoClient::CloseSendSocket:closing socket 4428.
[11:07:11.85] 1094      Messenger:      Zone_UI
CEchoClientSession::OnStart@0549F0C8:onHr = 0x0
[11:07:11.85] 1094      LiveNatTrav.dll:      Zone_NAT_NatTraversal
CEchoClient::SetCachedUDPNatType:nat type = 7
[11:07:11.85] 1094      LiveNatTrav.dll:      Zone_NAT_NatTraversal
CEchoClient::SetCachedTCPNatType:nat type = 7
[11:07:11.85] 1094      Messenger:      Zone_Voice
CLocalVoiceProxy::Action_ProcessRegister > Verify incoming REGISTER with
appropriate lvpkey
[11:07:11.85] 1094      Messenger:      Zone_Voice
CLocalVoiceProxy::Action_ProcessRegister > Sending 200/OK to incoming
REGISTER
[11:07:11.85] 1094      Messenger:      Zone_Voice
CLocalVoiceProxy::SetCallId > Failure Setting CallId (hr=0x85190106).
[11:07:12.00] 1094      Messenger:      Zone_Voice
CRtcEndpointInternal::OnEnable [0x83dba18] > fIsComplete=1,
hrStatusCode=0x0
[11:07:12.00] 1094      Messenger:      Zone_Voice
CTunneledRtcActivityProvider::OnEndpointStateChanged [0x05355EC8] >
Endpoint state has changed (pEndpoint=0x82cf588, state=1,
statusCode=0x0).
[11:07:12.00] 1094      Messenger:      Zone_Voice
CTunneledRtcActivityProvider::OnEndpointStateChanged [0x5355ec8] >
Registered with local voice proxy.
[11:07:12.51] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:12.51] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:12.51] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:14.01] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:14.01] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:14.01] 1094      Contacts:      Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:07:14.01] 1094      Messenger:      Zone_UI
Destructing CPopupMsg: 054CE690
[11:07:14.02] 1094      Messenger:      Zone_LogonState
CMainWnd::UpdateUIWithLocalState: mstate=2 m_fMinimized=0
fApplicationFirstRun=0
[11:07:14.02] 1094      Messenger:      Zone_LogonState
CMainWnd::OnMainWndReady: m_fMainWndPresentationReady=1 m_hwnd=397772
[11:07:14.02] 1094      Messenger:      Zone_LogonState
CMainWnd::ShowMainContent: returns hr=0x0

```

[illegible]


```

[11:12:39.49] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:46.14] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:46.14] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:46.14] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:50.40] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:50.40] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:50.40] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:50.40] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:50.40] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:50.40] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:50.40] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:50.40] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:50.40] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:50.40] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:59.41] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:59.41] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:12:59.41] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:13:06.30] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:13:06.30] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:13:06.30] 1094           Contacts:           Zone_Chk
livenetwork.cpp:402 ERROR:"" failed with 0x802F0028.
[11:15:04.55] 1584           Messenger:Zone_ConnectionTroubleshooter
Pinged gateway 192.168.0.1
[11:15:05.97] 1094           PresenceIM.dll:           Zone_MSNP
CTCPNetworkLayer::Connect (083E5BD8) (100) >> connecting to
messenger.hotmail.com:1863
[11:15:05.99] 1094           Messenger:           Zone_Net
CConnTestDialog::OnConnectionStateChange recieved state change for
id(100) from 1 to 3
[11:15:05.99] 1094           PresenceIM.dll:           Zone_MSNP
CTCPNetworkLayer::ResolveHost (083E5BD8) >> resolving
messenger.hotmail.com
[11:15:06.01] 0824           PresenceIM.dll:           Zone_Shared
CAsyncGetAddrInfo::Run >> (0x693daf0) getaddrinfo succeeded for
messenger.hotmail.com, ticks 1, time 0ms

```

```

[11:15:06.02] 1094           Messenger:           Zone_Net
CConnTestDialog::OnConnectionStateChange recieved state change for
id(100) from 3 to 5
[11:15:06.02] 1094           PresenceIM.dll:       Zone_MSNP
CTCPNetworkLayer::ConnectToIP (083E5BD8) (100) >> connecting to
65.55.252.168:1863
[11:15:06.02] 1094           PresenceIM.dll:       Zone_MSNP
CTCPNetworkLayer::ConnectToIP (083E5BD8) (100) >> success 0x083e5bd8,
socket=3936, LastWsaErr=10035, WM(1056)
[11:15:25.70] 1584           PresenceIM.dll:       Zone_MSNP
CHTTPNetworkLayer::SendHttpDataInternal@08391EA0: (103) >> Posted to URL
(26 bytes), hr = 0x0
https://messenger.hotmail.com/gateway/gateway.dll?Action=open&Server=NS
[11:15:25.94] 1584           PresenceIM.dll:       Zone_MSNP
CHTTPNetworkLayer::HttpCallback@08391EA0: (103) >> called back with
0x80072f06 (HTTP:0)
[11:15:25.94] 1584           Messenger:Zone_ConnectionTroubleshooter
Failed to ping cloud 80072f06
[11:15:25.94] 1584           Messenger:           Zone_P2PTransport
CMSNDiagnosys::_RefreshEchoClient@087DE2FC: eNatType = 7
[11:15:27.10] 1094           PresenceIM.dll:       Zone_MSNP
CTCPNetworkLayer::OnMessage (083E5BD8) (100) >> Got
WM_WSASELECT_MESSAGE(1056) from WSAAsyncSelect for socket = 3936, wsaerr
= 10060, event = FD_CONNECT
[11:15:27.10] 1094           PresenceIM.dll:       Zone_MSNP
CTCPNetworkLayer::OnError (083E5BD8) (100) >> called with 0x8007274c
[11:15:27.10] 1094           PresenceIM.dll:       Zone_MSNP
CTCPNetworkLayer::OnSocketClose (083E5BD8) (100) closing socket 3936
[11:15:27.10] 1094           Messenger:           Zone_Net
CConnTestDialog::OnConnectionStateChange recieved state change for
id(100) from 5 to 1
[11:17:36.11] 1094           PresenceIM.dll:       Zone_MSNP
CTCPNetworkLayer::Disconnect:083E5BD8. m_sock == 4294967295
[11:17:36.11] 1094           Messenger:           Zone_Net
CConnTestDialog::OnConnectionStateChange recieved state change for
id(100) from 1 to 1
[11:46:18.49] 1094           PresenceIM.dll:       Zone_MSNP
CTCPNetworkLayer::Connect (083E5550) (100) >> connecting to
messenger.hotmail.com:1863
[11:46:18.49] 1094           Messenger:           Zone_Net
CConnTestDialog::OnConnectionStateChange recieved state change for
id(100) from 1 to 3
[11:46:18.49] 1094           PresenceIM.dll:       Zone_MSNP
CTCPNetworkLayer::ResolveHost (083E5550) >> resolving
messenger.hotmail.com
[11:46:18.59] 0300           PresenceIM.dll:       Zone_Shared
CAsyncGetAddrInfo::Run >> (0x8a98918) getaddrinfo succeeded for
messenger.hotmail.com, ticks 1, time 94ms
[11:46:18.59] 1094           Messenger:           Zone_Net
CConnTestDialog::OnConnectionStateChange recieved state change for
id(100) from 3 to 5
[11:46:18.59] 1094           PresenceIM.dll:       Zone_MSNP
CTCPNetworkLayer::ConnectToIP (083E5550) (100) >> connecting to
65.55.252.168:1863

```

```
[11:46:18.59] 1094      PresenceIM.dll:      Zone_MSNP
CTCPNetworkLayer::ConnectToIP (083E5550) (100) >> success 0x083e5550,
socket=4024, LastWsaErr=10035, WM(1056)
[11:46:29.21] 1094      PresenceIM.dll:      Zone_MSNP
CTCPNetworkLayer::Disconnect:083E5550. m_sock == 4024
[11:46:29.21] 1094      Messenger:      Zone_Net
CConnTestDialog::OnConnectionStateChange recieved state change for
id(100) from 5 to 0
[11:46:29.21] 1094      PresenceIM.dll:      Zone_MSNP
CTCPNetworkLayer::OnSocketClose (083E5550) (100) closing socket 4024
[11:46:29.21] 1094      Messenger:      Zone_Net
CConnTestDialog::OnConnectionStateChange recieved state change for
id(100) from 0 to 1
[11:46:40.69] 16f4      Messenger:Zone_ConnectionTroubleshooter
Pinged gateway 192.168.0.1
```