*.현장명 : 오산 운암주공3단지 - 6(set) (등기구업체-다온텍)

LED BAR-누드&클립&잭타입 10000K = 13501

10000K = 1350L

선길이-1.5M

SMPS 100W

335

LED BAR-누드&클립&잭타입

10000K = 1350L

360

335

12/2


100 TE

LED BAR - 1350=24(EA) SMPS-100W-6(EA)


특수-후면 활로겐(2EA)

NO DATE		> \(\)				
REVISIONS				1		
DEN CHK APR						
	(주) 미 래 기		TRACED BY DRAWN BY DESCRIPTION			
	게 기 었	IS COLUMN IS COLUMN IS		1495		
ANGLE	2024. 07. 10		(8) Part I			
DWG. NO	DWG. NAME	PROJECT	Part Name : 아크립 Mat.Spec : 광학산PC 3.0t Size : 1495 x 598mm Quantity : 12 EA			
MB-90940710-10-07 SHERT	Light Case Accessory	오산 운암주공3단지	7		598	
SHEET						

현장명: 진영제일고 그린스마트 미래학교 - 1(set) SMPS W09 (등기구업체 - 서한컴파니) LED BAR-누드&클립&잭타입 10000K = 1400LLED BAR-누드&클립&잭타입 10000K = 1400L선길이-1.5M **SMPS** W09 LED BAR - 1400=4EA) SMPS (60W)=2(EA) N-20-2 타입



125p x 10 *.항공사라운지(1~4) - 4(set) (등기구업체-다온텍) (10000K-누드&클립&잭타입) **LED BAR - 1400** 150W SMPS 200W **SMPS** 선 길이-1M 선 길이-1M Car Inside-W1600xD1550 LED BAR - 1400=44(EA) SMPS (200W)-4(EA) SMPS (150W)-4(EA) Spland of or



선길이-1.5M

SMPS (60W)

LED BAR-(누드&클립&잭타입) 10000K-1250L

LED BAR-(누드&클립&잭타입)

10000K-1250L

LED BAR-(누드&클립&잭타입) 10000K-1250L

LED BAR-(누드&클립&잭타입) 10000K-1250L

CAR INSIDE

W1400 x D1350

선길이-1.5M

SMPS (60W)

현장명 : 다완테크-서명 E-24039 의성농업기술센터 선길이-1.5M SMPS (60W) (등기구업체 : 다온텍) LED BAR-(누드&클립&잭타입) 10000K-950L LED BAR-(누드&클립&잭타입) 10000K-950L LED BAR-(누드&클립&잭타입) 10000K-950L 선길이-1.5M SMPS (60W) $1(set_{SMPS(60W)=2(EA)}$ LED BAR-(누드&클립&잭타입) 10000K-950L LED BAR-950L=4(EA) N20타입 W1400 x D1030 CAR INSIDE

현장명 : 문앤썬-동탄9중 - 1(set) AL PROFILE TUBE (마구리포함) -1498L LED BAR-누드&클립&잭타입-10000K-1400L (LED BAR-누드&클립&잭타입-10000K-1550L) (LED BAR-누드&클립&잭타입-10000K-1550L) (등기구업체 : 다온텍) AL PROFILE TUBE (마구리포함) -1664L AL PROFILE TUBE (마구리포함) -1664L 40 45 LED BAR-누드&클립&잭타입-10000K-1400L 선길이-1.5M AL PROFILE TUBE (마구리포함) -1498L W1800 x D1550 **CAR INSIDE SMPS** 100W

