

*.현장명 : 충남대 OEC센터 2호관외 - 5(set)



LED BAR - 1250=10(EA)
SMPS- (60W)=5(EA)

(등기구업체 - 다운텍)

026-1 타입

선길이-1.5M

SMPS
60 W



1800x1500
인형

Technical drawing of a lighting fixture assembly. The drawing shows a side view of a long, narrow fixture with two main sections labeled "LED BAR 고정용 볼립 선택거리 - 550" and "LED BAR - 10000K - 1250". The total length is 121.5. The width is 20. The drawing also shows a detail of a mounting bracket with dimensions 40, 45, and 20. A note indicates "46.5전선 상부로 인출" (Pull wire to the top of the 46.5mm section) and "Ø20 (전선 인출용)" (Ø20 (wire pull)).

Mat.Spec : AL
Size : 45x40x1343L
Quantity : 0 EA

[illegible]

*.현장명 : 성원엘리베이터-제주도제주시노형동126신축공사

LED BAR-1250L=4(EA)
SMPS(60W)=2(EA)

(등기구업체 : 다운텍)

N20타입

선길이-1.5M

SMPS
(60W)

LED BAR-(누드&블린&잭타임)
10000K-1250L

LED BAR-(누드&블린&잭타임)

10000K-1250L

LED BAR-(누드&블린&잭타임)

LED BAR-(누드&블린&잭타임)

10000K-1250L

LED BAR-(누드&블린&잭타임)

LED BAR-(누드&블린&잭타임)

10000K-1250L

SMPS
(60W)

선길이-1.5M

CAR INSIDE

W1600 x D1350

View
7/26