



*.현장명 : 태화강 회차시설- 1(set)
(등기구업체 - 다운텍)

035타입






Part Name : Profile LED BAR (좌,우)

Mat.Spec:AL

Size : 45x42x1348L

Quantity : 2 EA



Part Name : Profile LED BAR (앞,뒤)

Mat.Spec:AL

Size : 45x42x1464L

Quantity : 2 EA

[illegible]

*.현장명 : 삼성동탄 2공구 외부#3 - 1(set)

(등기구업체 - 다운텍)




LED BAR - 1600=2(EA)
SMPS (60W)=1(EA)

026변형

선길이-1.5M

SMPS
60 W

일반형



9/18/2020
1850x1850
1/1

[illegible]

영양기패미(자)

대구신격아파트상가 202호

Light Case Ass'y

MR-20240104-LC-05

0
SHASTA

Technical drawing of a rectangular panel. The drawing shows a rectangle with a width dimension of 545 and a height dimension of 570. The text "광학신pc" is written vertically inside the rectangle, and "545 x 570 x 3t = 4EA" is written horizontally below it.

광학산pc
545 x 570 x 3t = 4EA

Technical drawing of a 2T and 8T acrylic plate. The drawing shows two views: a side view on the left and a top view on the right. The side view shows a plate with a total width of 10mm, a central hole with a diameter of 8mm, and a total length of 155mm. The top view shows a rectangular plate with a total width of 44mm and a total length of 155mm. The central hole has a diameter of 29mm. The plate is labeled '투명아크릴' (Transparent Acrylic) and '유백색 2T' (Off-white 2T) and '8T'.

투명아크릴
8T

유백색 2T

Part Name : 아크릴 블록 렌즈
Mat.Spec : 10T

Size : 155 x 44mm


Quantity: 6 EA

Part Name : 조명판 아크릴
Mat.Spec : 광학산pc 3.0T
Size : 545 x 570 mm
Quantity : 4 EA

$1000000 \times 2\%$
 $1000000 \times 4\%$
 $1000000 \times 6\%$

*.현장명 : 구리시노인복지관 설치 리모델링#1 - 1(set)
(등기구업체 - 다운텍)

<032타입>



타입

600x1400

1/15

