

| ~ | Both | (600x (T50 | 2 | (H고양장향(16-근린생활시설) | Light Case Accessory | MR-20241016-LC-05 | ┪ |
|----------|------|---|---|---|----------------------|-------------------|-----------|
| | 350 | | | PROJECT CHI | DWG. NAME | DIFG. NO MR- | |
| | | Part Name:智軟体 PC Mat.Spec:2.0t Size:1450 x 320mm Quantity:2 EA | | SCALE 1 / 5 | DATE 2024. 10. 16 | ANGLE | |
| 1450 | | Part NMat.8 | | TRACED BY DRAWN BY DESIGNED BY CHECKED BY REVIEWED BY APPROVED BY | | コーモニ(小) | AFR |
| | | | | | | DRW CHK | - |
| | | | | | | PRVISIONS | MUTATORIA |
| | | | | | 1 1 | N ON | |

1 WW (600 × 1550 N 350 Size: 1450 x 320mm Part Name: 密專心 PC Quantity: 6 EA Mat.Spec: 2.0t 1450

PROJECT ULL고양광향(17-황업지원,18-경로당,19-어린이집) MR-20241016-LC-05 Light Case Accessory DWG. NAME DWG. NO 2024. 10. 16 DATE ANGLE TRACED BY DRAWN BY DESIGNED BY CHECKED BY REVIEWED BY APPROVED BY SCALE (주) 미 래 기 업 APR CHK DEN REVISIONS \triangleleft

2





Shots (100M) 22 **SMPS** 100W W1600 x D1450 740 CAR INSIDE 선길이-1.5M 200mm A PROFILE TUBE (中平占平6781-1398L 현장명: 다완테크-영진_연산파워피아#1,2 - 2(set) LED_BAR-누드&클립&잭타입-10000K-1300L (LED BAR-누드&클립&잭타입-10000K-1350順) (LED BAR-누드&클립&잭타입-10000K-1350以 AL PROFILE TUBE (마구리포함) -1464L AL PROFILE TUBE (마구리포함) -1464L (등기구업체 : 다온텍) LED BAR-누드&클립&잭타입-10000K-13d0L J89E1- (培포占두中) 38UT 3JA *

