


LED BAR - 1400=4(EA)
SMPS (60W)=2(EA)

*. 현장명: SK-부 아파트 - 1(set)


(등기구업체 - 서한컴파니)



10000K = 1400L
10000K = 1400L
10000K = 1400L
10000K = 1400L

*.현장명 : 신금성-강화군폐교시설활용 문화재생 - 1(set)

(등기구업체 - 서한컴파니)



Technical drawing of an LED bar. The main drawing shows a long, thin rectangular bar with a width of 20mm and a height of 49mm. The total length is 1450mm. The bar has a central longitudinal slot and two circular mounting holes at each end. A detail view at the top right shows a square connector with a width of 45mm and a height of 40mm, with a cable extending from it. The text 'LED BAR - 10000K - 1450' is written below the bar. The text '전선 상부로 인출' (Wire pulled upwards) and 'φ20 (전선 인출용)' (φ20 (Wire pulling)) are written next to the detail view.

Quantity : 2 EA

Technical drawing of a 1400mm LED bar. The main drawing shows a long, thin rectangular bar with a total length of 1400mm. It has a width of 20mm and a height of 32mm. The bar is shown with a perspective view of its internal structure. A detail view at the top right shows a square mounting bracket with a width of 45mm and a height of 40mm. The bracket has a central circular hole with a diameter of $\phi 20$ mm. The text "LED BAR - 10000K - 1400" is written below the main drawing. The text "전선 상부포인홀" (Wire top mounting hole) is written next to the detail view. The text "ø20 (전선인홀)" (ø20 (Wire hole)) is written below the detail view.

Quantity: 2 EA

[illegible]

LED BAR - 1650=4(EA)
SMPS (100W)=2(EA)

*. 현장명: 영진-분포중학교 - 1(set)

(등기구업체 - 서한컴파니)

선길이-1.5M

SMPS
100W

LED BAR-누드&클립&잭타입
10000K = 1650L

LED BAR-누드&클립&잭타입
10000K = 1650L

LED BAR-누드&클립&잭타입
10000K = 1650L

LED BAR-누드&클립&잭타입
10000K = 1650L

SMPS
100W

선길이-1.5M


2020

2020x1050x1714

2020

*.현장명 : 신금성(대륜엘리스)-의성 농촌호 테마공원 - 1(set)

(등기구업체 - 서한컴파니)



LED BAR - 1000K - 1350

전선 상부로 인출

Ø20 (전선 인출용)


Quantity : 2 EA

[illegible]

[illegible]

(등기구업체 - 서한컴파니)

LED BAR - 1450=2(EA)
SMPS- (60W)=1(EA)



전선 상부로 인출
전선 인출홀)
45
40
φ20 (전선 인출홀)

Quantity : 2 EA

[illegible]



*.현장명 : 신금성-목포시청 민원동 - 1(set)

LED BAR - 1250=2(EA)
SMPS- (60W)=1(EA)

(등기구업체 - 서한컴파니)

선길이-1.5M

SMPS
60 W



02602200 2120
7/14
160x100

전선 상부로 인출
— $\phi 20$ (전선 인출률)


Quantity : 2 EA

[illegible]

*.현장명 : 신금성-목포시청 본관동 - 1(set)

LED BAR - 1250=2(EA)
SMPS- (60W)=1(EA)

(등기구업체 - 서한컴파니)




62652000
1600x1500
7/16
2002

*.현장명 : 신성-삼정초등학교 - 1(set)
(등기구업체-서한컴파니)

LED BAR - 1400=4EA)

-

SMPS (60W) - 2(EA)



1600mm
2000mm
n/14

LED BAR - 1400=4(EA)
SMPS (60W)=2(EA)

*. 현장명: 영진-금샘초등학교 - 1(set)

(등기구업체 - 서한컴파니)

