

\*.현장명 : 동민프라자 - 1(set)

LED BAR - 1350=2(EA)  
SMPS- (60W)=1(EA)



(등기구업체 - 다운텍)

026-1타입

478  
800 X 1500

선길이-1.5M

SMPS  
60 W



Technical drawing of a lighting fixture showing two views: a side view and a top view.

**Side View Dimensions and Labels:**

- Top section: LED BAR 고정용 플립 섀터거리 - 600
- Bottom section: LED BAR - 10000K - 1350
- Dimensions: 123, 20, 48, 48

**Top View Dimensions and Labels:**

- Dimensions: 45, 20
- Note: 전선 상부포인출 Ø20 (전선 인출용)


Quantity : 2 EA

[illegible]


[illegible]

\* 현장명 : 승우엘테크-문경시청 - 1(set)

(등기구업체 : 다온텍)




224	LED BAR 고정 센터 - 500L	LED BAR 고정 센터 - 500L	224
49	LED BAR - 10000K (누드&클립&췌타입) = 1350L		49



**CAR INSIDE**

**W1800 x D1500**

232	LED BAR 고정 섀터 - 600L	LED BAR 고정 섀터 - 600L	232
57	LED BAR - 10000K (누드&클립&재타입) = 1550L		57

[illegible]