



*.현장명 : 보은이평리 - 1(set)

(등기구업체 - 다운텍)

033
1600X1600
2400mm






Part Name : Profile LED BAR (좌)

Mat.Spec: AL

Size : 45x42x1359L

Quantity : 1 EA




Part Name : Profile LED BAR (우)

Mat.Spec: AL

Size : 45x42x1499L

Quantity : 1 EA

[illegible]




Part Name : Profile LED BAR (ㄷ)

Mat.Spec : AL

Size : 45x42x1317L

Quantity: 1 EA



Part Name : Profile LED BAR (앞)

Mat.Spec : AL

Size : 45x42x1457L

Quantity : 1 EA

[illegible]

*.현장명 : 북컴 계단실#3 - 1(set)

LED BAR - 1350=2(EA)
SMPS- (60W)=1(EA)

(등기구업체 - 다운택)


026-1
(800 x 1600
01554

선길이-1.5M

SMPS
60 W

AL PROFILE TUBE (마구리포함) - 1443L

LED BAR-(누드&클립&젝타임)
10000K = 1350L



LED BAR-(누드&클립&젝타임)
10000K = 1350L

AL PROFILE TUBE (마구리포함) - 1443L

등기구업체
1443L

*.현장명 : 북컴 119 안전센터 - 1(set)



LED BAR - 1350=2(EA)
SMPS- (60W)=1(EA)

(등기구업체 - 다운텍)

026-1 01504
(600 x 600)

선길이-1.5M

SMPS
60 W



Technical drawing of a 1000mm long LED bar light assembly. The drawing shows a side view with dimensions: total length 1000mm, mounting holes spaced 146.5mm apart, and a 20mm mounting flange. A detail view shows a 40mm wide mounting hole with a 45mm diameter and a 48.5mm hole for the mounting screw. The LED bar is labeled "LED BAR - 10000K - 1350" and "LED BAR 고정용 플립 섀터거리 - 575".

Quantity : 2 EA

[illegible]

*. 춘천중학교 1,2호기 - 2(set)
(등기구업체 - 다운텍)

008-4분할

