



*.현장명 : 파주 대방노블랜드 아파트 - 9(set)

(등기구업체 - 다운텍)

LED BAR - 1350=18(EA)
SMPS - (60W)=9(EA)



026-1
92416
1600x1500
2/14



Part Name : Profile LED BAR (좌,우)
Mat.Spec : AL
Size : 45x40x1446L
Quantity : 18 EA


△						TRACED BY	DRAWN BY	DESIGNED BY	CHECKED BY	REVIEWED BY	APPROVED BY	SCALE	1 / 5.5	PROJECT	파주 대방노블랜드 아파트
△												DATE	2024. 01. 15	DWG. NAME	-
△												ANGLE		DWG. NO	MR-20240115-LC-06
△															SHEET
NO	DATE					REVISIONS									0
							DEN	CHK	APR						

*. 현장명: 서산3공장배터리 경비동 #1,2 - 1(set)

(등기구업체 - 다온텍)

LED BAR - 1750=8EA)
SMPS (60W)=4(EA)

N20타입



24EA
N20
200 + 1800
2EA
2/16


*. 현장명: 서명-E-23051 역전마을 복합커뮤니티센터 - 1(set)

(등기구업체 - 다온텍)


LED BAR - 1300=4EA
SMPS (60W)=2(EA)

N20타입

선길이-1.5M



선길이-1.5M



2482
1600+1800
2/09

Technical drawing of a rectangular prism. The front face is a rectangle with a width of 88 and a height of 60. The top face is a rectangle with a width of 88 and a depth of 60. The side face is a rectangle with a height of 60 and a depth of 60. The drawing is oriented with the front face on the left and the side face on the right. The dimensions are labeled as 88 and 60.

Mat.Spec : 2.0t

Quantity : 44 EA


1600 x 1600
2-2
200

[illegible]

*. 현장명 : 방화5단지 아파트 - 6(set)

(등기구업체 - 다운텍)


LED BAR - 1350=12(EA)
SMPS - (60W)=6(EA)





sub-1
1000x1.5m
2/15

(응기구업체 - 다온텍)

032Et01



5/12 222 211 x 0.91





Part Name : PROFILE LED BAR

(확실키버포함)

Mat.Spec:AL

Size : SHP 3020 – 1646mm

Quantity : 2 EA




Part Name : 외측 등기구 후레임

Mat.Spec:AL

Size : 84x58.8x1647mm

Quantity : 2EA



Part Name : 등커버

Mat.Spec:PC

Size : 60x59x1647mm

Quantity : 2 EA

[illegible]

*.현장명 : 당진학생수영장 증축공사 2호기 - 1(set)

(등기구업체 - 다운텍)

032타입

선길이-1.5M

SMPS

60W

SMPS - (슬림형 사용)

SMPS

60W

LED BAR-(누드&클립&잭타입)
10000K = 1300L

AL PROFILE TUBE - 1346L

LED BAR-(누드&클립&잭타입)
10000K = 1300L


LED BAR-(누드&클립&잭타입)
10000K = 1300L

AL PROFILE TUBE - 1346L

LED BAR-(누드&클립&잭타입)
10000K = 1300L

100x140
42cm
2/14

1346 - (AL TUBE 길이)



Part Name : PROFILE LED BAR


(확산커버포함)

Mat.Spec : AL

Size : SHP 3020 - 1346mm

Quantity : 2 EA

1347



Part Name : 외측 등기구 후레임

Mat.Spec : AL

Size : 84x58.8x1347mm

Quantity : 2EA

1684

1347



Part Name : 등커버

Mat.Spec : PC

Size : 60x59x1347mm

Quantity : 2 EA

△						TRACED BY	DRAWN BY	DESIGNED BY	CHECKED BY	REVIEWED BY	APPROVED BY	SCALE	1 / 6	PROJECT	당진학생수영장 증축공사 2호기
---	--	--	--	--	--	-----------	----------	-------------	------------	-------------	-------------	-------	-------	---------	------------------

△												DATE	2024. 02. 02	DWG. NAME	Light Case Accessory
---	--	--	--	--	--	--	--	--	--	--	--	------	--------------	-----------	----------------------

△												ANGLE		DWG. NO	MR-20240202-LC-03
---	--	--	--	--	--	--	--	--	--	--	--	-------	--	---------	-------------------

△															SHEET
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-------

NO	DATE	REVISIONS	DEN	CHK	APP	(주) 미래 기업										
----	------	-----------	-----	-----	-----	-----------	--	--	--	--	--	--	--	--	--	--