


LED BAR - 1300=4EA) SMPS (60W)=2(EA)



\*.SVC-한국원자력환경복원 연구원 연구동 - 1(set)

LED BAR-1700=6(EA) SMPS (120W)= 2EA

031타입

282.5 370 282.5 282.5 282.5 LED BAR-10000K-1800L SMPS 120W-2EA 선길이-1.5M

Car Inside-W2100xD1750

\*.현장명: 오산 운암주공3단지 - 5(set) (등기구업체-다온텍)

LED BAR-누드&클립&잭타입 10000K = 1350L

선길이-1.5M

335

LED BAR-누드&클립&잭타입

10000K = 1350L

360

335

SMPS 100W

LED BAR - 1350=20(EA) SMPS-100W-5(EA)

특수-후면 할로겐(2EA)

오산 운암주공3단지 Light Case Accessory	DWC. NO	ANGLE		70	DATE DATE
연수 연의	DWC. NAME	DATE 2024. 04. 24	ال		
	PROJECT	SCALE 1 / 6	TRACED BY DRAWN BY DESIGNED BY CHECKED BY REVIEWED BY APPROVED BY		> D
	lame : 아크릴 Spec : 광학산PC 3.0t Size : 1495 x 600mm antity : 10 EA	(8) Part Name : 아크릴 Mat.Spec : 광학산PC 3.0t Size : 1495 x 600mm			
			1495		
600					

