

\*.현장명 : 서울 개원2초 1호기 - 1(set)  
(등기구업체 - 다운텍)

선길이-1.5M

SMPS

60W

SMPS - (슬림형 사용)

SMPS

60W

LED BAR-(누드&클립&잭타입)  
10000K = 1050L

AL PROFILE TUBE - 1096L

LED BAR-(누드&클립&잭타입)  
10000K = 1050L

LED BAR-(누드&클립&잭타입)  
10000K = 1050L

AL PROFILE TUBE - 1096L

LED BAR-(누드&클립&잭타입)  
10000K = 1050L


0.22

1300x1150

1200x1150

2/20


1096 - (AL TUBE 길이)



Part Name : PROFILE LED BAR  
(확산커버포함)  
Mat.Spec : AL


Size : SHP 3020 - 1096mm  
Quantity : 2 EA

1097



Part Name : 외측 등기구 후레임  
Mat.Spec : AL  
Size : 84x58.8x1097mm  
Quantity : 2 EA

1097



Part Name : 등커버  
Mat.Spec : PC  
Size : 60x59x1097mm  
Quantity : 2 EA

1484.

△						TRACED BY	DRAWN BY	DESIGNED BY	CHECKED BY	REVIEWED BY	APPROVED BY	SCALE	1 / 6	PROJECT	서울 개원2초 1호기
△												DATE	2024. 02. 06	DWG. NAME	Light Case Accessory
△												ANGLE		DWG. NO	MR-20240206-LC-03
△															SHEET
NO	DATE					REVISIONS						DEN	CHK	APR	

(주) 미래기업

\*.현장명 : 서울 개원초 2,3호기 - 2(set)  
(등기구업체 - 다운텍)

선길이-1.5M

SMPS  
60W

SMPS - (슬림형 사용)

SMPS  
60W

LED BAR-(누드&클립&잭타입)  
10000K = 1550L

AL PROFILE TUBE - 1596L

LED BAR-(누드&클립&잭타입)  
10000K = 1550L

LED BAR-(누드&클립&잭타입)  
10000K = 1550L

AL PROFILE TUBE - 1596L

LED BAR-(누드&클립&잭타입)  
10000K = 1550L

032  
1600x1650  
2244

MEMO

2/26



(등기구입체 - 다운테)

ELC-032E107



1296 - (AL TUBE 길이)




Part Name : PROFILE LED BAR  
(확산커버포함)

Mat.Spec : AL

Size : SHP 3020 - 1296mm

Quantity : 2 EA

1297



Part Name : 외측 등기구 후레임

Mat.Spec : AL

Size : 84x58.8x1297mm

Quantity : 2 EA

1484

1297



Part Name : 등커버

Mat.Spec : PC

Size : 60x59x1297mm

Quantity : 2 EA

△									TRACED BY	DRAWN BY	DESIGNED BY	CHECKED BY	REVIEWED BY	APPROVED BY	SCALE	1 / 6	PROJECT	도선동 공영주차장 승강기 교체공사
△															DATE	2024. 02. 14	DWG. NAME	Light Case Accessory
△															ANGLE		DWG. NO	MR-20240214-LC-03
△																		SHEET
NO	DATE								REVISIONS						DEN	CHK	APR	