

Part Name: PROFILE LED BAR (熱处到出王律)

Mat.Spec : AL Size : SHP 3020 - 1398mm

Quantity: 4 EA

	257				0	
한전 KBN 서울지역본부 1,2호기		ĵ			MR-20250521-04	
PROJECT		DWG. NAME		DWG. NO		
	1 / 6		2025. 05. 21			
SCALE		DATE		ANCLE		
PRACED BY DRAWN BY DESIGNED BY CHECKED BY REVIEWED BY APPROVED BY			ช 7	7 7		
DESIGNED BY CHECKE			1	F		
DRAWN BY			K	<b>一</b>		
TRACED BY		T				
	-	+	-		K APR	
		1			DEN CHK	
					REVISIONS	
					DATE	

LED BAR-2250L=4(EA) SMPS(100W) = 2(EA)W2400 x D2350 CAR INSIDE N20타입 선길이-1.5M SMPS (100W) 10000K-5520L LED BAR-(누드&클립&잭타입) 10000K-5520L \*.현장명: 다완데크-능금농협#1 - 1(set) LED BAR-(누드&클립&잭타입) (등기구업체 : 다온텍) 10000K-5520F LED BAR-(누드&클립&괙타입) 선길이-1.5M SMPS (100W) 10000K-5520L LED BAR-(누드&클립&객타입)

LED BAR-2200L=4(EA) SMPS(100W)=2(EA) N20EF입 W2400 x D2300 CAR INSIDE 선길이-1.5M SMPS (100W) 10000K-5500L LED BAR-(누드&클립&꿕타입) 10000K-SS00F \*.현장명 : 다완데크-능금농협#2 - 1(set) (입日下&읍를&르구)-AAB O3」 (등기구업체: 다온텍) 10000K-SS00F LED BAR-(누드&클립&잭타입) 선길이-1.5M SMPS (100W) 10000K-5500L LED BAR-(누드&클립&잭타입)

## (등기구업체 - 다온텍)



