


*. 광양 LNG 터미널 - 1(set)

*. 등기구 업체 - 다운텍

LED BAR-6500K-1550=10(EA)

300

SMPS-250W = 1(EA)




SMPS
250 W
300

선글라이-1M

비상등

*.현장명 : 영진 부산추모공원 봉안당 2단계 - 1(set)

LED BAR - 1500=1(EA)
SMPS-1(EA)



LED BAR - 10000K (누드&클립&양면 테이프타입) - 1500L

Technical drawing of a mechanical part with dimensions: 135, 67, 33, 100.

Technical drawing of a rectangular plate with a central notch. The overall width is 62, the overall height is 1546, and the notch depth is 9.6.

Technical drawing of a mechanical part, showing front and top views with dimensions.

Front View Dimensions:

- Overall width: 135
- Overall height: 103.5
- Left side features:
 - Top section: 75 (width) x 60 (height)
 - Section below: 15 (width) x 45 (height)
 - Bottom section: 15 (width) x 28.5 (height)
- Right side features:
 - Top section: 9.5 (width) x 80 (height)
 - Section below: 10.5 (width) x 32 (height)
 - Bottom section: 25 (width) x 32.6 (height)
- Internal features:
 - 2-Ø9 Hole (M6 Pop Nut) located in the top-left section.
 - 6-Ø4 Hole located in the bottom-right section.
 - Angle: 32.6° indicated between the bottom edge and the right side of the main body.


Top View Dimensions:

- Overall width: 105
- Overall height: 30
- Left side features:
 - Top section: 13 (width) x 13 (height)
 - Section below: 13 (width) x 13 (height)


[illegible]

* 현장명 : 문앤썬-내창원봉림2 - 1(set)

(등기구업체 : 다온텍)



1348 - (AL TUBE 길이)



LED BAR - 6500K (누드&클립&잭타입) = 1300L

Part Name : PROFILE LED BAR(좌,우)

Mat.Spec : AL


Size : SHP 4045 - 1348L

Quantity : 2 EA

CAR INSIDE

W1600 x D1400

1464 - (AL TUBE 길이)



LED BAR - 6500K (누드&클립&랙타입) = 1400L

Part Name : PROFILE LED BAR(양,뒤)

Mat.Spec : AL

Size : SHP 4045 - 1464L

Quantity : 2 EA

[illegible]