

*.현장명 : 충남대 OEC센터 2호관외 - 1(set)

LED BAR - 1250=2(EA)
SMPS- (60W)=1(EA)

(등기구업체 - 다운텍)

026-1 타입


1250x100x150

선길이-1.5M

SMPS
60 W

AL PROFILE TUBE (마구리포함) - 1343L

LED BAR-(누드&클림&잭 타입)
10000K = 1250L



LED BAR-(누드&클림&잭 타입)
10000K = 1250L

AL PROFILE TUBE (마구리포함) - 1343L

1800x1500

Technical drawing of a lighting fixture assembly. The drawing shows a side view of a rectangular fixture with a total width of 121.5 and a total height of 46.5. The fixture is composed of two main sections, each labeled "LED BAR 고정용 볼립 센터거리 - 550". The distance between the centers of the two LED bars is 121.5. The distance from the top edge of the fixture to the center of the top LED bar is 20. The distance from the bottom edge of the fixture to the center of the bottom LED bar is 20. The distance between the two LED bars is 46.5. The drawing also shows a detail of a mounting bracket with a screw, labeled "40" and "45". The text "46.5권선 상부코 인출" and "Ø20 (권선 인출용)" is also present.

Mat.Spec : AL
Size : 45x40x1343L
Quantity : 2 EA

[illegible]

*현장명 : 다원테크-영진_부산중앙여자고등학교 - 1(set)

LED BAR-1350L=4(EA)
SMPS(60W)=2(EA)

(등기구업체 : 다운텍)

N20타입


선길이-1.5M

SMPS
(60W)

LED BAR-(누드&클립&잭타입)
10000K-1350L


LED BAR-(누드&클립&잭타입)
10000K-1350L

10000K-1350L



LED BAR-(누드&클립&잭타입)
10000K-1350L

10000K-1350L



LED BAR-(누드&클립&잭타입)
10000K-1350L

10000K-1350L



SMPS
(60W)

선길이-1.5M

CAR INSIDE


W1600 x D1450

*.현장명 : TKE 힐스테이트 대구 대명 #11 - 1(set)


LED BAR - 1200=2(EA)
LED BAR - 850=1(EA)
SMPS- (100W)=1(EA)

(등기구업체 - 다운텍)

특수타입



(사, 우 마구리 포함) - 1290




Part Name : Profile LED BAR (좌,우)

Mat.Spec:AL

Size : 45x40x1290L

Quantity: 2 EA

(좌, 우 마구리 포함) - 948



Part Name : Profile LED BAR (후면)

Mat.Spec:AL

Size : 45x40x948L

Quantity: 1 EA

[illegible]

* 현장명 : 에이원엘리베이터-용마문화복지센터 - 1(set)

(등기구업체 : 다온텍)

7-12244 7000K

AL PROFILE TUBE (마구리포함) -1464L

200mm


선길이-1.5M

SMPS
100W

AL PROFILE TUBE (마구리포함) -1348L

LED BAR-누드&클립&잭타입-3000K-1250L

(LED BAR-누드&클립&잭타입-3000K-1350L)



AL PROFILE TUBE (마구리포함) -1464L

(LED BAR-누드&클립&잭타입-3000K-1350L)

200mm

1464=2
1348=2
(90V=1)

0.25


CAR INSIDE

W1600 x D1400

29

1348 - (AL TUBE 2101)

224	LED BAR 고정 섀티 - 450L	LED BAR 고정 섀티 - 450L	224
49	LED BAR - 3000K (누드&클립&꺾타입) = 1250L		49



Part Name : PROFILE LED BAR(좌,우)

MatSpec: AL

Size : SHP 4045 - 1348L


Quantity : 2 EA

CAR INSIDE

W1600 x D1400

1464 - (AL TUBE 길이)

232	LED BAR 고정 센터 - 500L	LED BAR 고정 센터 - 500L	232
○			
57	LED BAR - 3000K (누드&클립&적타입) = 1350L		57



Part Name : PROFILE LED BAR(앞,뒤)

MatSpec: AL

Size: SHP 4045 - 1464L

Quantity : 2 EA

[illegible]