Installing MySQL on Ubuntu

Auto Mobile Robot

Exported on 06/20/2024

Table of Contents

1	MySQL 설치	3
2	MySQL 서비스 상태 확인	4
3	MySQL 접속해보기	5
4	MySQL 접속 종료	6
5	MySQL 접속확인	7
6	MySQL 서비스 중지	8
7	MySQL Start	9
8	MySQL Restart	. 10
9	참고. MySQL 삭제	. 11
10	MySQL Root 비밀번호 속성 변경	. 12
11	MySQL Workbench 설치	. 13
12	MySQL Workbench 실행	. 14
13	참고. MySQL Workbench 삭제	.16

1 MySQL 설치

```
sudo apt update
sudo apt install mysql-server

parallels@ubuntu:~$ sudo apt install mysql-server

Reading package lists... Done

Building dependency tree... Done

Reading state information... Done

The following additional packages will be installed:
   libaio1 libcgi-fast-perl libcgi-pm-perl libevent-core-2.1-7
   libevent-pthreads-2.1-7 libfcgi-bin libfcgi-perl libfcgi0ldbl
   libhtml-template-perl libmecab2 libprotobuf-lite23 mecab-ipadic
   mecab-ipadic-utf8 mecab-utils mysql-client-8.0 mysql-client-core-8.0

mysql-common mysql-server-8.0 mysql-server-core-8.0
```

2 MySQL 서비스 상태 확인

```
systemctl is-active mysql

parallels@ubuntu:~$ systemctl is-active mysql
active
parallels@ubuntu:~$
parallels@ubuntu:~$
parallels@ubuntu:~$
parallels@ubuntu:~$
```

3 MySQL 접속해보기

```
parallels@ubuntu:~$ mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 13
Server version: 8.0.34-Oubuntu0.22.04.1 (Ubuntu)

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>
```

4 MySQL 접속 종료

mysql> exit

Bye
parallels@ubuntu:~\$
parallels@ubuntu:~\$
parallels@ubuntu:~\$

5 MySQL 접속확인

```
parallels@ubuntu:~$ mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 9
Server version: 8.0.33-0ubuntu0.22.04.2 (Ubuntu)
Copyright (c) 2000, 2023, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> exit
Bye
parallels@ubuntu:~$
```

6 MySQL 서비스 중지

```
sudo service mysql stop

parallels@ubuntu:~$ sudo service mysql stop

parallels@ubuntu:~$ systemctl is-active mysql
inactive

parallels@ubuntu:~$

parallels@ubuntu:~$
```

7 MySQL Start

```
sudo service mysql start

parallels@ubuntu:~$ sudo service mysql start

parallels@ubuntu:~$ systemctl is-active mysql
active

parallels@ubuntu:~$

parallels@ubuntu:~$
```

8 MySQL Restart

```
sudo service mysql restart

parallels@ubuntu:~$ sudo service mysql restart

parallels@ubuntu:~$ systemctl is-active mysql

active

parallels@ubuntu:~$

parallels@ubuntu:~$
```

9 참고. MySQL 삭제

```
sudo apt purge mysql-server mysql-client mysql-common mysql-server-core-*

mysql-client-core-*

sudo rm -rf /etc/mysql /var/lib/mysql
sudo apt autoremove
sudo apt autoclean

parallels@ubuntu:~$ sudo apt purge mysql-server mysql-client mysql-common mysql-serve
r-core-* mysql-client-core-*
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Note, selecting 'mysql-server-core-5.5' for glob 'mysql-server-core-*'
Note, selecting 'mysql-server-core-5.6' for glob 'mysql-server-core-*'
Note, selecting 'mysql-server-core-5.7' for glob 'mysql-server-core-*'
Note, selecting 'mysql-server-core-8.0' for glob 'mysql-server-core-*'
```

10 MySQL Root 비밀번호 속성 변경

```
ALTER USER 'root'@'localhost' IDENTIFIED WITH mysql_native_password by '****';

mysql> ALTER USER 'root'@'localhost' IDENTIFIED WITH mysql_native_password by '1234';

Query OK, 0 rows affected (0.01 sec)


mysql>
mysql>
```


11 MySQL Workbench 설치

sudo snap install mysql-workbench-community

parallels@ubuntu:~\$ sudo snap install mysql-workbench-community

12 MySQL Workbench 실행





13 참고. MySQL Workbench 삭제

sudo snap remove mysql-workbench-community