

Profile

What the page shows, where each field comes from, and what an associate may change.

1 What the module is

2 The screen

3 Where each field comes from

4 Editing your profile

5 Data model

6 API reference

7 Permissions

People Portal module documentation · generated 2 October 2026

1 What the module is

Profile is the single page where an associate sees everything the company records about them, and the only place they can correct their own personal details. It is deliberately read-mostly: employment facts such as hire date, employment status and reporting line are owned by HR and shown here without an edit control.

Who sees it. Every role. `view profile` is granted to Super Admin, Admin, HR, Manager, Team Lead and Employee alike, so Profile is the one module no role is ever without.

2 The screen

The page opens with a title bar carrying the heading and a single **Edit Profile** button, then a stack of cards:

CARD	HOLDS
Identity header	Avatar initials, full name, email, role chips
Employment	Employee ID, hire date, employment status, employment type, shift, team, immediate supervisor
Leave scheme	Whether leave is granted up front or accrued monthly
Personal information	Birth date, gender, marital status, contact numbers, addresses
Emergency contact	Name, number, relationship
Government IDs	TIN, SSS, PhilHealth, Pag-IBIG

3 Where each field comes from

Profile is a join across five tables, not one. That matters when a field looks blank: the row may simply not exist yet for that user.

TABLE	SUPPLIES
users	Name, email, status, team, shift, supervisor
employees	Employee ID, hire date, regularization date, employee status, employment type, employment status
personal_information	Birth date, gender, marital status, contacts, addresses, government IDs
job_information	Position name and level, career band and zone
salary_information	Never surfaced on Profile — kept in a separate table precisely so it is not

The leave scheme label

This is derived, not stored. `ProfileResource` reads the employee's `employment_status` and reports:

EMPLOYMENT STATUS	LABEL SHOWN
Regular	Leave Type — Fixed
Anything else	Leave Type — Accrual

Keep these in step. The same rule is applied independently by `LeaveCreditSeeder` when it grants the year's credits. Change one and the other has to follow, or the label will contradict the credits on Leave Requests.

4 Editing your profile

Edit Profile opens a modal over the page. Only the personal and emergency contact blocks are editable; employment fields are rendered but disabled. Saving issues a single `PUT /api/user/profile`, and the page re-reads itself from the response rather than patching state locally, so what you see after saving is what the server stored.

- Validation is server-side; field errors come back as a 422 and are shown inline.
- There is no approval step — a personal detail change is live immediately.
- Changing employment facts is HR's job, through **User Management** and **Employee Regularization**, not here.

5 Data model

EMPLOYEES

COLUMN	NOTES
<code>user_id</code>	Unique; one employee row per user
<code>employee_id</code>	Unique human-facing staff number
<code>hire_date</code> , <code>regularization_date</code>	Dates, nullable
<code>employee_status</code>	active / inactive / terminated / resigned
<code>employment_type</code>	full_time / part_time / contract / intern / consultant
<code>employment_status</code>	Probationary / Regular / Resigned — drives the leave scheme

6 API reference

VERB	PATH	PERMISSION
GET	<code>/api/user/profile</code>	view profile
PUT	<code>/api/user/profile</code>	edit profile

VERB	PATH	PERMISSION
GET	/api/user/profile/associate-logs/download/{log}	view profile

The third route lets an associate download a document HR filed against them under **Associate Logs** — it is scoped to the signed-in user, so one associate cannot reach another's file by guessing an ID.

7 Permissions

PERMISSION	HELD BY
view profile	All six roles
edit profile	All six roles