

HR Modules

Users, roles, announcements, credits, regularization, holidays, logs and the proxy screens.

- 1 What the module is
- 2 User Management
- 3 Role Management
- 4 HR Announcements
- 5 Leave Credits
- 6 Employee Regularization
- 7 Holidays
- 8 Associate Logs
- 9 Active Associates
- 10 Proxy Leaves and Proxy Attendance
- 11 API reference
- 12 Permissions

1 What the module is

HR Modules groups the ten screens that act on other people rather than on yourself. Unlike My Team, these are not scoped to a reporting line — they are company-wide, and access is controlled purely by permission.

SCREEN	PURPOSE
User Management	Create and maintain user accounts
Role Management	Define roles and what each may do
HR Announcements	Publish company notices
Leave Credits	Grant and correct leave balances
Employee Regularization	Move staff from probationary to regular
Holidays	Maintain the holiday calendar
Associate Logs	File documents against an associate
Active Associates	See who is clocked in right now
Proxy Leaves	File a leave on someone's behalf
Proxy Attendance	Record attendance on someone's behalf

2 User Management

The account register. A user row carries name, email, status, role, team, shift and immediate supervisor — that last field is what populates every **My Team** screen, so getting it right matters beyond this page.

- Create, edit, view and soft-delete; a bulk action endpoint handles multi-row changes.
- A password is optional at creation — sign-in can be done by emailed magic link.
- Deleting is a soft delete, so history and audit trails survive.

Email validation needs live DNS. The rule is `email:rfc,dns`, which requires the domain to resolve. Addresses on a non-resolving domain such as `.test` are rejected through the UI even though seeders create them happily.

3 Role Management

Roles and permissions, built on Spatie's permission package. The screen lists roles with a permission count and opens a modal grouping every permission by module, with per-module and global select-all.

Two guards, always in step. Every role and permission exists twice, once for `web` and once for `sanctum`. The API authenticates with `sanctum`, so a permission created only for `web` appears in the UI but denies every request.

Roles ship seeded: Super Admin (everything), Admin, HR, Manager, Team Lead and Employee.

`RolePermissionSeeder` is the single source of truth and uses `syncPermissions`, which *replaces* a role's set rather than adding to it.

4 HR Announcements

Image-based company notices. Because the content is a picture, this screen is a gallery rather than a table: a card grid with the image, title, date and author, plus a lightbox for the full-size view.

- Upload accepts JPG, PNG, GIF and WebP up to 5 MB.
- A title is optional; left blank it becomes “Company Update”.
- Recent active announcements also surface on the Dashboard.

5 Leave Credits

Where balances are granted and corrected. One row per user per year, holding VL, SL, PTO, CTO and birthday leave.

ACTION	EFFECT
Edit	Set credits, used and pending for one user
Import	Bulk-load balances from a file
Export	Download the current balances
Reset pending	Clear a user's pending buckets when they have drifted

Pending is normally automatic. `LeaveObserver` moves days between pending and used as leaves are filed, approved, rejected and cancelled. *Reset pending* is a repair tool for when direct database edits have left the arithmetic out of step — not part of the normal flow.

CTO is the one bucket measured in **hours** rather than days. It is this company's compensatory-time concept and is granted here by HR; there is no overtime request to file.

6 Employee Regularization

Lists probationary staff with their hire date and the regularization date due, and lets HR set or clear that date. Setting it marks the employee **Regular**.

That status is not cosmetic — it decides the leave scheme:

EMPLOYMENT STATUS	LEAVE TREATMENT
Regular	Full annual grant up front (“Fixed”)
Anything else	Accrues monthly (“Accrual”)

The same rule is shown on **Profile** and applied by `LeaveCreditSeeder`.

7 Holidays

The holiday calendar, filterable by month and calendar.

TYPE	LABEL
regular	Regular Holiday
special_non_working	Special (Non-Working)
company	Company Holiday

A `calendar` field allows more than one set — useful where a client site observes different days. Holidays can be deactivated rather than deleted (`is_active`), which keeps history intact.

Viewing is not managing. `view holidays` is held by every role so the calendar is visible to all; create, edit and delete are HR-side only.

8 Associate Logs

A document trail against an individual — a memo, a notice, an acknowledgement. Each entry carries a date, the detail text, the author and an optional file.

An associate can download their own filed documents from **Profile**, through a route scoped to the signed-in user, so one person cannot reach another's file by guessing an ID.

9 Active Associates

A live view of who is clocked in, auto-refreshing every 30 seconds. Three tiles count Working, On Break and Total Active; the table lists each person with status, time in and department.

Search here is client-side — it filters the rows already loaded rather than re-querying, which keeps typing instant. The tiles deliberately show the unfiltered headcount.

10 Proxy Leaves and Proxy Attendance

Two screens for acting on behalf of someone who cannot. Proxy Leaves files a leave against another user; Proxy Attendance records or corrects an attendance row.

- Both offer cut-off period helpers, so entries can be placed in the right payroll window.
- Both expose stats and CSV export alongside the list.
- A proxy-filed leave is an ordinary leave once created — `LeaveObserver` moves credits exactly as it would for a self-filed one.

Separately permissioned. Proxy create, edit and delete are distinct permissions from viewing, so an auditor can be given sight of proxy activity without the ability to file.

11 API reference

VERB	PATH	PERMISSION
GET/POST	/api/users	view users / create users
PUT/DELETE	/api/users/{user}	edit users / delete users
POST	/api/users/bulk-action	edit users
GET	/api/roles · /api/roles/permissions · /api/roles/stats	view roles
POST/PUT/DELETE	/api/roles, /api/roles/{role}	create edit delete roles
GET/POST	/api/hr/announcements	view create hr announcements
PUT/DELETE	/api/hr/announcements/{id}	edit delete hr announcements
GET	/api/hr/leave-credits · /export	view leave credits
PUT/POST	/api/hr/leave-credits/{user} · /import · /reset- pending	edit leave credits
GET/PUT/DELETE	/api/hr/employees/regularization	edit employee regularization
GET	/api/user/holidays · /month	view holidays
POST/PUT/DELETE	/api/user/holidays, /{holiday}	create edit delete holidays
GET/POST/DELETE	/api/hr/associate-logs	view create delete associate logs
GET	/api/user/active-associates	view active associates
GET/POST/PUT/DELETE	/api/hr/proxy-leaves	view create edit delete proxy leaves
GET/POST/PUT/DELETE	/api/hr/proxy-attendance	view create edit delete proxy attendance

12 Permissions

AREA	HELD BY
Users, roles, announcements, associate logs, active associates	Super Admin, Admin; HR has all but role management and user deletion
Leave credits, employee regularization, holidays, proxy screens	Super Admin, Admin, HR
view holidays alone	All six roles

Manager, Team Lead and Employee hold none of the HR-side permissions. They reach the same underlying data only through **My Records** and **My Team**, which are scoped to themselves and their direct reports.