Лабораторная рбота №8

Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором Emacs.

Ким Эрика Алексеевна

Содержание

1	Цель работы	5
2	Выполнение лабораторной работы	6
3	Выводы	13
Сп	исок литературы	14

Список иллюстраций

2.1	•••																		7
2.2	•••																		8
2.3	•••																		ç
2.4																			10
2.5	•••																		11
2.6																			12

Список таблиц

1 Цель работы

Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором Emacs.

2 Выполнение лабораторной работы

1. Открыть emacs, создать файл

```
hello
- 82 lab09.sh
                Shell-script
                                                            unix | 7:5
                                                                           Bottom
 File is missing: Cannot open load file, Нет такого файла или каталога, helm-confe
  To ensure normal operation, you should investigate and remove the
  cause of the error in your initialization file. Start Emacs with
  the '--debug-init' option to view a complete error backtrace. Disable showing Dia

sable logging

  Warning (comp): epl.el:443:8: Warning: docstring wider than 80 characters Disabl≥
 se showing Disable logging
 Warning (comp): helm-source.el:1057:48: Warning: the function 'helm-marked-candi≥
 ≨dates' is not known to be defined. Disable showing Disable logging
  Warning (comp): helm-lib.el:626:26: Warning: reference to free variable 'helm-he≥
 ⊊lp-buffer-name' Disable showing Disable logging
  Warning (comp): helm-lib.el:1380:10: Warning: the function 'helm-mark-current-lia
sne' is not known to be defined. Disable showing Disable logging
 Warning (comp): helm-lib.el:1372:24: Warning: the function 'helm-get-next-header
<sup>U</sup>⊊-pos' is not known to be defined. <u>Disable showing</u> <u>Disable logging</u>
  Warning (comp): helm-lib.el:1371:6: Warning: the function 'helm-next-line' is no₽
 st known to be defined. Disable showing Disable logging
  Warning (comp): helm-lib.el:1370:17: Warning: the function 'helm-get-previous-he≥
 sader-pos' is not known to be defined. Disable showing Disable logging
 Warning (comp): helm-core.el:269:8: Warning: docstring wider than 80 characters ≥
 SDisable showing Disable logging
  Warning (comp): helm-core.el:7132:47: Warning: 'special-display-buffer-names' is₽
 ធ an obsolete variable (as of 24.3); use 'display-buffer-alist' instead. Disable ₽
showing Disable logging
 Warning (comp): helm-core.el:7132:23: Warning: 'special-display-regexps' is an o₽
 §bsolete variable (as of 24.3); use 'display-buffer-alist' instead. Disable showi≥

nq Disable logging

% 9.9k *Warnings*
                    Special
                                                             utf-8 | 45: 0
                                                                              55%
```

Рис. 2.1: ...

2. Набрать текст.

```
lab09.sh - GNU Emacs at dk3n52
File Edit Options Buffers Tools Sh-Script Outline Hide/Show Help
 #!/bin/bash
  HELL=hello {
     LOCAL HELL=World
     echo $HELLO
  echo $HELLO
  hello
* 81 lab09.sh Shell-script
                                                unix | 7: 5
File is missing: Cannot open load file, Нет такого файла или каталога, helm-conf
```

Рис. 2.2: ...

3. Вывести список буферов на экран.

```
File Edit Options Buffers Tools Sh-Script Outline Hide/Show Help
  #!/bin/bash
  HELL=hello {
     LOCAL HELL=World
     echo $HELLO
  echo $HELLO
  hellohello
* 86 lab09.sh Shell-script
                                                           unix | 7: 9 All
  CRM Buffer Size Mode
                                              File
  . * lab09.sh
                           86 Shell-script[sh] ~/lab09.sh
                   86 Shell-so
  %* *Warnings*
                         723 Fundamental
  % *GNU Emacs*
     *scratch*
                          145 Lisp Interaction
  %* *Messages*
  %* *Messages* 66216 Messages
%* *Compile-Log* 28747 Compilation
  %* *Async-native-compi... 590546 Fundamental
  %* *Native-compile-Log* 5430 LIMPLE
   * *quelpa-build-checkou... 4845 Fundamental
  % *Quail Completions* 0 Fundamental
  %* *package update results* 19 Fundamental
% 577 *Buffer List* Buffer Menu
                                                          utf-8 | 1: 0 All

    ∇isit tags table (default TAGS): ~/
```

Рис. 2.3: ...

4. Разделите окно на 2 части.

```
File Edit Options Buffers Tools Sh-Script Outline Hide/Show Help
  #!/bin/bash
                                          #!/bin/bash
  HELL=hello {
                                          HELL=hello {
     LOCAL HELL=World
                                              LOCAL HELL=World
      echo $HELLO
                                              echo $HELLO
  echo $HELLO
                                          echo $HELLO
  hellohello
                                          hellohello
* 86 lab09.sh unix | 7: 9 All | * 86 lab09.sh
                                                            unix | 7: 9 All
∏ File is missing: Cannot open load file, Нет такого файла или каталога, helm-conf
% 9.9k *Warnings*
                   Special
                                                          utf-8 | 45: 0
                                                                          55%
```

Рис. 2.4: ...

5. Разделите окно на 4 части.




Рис. 2.5: ...

6. Введите какой нибуть текст в окнах




Рис. 2.6: ...

3 Выводы

Получили практические навыки по работе с Emacs.

Список литературы