

EDGE™ Tap Module 50 μm MM (OM4)

The Corning logo is a blue square with the word "CORNING" in white, uppercase, sans-serif font.

Part Number:
ETM-7C-Q-2X3

EDGE Tap module for traditional LC duplex systems enables the customer to manage the monitoring access points via the patch cord infrastructure zone at the front of the cabinets. The Edge Tap Module enables passive optical tapping of the network while reducing downtime and link loss, and increasing rack space utilization and density.

Features and Benefits

Designed for Duplex based infrastructure solutions

Utilizes advanced splitter technology

Maintains equal modal power distribution, reducing insertion loss for increased link reach

EDGE Solutions-based footprint

EDGE™ Tap Module 50 µm MM (OM4)

CORNING

Specifications

General Specifications

Product Type	Module
Fiber Category	50 µm MM (OM4)

Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---

Design

Fiber Count	24
Adapter Type Back	MTP®
Adapter Color Back	Aqua
Adapter Color Front	Aqua / Red
Adapter Type Front	MTP®

Cable Design

Fiber Count	24
-------------	----

Optical Specification - Hardware

Split Ratio Live/Tap	70/30
----------------------	-------

Specifications - Connector A

Connector Type	MTP® (pinned)
----------------	---------------

Specifications - Connector B

Ferrule Material	Composite
------------------	-----------

EDGE™ Tap Module 50 µm MM (OM4)

CORNING

Dimensions

Height	12 mm (0.47 in)
Width	90 mm (3.54 in)
Depth	144.3 mm (5.68 in)

Ordering Information

Product Number	ETM-7C-Q-2X3
Units per Delivery	1/1



Corning Optical Communications LLC • 4200 Corning Place • Charlotte, NC • 28216 • United States
800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/opcomm

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/trademarks. All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified. © 2026 Corning Optical Communications. All rights reserved.