

# EDGE8® Adapter Panels, MTP® 24F, RPS, 3 port panel with 3 blue adapters

CORNING

## Part Number: EDGE8-CP24-V6

EDGE8® MTP® adapter panels are pass-through panels that provide a simple interface to mate MTP connectors. This occurs when connecting MTP trunks to MTP extended trunks or MTP trunks to harnesses or MTP patch cords. These MTP multi-fibre connectors provide data centres with the fastest and simplest installations for serial or parallel optic transmissions, with which data rates of 40G, 100G, 400G or 800G can be realised easily and safely, using existing hardware. All EDGE8 adapter panels can be installed in all EDGE8 enclosures from the front or rear without the need for additional tools. They are available with one to four MTP adapters for multimode or single-mode applications. All panels feature unique shuttered MTP reversible adapters at the front of the panel for on-site changes to manage the field polarity. Visual fault locator (VFL) compatible shutters enable easy port identification while defusing the WFL light to ensure adequate eye safety.

## Features and Benefits

### Installation

Can be installed or removed from the front or rear of a housing

### Key identifiers

Gray color for easy identification as a Base-8 component

### Network upgrades

Facilitate in easy-open containers

### 32-fiber Panel

Provide MTP connection points between trunks and harness or extender trunks

### 12 color-coded mechanical key positions

Prevents mismatch of networks

### Keyed and non-keyed connectors and adapters

Provide security in network panel

### Adapter options

Adapters are colored to provide network segmentation

# EDGE8® Adapter Panels, MTP® 24F, RPS, 3 port panel with 3 blue adapters

CORNING

## Specifications

### Standards

|      |                                                           |
|------|-----------------------------------------------------------|
| RoHS | Free of hazardous substances according to RoHS 2011/65/EU |
|------|-----------------------------------------------------------|

### Design

|                           |          |
|---------------------------|----------|
| Adapter Type Back         | MTP®     |
| Adapter Color Back        | Blue     |
| Adapter Type Master Level | MTP®/MPO |
| Adapter Color Front       | Blue     |
| Number of Adapters        | 3        |

### Design - Adapter

|               |           |
|---------------|-----------|
| Adapter Style | Shuttered |
|---------------|-----------|

### Dimensions

|        |                    |
|--------|--------------------|
| Height | 11.8 mm (0.46 in)  |
| Width  | 60.9 mm (2.4 in)   |
| Depth  | 1259 mm (49.57 in) |
| Weight | 1 kg               |

### Ordering Information

|                    |                  |
|--------------------|------------------|
| Product Number     | EDGE8-CP24-V6    |
| Shipping Weight    | 2 kg             |
| Shipping Height    | 19 mm (0.75 in)  |
| Shipping Width     | 178 mm (7.01 in) |
| Shipping Depth     | 121 mm (4.76 in) |
| Units per Delivery | 1/1              |

# EDGE8® Adapter Panels, MTP® 24F, RPS, 3 port panel with 3 blue adapters

The Corning logo is a solid blue square with the word "CORNING" in white, uppercase, sans-serif font centered within it.

CORNING



Corning Optical Communications LLC • 4200 Corning Place • Charlotte, NC • 28216 • United States  
800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • [www.corning.com/opcomm](http://www.corning.com/opcomm)

A complete listing of the trademarks of Corning Optical Communications is available at [www.corning.com/opcomm/trademarks](http://www.corning.com/opcomm/trademarks). All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified. © 2026 Corning Optical Communications. All rights reserved.