



SAFETY DATA SHEET

HUNTEX ASP-56



Version 2.0
Revision date: 10.02.2022.
Print Date:

1. Identification of the substance/ mixture and of the company/ undertaking

1.1. Product identifier

Trade name : HUNTEX ASP-56
Chemical Name : Mixture of surfactants.

1.2. Recommended use of the chemical and restrictions on use

Recommended use : Textile auxiliary
Non-recommended : none known.

1.3. Details of the supplier of the safety data sheet

Company : HUNG XUONG CHEMICAL CO., LTD.
Telephone : +84 272 377 8055/56
Telefax : +84 272 377 80
E-mail : info@hungxuong.com

1.4. Emergency telephone number

Emergency : +84 272 377 8055
Information :

2. Hazards identification

2.1. Classification of the substance or mixture

GHS Classification and classification according to Regulation on classification and labeling of chemicals – Circular Number 32/2017/TT-BCT

Acute toxicity-Oral : Category 5.
Serious eye damage/eye irritation: Category 2.
Aquatic Chronic : Category 3.

2.2. Label elements

GHS Label elements



Hazard pictograms :
Signal word : WARNING
Hazard statement :

H303- May be harmful if swallowed.
H319- Causes serious eye irritation.
H412- Harmful to aquatic life with long-lasting effects

Precautionary statement:

Prevention :

P264- Wash hands thoroughly after handling.
P280- Wear eye protection/face protection
P273- Avoid release to the environment

Response :

P301 + P317- IF SWALLOWED: Get medical help.
P305 + P351 + P338- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P317- If eye irritation persists: Get medical help.

Storage :



SAFETY DATA SHEET

HUNTEX ASP-56



Version 2.0
Revision date: 10.02.2022.
Print Date:

Disposal : No special measures required.

P501- Disposal of contents / container in accordance with national regulations

2.3. Other hazards

None known

3. Composition/information on ingredients

3.1. Substance

-

3.2. Mixture

Information on ingredients / Hazardous components

Chemical Name	CAS-No	Concentration (%)	Classification GHS
Lauryl alcohol ethoxylate	9002-92-0	24.0-24.5	Acute Toxicity-Oral.4, H302. Eye Irrit.2, H319. Aquatic Chronic.3, H412
Isotridecanol, ethoxylated,3EO.	69011-36-5	1.3-2.3	Eye Irrit.2, H319. Aquatic Chronic.3, H412.
2-Butoxyethanol	111-76-2	0.2- 0.32	Acute Tox- Oral.4, H302. Acute Tox-Inhal.4, H332. Skin Irrit.2, H315. Eye Irrit.2, H319. (Refer to https://echa.europa.eu/brief-profile/-/briefprofile/100.003.550)
Isopropanol	67-63-0	2.9-3.2	Flam.Liq.2, H225 Eye Irrit.2, H319 STOT-SE 3, H336 (Refer to https://echa.europa.eu/brief-profile/-/briefprofile/100.000.601)

4. First aid measures

4.1. Description of first aid measures

General advice : If medical advice is needed, provide SDS document to physician.
Inhalation : Remove the victim from exposure or move to well- ventilated area.
If there is difficulty in breathing, medical advice is required.
Skin contact : After contact with skin, wash with plenty of soap and water.



SAFETY DATA SHEET

HUNTEX ASP-56



Version 2.0
Revision date: 10.02.2022.
Print Date:

Eye contact	Remove contaminated clothing, shoes and leather accessories. : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists –Get medical advice/ attention .
Ingestion	: In case of swallowing, rinse mouth, drink plenty of water. If feel unwell, seek medical advice. Keep at rest. Do not induce vomiting.
4.2. Most important symptoms and effects, both acute and delayed	
Symptoms	: no special hints
4.3. Indication of any immediate medical attention and special treatment needed	
	Treat symptomatically.
5. Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: fine water spray, foam, dry powder, CO ₂
Unsuitable extinguishing media	: no data available.
5.2. Special hazards arising from the substance or mixture	
	In the event of fire the following can be released: carbon monoxide, carbon dioxide.
5.3. Advice for firefighters	
	On burning, fire fighter should wear self-contained breathing apparatus if risk of exposure to to product of combustion.

6. Accidental release measures	
6.1. Personal precautions, protective equipment and emergency procedures	
	Use personal protective equipment. Do not touch or walk through spilled material.
6.2. Environmental precautions	
	Take up and fill into a closable container. Prevent run off into drains and waterways.
6.3. Methods and material for containment and cleaning up	
	Take up liquid spill into absorbent material, eg: soil, sand and other non-flammable absorbent material.

7. Handling and storage	
7.1. Precautions for safe handling	
Advice on safe handling	: wear protective equipment when working.
Hygiene measures	: Do not eat, drink or smoke when working. Wash hands before breaks and after work.
General protective measures	: Do not inhale gases/ vapours/ aerosols. Avoid contact with eyes and skin.
7.2. Condition for safe storage, including any incompatibilities	
Prevention of fire and explosion	
Information	: no special measures required.
Storage	



SAFETY DATA SHEET

HUNTEX ASP-56



Version 2.0
Revision date: 10.02.2022.
Print Date:

Information : none

Further Information on storage conditions:

Keep container tightly closed and store in a cool, dry well-ventilated location. Store away from heat, flames, ignition sources and incompatibles. Check regularly for leaks.

8. Exposure controls / Personal protection

8.1. Control parameters

Exposure limit(s)

Ingredient	CAS-No	Statutory basis	Value type (From of exposure; Expressed as)	Occupational exposure limit
2-Propanol (Isopropanol)	67-63-0	(Decision.No.3733/2002/QD-BYT)	TWA	350 mg/m ³
		(Decision.No.3733/2002/QD-BYT)	STEL	600 mg/m ³

8.2. Exposure controls

Appropriate : operate in well-ventilated area.

engineering controls

Personal protective equipment

Eye protection : wear safety goggles.

Hand protection : protective gloves.

Body protection : protective working clothes and safety shoes.

Respiratory : wear respirator

protection

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state or appearance: liquid

Color : colorless.

Odor : characteristic, odor resembling that of a slight alcohol.

Odor Threshold : no data available.

pH of 1% liquid (25°C) : 6-8.

Melting point : no data available.

Boiling point : no data available.

Flash point : > 95°C

Evaporation rate : no data available.

Flammability : no data available.

Upper Explosion/Ignition limit: no data available.

Lower explosion limit : no data available.

Vapour pressure : no data available.

Relative vapour : no data available.



SAFETY DATA SHEET

HUNTEX ASP-56



Version 2.0
Revision date: 10.02.2022.
Print Date:

Relative density	: no data available.
Solubility	: soluble in water.
Partition coefficient (n-octanol/water)	: no data available.
Autoignition temperature	: no data available.
Thermal decomposition	: no data available.
Viscosity, kinematic	: no data available.
Viscosity, Dynamic	: no data available.
Oxidizing properties	: no data available.

9.2. Other Information

Density	: $\approx 1.0 \text{ g/cm}^3$ (25°C)
Metal corrosion	: no data available.

10. Stability and reactivity

10.1. Reactivity

Stable in normal room temperature

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known

10.4. Conditions to avoid

Heat, flames, ignition sources and incompatibles.

10.5. Incompatible materials

Avoid contact with strong acids and oxidizing agents.

10.6. Hazardous decomposition products

Carbon dioxide and carbon monoxide may form when heated to decomposition.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: May be harmful if swallowed.
-----------------------	--------------------------------

Acute toxicity (inhalation)	: not classified.
--------------------------------	-------------------

Acute toxicity (dermal)	: not classified.
-------------------------	-------------------

Irritation/corrosion of the skin	: not classified.
-------------------------------------	-------------------

Serious eye damage/ eye irritation	: Causes serious eye irritation.
---------------------------------------	----------------------------------

Repeated dose toxicity	: not classified.
------------------------	-------------------

CMR assessment

Carcinogenicity	: not classified.
-----------------	-------------------

Mutagenicity	: not classified.
--------------	-------------------



SAFETY DATA SHEET

HUNTEX ASP-56



Version 2.0
Revision date: 10.02.2022.
Print Date:

Teratogenicity : not classified.
Toxicity to reproduction: not classified.
Specific Target Organ : not classified.
toxicity-single exposure.
Specific Target Organ : not classified.
toxicity-Repeated exposure.
Aspiration hazard : not classified.

12. Ecological information

12.1. Ecotoxicity

Aquatic chronic toxicity: Harmful to aquatic life with long-lasting effects.

12.2. Persistence and degradability

Biodegradability: > 70%

Biochemical oxygen demand (BOD5): 246 mg/g.

Chemical oxygen demand (COD): 852 mg/g.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

Waste from residue: Disposal should be in accordance with local regulations and legislation.
Contaminated packaging: Dispose of empty contaminated containers in accordance with regulations and legislation.

14. Transport information

D.O.T Road/Rail

UN number : not applicable.

UN proper shipping name: not applicable.

Hazard label: not applicable.

Transport hazard class (es): not applicable.

Packing group : not applicable.

Environmental hazards (Marine pollutant): yes.

Transport in bulk : not applicable.

Special precaution for user: not applicable.

Air transport ICAO-TI/IATA-DGR

UN number : not applicable.

UN proper shipping name: not applicable.

Hazard label: not applicable.

Transport hazard class (es): not applicable.



SAFETY DATA SHEET

HUNTEX ASP-56



Version 2.0
Revision date: 10.02.2022.
Print Date:

Packing group : not applicable.
Environmental hazards (Marine pollutant): yes.
Transport in bulk : not applicable.
Special precaution for user: not applicable.

Sea transport IMDG

UN number : not applicable.
UN proper shipping name: not applicable.
Hazard label: not applicable.
Transport hazard class (es): not applicable.
Packing group : not applicable.
Environmental hazards (Marine pollutant): yes.
Transport in bulk : not applicable.
Special precaution for user: not applicable.

15. Regulatory information

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture.

- Regulation on classification and labeling of chemicals - Circular Number 32/2017/TT-BCT. Date issued : 28/12/2017.
- Regulations on the list of hazardous industrial goods to be packed in the process of transporting and transporting dangerous industrial goods by road, rail and inland waterway transport - number: 44/2012/TT-BCT - Date issued 28/12/2012
- National technical standard for ambient air quality - QCVN05:2013/BTNMT
- National technical regulation on some hazardous substances in the surrounding air - QCVN06:2009/BTNMT
- Regulations on the labeling of chemicals based on GHS according to Circular No. 32/2017 / BCT
- Decision, No.3733/2002/QĐ-BYT.

16. Other information

The information in the sheet were written based on the best knowledge and experience currently available but without liability.

SDS prepared on: Jan 10, 2019

Revision date : Feb 10, 2022

Version 2.0

Legend

TWA: Time Weighted Average

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods

Flam Liq. 2: flammable liquid, hazard category 2



SAFETY DATA SHEET

HUNTEX ASP-56



Version 2.0
Revision date: 10.02.2022.
Print Date:

Acute Tox- Oral.4: acute toxicity oral, hazard category 4.
Acute Tox-Inhal.4: acute toxicity inhalation, hazard category 4.
Eye Irrit 2: eye irritation, hazard category 2
Skin Irrit 2: skin irritation, hazard category 2
STOT SE 3: Specific target organ toxicity- single exposure, hazard category 3
Aquatic Acute.1: Aquatic acute, hazard category 1.
Aquatic Chronic.1: Aquatic chronic, hazard category 1.
H225- Highly flammable liquid and vapor
H302- Harmful if swallowed.
H332- Harmful if inhaled
H315- Causes skin irritation.
H319- Causes serious eye irritation.
H336- May cause drowsiness or dizziness
H400- Very toxic to aquatic life
H410: Very toxic to aquatic life with long-lasting effects
H412- Harmful to aquatic life with long-lasting effects