

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

EXPO BASE

Universal application foundation

A production-oriented Expo reference app proving adaptive composition, semantic geometry, portable services, and consistent interaction behavior across compact through wide layouts.

AdaptivePortable

Adaptive foundation

One hierarchy spans compact through wide layouts while surfaces express primary, supporting, and contextual information without feature-owned geometry.

Wide

Adaptive regimes

4

Compact · medium · expanded · wide

Target platforms

3

iOS · Android · web

Minimum interaction target

44+

Shared control and hit-area ownership

Interaction hierarchy

Primary, secondary, and outline actions preserve visual priority while responsive width belongs to the component contract.

Primary

Secondary

Outline

Semantic status

Feedback colors remain semantic and theme-safe rather than feature-owned.

Approved

Review

Blocked

Info

Runtime controls

Switch theme, density, locale direction, and motion policy live. Geometry remains token-owned; density never reduces interaction safety.

Theme

System

Light

Dark

Density

Comfortable

Compact

Locale stress

English

Pseudo LTR

Pseudo RTL

Motion

System motion

Reduced motion

Active: System theme · Comfortable density · en-US · LTR · system motion

RUNTIME

system · comfortable · en-US · system

E Expo Base

Home

Build

Data

Patterns

System

GATE 05 / FORMS

Form interaction acceptance surface

Keyboard-aware scrolling, visible labels, deterministic focus, validation summary, server-error mapping, and unsaved-change protection remain outside the visual component package.

IDENTITY

Required

Profile information

Related identity fields share one responsive section while each field keeps its own validation and keyboard contract.

Full name

Required

Alex Morgan

Email address

Required

alex@example.com

SECURITY

10+ characters

Account security

Security inputs remain visually grouped without coupling the forms package to a state library.

Password

Required

At least 10 characters.

CONSENT

Terms and consent

Selection controls keep their own error and focus behavior while the section owns content hierarchy.

I agree to the terms

Required for the reference validation flow.

Reset

Validate form

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

GATE 06 / NAVIGATION

Navigation acceptance surface

The visual navigation system is route-library agnostic. Expo Router integration is isolated behind @expo-base/navigation-router.

Primary destination model

Compact layouts use a maximum of five core destinations. Expanded layouts promote the same information architecture into a persistent sidebar instead of inventing a separate route model.

Home

Cards

Rewards

Activity

Profile

Selected: home

Tabs

Overview

Rewards

Activity

Benefits with a deliberately long label

Selected tab: overview. The tab row owns its horizontal overflow internally rather than creating page-level horizontal scrolling.

Breadcrumb hierarchy

Cards > Personal > Venture X

Breadcrumbs remain wrapping and non-destructive at narrow widths.

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

Overlay Manager acceptance surface

Anchored surfaces measure their real window position, flip when necessary, clamp to safe viewport bounds, and share exclusive lifecycle ownership.

Anchored popover

The trigger is measured with `measureInWindow` after render. The panel remains invisible until both anchor and content geometry are known, preventing a random first-frame jump.

Open action menu ▾

Collision-aware

Dialog / alert / sheet hierarchy

Open dialog

Open destructive alert

Open bottom sheet

Open long sheet

Show toast

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

GATE 08 / LISTS

Virtualized list acceptance surface

This route renders 250 synthetic rows through one screen-owned FlatList. Product code never owns raw list virtualization or nested vertical scrolling.

Production list states

Stateful

Loading, empty, and live-data ownership stay inside the shared list contract.

- Live data
- Loading state
- Empty state

Small static groups

≤40 items

StaticList remains the bounded choice for small groups embedded inside another scroll owner.

Small groups embedded inside another scroll owner use StaticList. Above the contract threshold, development warns and the screen should move to ListScreen.

- Profile settings
- Notification preferences
- Connected accounts

Welcome bonus

Synthetic activity item 1

+\$50.00

Dining purchase

Synthetic activity item 2

−\$25.17

Travel credit

Synthetic activity item 3

+\$54.70

Welcome bonus

Synthetic activity item 4

+\$57.05

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

GATE 09 / DATA & CONTENT

Adaptive data workspace

Search, filter, inspect, and paginate one semantic dataset while the shared system owns responsive composition, density, formatting, and state hierarchy.

Responsive data Search + filters

Total annual fees

\$1,215.00

7 cards tracked

Estimated reward value

\$4,940.00

Synthetic reference data

Average utilization

12.3%

Central numeric formatting

Portfolio cards

7 records

The toolbar, result state, adaptive table, and pagination behave as one reusable data workspace rather than feature-owned layout fragments.

Search card, issuer, or status

Filters

Clear filters

All issuers

Issuer: Chase

Issuer: Amex

All statuses

Status: Active

Status: Review

7 of 7 cards

☐	Card ↑↓	Issuer ↑↓	Annual fee ↑↓	Reward value ▼	Utilization ↑↓	Status ↑↓
☐	Venture X	Capital One	\$395.00	\$1,220.00	12%	Active
☐	Gold Card with a deliberately long product name	American Express	\$325.00	\$980.00	27%	Review
☐	Altitude Reserve	U.S. Bank	\$400.00	\$840.00	19%	Active
☐	Sapphire Preferred	Chase	\$95.00	\$690.00	8%	Active

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

Tokenized charts with bounded geometry

Core charts share one series palette, measured chart frame, scale/path solvers, accessible summaries, and tap selection. Product screens never calculate SVG paths or import a chart engine directly.

Portfolio value

Interactive

Area treatment, semantic accent series, quiet grid, tap-selection zones.



Label	Value
Jan	6200
Feb	6480
Mar	6310
Apr	6840
May	7010
Jun	7380
Jul	7210
Aug	8420

Tap a point region to persist a selected value.

Spend categories



Label	Value
Travel	1820
Dining	1140
Grocery	760
Other	510



Travel Dining Grocery Other

Label	Value
Travel	1820
Dining	1140
Grocery	760
Other	510

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

GATE 11 / FEEDBACK

The unhappy path is part of the design system

Loading, stale content, empty results, errors, offline behavior, permissions, reconnect flows, and persistent alerts use one semantic language instead of feature-specific improvisation.

Persistent semantic feedback

New recommendation available

Your current spending pattern may qualify for a stronger dining return.

Review

Bonus completed

Required spend was reached nine days early.

Annual fee in 12 days

Review retention value before the renewal posts.

Connection failed

The latest refresh could not be completed.

Inline messages are reserved for local context such as form or section-level status.

Loading skeleton

State playground

- Empty
- No results
- Error
- Offline
- Permission
- Reconnect
- Maintenance



Nothing here yet

- E

Expo Base
- Home
- Build
- ↕

Data
- ☆

Patterns
- ⌘

System

GOLDEN PHASE 3

Server-state lifecycle laboratory

One scoped query owner coordinates identity, cache, stale refresh, cancellation, mutation invalidation, and optimistic rollback across consumers.

Shared query identity

Three consumers use one deterministic key; the service receives one request.

Service requests: 1

Consumer A: content · 3

Consumer B: content · 3

Recompose runtime provider

All tasks

Platform tasks

Stale-safe presentation

Refresh errors retain content and map into the shared degraded feedback anatomy.

Publish Golden Catalog
platform · Complete

Adopt shared query lifecycle
product · Open

Review stale-data behavior
platform · Open

Motion is optional; meaning is not

Animation and haptics are progressive enhancement. Reduced-motion policy, live announcements, semantic grouping, and screen-reader-only content are centralized so interaction remains understandable without movement or vibration.

Reduced motion

System preference detected: Reduced motion enabled.

Hide reveal

Purposeful transition

With reduced motion enabled, Reanimated reaches the same final state without requiring the movement.

Haptic intent

This lab uses a deterministic fake adapter. Production haptics are optional and silently degrade when hardware/browser support is unavailable.

SelectionConfirmWarning

Live announcement

Dynamic status changes use the shared live-region path instead of feature code calling native accessibility APIs.

Announce savedAnnounce warning

Ready

Semantic grouping

TRAVEL REWARDS

\$8,420

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

GOLDEN PATTERN / DASHBOARD

1 / 15

Next pattern

Home

Dashboard

Primary overview pattern for consumer or operational products.

Tracked value

\$8,420

+14.2% YTD

Annual fees

\$1,215

6 active products

Upcoming value

\$1,090

3 benefits

Value trend



Attention



Annual fee in 12 days

Review retention value before renewal.



Venture X

Capital One · Updated 4 min ago

Active



Gold Card

American Express · Review annual fee

Review



Sapphire Preferred

Chase · Travel category

RUNTIME

system · comfortable · en-US · system

- E

Expo Base
- Home

Home
- Build

Build
- Data

Data
- Patterns

Patterns
- System

System

WORKFLOW LAB

Activity

Offline is honest: retained content remains visible, but write synchronization is not implied.



Offline

Showing available information. Changes may not be current.

Recent activity

This retained sample content represents a stale server-state result. Explicit refresh remains a product action after reconnect.

Refresh when online



Commands

Home

RUNTIME

system · comfortable · en-US · system

System acceptance laboratory

A single route exercising public components in realistic combinations so theme, density, interaction and responsive regressions are visible before product migration.

Surface hierarchy

SURFACE

Default workspace surface

Stable bordered surface for most grouped application content.

SUBTLE

Contextual surface

Lower-emphasis grouping for inspectors, supporting context, and quiet states.

ELEVATED

Prominent surface

Raised treatment for authentication, hero tasks, and visually dominant work.

Theme and density invariants

FORCED LIGHT

Semantic light surface

Geometry is shared with dark mode; only semantic visual tokens change.

Light action

FORCED DARK

Semantic dark surface

Near-black surfaces use independently designed contrast and elevation values.

Dark action

COMPACT DENSITY

More information, same interaction safety

Compact row A

Spacing compresses; semantic hierarchy remains intact.

>

Compact row B

Touch-oriented controls retain safe interaction bounds.

>

Actions and identity

Primary

Secondary

Outline

Ghost

Danger

Approved

Portable

E Expo Base

Home

Build

Data

Patterns

System

GOLDEN PLUS

No external runtime dependency

Abundant reusable depth

A deterministic living specification for secondary UI families that should never be rebuilt in product routes.

Identity and status

Image fallback, overlap, aggregate naming, and non-color status semantics remain centrally owned.

AKMLSP+2

Service healthy

All scheduled checks completed.

Review required

One policy needs an owner.

Workspace identifier

workspace_01J8QZ6VBH79M5X2

Sensitive reference

.....9831

Reveal

```
{
  "density": "compact",
  "locale": "en-US"
}
```

Chronological activity

Timeline owns event anatomy and responsive rails without replacing feed or domain event models.

Workspace approved

Today, 09:30

The review completed with no outstanding exceptions.

Configuration reviewed

Yesterday, 16:10

Two maintainers reviewed the proposed runtime policy.

Workspace created

Sep 2, 11:45

Complete

Reviewed

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

GATE 14 / TORTURE MATRIX

Pathological-content acceptance

This screen intentionally feeds the design system long labels, large values, multilingual content, stale-data conditions and constrained action groups. It should wrap or adapt without overlap, clipping or page-level horizontal scrolling.

Component lab

Extreme values

Very large currency

\$9,999,999,999.99

+999.99%

Negative balance

−\$8,420,293.18

Requires attention

Large points balance

123,456,789 pts

Across 18 programs

Long and multilingual text

LONG ENGLISH

Alexandria Maximiliana von
Example-Something-With-An-
Intentionally-Long-Unbroken-
Product-Context

A deliberately verbose description that must be allowed to wrap naturally without requiring feature code to specify a width, line count, font reduction, or clipping workaround.

GERMAN-LENGTH STRESS

Jahresgebührenüberprüfungsbe
nachrichtigung und
Überweisungsoptimierungseinst
ellungen

Review required

NON-LATIN STRESS

アカウント接続と年間特典の最適化に
関する詳細設定と通知オプション

東京・2026年8月30日・123,456 ポイント

Action overflow under label pressure

Save required changes

Export complete transaction history

More (2)

Field expansion and dense records

E

Expo Base

Home

Build

Data

Patterns

System

GATE 35 / SERVICES

Service + auth runtime acceptance surface

Feature code consumes portable service contracts and centralized auth state. Backend adapters remain hidden behind runtime boundaries.

Authenticated

Reference User

Adapters ready

Auth runtime	reference@example.com
Image provider	reference://asset
Storage	Injected KeyValueStorageAdapter
Analytics	Injected AnalyticsAdapter

Sign out through auth runtime

Verify storage adapter

- E

Expo Base
- Home
- Build
- Data
- Patterns
- System

RUNTIME CAPABILITY LAB

Optional boundaries, deterministic demo

This reference route demonstrates selection and normalized outcomes through fake adapters only. Production apps select real Expo implementations in root composition.

Storage and sharing

- Save preference
- Store secret
- Share value

Signals and permissions

- Read connectivity
- Local unlock
- Notification token

Release boundary

- Check update
- Back to system

All interactions below use deterministic memory fixtures; no hardware, credentials, or backend are involved.

- E

Expo Base
- Home
- Build
- Data
- Patterns
- System

Authentication session acceptance

This route is itself protected. Signing out must remove it from navigation history and expose only signed-out routes.

Resolution	signed-in
Access	granted
Action	idle
User	reference@example.com

Sign out and test guard

E

Expo Base

Home

Build

Data

Patterns

System

Authorization capability acceptance

Authenticated identity and product capability are separate. Loading/error states fail closed and backend APIs must still enforce authorization.

ready

Capabilities		reports.view, rewards.optimize, settings.manage
reports.view		Granted
billing.manage		missing_all

Reports capability content is visible.

Open capability-protected route

Refresh capabilities

E Expo Base

Home

Build

Data

Patterns

System

ANALYTICS / OVERVIEW

A calm view of growth

A reusable analytics composition connecting trend, comparison, distribution, and accountable detail without turning the page into a chart gallery.

Active accounts

18,420

↑ 12.8% vs prior period

Healthy acquisition



Net expansion

\$104.3k

↑ 8.4% vs prior period

Above target

Retention floor

91.4%


↓ 1.2 pts below target

Watch enterprise cohort

Monthly performance

Current period against the previous period and operating target.

↑ Current period is ahead of target in four of six months.



Label	Current period	Previous period	Target
Jan	42	37	40
Feb	48	41	44
Mar	46	45	47
Apr	58	49	51
May	68	59	62
Jun	78	69	72

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

FINANCE / OPERATIONS

Value, contribution, and control

A neutral financial-operations composition demonstrating signed change and reference levels without embedding advice or financial business rules.

Managed value

\$1.04m

↑ 6.2% above prior period

Reference value

Net movement

+\$203k

↑ Expansion offsets churn

Semantic tone supplied by the product

Operating target


\$1.00m

↑ 4.3% above target

Target remains visible

Period comparison

Current and previous values share one ordered x-axis.



Label	Current period	Previous period
Jan	42	37
Feb	48	41
Mar	46	45
Apr	58	49
May	64	54
Jun	71	61

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

MONITORING / OPERATIONS

Know what needs attention

A dense operational composition connecting health, thresholds, anomalies, and recent events with deterministic sample data.

● All systems operational ● 2 services under watch

Availability

99.98%

↑ 0.04 pts above target

Last 24 hours

P95 latency

182ms

↓ 18ms above target

Checkout path

Open incidents


2

↑ 1 new in the last hour

Acknowledgement required

Service health trend

The selected threshold is visible in the surrounding operational context.



Label	Current period	Previous period	Target
Jan	42	37	40
Feb	48	41	44
Mar	46	45	47
Apr	58	49	51
May	64	54	58

- E

Expo Base
- Home

Home
- Build

Build
- Data

Data
- Patterns

Patterns
- System

System

GOLDEN PATTERN / FEED-LIST

Activity feed

Dense chronological or entity collections with optional controls.

2 / 15

Next pattern

Home

- All
- Rewards
- Spend



Venture X
Capital One · Updated 4 min ago

Active



Gold Card
American Express · Review annual fee

Review



Sapphire Preferred
Chase · Travel category

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

Search results

Results remain primary; compact layouts place filters before the result set.

24 results for "travel"

	Venture X Capital One · Updated 4 min ago	Active
	Gold Card American Express · Review annual fee	Review
	Sapphire Preferred Chase · Travel category	

Filters

Issuer

Annual fee

Status

E

Expo Base

Home

Build

Data

Patterns

System

RUNTIME

system · comfortable · en-US · system

Data workspace

Wide operational surface with optional inspector instead of a squeezed mobile table.

Filter

Export

Card	Issuer	Value
Venture X	Capital One	\$1,220.00
Gold Card	American Express	\$980.00
Sapphire Preferred	Chase	\$690.00

Scope

All cards

Updated

4 min ago

Rows

3

Venture X

Entity detail pattern with hero summary and contextual aside.

Tracked value

\$8,420

+14.2% YTD

Annual fees

\$1,215

6 active products

Upcoming value

\$1,090

3 benefits

Issuer	Capital One
Annual fee	\$395
Opened	May 2026

Actions

Edit

Archive

Cards

Selection and detail coexist only when the layout capability supports it.

Venture X

Capital One · Updated 4 min ago

Active

Gold Card

American Express · Review annual fee

Review

Sapphire Preferred

Chase · Travel category

Venture X

Expanded layouts show both panes; compact layouts preserve one focused workflow.

Value	\$1,220
Annual fee	\$395

- E

Expo Base
- Home

Home
- Build

Build
- Data

Data
- Patterns

Patterns
- System

System

Edit setup

Single-purpose create/edit flow with centralized form action hierarchy.

Basics

Labels remain visible and validation behavior is system-owned.

Nickname

Travel setup

Institution

Capital One

Cancel

Save changes

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

Connect account

Progressive multi-step workflows keep progress and actions in stable locations.

Step 2 of 4



Confirm institution

Review the selected provider before continuing.

Institution	Example Bank
Connection	Secure OAuth

Settings

Settings become a master/detail workspace on larger layouts and a safe stack on compact layouts.

General

Notifications

Privacy

General

Appearance

System theme

Density

Comfortable

Language

English

E

Expo Base

Home

Build

Data

Patterns

System

Profile

Identity summary followed by independent profile sections.

Alex Kim

alex@example.com

Verified

Personal information

Name	Alex Kim
Timezone	Central

Security

Passkey	Enabled
Recovery	Ready

- EExpo Base
- Home
- Build
- Data
- Patterns
- System

EXPO BASE

Welcome back

Authentication stays focused and deliberately narrow on large screens.

Email

alex@example.com

Password

.....

Sign in

E Expo Base

Home

Build

Data

Patterns

System

Analytics

Metrics and visualizations scale independently while insight context moves to an aside.

Tracked value

\$8,420

+14.2% YTD

Annual fees

\$1,215

6 active products

Upcoming value

\$1,090

3 benefits

Value over time



Insights



Value increased

Synthetic tracked value is up from January.

- E

Expo Base
- Home

Home
- Build

Build
- Data

Data
- Patterns

Patterns
- System

System

GOLDEN PATTERN / EMPTY-START

13 / 15

Next pattern

Home

Cards

New-user and zero-data experiences preserve hierarchy rather than showing a blank page.



Add your first card

Start with one account. The platform will build the rest of the experience around real content.

Learn more

Add card

E Expo Base

Home

Build

Data

Patterns

System

Review changes

Focused workflows keep one dominant task and stable exit/continue actions.

i

3 changes ready

Nothing is submitted until you confirm.

Nickname	Travel setup
Issuer	Capital One
Status	Active

Back

Confirm changes

Overlay workflow

Page context stays intact while a shared dialog or sheet owns transient decisions.

Context remains visible

Open the system-owned confirmation overlay without feature-level positioning or z-index.

Open confirmation

E

Expo Base

Home

Build

Data

Patterns

System

WORKFLOW LAB

Import complete

Completion owns the handoff hierarchy, not product geometry.

✓

Completed

Your file is ready for product-specific processing.

Products supply the destination, copy, and domain result.

Start another

View imports

- E

Expo Base
- Home

Home
- Build

Build
- Data

Data
- Patterns

Patterns
- System

System

WORKFLOW LAB

Commands

Home

Allow document access

The capability package owns availability and permission state; product copy owns the reason.



Permission required

Document selection is optional. You can continue without importing a file.

Not now

Choose a document

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

Virtualized list acceptance surface

This route renders 250 synthetic rows through one screen-owned FlatList. Product code never owns raw list virtualization or nested vertical scrolling.

Production list states

Stateful

Loading, empty, and live-data ownership stay inside the shared list contract.

Live data

Loading state

Empty state

Small static groups

≤40 items

StaticList remains the bounded choice for small groups embedded inside another scroll owner.

Small groups embedded inside another scroll owner use StaticList. Above the contract threshold, development warns and the screen should move to ListScreen.

Profile settings

Notification preferences

Connected accounts



- E Expo Base
- Home
- Build
- Data
- Patterns
- System

GATE 08 / LISTS

Virtualized list acceptance surface

This route renders 250 synthetic rows through one screen-owned FlatList. Product code never owns raw list virtualization or nested vertical scrolling.

Production list states

Stateful

Loading, empty, and live-data ownership stay inside the shared list contract.

Live data

Loading state

Empty state

Small static groups

≤40 items

StaticList remains the bounded choice for small groups embedded inside another scroll owner.

Small groups embedded inside another scroll owner use StaticList. Above the contract threshold, development warns and the screen should move to ListScreen.

Profile settings

Notification preferences

Connected accounts



No activity yet

New activity will appear here when transactions or rewards arrive.

Show sample data

E Expo Base

Home

Build

Data

Patterns

System

Navigation acceptance surface

The visual navigation system is route-library agnostic. Expo Router integration is isolated behind @expo-base/navigation-router.

Primary destination model

Compact layouts use a maximum of five core destinations. Expanded layouts promote the same information architecture into a persistent sidebar instead of inventing a separate route model.

Home

Cards

Rewards

Activity

Profile

Selected: home

Tabs

Overview

Rewards

Activity

Benefits with a deliberately long label

Selected tab: benefits. The tab row owns its horizontal overflow internally rather than creating page-level horizontal scrolling.

Breadcrumb hierarchy

Cards > Personal > Venture X

Breadcrumbs remain wrapping and non-destructive at narrow widths.

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

GATE 11 / FEEDBACK

The unhappy path is part of the design system

Loading, stale content, empty results, errors, offline behavior, permissions, reconnect flows, and persistent alerts use one semantic language instead of feature-specific improvisation.

Persistent semantic feedback

New recommendation available

Your current spending pattern may qualify for a stronger dining return.

Review

Bonus completed

Required spend was reached nine days early.

Annual fee in 12 days


Review retention value before the renewal posts.

Connection failed

The latest refresh could not be completed.

Inline messages are reserved for local context such as form or section-level status.

Loading skeleton



State playground

- Empty
- No results
- Error
- Offline
- Permission
- Reconnect
- Maintenance



Something went wrong

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

GATE 11 / FEEDBACK

The unhappy path is part of the design system

Loading, stale content, empty results, errors, offline behavior, permissions, reconnect flows, and persistent alerts use one semantic language instead of feature-specific improvisation.

Persistent semantic feedback

New recommendation available

Your current spending pattern may qualify for a stronger dining return.

Review

Bonus completed

Required spend was reached nine days early.

Annual fee in 12 days

Review retention value before the renewal posts.

Connection failed

The latest refresh could not be completed.

Inline messages are reserved for local context such as form or section-level status.

Loading skeleton

State playground

- Empty
- No results
- Error
- Offline
- Permission
- Reconnect
- Maintenance



Permission required

- E

Expo Base
- Home
- Build
- Data
- Patterns
- System

GATE 11 / FEEDBACK

The unhappy path is part of the design system

Loading, stale content, empty results, errors, offline behavior, permissions, reconnect flows, and persistent alerts use one semantic language instead of feature-specific improvisation.

Persistent semantic feedback

New recommendation available

Review

Your current spending pattern may qualify for a stronger dining return.

Bonus completed

Required spend was reached nine days early.

Annual fee in 12 days

Review retention value before the renewal posts.

Connection failed

The latest refresh could not be completed.

Inline messages are reserved for local context such as form or section-level status.

Loading skeleton

State playground

- Empty
- No results
- Error
- Offline
- Permission
- Reconnect
- Maintenance



Temporarily unavailable

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

GATE 09 / DATA & CONTENT

Adaptive data workspace

Search, filter, inspect, and paginate one semantic dataset while the shared system owns responsive composition, density, formatting, and state hierarchy.

Responsive data Search + filters

Total annual fees

\$1,215.00

7 cards tracked

Estimated reward value

\$4,940.00

Synthetic reference data

Average utilization

12.3%

Central numeric formatting

Portfolio cards

0 records

The toolbar, result state, adaptive table, and pagination behave as one reusable data workspace rather than feature-owned layout fragments.

Q

no-such-card

X

≡

Filters (1)

Clear filters

All issuers

Issuer: Chase

Issuer: Amex

All statuses

Status: Active

Status: Review

0 of 7 cards



No cards match

Try a broader search or clear one of the active filters.

Clear filters

- E

Expo Base
- Home
- Build
- ↕

Data
- ☆

Patterns
- ⌘

System

Platform tasks

Stale-safe presentation

Refresh errors retain content and map into the shared degraded feedback anatomy.



Update failed

Showing previously loaded data because the latest refresh failed.

Try again

Publish Golden Catalog

platform · Complete

Adopt shared query lifecycle

product · Open

Review stale-data behavior

platform · Open

Refresh tasks

Fail next refresh

Mutation bookkeeping

The product chooses the optimistic update; the shared owner snapshots, rolls back, invalidates, and single-flights.

Mutation: idle

Mutation requests: 0

Toggle first task

Prove optimistic rollback

Keyboard-aware scrolling, visible labels, deterministic focus, validation summary, server error mapping, and unsaved-change protection remain outside the visual component package.

Review the highlighted fields

Choose an item to move to the field that needs attention.

Form: The profile could not be saved until the highlighted field is resolved.

Email address: This email address is already in use.

IDENTITY

Required

Profile information

Related identity fields share one responsive section while each field keeps its own validation and keyboard contract.

Full name

Required

Alex Morgan

Email address

Required

alex@example.com

⚠ This email address is already in use.

SECURITY

10+ characters

Account security

Security inputs remain visually grouped without coupling the forms package to a state library.

Password

Required



At least 10 characters.

CONSENT

Terms and consent

Selection controls keep their own error and focus behavior while the section owns content hierarchy.

E Expo Base

Home

Build

Data

Patterns

System

GATE 07 / OVERLAYS

Overlay Manager acceptance surface

Anchored surfaces measure their real window position, flip when necessary, clamp to safe viewport bounds, and share exclusive lifecycle ownership.

Anchored popover

The trigger is measured with `measureInWindow` after render. The panel remains invisible until both anchor and content geometry are known, preventing a random first-frame jump.

Open action menu ▾

Collision-aware

Dialog / alert / sheet

Open dialog

Open destructive alert

Open confirmation

Open reference user

Show toast

Remove this configuration?

Alert dialogs require explicit action and do not dismiss on backdrop.

Cancel

Remove

E

Expo Base



Home



Build



Data



Patterns



System

Capability-protected route

This route exists only while the authenticated identity has settings.manage.

Back

- E Expo Base
- Home
- Build
- Data
- Patterns
- System

EXPO BASE

Universal application foundation

A production-oriented Expo reference app proving adaptive composition, semantic geometry, portable services, and consistent interaction behavior across compact through wide layouts.

- Adaptive
- Portable

Adaptive foundation

One hierarchy spans compact through wide layouts while surfaces express primary, supporting, and contextual information without feature-owned geometry.

Wide

Adaptive regimes

4

Compact · medium · expanded · wide

Target platforms

3

iOS · Android · web

Minimum interaction target

44+

Shared control and hit-area ownership

Interaction hierarchy

Primary, secondary, and outline actions preserve visual priority while responsive width belongs to the component contract.

Primary

Secondary

Outline

Semantic status

Feedback colors remain semantic and theme-safe rather than feature-owned.

Approved

Review

Blocked

Info

Runtime controls

Switch theme, density, locale direction, and motion policy live. Geometry remains token-owned; density never reduces interaction safety.

Theme

System

Light

Dark

Density

Comfortable

Compact

Locale stress

English

Pseudo LTR

Pseudo RTL

Motion

System motion

Reduced motion

Active: Dark theme · Comfortable density · en-US · LTR · system motion