



Executive Business Review

Whole-report visual review · Focus: Opening, KPI, analysis and decision hierarchy

R1 · 14d9c80




R2 · b3ecb22



Experiment Decision

Whole-report visual review · Focus: Evidence density and resolved decision treatment

R1 · 14d9c80




Semiconductor RCA

Whole-report visual review · Focus: Causal flow, spatial evidence and engineering detail

R1 · 14d9c80



R2 · b3ecb22



Technical Status / Operating Review

Whole-report visual review · Focus: Dense analytical content and section rhythm

R1 · 14d9c80

OPERATING SUMMARY

Shift B recovered yield after chamber maintenance. Keep the recipe locked through the next paired-lot check and hand off the evidence to Quality and Equipment Engineering.

Line 4 · shifts A-C · chamber A controls · capacity release review.

PERFORMANCE

First pass yield

95%

Delta 0.9

Unplanned downtime

8.3h

Target 96% Delta -1.7

Target 6 h

ANALYSIS

Yield by shift

Line Chart: 3 rows · X Shift · Y Yield · 2 fields

SPC Control Chart · computed control limits · specifications shown

SPC Control Chart: 5 rows · X Time · Y Measurement · 4 fields

Yield recovered from 94.1% on shift A to 95.0% on shift C, while the control sample remains within specification. Keep the recipe locked until the next paired-lot check closes the two open items.

RESPONSE WORKFLOW

Detect → Contain → Verify → Release

TOOL	CHAMBER	MEASURE	OWNER	STATUS
ETCH-08	A	Pressure	Equipment Eng.	Open
ETCH-07	C	Flow	Process Eng.	Stable
MET-02	B	Yield	Quality	Verified

Measurement system remains within the qualified reference range.
Sample: 30 parts · method: inline metrology · source: shift B inspection.
Evidence: Verified

DECISION

Hold added capacity until the paired-lot check closes

Keep the recipe locked and attach the next shift control evidence.

Review

NEXT STEPS

Complete chamber verification and update the runbook.

Owner: Equipment Engineering · due next shift · evidence: paired control lot.

Active

R2 · b3ecb22

01 Operating summary

Shift B recovered yield after chamber maintenance. Keep the recipe locked through the next paired-lot check and hand off the evidence to Quality and Equipment Engineering.

Line 4 · shifts A-C · chamber A controls · capacity release review.

02 Performance

First pass yield

95%

Delta 0.9

Unplanned downtime

8.3h

Target 96% Delta -1.7

Target 6 h

03 Analysis

Yield by shift

Line Chart: 3 rows · X Shift · Y Yield · 2 fields

SPC Control Chart · computed control limits · specifications shown

SPC Control Chart: 5 rows · X Time · Y Measurement · 4 fields

Yield recovered from 94.1% on shift A to 95.0% on shift C, while the control sample remains within specification. Keep the recipe locked until the next paired-lot check closes the two open items.

04 Response workflow

Detect → Contain → Verify → Release

TOOL	CHAMBER	MEASURE	OWNER	STATUS
ETCH-08	A	Pressure	Equipment Eng.	Open
ETCH-07	C	Flow	Process Eng.	Stable
MET-02	B	Yield	Quality	Verified

Measurement system remains within the qualified reference range.
Sample: 30 parts · method: inline metrology · source: shift B inspection.
Evidence: Verified

05 Decision

Hold added capacity until the paired-lot check closes

Keep the recipe locked and attach the next-shift control evidence.

Review

06 Next steps

Complete chamber verification and update the runbook.

Owner: Equipment Engineering · due next shift · evidence: paired control lot.

Active

Order / Returns holdout

Whole-report visual review · Focus: Independent genre and responsive reading

R1 · 14d9c80



R2 · b3ecb22

