

EXECUTIVE SUMMARY

Revenue grew across all three regions. Retention improved in the West, while the South remains below the 95 percent target.

Quarterly business review - Q1-Q4 - three regions - revenue and retention.

PERFORMANCE

Retention

94.6%

Delta 2.8

Regional revenue

551

Target 95%

Delta —

Quarterly retention

Before

91.8%

After

94.6%

▲

ANALYSIS

Quarterly retention

Quarter	Retention (%)
Q1	91.8
Q2	93.2
Q3	94.1
Q4	94.6

Line Chart: 4 rows · X Quarter · Y Retention · 2 fields

REGIONAL EVIDENCE

REGION	REVENUE	RETENTION	STATUS
North	184	94.1%	Watch
South	156	92.8%	Below target
West	211	95.0%	On plan

DECISION

!

Proceed with monitored revenue recovery

Close the South retention gap before the next review.

Review

DECISION AND NEXT STEP

✓

Next step: close the South retention gap before the next quarterly review.

EXECUTIVE SUMMARY

Revenue grew across all three regions. Retention improved in the West, while the South remains below the 95 percent target

Quarterly business review · Q1–Q4 · three regions · revenue and retention.

PERFORMANCE

Retention

94.6%

Regional revenue

551

Quarterly retention

Before

91.8%


After

94.6%



ANALYSIS

Quarterly retention



Line Chart: 4 rows · X Quarter · Y Retention · 2 fields

REGIONAL EVIDENCE

REGION	REVENUE	RETENTION	STATUS
North	184	94.1%	Watch
South	156	92.8%	Below target
West	211	95.0%	On plan

DECISION



Proceed with monitored revenue recovery

Review

Close the South retention gap before the next review.

DECISION AND NEXT STEP



Next step: close the South retention gap before the next quarterly review.

INVESTIGATION SUMMARY

Affected lot L2407 shows a localized die-level yield loss after ETCH-08 chamber A processing. Contain the lot until the chamber check and paired reference run confirm recovery.

Lot L2407 - ETCH-08 chamber A - affected die compared with a paired reference - release held for verification.

PERFORMANCE

Affected yield

94.2%

Delta -4.4

Affected versus reference yield


Before

98.6 %

After

94.2 %

ANALYSIS




Measurement

Computed control limits Specification limits

SPC Control Chart: 4 rows · X time · Y value · 8 fields

Control versus affected distribution



Verified finding

Finding - chamber A pressure drift aligns with the L2407 yield excursion.

Affected yield is 94.2% versus 98.6% reference. Contain L2407 and verify the matched chamber run before release.

Evidence

Verified

ENGINEERING EVIDENCE

EVIDENCE	AFFECTED	REFERENCE	INTERPRETATION
Yield distribution	94.2%	98.6%	Mean of observed cohorts
Affected lot L2407	94.2%	—	Localized die loss
ETCH-08 / A	Pressure +2.1%	Stable	Verify chamber



CORRECTIVE ACTION

Contain lot L2407 through chamber requalification

Contain

Release only after chamber A and the paired reference run confirm recovery.

INVESTIGATION SUMMARY

Affected lot L2407 shows a localized die-level yield loss after ETCH-08 chamber A processing. Contain the lot until the chamber check and paired reference run confirm recovery.


Lot L2407 · ETCH-08 chamber A · affected die compared with a paired reference · release held for verification.

PERFORMANCE


Affected yield

94.2%

Affected versus reference yield




ANALYSIS



Coordinates X =5÷5 · Y =5÷5


Wafer Map: 81 rows · X Die X · Y Die Y · 3 fields

SPC Control Chart · computed control limits



SPC Control Chart: 4 rows · X time · Y value · 8 fields

Control versus affected distribution



Box Plot: 6 rows · Measurement Yield · 2 fields

Verified finding

Finding · chamber A pressure drift aligns with the L2407 yield excursion.

Affected yield is 94.2% versus 98.6% reference. Contain L2407 and verify the matched chamber run before release.

ENGINEERING EVIDENCE

EVIDENCE	AFFECTED	REFERENCE	INTER
Yield distribution	94.2%	98.6%	Mean o
Affected lot L2407	94.2%	—	Localiz
ETCH-08 / A	Pressure +2.1%	Stable	Verify c



CORRECTIVE ACTION

Contain lot L2407 through chamber requalification

Contain
n

Release only after chamber A and the paired reference run confirm recovery.

EXPERIMENT SUMMARY

The treatment cohort improved conversion across four weeks. The quality guardrail remained inside its agreed range; the sample does not establish long-term retention.

Eligible new-account cohorts - W1-W4 - randomized control and treatment - conversion and quality guardrail.

PERFORMANCE

Treatment conversion

9.8%

Delta 1.6

Target 10%


Treatment conversion - Week 1 to 4

Before
8.2 %


After
9.8 %

ANALYSIS

Conversion by week



Outcome distribution by cohort



Treatment conversion rose from 8.2% in week 1 to 9.8% in week 4; the control moved from 8.0% to 8.5%. The treatment distribution is higher across this sample, with all three cohort checks inside the quality guardrail. Continue only as a limited rollout because these four weeks do not establish long-term retention.

EXPERIMENT EVIDENCE

Cohort evidence

COHORT	ELIGIBLE	CONVERSION	QUALITY GUARDRAIL
Control	1198	8.25%	Within quality guardrail
Treatment	1204	9.03%	Within quality guardrail
Holdout	412	8.45%	Monitor mix

RECOMMENDATION

**Stage a limited treatment rollout**
Pause expansion if the quality guardrail moves outside its agreed range.

Review

EXPERIMENT SUMMARY

The treatment cohort improved conversion across four weeks. The quality guardrail remained inside its agreed range; the sample does not establish long-term retention.

Eligible new-account cohorts · W1–W4 · randomized control and treatment · conversion and quality guardrail.

PERFORMANCE

Treatment conversion


9.8%

Treatment conversion · Week 1 to 4



ANALYSIS

Conversion by week



Line Chart: 8 rows · X Week · Y Conversion · 3 fields

Outcome distribution by cohort



Box Plot: 8 rows · Measurement Conversion · 2 fields

Treatment conversion rose from 8.2% in week 1 to 9.8% in week 4; the control moved from 8.0% to 8.5%. The treatment distribution is higher across this sample, with all three cohort checks inside the quality guardrail. Continue only as a limited rollout because these four weeks do not establish long-term retention.

EXPERIMENT EVIDENCE

Cohort evidence

COHORT	ELIGIBLE	CONVERSION	QUALITY GUARD
Control	1198	8.25%	Within quality guar
Treatment	1204	9.03%	Within quality guar

RECOMMENDATION



Stage a limited treatment rollout

Review

Pause expansion if the quality guardrail moves outside its agreed range.

OPERATING SUMMARY

Shift B recovered yield after chamber maintenance. Keep the recipe locked through the next paired-lot check and hand off the evidence to Quality and Equipment Engineering.

Line 4 · shifts A–C · chamber A controls · capacity release review.

PERFORMANCE

First pass yield

95%

Delta 0.9

Unplanned downtime

8.3h

Target 96%Delta -1.7

Target 6 h

ANALYSIS

Yield by shift

95

94.5

94.1

A

B

C

Yield

Line Chart: 3 rows · X Shift · Y Yield · 2 fields

SPC Control Chart · computed control limits · specifications shown

Measurement

Computed control limits

Specification limits

SPC Control Chart: 5 rows · X Time · Y Measurement · 4 fields

Yield recovered from 94.1% on shift A to 95.0% on shift C, while the control sample remains within specification. Keep the recipe locked until the next paired-lot check closes the two open items.

RESPONSE WORKFLOW

Detect

Contain

Verify

Release

TOOL	CHAMBER	MEASURE	OWNER	STATUS
ETCH-08	A	Pressure	Equipment Eng.	Open
ETCH-07	C	Flow	Process Eng.	Stable
MET-02	B	Yield	Quality	Verified

Measurement system remains within the qualified reference range.

Sample: 30 parts · method: inline metrology · source: shift B inspection.

EvidenceVerified

DECISION

1

Hold added capacity until the paired-lot check closes

Keep the recipe locked and attach the next-shift control evidence.

Review

NEXT STEPS

Complete chamber verification and update the runbook.

Owner: Equipment Engineering · due next shift · evidence: paired control lot.

Active

OPERATING SUMMARY

Shift B recovered yield after chamber maintenance. Keep the recipe locked through the next paired-lot check and hand off the evidence to Quality and Equipment Engineering.

Line 4 · shifts A–C · chamber A controls · capacity release review.

PERFORMANCE

First pass yield


95%

Unplanned downtime

8.3h

ANALYSIS

Yield by shift



Line Chart: 3 rows · X Shift · Y Yield · 2 fields

SPC Control Chart · computed control limits · specifications shown



SPC Control Chart: 5 rows · X Time · Y Measurement · 4 fields

Yield recovered from 94.1% on shift A to 95.0% on shift C, while the control sample remains within specification. Keep the recipe locked until the next paired-lot check closes the two open items.

RESPONSE WORKFLOW



TOOL	CHAMBER	MEASURE	OWNER	STATUS
ETCH-08	A	Pressure	Equipment Eng.	Open
ETCH-07	C	Flow	Process Eng.	Stable
MET-02	B	Yield	Quality	Verified



Measurement system remains within the qualified reference range.

Sample: 30 parts · method: inline metrology · source: shift B inspection.

Evidence

Verified

DECISION



Hold added capacity until the paired-lot check closes

Review

Keep the recipe locked and attach the next-shift control evidence.

NEXT STEPS

Complete chamber verification and update the runbook.

Active

Owner: Equipment Engineering · due next shift · evidence: paired control lot.

OVERVIEW

Order volume rose while returns fell across the spring launch.

Monthly operating review - Jan-Apr - Source: order and returns ledger.

PERFORMANCE

April orders

1611

Delta 331

Order growth since January

331 orders

vs prior period

Delta —

Monthly returns

Before 42

After 31

vs prior period

ANALYSIS

Orders by month

Month	Orders
Jan	1280
Feb	1395
Mar	1522
Apr	1611

Line Chart: 4 rows - X Month - Y Orders - 3 fields

Returns by month

Month	Returns
Jan	42
Feb	38
Mar	35
Apr	31

Line Chart: 4 rows - X Month - Y Returns - 3 fields

Order volume increased through the spring launch. Returns declined each month; continue weekly review while the fulfillment mix changes.

EVIDENCE

Order and return evidence

MONTH	ORDERS	RETURNS
Jan	1280	42
Feb	1395	38
Mar	1522	35
Apr	1611	31
Change	331	-11

Review path

Track order growth

Check return trend

Review fulfillment mix

Adjust capacity

DECISION

Review rising orders alongside falling returns

Check the fulfillment mix before changing the spring capacity plan.

Review

NEXT STEPS

Next step: review the return mix before changing fulfillment capacity.

OVERVIEW

Order volume rose while returns fell across the spring launch.

Monthly operating review · Jan–Apr · Source: order and returns ledger.

PERFORMANCE

April orders

1611

Order growth since January

331 orders

Monthly returns

Before

42


After

31




ANALYSIS

Orders by month



Line Chart: 4 rows · X Month · Y Orders · 3 fields

Returns by month



Line Chart: 4 rows · X Month · Y Returns · 3 fields

Order volume increased through the spring launch. Returns declined each month; continue weekly review while the fulfillment mix changes.

EVIDENCE

Order and return evidence

MONTH	ORDERS	RETURNS
Jan	1280	42
Feb	1395	38
Mar	1522	35

Review path

DECISION



Review rising orders alongside falling returns [Review](#)

Check the fulfillment mix before changing the spring capacity plan.

NEXT STEPS



Next step: review the return mix before changing fulfillment capacity.

Visembler whole-report review - reuse-source-report-preview-desktop

EXECUTIVE SUMMARY

West revenue leads East by 15 units in the regional review.

Regional revenue review - East and West - source extract captured for the first report.

PERFORMANCE

Regional revenue total

175 units

Delta —

West lead over East

15 units

Delta —

East to West revenue

Before

80 units


After

95 units

▲


ANALYSIS

Regional revenue by area



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

REGIONAL EVIDENCE

Regional revenue evidence

REGION	REVENUE	READING	SOURCE
East	80	Comparison baseline	Source extract
West	95	Leads by 15	Source extract

DECISION

!

Validate the West lead before shifting regional targets

The current review compares two regions; confirm the pattern in the next operating window.

Review

DECISION AND NEXT STEP

✓

Next step: validate the West lead in the next operating window before shifting regional targets.

EXECUTIVE SUMMARY

West revenue leads East by 15 units in the regional review.

Regional revenue review · East and West · source extract captured for the first report.

PERFORMANCE

Regional revenue total

175 units

West lead over East


15 units

East to West revenue




ANALYSIS

Regional revenue by area



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

REGIONAL EVIDENCE

Regional revenue evidence

REGION	REVENUE	READING	SOURCE
East	80	Comparison baseline	Source extract
West	95	Leads by 15	Source extract

DECISION



Validate the West lead before shifting regional targets [Review](#)


The current review compares two regions; confirm the pattern in the next operating window.

DECISION AND NEXT STEP



Next step: validate the West lead in the next operating window before shifting regional targets.

Visembler whole-report review - reuse-remapped-report-preview-desktop



EXECUTIVE SUMMARY

West revenue leads East by 25 units in the newly selected data.

Regional revenue review · East and West · destination data selected through guided remap.

PERFORMANCE

Regional revenue total

385 units

West lead over East

25 units


East to West revenue

Before
180 units

After
205 units


ANALYSIS

Regional revenue by area



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

REGIONAL EVIDENCE

Regional revenue evidence

REGION	REVENUE	READING	SOURCE
East	180	Comparison baseline	Destination ex
West	205	Leads by 25	Destination ex

DECISION



Validate the West lead before shifting regional targets [Review](#)

The destination contains two regions; confirm the pattern in the next operating window.


DECISION AND NEXT STEP



Next step: validate the West lead in the next operating window before shifting regional targets.

Visembler whole-report review - reuse-remapped-section-preview-desktop


ANALYSIS



Revenue

Vertical Bar: 2 rows - Category Region - Value Revenue - 2 fields


Regional revenue by area copy



Revenue

Vertical Bar: 2 rows - Category Region - Value Revenue - 2 fields


Regional revenue comparison copy



Revenue


Vertical Bar: 2 rows - Category Region - Value Revenue - 2 fields

ANALYSIS




Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue by area copy




Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison copy



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Visembler whole-report review - blank-rebuild-executive-review-preview-desktop



OVERVIEW

West revenue leads East by 25 units in the regional review.

Regional revenue review · East and West · destination source entered into a blank report.

PERFORMANCE

Regional revenue total

385 units

West lead over East

25 units

East to West revenue

Before

180 units


After

205 units




ANALYSIS

Regional revenue by area



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

The extract totals 385 units. West is 25 units above East; confirm the pattern before changing regional targets.

EVIDENCE

Regional revenue evidence

REGION	REVENUE	READING	SOURCE
East	180	Comparison baseline	Destination ex
West	205	Leads by 25	Destination ex

DECISION



Validate the West lead before shifting regional targets [Review](#)

The destination contains two regions; confirm the pattern in the next operating window.

NEXT STEPS



Next step: validate the West lead in the next operating window before shifting regional targets.