

Executive business review

01 Executive summary

Retention improved for a second quarter, but the public sector renewal gap still threatens FY26 expansion.

FY26 Q1–Q4 close · enterprise and public sector portfolios · constant-currency bookings · renewal cohort excludes acquired accounts.

02 Performance

Constant-currency bookings

14.1 \$M

Delta 3

Target 14 \$M

FY26 renewal rate

92.9%

Delta 5

Target 91%

Renewal rate · Q1 to Q4

Before

87.9 %

After

92.9 %




03 Analysis

Quarterly retention



Line Chart: 4 rows · X Quarter · Y Retention · 3 fields

Bookings by quarter



Line Chart: 4 rows · X Quarter · Y Bookings · 3 fields

04 Regional evidence

PORTFOLIO	RENEWALS	RATE	EVIDENCE / RISK
Enterprise North	1842	94.1%	Above 91% guardrail; stable cohort
Public Sector West	684	84.7%	Two contracts delayed; budget gated
Strategic Accounts	213	92.9%	FY26 Q4 close; largest renewals drive bookings

05 Decision

!

Hold public-sector expansion until the renewal gate clears

Two delayed procurement cycles remain unsigned. Keep the current enterprise plan and review those contracts at the next finance checkpoint.

Watch

06 Decision and next step

✓

Next step: keep the enterprise hiring plan, but release the public-sector expansion budget only after the named renewals are signed.

01 Investigation summary

Lot WQ-7314 shows a localized edge-band yield loss after the September 18 ETCH-08 chamber A run.

Wafer WQ-7314 · route R17B · ETCH-08 / chamber A · inline metrology sample 4,812 · paired reference wafer WQ-7298.

02 Performance

Affected vs paired-reference yield

Before

98 %

After

91.8 %

▲


Affected edge-band yield

91.8%

Delta -4.2

Target 96%

03 Analysis



Verified finding

●

Signal · WQ-7314 edge-band yield is below the paired reference.

Nine lower-right edge-band records average 91.8% versus a 98.0% paired-reference mean. Pressure shift begins after PM-44719; cause remains unconfirmed. Keep the lot contained through endpoint calibration and matched rerun.

Evidence

Needs verification

04 Engineering evidence



MEASURE	AFFECTED	REFERENCE	REVIEW
Edge-band yield	91.8%	98.0%	Contain pending matched rerun
Film thickness	798.0 nm	802.1 nm	Check endpoint calibration
Pressure offset	+2.4 kPa	Baseline	Association only; verify

05 Corrective action

Contain WQ-7314 pending chamber requalification

Do not release the lot from one correlated pressure trace. Verify endpoint calibration and a matched chamber B rerun.

Contain

Experiment decision


01 Experiment summary

The reminder increased completion, although the week-four uplift is not enough to rule out a novelty effect.

Experiment E-26-041 · eligible new accounts · randomized 1:1 · four weeks · 12,804 assigned · conversion measured within 7 days.

02 Performance

Completion · control to treatment



Treatment completion

24.8%


Delta 3.7

Target 25%

03 Analysis


Treatment completion rose from 21.1% to 24.8%; control moved from 21.0% to 21.8%. The observed separation is consistent across four weeks, while the support-contact guardrail moved by +0.08 points against a +0.15 limit. This descriptive comparison does not prove the effect will persist after the novelty period.

Conversion by week



Line Chart: 8 rows · X Week · Y Completion · 3 fields

Outcome distribution by cohort



Box Plot: 12 rows · Measurement Completion · 2 fields

04 Experiment evidence

Assignment and guardrail evidence

COHORT	ASSIGNED	COMPLETION	SUPPORT-CONTACT CHANGE
Control	6402	21.8%	+0.00 pt
Treatment	6402	24.8%	+0.08 pt
Eligible holdout	1104	21.5%	No post-assignment exclusion

05 Recommendation



Extend to 25% exposure with a support-contact stop

The four-week signal is promising but does not establish persistence. Stop if support-contact change exceeds +0.15 points.

Limited rollout

01

Operating summary

Line 4 output recovered after maintenance, but two unresolved control checks still constrain the Friday capacity release.

Plant 6 · Line 4 · review window 2026-09-14 through 2026-09-20 · batches L4-260918-A-7741 / B-7742 · owner: Process Engineering.

02

Performance

First-pass yield

96.2%

Delta 1.6

Unplanned downtime

7.4h

Delta -2.1

Target 96%

Target 6 h

03

Analysis

First-pass yield improved from 94.6% to 96.2% after the valve service. Downtime remains 7.4 hours, above the 6-hour limit. Sample 19 is outside the SPC centerline pattern but inside the product specification; treat this as a process signal for investigation, not a customer defect or capability claim.

SPC Control Chart · computed control limits · specifications shown

Measurement Computed control limits Specification limits

SPC Control Chart: 6 rows · X Sample · Y Measurement · 4 fields

Yield by shift

Line Chart: 4 rows · X Shift · Y Yield · 2 fields

04

Response workflow

Detect

Contain

Verify

Release

AREA / IDENTIFIER	STATUS	OWNER	DUE	EVIDENCE
ETCH-08-A / PM-44719	Calibration open	Equipment Eng.	09-25	Pressure offset +2.4 kPa
Line 4 / sample 20	Matched rerun	Process Eng.	09-25	SPC sequence 15-20
Batch L4-260918-B-7742	Release gated	Quality	09-26	Await sign-off; no capability claim

Measurement system remains within the qualified reference range.

Sample: 30 parts · method: inline metrology · source: shift B inspection.

Evidence

Verified

05

Decision

Keep Friday capacity release conditional

Await pressure calibration, matched sample 20, and Quality sign-off. A point inside specifications can still warrant a control-chart investigation.

Review

06

Next steps

Complete chamber verification and update the runbook.

Owner: Equipment Engineering · due next shift · evidence: paired control lot.

Active

Fresh supply-chain holdout (vs different Order/Returns holdout)

01 Overview

The Q4 capacity plan covers baseline demand, but a long-lead actuator constraint leaves the launch buffer exposed.

Northstar launch · weeks 38–45 · supplier feed closed 2026-09-23 18:00 UTC · demand scenario P70 · allocation review for Operations and Procurement.

02 Performance

Confirmed capacity - W38 to W45

Before

120000 units

After

142000 units

▲

P70 capacity headroom

2.7%

Delta -5.3

Target 8%

Actuator lead time

116 days


Delta 26

Target 90 days

03 Analysis

Confirmed capacity exceeds the P70 baseline by 2.7% in aggregate. Another 27,500 actuator units remain unconfirmed across two suppliers; the 116-day lead time makes that small buffer fragile. Do not treat planned capacity as firm supply until the dated allocation lands.

Demand by week



Line Chart: 8 rows · X Week · Y Demand units · 4 fields

Confirmed capacity by week



Line Chart: 8 rows · X Week · Y Confirmed capacity · 4 fields

04 Evidence

Allocation decision path

Reconcile P70 demand

Reserve qualified actuators

Confirm date-coded allocation

Release remaining build

SUPPLIER / PART	COMMITTED	UNCONFIRMED	LEAD TIME	DECISION EVIDENCE
Northstar Motion / AX-8841	72000	18000	116 days	Reserve qualified stock now
Apex Controls / actuator-22B	54000	9500	98 days	Date-coded allocation pending
Orion Systems / NX-041-REV-C	39000	0	42 days	Capacity confirmed through W45

05 Decision

1 Reserve critical actuator supply before releasing the balance

Aggregate headroom hides a concentrated 16-week lead-time constraint. Do not treat unconfirmed supplier allocation as available capacity.

At risk

06 Next steps

✓ Next step: reserve 18,000 qualified actuators now, then release the remaining build only after supplier NC-8841 confirms its dated allocation.