

>

↩

📄

Report title
case-3b84add3219840e492e4730485a

Description

Created 2026-09-20T05:17:40.322748+00:00 ·
Modified 2026-09-20T05:17:46.681601+00:00
· revision 3

Reports
case-3b84add3219840e492e47...

New report

Duplicate

Manage

↶ ↷ Reflow Group Ungroup | Unlock Back Front ⌘ Commands + ✓ Library Inspector </> ? ⚡ 📐 Validate Preview Autosaved Exp...

Library

Drag or click

ElementsPresets

Quick add

Proven building blocks

42.8

+6.4%

Metric

Hero KPI

Chart

Line chart

Narrative

Key takeaway

Table

Editable grid

Timeline

Milestones

Image

Paste / upload

Smart

Guided

Free

Page size

-

39%

+

Fit

Minimap

Line Chart: 3 rows · X display · Y display · 60 fields

Edit chart

Smart · 1 elements · v0.4.26 · Saved automatically

Ready to export

Inspector

REPORT

Canvas

OVERVIEW

Mode

Smart

Page size 1600 × 900

Change

Elements

1

Layout warnings

0

Locked

0

v0.4.26

Create from data

Close

1

2

3

4

5

Add data

Understand

Choose result

Map

Create

Understand

3 rows · 45 columns

Header detected · TSV · 1 warning

Review source text

Fields

45/45

Search, inspect, and choose a field without exposing model keys.

Search fields by name, type, or meaning

category

Category

Category or group

0 missing · 2 distinct

value

Whole number

Measurement · Measurement


0 missing · 3 distinct · 1–3

first

Whole number

Numeric measure

0 missing · 3 distinct · 11–13



value - Whole number

▼

The numeric value represented by the visual.

wafer_id - Identifier

▼

The wafer identifier.

LotOptional

Not assigned

▼

The manufacturing lot identifier.

ChamberOptional

Not assigned

▼

The equipment chamber or module.

Process stepOptional

Not assigned

▼

The manufacturing process or operation.

BinOptional

Not assigned

▼

A categorical die or result classification.

ToolOptional

Not assigned

▼

The equipment or tool identifier.

RecipeOptional

Not assigned

▼

The process recipe identifier.

ProductOptional

Not assigned

▼

The product, device, or part family.

[Manage saved mappings](#)

[Use detected mapping](#)

Review create / replace

create-map-valid-1440.png | original 1440x900px | sha256=0309db4b2bf87b7b39b40aba661f201edfa7f77241dad927a7fddc7b47ed2ea9

1Add data

2Understand

3Choose result

4Map

5Create

Map

Choose fields by human meaning. Focus an encoding shelf, then activate a field card. Incompatible fields are blocked before mapping changes.

Fields

4/4

Search fields by name, type, or meaning

wafer_id

Identifier

Wafer · Wafer

0 missing · 1 distinct

die_x

Whole number

Die X · Die X

0 missing · 2 distinct · 1–2

die_y

Whole number

Die Y · Die Y


0 missing · 1 distinct · 1–1


value


Whole number

Measurement · Measurement

0 missing · 2 distinct · 98–99







>

🔍

📄

Report title
case-3b84add3219840e492e47304

Description

Created 2026-09-20T05:17:40.322748+00:00 ·
Modified 2026-09-20T05:17:40.322748+00:00
· revision 1

Reports
case-3b84add3219840e492...

New report

Duplicate

Manage

↶ ↷

Reflow

Group

Ungroup

Lock

Back

Front

⌨️ Commands

+

✓

Library

Inspector

</>

?

⬆

📐

Validate

Preview

Autosaved

Export

Smart

Guided

Free

Page size

-

55%


+

Fit

Minimap

Lock

Delete



Smart · 1 selected · v0.4.26 · Saved automatically

Added calculated transform

4 layout · 0 access · 0 data

Inspector

Fields

Encodings

Data grid

Transforms

Source

Transforms

Build an ordered pipeline from outcomes. Steps run top to bottom and can be undone.

Step 1 · Calculated

Create delta from first – second

↑ ↓ Edit Remove

TRANSFORM OUTCOME

Unpivot

Keep identifier fields

category · Category
value · Whole number
first · Whole number
second · Whole number
date · Date
event · Date and time
source · Category
target · Category
subgroup · Category
measurement · Number
Select the fields that stay
fixed while the remaining
fields become rows.
die_y · Whole number
Very long field name
Very long field name 2 · Whole number

Before / after preview

3 → 135 rows · added Variable, Value · removed category, value,
first, second, event, source, target, subgroup, measurement,

transform-draft-unpivot-1440.png | original 1440x900px | sha256=99ab892b2db046b34275b48e71ffc546e7f139d5a833b6a28f7d70e69209a05c

← Report case-3b84add3219840e492e47...

Ready

Line Chart ▾

Best readable

Clean label

Copy setu

Markers

Light / dar

Fit

Preview

Import JSO

Export JSO

Export SV

Save cha

Data Fields Visual Interaction

LIVE PREVIEW

Line Chart

Mapping ready

RECOMMENDATIONS

6 OPTIONS

Fields

1/4

Search, inspect, and choose a field without exposing model keys.

5

Very long field name 31

Clear

Very long field name 31

Category

Category or group
0 missing · 3 distinct

Encodings

3/5

Choose a field or drag one from Fields. The live visual updates immediately.

X

Required

die_x · Whole nu ▾

The horizontal position, order, or time axis.

Y / Measure

Required

die_y · Whole nu ▾

The numeric measure plotted on the vertical axis.

Series

Optional

source · Categor ▾

A field that creates separate lines, groups, or runs.

Color

Optional

Not assigned ▾

A field used to distinguish categories or series.

Tooltip

Optional

Not assigned ▾

Extra detail shown when a mark is inspected.

Compatibility

Every required encoding is ready.

Blocked assignments explain the needed meaning and type: a valid choice updates the




Chart summary

Line Chart: 3 rows · X die_x · Y die_y · 45 fields

Die coordinates and a measurement were recognized.

Wafer Map

Die coordinates and a measurement were recognized.

Apply

Preview

Line Chart

A horizontal field and numeric measure are available.

Apply

Preview

Multi-Line

A shared axis can compare multiple runs when a series field is available.

Apply

Preview

Vertical Bar

A category and measured value are available.

Apply

Preview

Area Chart

The same trend mapping can show accumulated movement.

Apply

Preview

Horizontal Bar

A horizontal ranking keeps category labels readable.

Apply

Preview

CHART RECIPE

Save

>

⌕

📄

⌂

← Report

case-3b84add3219840e492e47...

↶ ↷

Line Chart

Best readable

Clean label

Copy setup

Markers

Light / dark

Fit

Preview

Import JSON

Export JSON

Export SVG

Save chart

Data

Fields

Visual

Interaction

LIVE PREVIEW

Line Chart

Mapping ready

Data source

Paste TSV, CSV, or spreadsheet ranges. Typed values preserve numeric 0, string "0", blank, null, identifiers, and invalid-date warnings.

time measurement series

2026-01-01 0 Run A

Profile and use data

Clear

Data understanding · 3 rows · 45 fields

category	categorical	0 missing	2 distinct
value	integer	0 missing	3 distinct · 1-3
first	integer	0 missing	3 distinct · 11-13
second	integer	0 missing	3 distinct · 21-23
date	date	0 missing	3 distinct
event	datetime	0 missing	3 distinct
source	categorical	0 missing	3 distinct
target	categorical	0 missing	3 distinct
subgroup	categorical	0 missing	2 distinct
measurem...	number	0 missing	3 distinct · 1.5-3.5
wafer_id	identifier	0 missing	1 distinct
die_x	integer	0 missing	3 distinct · 1-3
die_y	integer	0 missing	1 distinct · 1-1
Very long ...	integer	0 missing	3 distinct · 101-301
Very long...	integer	0 missing	3 distinct · 102-302
Very lon...	integer	0 missing	3 distinct · 103-303
Very lon...	integer	0 missing	3 distinct · 104-304
Very long...	integer	0 missing	3 distinct · 105-305
Very lon...	integer	0 missing	3 distinct · 106-306

Chart summary

Line Chart: 3 rows · X die_x · Y die_y · 45 fields

Die coordinates and a measurement were recognized.

1

2

3

N1

N2

N3

Wafer Map

Die coordinates and a measurement were recognized.

Apply

Preview

Line Chart

A horizontal field and numeric measure are available.

Apply

Preview

Multi-Line

A shared axis can compare multiple runs when a series field is available.

Apply

Preview

Vertical Bar

A category and measured value are available.

Apply

Preview

Area Chart

The same trend mapping can show accumulated movement.

Apply

Preview

Horizontal Bar

A horizontal ranking keeps category labels readable.

Apply

Preview

CHART RECIPE

Save

Create from data

Close

1

2

3

4

5

Add data

Understand

Choose result

Map

Create

Choose result

Choose one production result. Alternatives are real transient previews and do not mutate the report.

Vertical Bar

A category and measured value were recognized.

Good fit · Preview only until Create

Clean Table

Tabular data is always available.

Safe fallback · Preview only until Create

Recommended analysis

One atomic operation creates linked evidence from the same dataset.

10 compatible

Distribution Review

One numeric population is profiled for spread, outliers, and distribution shape.

Ready to apply · 100% resolved

Golden vs Affected

A wide reference/affected pair or long cohort schema creates two aligned populations.

Needs mapping · 100% resolved

LIVE PREVIEW · NOT SAVED

CATEGORY

VALUE

create-preview-table.png | original 1440x900px | sha256=97f6d584261e15b6a6264614175a23ffe9e9a19f89daa3d519c3414ffd2f3a77

Create from data

Close

1

2

3

4

5

Add data

Understand

Choose result

Map

Create

Choose result

Choose one production result. Alternatives are real transient previews and do not mutate the report.

Event Timeline

A time field and event label were recognized.

Good fit · Preview only until Create

Clean Table

Tabular data is always available.

Safe fallback · Preview only until Create

Statistical analyses

One atomic operation creates linked evidence from the same dataset.

3 compatible

DOE Response Review

Observed factor-level and cell means provide a descriptive DOE response review without significance or causal claims.

Needs mapping · 67% resolved

SPC Excursion Review

Ordered measurements can be reviewed without relying on clipboard row order.

Needs mapping · 50% resolved

LIVE PREVIEW · NOT SAVED

create-preview-timeline.png | original 1440x900px | sha256=f05a15c18a85ac2ddb4478990dadb6228142e712a1da786400f4a75a8fd68354

Create from data

Close

1

2

3

4

5

Add data

Understand

Choose result

Map

Create

Choose result

Choose one production result. Alternatives are real transient previews and do not mutate the report.

Data Flow

Source and target fields were recognized.

High confidence - Preview only until Create

Clean Table

Tabular data is always available.

Safe fallback - Preview only until Create

Statistical analyses

One atomic operation creates linked evidence from the same dataset.

1 compatible

DOE Response Review

Observed factor-level and cell means provide a descriptive DOE response review without significance or causal claims.

Needs mapping -

LIVE PREVIEW · NOT SAVED

A

B

C

create-preview-diagram.png | original 1440x900px | sha256=b490541ccc73b5cd2845f15e73552a14b7fc03c19aeec9f0c391a1bbbbc9f276

Create from data

Close

1

2

3

4

5

Add data

Understand

Choose result

Map

Create

Choose result

Choose one production result. Alternatives are real transient previews and do not mutate the report.

Line Chart

Time and measurement fields were recognized.

High confidence - Preview only until Create

Scatter Plot

Two numeric measures make a relationship view useful.

High confidence - Preview only until Create

Regression Scatter

Two numeric measures support a transparent fitted-trend check.

Good fit - Preview only until Create

Clean Table

Tabular data is always available.

Safe fallback - Preview only until Create

Recommended analysis

One atomic operation creates linked evidence from the same dataset.

11 compatible

LIVE PREVIEW · NOT SAVED



create-preview-chart.png | original 1440x900px | sha256=dc8159008d5b1d90d4cb84cc7243e618e0316fa1bbc1b935aeec6efec9f971a5

Create from data

Close

1

2

3

4

5

Add data

Understand

Choose result

Map

Create

Choose result

Choose one production result. Alternatives are real transient previews and do not mutate the report.

SPC Control Chart

Subgroup and measurement fields were recognized.
High confidence - Preview only until Create

Clean Table

Tabular data is always available.
Safe fallback - Preview only until Create

Statistical analyses

One atomic operation creates linked evidence from the same dataset.

Vertical Bar

A category and measured value were recognized.
Good fit - Preview only until Create

Xbar-R Process Review

11 compatible

Distribution Comparison

LIVE PREVIEW · NOT SAVED

SPC Control Chart - computed control limits



create-preview-engineering.png | original 1440x900px | sha256=7f9effc3eb517019e058706ca5ed22008ad7099f4ee3a2e890baecd839a26232

Create from data

Close

1

2

3

4

5

Add data

Understand

Choose result

Map

Create

Choose result

Choose one production result. Alternatives are real transient previews and do not mutate the report.

Wafer Map

Die coordinates and a measured value were recognized.

High confidence · Preview only until Create

Scatter Plot

Two numeric measures make a relationship view useful.

High confidence · Preview only until Create

Regression Scatter

Two numeric measures support a transparent fitted-trend check.

Good fit · Preview only until Create

Vertical Bar

A category and measured value were recognized.

Good fit · Preview only until Create

Clean Table

Tabular data is always available.

Safe fallback ·

LIVE PREVIEW · NOT SAVED

Wafer W01

create-preview-wafer.png | original 1440x900px | sha256=b2491c88d1694ad5b74690b0c1504519c83ab28cd53e26ac68de5f93a5b530ea


Fit width

Fit page

Exit preview

CATEGORY	VALUE
Lot-A	313
Lot-B	515

Redid last edit

[Fit width](#)[Fit page](#)[Exit preview](#)[Redid last edit](#)


Fit width

Fit page

Exit preview

Lot L003

313 → 515



Coordinates X 0-2 · Y 0-1

Wafer Map: 2 rows · X X_COORD · Y Y_COORD · 4 fields

Redid last edit

>

⌘

⌘

Report title
case-c2c2152422fb4085a66e51fb4

Description

Created 2026-09-20T05:12:39.733573+00:00 ·
Modified 2026-09-20T05:12:40.521411+00:00
· revision 2

Reports
case-c2c2152422fb4085a66...

New report

Duplicate

Manage

↶ ↷

Reflow

Group

Ungroup

Lock

Back

Front

⌘K Commands

+

✓

Library

Inspector

</>

?

⬆

⌘

Validate

Preview

Recover edits

Export•

Smart

Guided

Free

Page size

-

58%

+

Fit

Minimap

Category

VALUE

Lot-A

707

Lot-B

202

Lock Delete

Smart · 1 selected · v0.4.26 · Local edits need recovery

4 layout · 0 access · 0 data

Retained local edits exported

Inspector

Search fields by name, type, or meaning

Category

Category or group

0 missing · 2 distinct

Value

Measurement · Measurement

0 missing · 2 distinct · 202-707

Spreadsheet preview

Inspect or correct a value here; open Data grid for the complete spreadsheet surface and selection actions.

Category

Value

categorical

integer

Field options

Field options

Lot-B

Quick transform

Use the full Transforms task for pipeline review; this compact entry point keeps a common first edit close to the fields.

Transforms

Build an ordered pipeline from outcomes. Steps run top to bottom and can be undone.

No transform steps yet. Add a step to build an ordered recipe.

TRANSFORM OUTCOME

Filter

Field

Operator

Choose field

contains

Value