

01

Executive summary

Revenue grew across all three regions. Retention improved in the West, while the South remains below the 95 percent target.

Quarterly business review · Q1–Q4 · three regions · revenue and retention.

02

Regional evidence

REGION	REVENUE	RETENTION	STATUS
North	184	94.1%	Watch
South	156	92.8%	Below target
West	211	95.0%	On plan

03

Analysis

Quarterly retention

Quarter	Retention
Q1	91.8%
Q2	93.0%
Q3	94.1%
Q4	94.6%

Line Chart: 4 rows · X Quarter · Y Retention · 2 fields

04

Decision

!

Proceed with monitored revenue recovery

Close the South retention gap before the next review.

Review

05

Decision and next step

✓

Next step: close the South retention gap before the next quarterly review.

06

Performance

Regional revenue

551

Delta —

Retention

94.6%

Current performance

Delta 2.8

Quarterly retention

Before

91.8%

After

94.6%

▲

Target 95%

01 Executive summary

Revenue grew across all three regions. Retention improved in the West, while the South remains below the 95 percent target.


Quarterly business review · Q1–Q4 · three regions · revenue and retention.

02 Regional evidence

REGION	REVENUE	RETENTION	STATUS
North	184	94.1%	Watch
South	156	92.8%	Below target
West	211	95.0%	On plan

03 Analysis

Quarterly retention



Line Chart: 4 rows · X Quarter · Y Retention · 2 fields

04 Decision



Proceed with monitored revenue recovery

Close the South retention gap before the next review.

Review

05 Decision and next step



Next step: close the South retention gap before the next quarterly review.

06 Performance

Regional revenue

551

Delta —

Current performance

Retention

94.6%

Delta 2.8

Target 95%

Quarterly retention

Before

91.8 %

After

94.6 %



01 Investigation summary

Affected lot L2407 shows a localized die-level yield loss after ETCH-08 chamber A processing. Contain the lot until the chamber check and paired reference run confirm recovery.

Lot L2407 - ETCH-08 chamber A - affected die compared with a paired reference - release held for verification.

02 Engineering evidence

Excursion signal

Compare affected and reference

Verify chamber mechanism

Confirm corrective action

Affected die map detail

Detail crop of the 81 die measurements already shown in the wafer map above; it adds no observations.

EVIDENCE	AFFECTED	REFERENCE	INTERPRETATION
Yield distribution	94.2%	98.6%	Mean of observed cohorts
Affected lot L2407	94.2%	—	Localized die loss
ETCH-08 / A	Pressure +2.1%	Stable	Verify chamber

03 Corrective action

Contain lot L2407 through chamber requalification

Release only after chamber A and the paired reference run confirm recovery.

Contain

04 Analysis

81.2% (94.2%)

Coordinates X · 0-8 · Y · 0-8

Wafer Map: 81 rows · X Die X · Y Die Y · 3 fields

SPC Control Chart - computed control limits

Measurement

Computed control limits

Specification limits

SPC Control Chart: 4 rows · X time · Y value · 8 fields

Control versus affected distribution

Box Plot: 6 rows · Measurement Yield · 2 fields

Verified finding

Finding · chamber A pressure drift aligns with the L2407 yield excursion.

Affected yield is 94.2% versus 98.6% reference. Contain L2407 and verify the matched chamber run before release.

Evidence

Verified

05 Performance

Affected versus reference yield

Before

98.6%

After

94.2%

Affected yield

94.2%

Delta -4.4

Target 95%

01 Investigation summary


Affected lot L2407 shows a localized die-level yield loss after ETCH-08 chamber A processing. Contain the lot until the chamber check and paired reference run confirm recovery.

Lot L2407 · ETCH-08 chamber A · affected die compared with a paired reference · release held for verification.

02 Engineering evidence



Affected die map detail



EVIDENCE	AFFECTED	REFERENCE	INTER
Yield distribution	94.2%	98.6%	Mean o
Affected lot L2407	94.2%	—	Localiz
ETCH-08 / A	Pressure +2.1%	Stable	Verify c

↔ Scroll right for more columns. Use Right Arrow, End, or swipe.


03 Corrective action

Contain lot L2407 through chamber requalification

Contain

Release only after chamber A and the paired reference run confirm recovery.

04 Analysis



Wafer Map: 81 rows · X Die X · Y Die Y · 3 fields



SPC Control Chart: 4 rows · X time · Y value · 8 fields

Control versus affected distribution



Verified finding

Finding · chamber A pressure drift aligns with the L2407 yield excursion.

Affected yield is 94.2% versus 98.6% reference. Contain L2407 and verify the matched chamber run before release.

Evidence Verified

05 Performance

Affected versus reference yield

Before

98.6 %

After

94.2 %

Affected yield

94.2%

Delta -4.4

Target 95%

01 Experiment summary

The treatment cohort improved conversion across four weeks. The quality guardrail remained inside its agreed range; the sample does not establish long-term retention.

Eligible new-account cohorts - W1-W4 - randomized control and treatment - conversion and quality guardrail.

02 Analysis

Conversion by week

Week	Control	Treatment
W1	8.0%	8.2%
W2	8.1%	8.7%
W3	8.4%	9.4%
W4	8.5%	9.8%

Line Chart: 8 rows - X Week - Y Conversion - 3 fields

Treatment conversion rose from 8.2% in week 1 to 9.8% in week 4; the control moved from 8.0% to 8.5%. The treatment distribution is higher across this sample, with all three cohort checks inside the quality guardrail. Continue only as a limited rollout because these four weeks do not establish long-term retention.

Outcome distribution by cohort

Cohort	Min	Q1	Median	Q3	Max
Control	8.0%	8.1%	8.25%	8.4%	8.5%
Treatment	8.5%	8.6%	9.03%	9.5%	9.8%

Box Plot: 8 rows - Measurement Conversion - 2 fields

03 Experiment evidence

Cohort evidence

COHORT	ELIGIBLE	CONVERSION	QUALITY GUARDRAIL
Control	1198	8.25%	Within quality guardrail
Treatment	1204	9.03%	Within quality guardrail
Holdout	412	8.45%	Monitor mix

04 Recommendation

1

Stage a limited treatment rollout

Pause expansion if the quality guardrail moves outside its agreed range.

Review

05 Performance

Treatment conversion - Week 1 to 4

Before

8.2 %

After

9.8 %

▲

Treatment conversion

9.8%

Delta 1.6

Target 10%


01 Experiment summary

The treatment cohort improved conversion across four weeks. The quality guardrail remained inside its agreed range; the sample does not establish long-term retention.

Eligible new-account cohorts · W1–W4 · randomized control and treatment · conversion and quality guardrail.

02 Analysis

Conversion by week



Line Chart: 8 rows · X Week · Y Conversion · 3 fields

Treatment conversion rose from 8.2% in week 1 to 9.8% in week 4; the control moved from 8.0% to 8.5%. The treatment distribution is higher across this sample, with all three cohort checks inside the quality guardrail. Continue only as a limited rollout because these four weeks do not establish long-term retention.

Outcome distribution by cohort



Box Plot: 8 rows · Measurement Conversion · 2 fields

03 Experiment evidence

Cohort evidence

COHORT	ELIGIBLE	CONVERSION	QUALITY GUARD
Control	1198	8.25%	Within quality guar
Treatment	1204	9.03%	Within quality guar
Holdout	412	8.45%	Monitor mix

↔ Scroll right for more columns. Use Right Arrow, End, or swipe.

04 Recommendation

Stage a limited treatment rollout
Pause expansion if the quality guardrail moves outside its agreed range.

Review

05 Performance

Treatment conversion · Week 1 to 4

Before

8.2 %

After

9.8 %

▲

Treatment conversion

9.8%

Delta 1.6

Target 10%

01

Operating summary

Shift B recovered yield after chamber maintenance. Keep the recipe locked through the next paired-lot check and hand off the evidence to Quality and Equipment Engineering.

Line 4 - shifts A-C - chamber A controls - capacity release review.

02

Analysis

Yield by shift

95

94.5

94.1

A

B

C

Yield

Line Chart: 3 rows - X Shift - Y Yield - 2 fields

SPC Control Chart - computed control limits - specifications shown

Measurement

Computed control limits

Specification limits

SPC Control Chart: 5 rows - X Time - Y Measurement - 4 fields

Yield recovered from 94.1% on shift A to 95.0% on shift C, while the control sample remains within specification. Keep the recipe locked until the next paired-lot check closes the two open items.

03

Response workflow

Detect

Contain

Verify

Release

TOOL	CHAMBER	MEASURE	OWNER	STATUS
ETCH-08	A	Pressure	Equipment Eng.	Open
ETCH-07	C	Flow	Process Eng.	Stable
MET-02	B	Yield	Quality	Verified

Measurement system remains within the qualified reference range.

Sample: 30 parts - method: inline metrology - source: shift B inspection.

Evidence

Verified

04

Decision

Hold added capacity until the paired-lot check closes

Keep the recipe locked and attach the next-shift control evidence.

Review

05

Next steps

Complete chamber verification and update the runbook.

Owner: Equipment Engineering - due next shift - evidence: paired control lot.

Active

06

Performance

First pass yield

95%

Delta 0.9

Unplanned downtime

8.3h

Target 96%

Delta -1.7

Target 6 h


01 Operating summary

Shift B recovered yield after chamber maintenance. Keep the recipe locked through the next paired-lot check and hand off the evidence to Quality and Equipment Engineering.

Line 4 · shifts A–C · chamber A controls · capacity release review.


02 Analysis

Yield by shift



Line Chart: 3 rows · X Shift · Y Yield · 2 fields


SPC Control Chart · computed control limits · specifications shown



SPC Control Chart: 5 rows · X Time · Y Measurement · 4 fields

Yield recovered from 94.1% on shift A to 95.0% on shift C, while the control sample remains within specification. Keep the recipe locked until the next paired-lot check closes the two open items.

03 Response workflow



TOOL	CHAMBER	MEASURE	OWNER	STATUS
ETCH-08	A	Pressure	Equipment Eng.	Open
ETCH-07	C	Flow	Process Eng.	Stable
MET-02	B	Yield	Quality	Verified

↔ Scroll right for more columns. Use Right Arrow, End, or swipe.

Measurement system remains within the qualified reference range.

Sample: 30 parts · method: inline metrology · source: shift B inspection.

Evidence Verified

04 Decision

Hold added capacity until the paired-lot check closes

Keep the recipe locked and attach the next-shift control evidence.

Review

05 Next steps

Complete chamber verification and update the runbook. Active

Owner: Equipment Engineering · due next shift · evidence: paired control lot.

06 Performance

First pass yield

95%

Delta 0.9

Target 96%

Unplanned downtime

8.3h

Delta -1.7

Target 6 h

01 Overview

Order volume rose while returns fell across the spring launch.

Monthly operating review · Jan–Apr · Source: order and returns ledger.

02 Performance

April orders

1611

Delta 331

Order growth since January

331 orders

Delta —

Monthly returns

Before 42

After 31

03 Analysis

Orders by month

Month	Orders
Jan	1280
Feb	1395
Mar	1522
Apr	1611

Line Chart: 4 rows · X Month · Y Orders · 3 fields

Returns by month

Month	Returns
Jan	42
Feb	38
Mar	35
Apr	31

Line Chart: 4 rows · X Month · Y Returns · 3 fields

Order volume increased through the spring launch. Returns declined each month; continue weekly review while the fulfillment mix changes.

04 Evidence

Review path

Track order growth

Check return trend

Review fulfillment mix

Adjust capacity

Order and return evidence

MONTH	ORDERS	RETURNS
Jan	1280	42
Feb	1395	38
Mar	1522	35
Apr	1611	31
Change	331	-11

05 Decision

Review rising orders alongside falling returns

Check the fulfillment mix before changing the spring capacity plan.

Review

06 Next steps

Next step: review the return mix before changing fulfillment capacity.

01 Overview

Order volume rose while returns fell across the spring launch.

Monthly operating review · Jan–Apr · Source: order and returns ledger.

02 Performance

April orders

1611

Delta 331

vs prior period

Order growth since January

331 orders

Delta —

vs prior period

Monthly returns

Before

42

After

31




03 Analysis

Orders by month



Line Chart: 4 rows · X Month · Y Orders · 3 fields

Returns by month



Line Chart: 4 rows · X Month · Y Returns · 3 fields

Order volume increased through the spring launch. Returns declined each month; continue weekly review while the fulfillment mix changes.

04 Evidence

Review path

Track order growth



Check return trend



Adjust capacity



Review fulfillment mix

Order and return evidence

MONTH	ORDERS	RETURNS
Jan	1280	42
Feb	1395	38
Mar	1522	35
Apr	1611	31
Change	331	–11

05 Decision



Review rising orders alongside falling returns

Check the fulfillment mix before changing the spring capacity plan.

Review

06 Next steps



Next step: review the return mix before changing fulfillment capacity.

Visembler whole-report review - reuse-source-report-preview-desktop

01 Executive summary

West revenue leads East by 15 units in the regional review.

Regional revenue review · East and West · source extract captured for the first report.

02 Performance

Regional revenue total

175 units

Delta —

Current performance

West lead over East

15 units

Delta —

Current performance

East to West revenue

Before

80 units

After

95 units

▲

03 Analysis

Regional revenue by area

Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison

Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

04 Regional evidence

Regional revenue evidence

REGION	REVENUE	READING	SOURCE
East	80	Comparison baseline	Source extract
West	95	Leads by 15	Source extract

05 Decision

ⓘ

Validate the West lead before shifting regional targets

The current review compares two regions; confirm the pattern in the next operating window.

Review

06 Decision and next step

✓

Next step: validate the West lead in the next operating window before shifting regional targets.

01 Executive summary

West revenue leads East by 15 units in the regional review.

Regional revenue review · East and West · source extract captured for the first report.

02 Performance

Regional revenue total

175 units

Delta —

Current performance

West lead over East

15 units

Delta —

Current performance

East to West revenue


Before
80 units

After
95 units




03 Analysis

Regional revenue by area



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

04 Regional evidence

Regional revenue evidence

REGION	REVENUE	READING	SOURCE
East	80	Comparison baseline	Source extract
West	95	Leads by 15	Source extract

↔ Scroll right for more columns. Use Right Arrow, End, or swipe.

05 Decision



Validate the West lead before shifting regional targets

The current review compares two regions; confirm the pattern in the next operating window.

Review

06 Decision and next step



Next step: validate the West lead in the next operating window before shifting regional targets.

Visembler whole-report review - reuse-remapped-report-preview-desktop

01 Executive summary

West revenue leads East by 25 units in the newly selected data.

Regional revenue review · East and West · destination data selected through guided remap.

02 Performance

Regional revenue total

385 units

Delta —

Current performance

West lead over East

25 units

Delta —

Current performance

East to West revenue

Before 180 units

After 205 units

▲

03 Analysis

Regional revenue by area

Region	Revenue
East	180
West	205

Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison

Region	Revenue
East	180
West	205

Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

04 Regional evidence

Regional revenue evidence

REGION	REVENUE	READING	SOURCE
East	180	Comparison baseline	Destination extract
West	205	Leads by 25	Destination extract

05 Decision

1

Validate the West lead before shifting regional targets

The destination contains two regions; confirm the pattern in the next operating window.

Review

06 Decision and next step

✓

Next step: validate the West lead in the next operating window before shifting regional targets.

01 Executive summary

West revenue leads East by 25 units in the newly selected data.

Regional revenue review · East and West · destination data selected through guided remap.

02 Performance

Regional revenue total

385 units

Delta —

Current performance

West lead over East

25 units

Delta —

Current performance


East to West revenue

Before
180 units

After
205 units


03 Analysis

Regional revenue by area



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

04 Regional evidence

Regional revenue evidence

REGION	REVENUE	READING	SOURCE
East	180	Comparison baseline	Destination ex
West	205	Leads by 25	Destination ex

↔ Scroll right for more columns. Use Right Arrow, End, or swipe.

05 Decision



Validate the West lead before shifting regional targets

The destination contains two regions; confirm the pattern in the next operating window.

Review


06 Decision and next step



Next step: validate the West lead in the next operating window before shifting regional targets.


Visembler whole-report review - reuse-remapped-section-preview-desktop

01 Analysis



Vertical Bar: 2 rows - Category Region - Value Revenue - 2 fields

Regional revenue by area copy




Vertical Bar: 2 rows - Category Region - Value Revenue - 2 fields

Regional revenue comparison copy




Vertical Bar: 2 rows - Category Region - Value Revenue - 2 fields

01 Analysis




Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue by area copy



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison copy



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Visemblem whole-report review - blank-rebuild-executive-review-preview-desktop

01 Overview

West revenue leads East by 25 units in the regional review.

Regional revenue review · East and West · destination source entered into a blank report.

02 Performance

Regional revenue total

385 units

Delta — vs prior period

West lead over East

25 units

Delta — vs prior period

East to West revenue

Before 180 units

After 205 units ▲

03 Analysis

Regional revenue by area

Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison

Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

The extract totals 385 units. West is 25 units above East; confirm the pattern before changing regional targets.

04 Evidence

Regional revenue evidence

REGION	REVENUE	READING	SOURCE
East	180	Comparison baseline	Destination extract
West	205	Leads by 25	Destination extract

05 Decision

! Validate the West lead before shifting regional targets

The destination contains two regions; confirm the pattern in the next operating window.

Review

06 Next steps

✓ Next step: validate the West lead in the next operating window before shifting regional targets.

01 Overview

West revenue leads East by 25 units in the regional review.

Regional revenue review · East and West · destination source entered into a blank report.

02 Performance

Regional revenue total

385 units

Delta —

vs prior period

West lead over East

25 units

Delta —

vs prior period

East to West revenue

Before

180 units

After

205 units




03 Analysis

Regional revenue by area



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

Regional revenue comparison



Vertical Bar: 2 rows · Category Region · Value Revenue · 2 fields

The extract totals 385 units. West is 25 units above East; confirm the pattern before changing regional targets.

04 Evidence

Regional revenue evidence

REGION	REVENUE	READING	SOURCE
East	180	Comparison baseline	Destination ex
West	205	Leads by 25	Destination ex



Scroll right for more columns. Use Right Arrow, End, or swipe.

05 Decision



Validate the West lead before shifting regional targets

The destination contains two regions; confirm the pattern in the next operating window.

Review

06 Next steps



Next step: validate the West lead in the next operating window before shifting regional targets.