


eIPO Subscriptions and Payments




The Operational Ecosystem



- **FI Team:** Aggregates broker loans & confirms final IPO orders (by 6:00 PM).
- **RM (Relationship Manager):** Handles retail clients & approves overdrafts.
- **FSS Ops:** Central hub that validates all data & submits to the market.


The Evolution of EIPO Operations: From Manual to Automated

Legacy Vendor Program (Manual & Painful)



Reality: Shortages, high manual effort, email dependency, high operational risk.


New Automated Target Operating Model (API-Driven & Secure)




Improvements: Streamlined workflow, reduced manual touchpoints, enhanced security.

The Operational Anchor: T-Day to T+2 Timeline

IPO Lifecycle (T+2 Settlement)



EIPO System Responsibilities



The FINI Revolution & Direct API Connectivity




The T+2 Revolution

HKEX launched the new **FINI platform**, compressing the traditional IPO settlement timeline into a rapid **T+2 cycle**.



Brand-New FINI APIs

To make this extreme speed possible, FINI introduced **official APIs** designed for market participants to **automate their workflows**.




Our Direct Connection

We completely transformed our architecture. Our new **eIPO system connects directly to the FINI APIs**, replacing manual file uploads with real-time, **system-to-system communication**.


Phase 1: Before Closing – Front-End User Interface

You Are Here: T-Day



Phase 1: Before Closing - Backend Processing Engine

You Are Here: T-Day



Phase 1: Strict Formatting & Reference Data

HKID (idType 1)




Rule: 1-2 uppercase letters, exactly 6 integers, check digit (0-9 or A) in parentheses.
No spaces.

LEI (idType 4)



Rule: Exactly 20 uppercase alphanumeric characters.

BCAN (idType 8)



Rule: 6 uppercase alphanumeric + dot + up to 10 positive integers.
Note: PII Names must be null when using BCAN.


Ingesting Reference Data

GET /api/ipos/refdata/v1

- The 'ipolD' acts as the primary key.
- The 'denomTable' dictates exact valid application quantities and maximum values.
- Critical SLA timings are rigidly enforced by 'bookOpenDate', 'pricingDate', and 'allotmentDate'.

Phase 1: Before Closing - Outbound Dispatch

You Are Here: T-Day Submission



Bulk Submission Mechanics

Endpoint: `POST /api/eipo/subscriptions/add/v1``

Payload Rule: Packaged in maximums of 1,000 objects per request.

Output: API generates a unique 17-character "**recordID**" (16-digit integer + suffix O, B, or A).

Operational Edge Cases: Amend vs. Invalidate

Changing an Entry (/change/v1)




- Requires the valid 'recordID' of an active subscription (Status '3' Authorised).
- **Architectural Impact:** Because sensitive PII data is being overwritten, the ENTIRE cryptographic pipeline must be executed again.
- Fresh AES keys must be generated for the new payload.

Invalidating an Entry (/invalidate/v1)




- Acts as a logical cancellation, NOT a hard database deletion.
- Changes the 'subFlowStatus' from '3' (Authorised) to '4' (Invalidated).
- **Architectural Impact:** Does NOT require PII fields to be sent, meaning end-to-end payload encryption is entirely bypassed for this specific call.

The Engine of Trust: Cryptographic Pipeline



Phase 2: Funding Validation Logic

You Are Here:
T-Day Close




The Confirmation Phase

Once **mathematically** validated, participants must submit a **'POST /confirm/v1'** call. This is the critical trigger that shifts **'preFundingStatus'** from **'10' (Pending)** to **'20' (Confirmed)**.




Financial Reality: The Prefunding & Refund Ledgers

The Prefunding Phase (Debits)



Action driven by '/funding/confirm'.
Cash is debited from '**cpBankAcctNum**'
to '**nomBankAcctNum**'.


The Settlement / Refund Phase (Credits)



Unutilized capital is credited back post-allotment.
API provides absolute traceability connecting
'**transactionRef**' to treasury movements.


Phase 3: Allotment - The Automated Backend Fetch

You Are Here: **T+1**



Phase 3: Allotment - The Operational Front-End Review


You Are Here: **T+1**



User Outcome: FSS Ops executes query and downloads reports via the UI without touching manual Excel files or logging directly into the external HKEX portal.

The Final Phase: Automated Fee Billing

You Are Here: T+2



Exception Handling & Error Architecture

	Network & Gateway Constraints	'429 Too Many Requests': Global throttle limits breached (480 req/min globally, 60 req/min per machine). '401 Unauthorized': 30-second JWT expired.
	Cryptographic Failures	'411005 Missing Signature': Payload, RequestID, and Timestamp not properly hashed. '411007 Wrong Public Key': FINI crypto metadata changed. System must fetch a new RSA key from '/api/crypto/meta'.
	Payload Validation	Smart Rejection: FINI separates Message-level errors (entire JSON rejected) from Entry-level errors (e.g., one applicant rejected in a 1,000-object array, remaining 999 processed successfully).

Operational Resilience & Contingency Framework

Audit Readiness

The 'EU_finiCPEnq' role obtains the improve access to absscription Lole, the AuditCoriect Management of EIPO.

Access to CP EIPO Management and Subscription Audit Logs.

Maintenance Windows

Scheduled downtime from Saturday 12:00 to Sunday 12:00. This is maniner of Saturday 12:00 - Sunday 12:00.

Hard-coded API rejections suchas Impecutators and errorsma.

Contingency Protocols

During catastrophic corporate network failure cand be unolbed foy updatng the FINI Contingency Forms and Request Forms to recono contingency to marnert & Request Forms with Contingency rats in HKEX Operations.