

Client registry integration Rest API documentation

The national client registry staging site will be used as the testing site for the consolidation of data elements amongst the partners' client registries.

Api summary

The data elements are expected to be filled from the partners' client registry and a copy of the combined data is maintained in the national client registry. Apart from the client number, which is the unique identifier for all clients, the rest of the data elements would be filled from the partners' registries.

Post client details request – <https://dhpstagingapi.health.go.ke/partners/registry>

Client response will be:

```
{ clientExists:boolean,  
  
  Client:object  
  
}
```

The client object consists of:

- a) "ClientNumber": "string", -- (UPI) Requirement for all the partner registries as a data element but would not be filled on form submission. Would be fetched from the national registry upon new registration or on the update of existing clients.
- b) "FirstName": "string",
- c) "MiddleName": "string", --Optional
- d) "LastName": "string",
- e) "DateOfBirth": "string",

- f) "MaritalStatus": "string", -- Optional
- g) "Gender": "string",
- h) "Occupation": "string", --Optional
- i) "Religion": "string", --Optional
- j) "EducationLevel": "string", --Optional
- k) "Country": "string",
- l) "CountyOfBirth": "string",
- m) "Residence": {
"County": "string",
"SubCounty": "string",
"Ward": "string",
"Village": "string",
"LandMark": "string",
"Address": "string"
},
n) "Identifications": [
{
"IdentificationType": "string",
"IdentificationNumber": "string"
}

],

o) "Contact": {

"PrimaryPhone": "string",

"SecondaryPhone": "string", -optional

"EmailAddress": "string" -optional

p) },

"NextOfKins": [

{

"Name": "string",

"Relationship": "string",

"Residence": "string",

"Contact": {

"PrimaryPhone": "string",

"SecondaryPhone": "string",

"EmailAddress": "string"

}

}

]

}

Expected Responses

- a) 200 with client information including the personal identifier (UPI), if the client does not exist, a 200 response is availed with a message that the client does not exist.
- b) 400 – validation error
- c) 500 – server error
- d) 401 – Failed authentication

Authentication

Using OAuth 2.0 authentication whereby the client application needs to get token from central identity sever, with grant type specified as client credentials.

How to get the access token: Using an API platform e.g. postman, provide the authorization url and then the properties as indicated in the image below.

Client Registry API Staging / Get Auth Token

Save

...

POST

https://dhpidentitystagingapi.health.go.ke/connect/token

Send

Params
 Authorization
 Headers (9)
 Body
 Pre-request Script
 Tests
 Settings
 Cookies

☐ none
☐ form-data
☒ x-www-form-urlencoded
☐ raw
☐ binary
☐ GraphQL

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
☒	client_id	partner.test.client			
☒	client_secret	partnerTestPwd			
☒	grant_type	client_credentials			
☒	scope	DHP.Gateway DHP.Partners			
	Key	Value	Description		

After getting the access token, specify the authentication data by specifying the OAuth 2.0 authentication type and including the access token URL, client-id, scope, client-secret, and grant-type in the authorization panel of the API platform. Thereafter, sync the access token to allow it to be embedded in the headers of client requests. Please refer to the image below:

Client Registry API Staging / Get Client By ID

Save

...

GET

https://dhpstagingapi.health.go.ke/partners/registry/search/{{id_type}}/{{id_number}}

Send

Params
 Authorization
 Headers (7)
 Body
 Pre-request Script
 Tests
 Settings
 Cookies

Query Params

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
	Key	Value	Description		

Important urls

- Post client details request – <https://dhpstagingapi.health.go.ke/partners/registry>
- Get client details by id type – <https://dhpstagingapi.health.go.ke/partners/registry/search/{idType}/{idNo}>
- Get client details by client number – <https://dhpstagingapi.health.go.ke/partners/registry/search/{clientNumber}>
- Get access token - <https://dhpidentitystagingapi.health.go.ke/connect/token>

Note:identification-number has been modified to mirror specific identification types as indicated in the **data dictionary** below:

```
{
  "value": "national-id",
  "label": "National ID"
},
{
  "value": "passport",
  "label": "Passport"
},
{
  "value": "birth-certificate",
  "label": "Birth Certificate"
}
```

Also to note: Some data-elements entries are supposed to align with the data dictionary including:

- contacts-nature
- contacts-type
- counties
- countries
- education-levels
- gender
- marital-status
- occupations
- priorities
- relations
- religions