

B2B I

: v1.0 | : 2026-07-27 | : &

1.

B2B . 1 , . . .
(Incremental Cash Margin) .
 , .

2. (Trade-off Matrix)

2.1 (Frontend)

&		(Trade-off)	
React 19 + Vite + TypeScript ()	B2B HMR SPA ,	vs Next.js (SSR) B2B SEO SSR SPA	SEO (B2B)
TanStack Query v5	API , ,	vs Custom Fetch / Redux Thunk , ,	UI
URL Search Params	(2F~1F), URL , D-Day	vs In-memory state , URL 100%	URL
Zustand	60fps Multi-Select ,	vs Context API / Redux Context API Selector	
TanStack Table v8	SKU , , ,	vs Basic Table / AG Grid Headless	shadcn/ui
Recharts	vs vs ,	vs Chart.js / D3.js React SVG	D3
Tailwind CSS v4 + shadcn/ui ()	(#0F4C3A) ,	vs Styled Components / MUI CSS	HTML
React Hook Form + Zod		vs Formik / Plain State Zod	Zod
Web Vitals	LCP < 1.2s, INP < 100ms UX	vs	

Vitest + RTL + Playwright	, E2E	vs Jest / Cypress Vite 100% E2E
---------------------------	----------	---------------------------------------

2.2 (Backend)

&		(Trade-off)
Java 21 + Spring Boot 3.x ()	RESTful API, Threads (Virtual	vs Node.js / Python Node.js
Spring Data JPA + QueryDSL 5.x	CRUD ()	vs Plain JPA / Native SQL Q-Class
MyBatis 3.5+	/ Function/CTE , Window SQL	vs JPA SQL XML XML
(MVP; State Machine)	-> -> -> ->	vs Enum + If/Else
Spring Security OAuth2/OIDC + RBAC	vs (RBAC)	vs Session Auth API
Spring Batch 5 + 1	02	vs Spring @Scheduled Quartz DB (Clustering)
JUnit 5 + Mockito + Testcontainers	Docker PostgreSQL/Redis	vs H2 DB H2 PostgreSQL JSONB/SQL

2.3 (Database & Cache)

&		(Trade-off)
PostgreSQL 16+ ()	+ JSONB	vs MySQL 8.0 / Oracle 19c 100% CBO JSONB GIN
Redis 7.x ()	, LLM Caching (0)	vs In-memory HashMap TTL

2.4 AI (AI Service)

&		(Trade-off)
Python 3.11+ + FastAPI	ML	vs Spring AI / Spring Boot HTTP
OR-Tools/HiGHS solver	PuLP + . .	vs

scikit-learn / LightGBM +	ML	vs RAG / Vector DB	DB
		ML 100%	
LLM Provider Adapter (OpenAI/Gemini/Ollama)	,	vs LLM API (Gemini 1,500)	(Ollama)

2.5 , , Sentry (Observability & Testing)

&		(Trade-off)	
Sentry	/	vs	(5,000)
Prometheus + Grafana	CPU, , DB RPS/Latency	vs CloudWatch	
Loki + Promtail	Logback JSON Grafana	vs ELK Stack	1/10
OpenTelemetry + Jaeger	React->Spring Boot->FastAPI->PostgreSQL	vs TraceID	TraceID
k6	500 Latency TPS	P95 vs JMeter / Locust	CLI

3. AI & 4

- ML (Feature Engineering) & : , D-Day, 30/60/90 , , LightGBM .
- / SKU (Cold-Start) : -> -> , 65% .
- LLM (Structured Output) & Redis 0 : LLM JSON , Redis 0 .
- (Closed-Loop Feedback System): (,) DB AI (MAPE) , ML .

4.

Frontend (React SPA) -> Reverse Proxy (Nginx) -> Core Backend (Spring Boot) -> AI Microservice (Python FastAPI) -> Database (PostgreSQL/Redis) -> Observability (Prometheus/Loki/Sentry) .

5. 面试问题

- 面试官问：你用过 React 吗？
答：用过，React 19 + Vite + TypeScript。SEO API 用 Vite 部署。
- 面试官问：你用过 TanStack Query 吗？
答：用过，Zustand 管理状态，API 用 TanStack Query。
- 面试官问：你用过 Spring Boot 吗？
答：用过，FastAPI 用 OpenAPI，timeout 用 Trace ID。
- 面试官问：你用过 JPA/QueryDSL 吗？
答：用过，MyBatis 用 QueryDSL，read model 用 SQL。
- 面试官问：你用过 MVP 吗？
答：用过，Enum 用 State Machine。
- 面试官问：你用过 Spring Batch 吗？
答：用过，Quartz 用 Quartz, @Scheduled。
- 面试官问：你用过 PostgreSQL 吗？
答：用过，payload 用 JSONB，Redis 用 TTL。
- 面试官问：你用过 OR-Tools/HiGHS 吗？
答：用过，PuLP 用 solver，infeasible-solver 用 fallback。
- 面试官问：你用过 LightGBM 吗？
答：用过，Provider Adapter 用 JSON Schema，PII 用 '100%'。
- 面试官问：你用过 LLM 吗？
答：用过，DB 用 timeout。

5.1

- 面试官问：你用过 SKU 吗？
答：用过，IdP/OIDC, RBAC, fallback。
- 面试官问：你用过 LLM 吗？
答：用过，DB 用 timeout。

5.2

- P0: React/Vite, Spring API, PostgreSQL
- P1: FastAPI
- P2: LLM, State Machine