#### 문서관리 > 기안문서 TAD\_DOC\_DRAFT OFFICE\_CODE: varchar(20) TAD\_DOC\_DRAFT\_FILE DOC\_SEQ: integer OFFICE\_CODE: varchar(20) DOC\_SEQ: integer FILE\_SEQ: integer SUBJECT: varchar(200) DOC\_HTML: text REG\_DATE: varchar(8) REG\_USER: varchar(20) FILE\_NM: varchar(100) WRITER: char(18) SYS\_FILE\_NM: varchar(100) IDX: integer 문서관리 > 발송문서 TAD\_DOC\_SEND TAD\_DOC\_SEND\_FILE OFFICE\_CODE: varchar(20) DOC\_SEQ: integer OFFICE\_CODE: varchar(20) DOC\_SEQ: integer FILE\_SEQ: integer SUBJECT: varchar(200) DOC\_HTML: text FILE NM: varchar(100) REG\_DATE: varchar(8 SYS\_FILE\_NM: varchar(100) REG\_USER: varchar(20) RECEIPT\_NAME: varchar(50) WRITER: char(18) 문서관리 > 입찰공고 TAD\_DOC\_BID OFFICE\_CODE: varchar(20) DOC\_SEQ: integer TAD\_DOC\_BID\_FILE OFFICE\_CODE: varchar(20) DOC\_SEQ: integer FILE\_SEQ: integer SUBJECT: varchar(200) DOC\_HTML: text REG\_DATE: varchar(8) FILE\_NM: varchar(100) REG\_USER: varchar(20) SYS\_FILE\_NM: varchar(100) IB\_NAME: varchar(50) WRITER: char(18) 문서관리 > 접수문서 TAD\_DOC\_RECEIPT TAD\_DOC\_RECEIPT\_FILE OFFICE\_CODE: varchar(20) OFFICE\_CODE: varchar(20) DOC\_SEQ: integer DOC\_SEQ: integer FILE\_SEQ: integer SUBJECT: varchar(200) DOC\_HTML: text REG\_DATE: varchar(8) FILE\_NM: varchar(100) SYS\_FILE\_NM: varchar(100) REG\_USER: varchar(20) ND\_NAME: varchar(50) WRITER: char(18) 방송&게시문 > 방송문 TAD\_DOC\_BROADCAST TAD\_DOC\_BROADCAST\_FILE OFFICE\_CODE: varchar(20) OFFICE\_CODE: varchar(20) DOC\_SEQ: integer DOC\_SEQ: integer FILE\_SEQ: integer SUBJECT: varchar(200) DOC\_HTML: text FILE\_NM: varchar(100) REG\_DATE: varchar(8) REG\_USER: varchar(20) SYS\_FILE\_NM: varchar(100) BROADCATER: char(18) BROADCAST\_CNT: integer TAD\_DOC\_BROADCAST\_TIME REMARKS: varchar(100) SEQ: integer WRITER: char(18) OFFICE\_CODE: varchar(20) CAST\_DATE: char(18) DOC\_SEQ: integer CAST\_HOUR: char(18) CAST\_DATE: varchar(8) CAST\_TIME: varchar(4) CAST\_MINUTE: char(18) 방송&게시문 > 공고문 TAD\_DOC\_NOTICE TAD\_DOC\_NOTICE\_FILE OFFICE\_CODE: varchar(20) OFFICE\_CODE: varchar(20) DOC\_SEQ: integer FILE\_SEQ: integer DOC\_SEQ: integer SUBJECT: varchar(200) DOC\_HTML: text REG\_DATE: varchar(8 FILE\_NM: varchar(100) SYS\_FILE\_NM: varchar(100) REG\_USER: varchar(20) START\_DATE: varchar(8) TAD\_DOC\_NOTICE\_POINT END\_DATE: varchar(8) OFFICE\_CODE: varchar(20) WRITER: char(18) DOC\_SEQ: integer WRITER ID: char(18) SEQ: integer NOTICE\_POINT: varchar(20)

## 방송&게시문 > 광고게시문

### TAD\_DOC\_ADVER

OFFICE\_CODE: varchar(20) DOC\_SEQ: integer SUBJECT: varchar(200) DOC\_HTML: varchar(1000) REG\_DATE: varchar(8) REG\_USER: varchar(20) START\_DATE: varchar(8) END\_DATE: varchar(8) AD\_COMP\_NAME: varchar(50) AD\_OWNER: varchar(20) TEL\_NO: varchar(20) AD\_AMOUNT: money REMARKS: varchar(100) POINT\_ID: char(18)

#### TAD\_DOC\_ADVER\_FILE

OFFICE\_CODE: varchar(20) DOC\_SEQ: integer FILE\_SEQ: integer

> FILE\_NM: varchar(100) SYS FILE NM: varchar(100)

#### TAD\_REG\_USER

OFFICE\_CODE: varchar(20) SEQ: integer

REG\_NAME: varchar(20) REG\_DATE: varchar(8) USE\_YN: varchar(1) ORDER\_SEQ: char(18)

### TAD POINT

OFFICE\_CODE: varchar(20) POINT\_ID: varchar(20)

POINT\_NAME: varchar(50) REG\_DATE: varchar(8) YN: varchar(8 ORDER\_SEQ: char(18)

## TAD\_DOC\_ENV

OFFICE\_CODE: varchar(20) SAFETY\_CODE: integer

SUBJECT: varchar(200) DOC\_HTML: text REG\_DATE: varchar(8) REG\_USER: varchar(20)

## TAD\_MESSAGE\_CHARGE

OFFICE\_CODE: varchar(20) SEQ: varchar(20)

CHARGE\_DATE: varchar(20) CHARGE\_AMT: varchar(8) CHARGE\_CNT: varchar(20) REMARKS: varchar(20) REG\_USER: varchar(30) REG\_DATE: varchar(20)

## TAD\_MESSAGE\_USE

OFFICE\_CODE: varchar(20)

EMP\_NO: varchar(20) NAME: varchar(8) HP\_NO: varchar(20) HP\_NO: varchar(20)
JOB\_DUTY\_NAME: varchar(20)
SEND\_MSG: varchar(30)
SNED\_DATE: varchar(20)
SEND\_YN: char(18)
SERIAL: char(18)
CALL\_COM: char(18) REMARKS: char(18) RE\_AMT: char(18) BYTE\_LEN: char(18) MSG\_TYPE: char(18) SMS\_CNT: char(18) SEND\_USER\_ID: char(18) BIZ\_DATA\_NO: char(18)

## TAD\_MESSAGE\_LAST

OFFICE\_CODE: char(18) SEQ: char(18)

LAST\_NM: char(18) LAST\_TEXT: char(18) REG\_USER: char(18) REG\_USER\_ID: char(18) REG\_DATE: char(18)

# TAD\_MAKE\_DOC\_GBN

OFFICE\_CODE: varchar(20) DOC\_GBN: varchar(20) REG\_DATE: varchar(8)

DOC\_GBN\_NAME: varchar(50) USE\_YN: varchar(1)

ORDER\_SEQ: char(18)

SEQ: varchar(20) GBN: char(18) REG\_DATE: char(18) SEND\_GROUP: char(18)

BIZ\_GBN: char(18) RCV\_OFFICE\_CODE: char(18)

### TAD\_MESSAGE\_TMP

R\_NUM2: char(18) OFFICE\_CODE: char(18)

R\_NUM: char(18) CHARGE\_DATE: char(18) CHARGE\_CNT: char(18) REMARKS: char(18) SMS\_CNT: char(18) LMS\_CNT: char(18) MMS\_CNT: char(18) TOT\_CNT: char(18) RE\_CNT: char(18) RE\_USE\_CNT: char(18)

## TAD\_MAKE\_DOC

OFFICE\_CODE: varchar(20) DOC\_SEQ: integer

DOC\_GBN: varchar(20) MAKE\_DATE: varchar(8) DOC\_FOLDER: varchar(100) MGM\_DEPT\_CD: varchar(20)
DOC\_STORAGE: varchar(20)
STORAGE\_MAX\_YEAR: integer
DISUSE\_PLAN\_DATE: varchar(8) USE\_YN: varchar(1) REMARKS: varchar(100)

DISUSE YN: char(18) DISUSE\_DATE: char(18)
DISUSE\_REASON: char(18)

## TAD\_DOC\_STORAGE

OFFICE\_CODE: varchar(20) STORAGE\_CD: varchar(20) REG\_DATE: varchar(8)

STORAGE\_NAME: varchar(50) USE\_YN: varchar(1) ORDER\_SEQ: char(18)





